



## DAFTAR PUSTAKA

- Anonim, 2014, Badan Meteorologi Klimatologi dan Geofisika (BMKG) - Informasi Gas Rumah Kaca, [http://bmgk.go.id/BMKG\\_Pusat/Kualitas\\_Udara/Informasi\\_Gas\\_Rumah\\_Kaca.bmgk](http://bmgk.go.id/BMKG_Pusat/Kualitas_Udara/Informasi_Gas_Rumah_Kaca.bmgk), diakses tanggal 9 Juli 2015.
- Balgis, R. Kartikowati, C.W., Ogi, T., Gradon, L., Bao L., Seki K. and Okuyama K., 2015, Synthesis and Evaluation of Straight and Bead-free Nanofibers for Improved Aerosol Filtration, *Chem. Eng. Sci.*, 137, 947–954.
- Borgogna, M., Skjåk-Bræk, G., Paoletti, S. and Donati, I., 2013, On the Initial Binding of Alginate by Calcium Ions. The Tilted Egg-Box Hypothesis, *J. Phys. Chem. B*, 117, 7277–7282.
- Braccini, I. and Pèrez, S., 2001, Molecular Basis of Ca<sup>2+</sup> Induced Gelation in Alginates and Pectins: The Egg-Box Model Revisited, *Biomacromolecules*, 2(4), 1089-1096.
- Crossno, S.K., Kalbus, L.H. and Kalbus, G.E., 1996, Determination of carbon dioxide by titration: new experiments for general, physical, and quantitative analysis courses, *J. Chem. Educ.*, 73(2), 175-176.
- Dey, S., Bhunia, A., Esquivel, D. and Janiak, C., 2016, Covalent triazine-based frameworks (CTFs) from triptycene and fluorene motifs for CO<sub>2</sub> adsorption, *J. Mater. Chem. A*, 4, 6259–6263.
- Dlugokencky, E. and Tans, P., 2016, National Oceanic & Atmospheric Administration (NOAA)/ Earth System Research Laboratory (ESRL) - Trends in Atmospheric Carbon Dioxide, <http://www.esrl.noaa.gov/gmd/ccgg/trends/global.html>, diakses tanggal 1 Maret 2016.
- Donati, I. and Paoletti, S., 2009, *Material Properties of Alginates*. Dalam: B. Rehm (penyunt.), *Alginates: Biology and Applications*, Springer-Verlag Berlin Heidelberg, Italia, 1-53.
- Grant, G.T., Morris, E.R., Rees, D.A., Smith, P.J.C. and Thom, D., 1973, Biological Interactions between Polysaccharides and Divalent Cations: the Egg-Box Model, *FEBS Lett.*, 32(1), 195 – 198.
- Greiner, A. and Wendorff, J.H., 2007, Electrospinning: A Fascinating Method for the Preparation of Ultrathin Fibers, *Angew. Chem. Int.*, 46, 5670 – 5703.



- Guais, A., Brand, G., Jacquot, L., Karrer, M., Dukan, S., Grevillot, G., Molina, H. J., Bonte, J., Regnier, M. and Schwartz, L., 2011, Toxicity of Carbon Dioxide: A Review, *Chem. Res. Toxicol.*, 24, 2061–2070.
- Guofo, P., Pereira, J., Figueiredo, N., Oliveira, M.B.P.P., Carranca, C., Rosa, E. A.S. and Trindade, H., 2014, Effect of elevated carbon dioxide (CO<sub>2</sub>) on phenolic acids, flavonoids, tocopherols, tocotrienols, g-oryzanol and antioxidant capacities of rice (*Oryza sativa L.*), *J. Cereal Sci.*, 59, 15-24.
- Guo, J., Zhang, Q., Cai, Z. and Zhao, K., 2016, Preparation and dye filtration property of electrospun polyhydroxybutyrate–calcium alginate/carbon nanotubes composite nanofibrous filtration membrane, *Separ. Purif. Technol.*, 161, 69–79.
- Hong, S.M., Kim, S.H., Jeong, B.G., Jo, S.M. and Lee, K.B., 2014, Development of porous carbon nanofibers from electrospun polyvinylidene fluoride for CO<sub>2</sub> capture, *RSC Adv.*, 4, 58956–58963.
- Iqbal, N., Wang, X., Babar, A.A., Yu, J. and Ding, B., 2016, Highly flexible NiCo<sub>2</sub>O<sub>4</sub>/CNTs doped carbon nanofibers for CO<sub>2</sub> adsorption and supercapacitor electrodes, *J. Colloid Interf. Sci.*, 476, 87–93.
- Islam, M.S. and Karim, M.R., 2010, Fabrication and characterization of poly(vinyl alcohol)/alginate blend nanofibers by electrospinning method, *Colloid. Surface. A.*, 366, 135–140.
- Karthik, R. and Meenakshi, S., 2015, Removal of Cr(VI) ions by adsorption onto sodium alginate-polyaniline nanofibers, *Int. J. Biol. Macromol.*, 72, 711-717.
- Kataria, K., Gupta, A., Rath, G., Mathur, R.B. and Dhakate, S.R., 2014, In vivo wound healing performance of drug loaded electrospun composite nanofibers transdermal patch, *Int. J. Pharm.*, 469, 102–110.
- Kazarian, S.G., Vincent, M.F., Bright, F.V., Liotta, C.L. and Eckert, C.A., 1996, Specific Intermolecular Interaction of Carbon Dioxide with Polymers, *J. Am. Chem. Soc.*, 118 (7), 1729-1736.
- Lin, Y.F., Ye, Q., Hsu, S.H. and Chung, T.W., 2016, Reusable fluorocarbon-modified electrospun PDMS/PVDF nanofibrous membranes with excellent CO<sub>2</sub> absorption performance, *Chem. Eng. J.*, 284, 888–895.
- Ma, X., Li, L., Wang, S., Lu, M., Li, H., Ma, W. and Keener, T.C., 2016, Ammonia-treated porous carbon derived from ZIF-8 for enhanced CO<sub>2</sub> adsorption, *Appl. Surf. Sci.*, 369, 390–397.



- Margono, B.A., Potapov, P.V., Turubanova, S., Stolle, F. and Hansen, M.C., 2014, Primary forest cover loss in Indonesia over 2000–2012, *Nature Clim. Change*, 29 Juni, 1-6.
- Martínez, F., Sanz, R., Orcajo, G., Briones, D. and Yángüez, V., 2016, Amino-impregnated MOF materials for CO<sub>2</sub> capture at post-combustion conditions, *Chem. Eng. Sci.*, 142, 55–61.
- Matulevicius, J. Kliucininkas, L., Martuzevicius, D., Krugly, E., Tichonovas, M. and Baltrusaitis, J., 2014, Design and Characterization of Electrospun Polyamide Nanofiber Media for Air Filtration Applications, *J. Nanomater.*, 1-13.
- Nan, D., Liu, J. and Ma, W., 2015, Electrospun phenolic resin-based carbon ultrafine fibers with abundant ultra-small micropores for CO<sub>2</sub> adsorption, *Chem. Eng. J.*, 276, 44–50.
- Pachfule, P., Balan, B. K., Kurungot, S. and Banerjee, R., 2012, One-dimensional confinement of a nanosized metal organic framework in carbon nanofibers for improved gas adsorption, *Chem. Commun.*, 48, 2009–2011.
- Pelipenko, J., Kocbek, P. and Kristl, J., 2015, Critical attributes of nanofibers: Preparation, drug loading, and tissue regeneration, *Int. J. Pharm.*, 484, 57–74.
- Rees, D. A., 1981, Polysaccharide Shapes and Their Interactions - Some Recent Advances, *Pure Appl. Chem.*, 53, 1-14.
- Rošic, R., Pelipenko, J., Kocbek, P., Baumgartner, S., Bešter-Rogac, M. and Kristl, J., 2012, The role of rheology of polymer solutions in predicting nanofiber formation by electrospinning, *Eur. Polym. J.*, 48, 1374–1384.
- Safi, S., Morshed, M., Ravandi, S.A.H. and Ghiaci, M., 2007, Study of Electrospinning of Sodium Alginate, Blended Solutions of Sodium Alginate/Poly(vinyl alcohol) and Sodium Alginate/Poly(ethylene oxide), *J. Appl. Polym. Sci.*, 104, 3245–3255.
- Shalumon, K., Anulekha, K.H., Nair, S.V., Nair, S.V. Chennazhi, K.P. and Jayakumar, R., 2011, Sodium alginate/poly(vinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings, *Int. J. Biol. Macromol.*, 49, 247–254.
- Tian, Z., Huang, J., Zhang, Z., Shao, G., Liu, A. and Yuan, S., 2016, Organic-inorganic hybrid microporous polymers based on Octaphenylcyclotetrasiloxane: Synthesis, carbonization and adsorption for CO<sub>2</sub>, *Micropor. Mesopor. Mat.*, 234, 130 - 136.



- Wang, X. and Li, B., 2014, *Chapter 10: Electrospun Nanofibrous Sorbents and Membranes for Carbon Dioxide Capture*. Dalam: B. Ding & J. Yu, (penyunt.), *Electrospun Nanofibers for Energy and Environmental Applications*, Springer-Verlag Berlin Heidelberg, Berlin, 249-263.
- Wu, Q., Li, W., Liu, S. and Jin, C., 2016, Hydrothermal synthesis of N-doped spherical carbon from carboxymethylcellulose for CO<sub>2</sub> capture, *Appl. Surf. Sci.*, 369, 101–107.
- Zhu, Y. Wang, Z., Zhang, C., Wang, J. and Wang, S., 2013, A Novel Membrane Prepared from Sodium Alginate Cross-linked with Sodium Tartrate for CO<sub>2</sub> Capture, *Chinese J. Chem. Eng.*, 21(10), 1098 - 1105.