

Daftar Pustaka

- Abe, K dan Yano, H. (2009). Comparison of The Characteristic of Cellulose Microfibril Aggregates of Wood, Rice Straw and Potato Tuber. *Springer Science*. 16: 1017 – 1023.
- Achmadi, S. (1990). *Kimia Kayu*. Departemen Pendidikan dan Kebudayaan. Direktorat Jenderal Pendidikan Tinggi. Pusat Antar Universitas. Ilmu Hayat. Institut Pertanian Bogor.
- Adebowale, K. O.; Olu-Owolabi, B. I.; Olayinka, O. O.; Lawal, O. S. (2005). Effect of Heat Moisture Treatment and Annealing on Physicochemical Properties of Red Sorghum Starch. *African Journal of Biotechnology*. 4(9): 928-933.
- Adinugraha, M. P.; Marseno, D. W. dan Haryadi. (2005). Syntesis and Characterization of Sodium Carboxymethylcellulose from Cavendish Banana Pseudo Stem (*Musa cavendishii* LAMBERT). *Carbohydrate Polymers*. 62: 164-169.
- Adiseno, B. (2008). Sintesis dan Karakterisasi Sodium Karboksimetil Selulosa dari Tandan Kosong Kelapa Sawit serta Aplikasinya Sebagai Penstabil Emulsi Santan Kelapa. *Tesis*. Program Pascasarjana Universitas Gadjah Mada.
- Aji, B.K. dan Kurniawan, F. (2012). Pemanfaatan Serbuk Biji Salak (*Salacca zalacca*) sebagai Adsorben Cr(VI) dengan Metode Batch dan Kolom. *Jurnal Sains Pomits*. 1(1): 1-6.
- Ambriz, S.L.R.; Hernandes, J. J. L.; Zcevedo, J. Tovar dan Perez, L. A. B. (2008). Characterization of a Fibre-rich Powder Prepared by Liquefaction on Unripe Banana Flour. *Food Chemistry*. 105: 1515-1521.
- Anonim. (1989). *American Society for Testing and Materials, Standard Test Methods for Methylcellulose. ASTM standard D1347-72* ASTM, Philadelphia, PA.
- Anonim. (1990). *Official Methods of Analysis, 15th Edn.* Association Of Official Analytical Chemists, Washington D.C.
- Arnasis, W. (1996). *Agribisnis Komoditas Salak*. Bumi Aksara, Jakarta.
- Beatriz, A. P.; Belgacem, M. N. dan Frollini, E. (2006). Mercerized Linters Cellulose: Characterization and Acetylation in N,N-dimethylacetamide/lithium Chloride. *Carbohydrate Polymers*. 63:19-29.
- Bhattacharya, A. dan Mira, B. N. (2004). Grafting: A Versatile Means To Modify Polymers Techniqves, Factors and Applications. *Progress In Polymer Science*. 29: 767-782.
- Bhatt, N.; Gupta, P. K. dan Naithani, S. (2011). Hydroxypropyl Cellulose from α -cellulose Isolated from *Lantana camara* with Respect to DS and Rheological Behavior. *Carbohydrate Polymers*. 86: 1519-1524.



- Bhui, D. K. dan Misra, A. (2012). Synthesis of Worm Like Silver Nanoparticles in Methyl Cellulose Polymeric Matrix and Its Catalytic Activity. *Carbohydrate Polymers*. 89: 830-835.
- Bicu, I dan Mustafa, F. (2013). Optimization of Isolation of Cellulose from Orange Peel Using Sodium Hydroxide and Chelating Agents. *Carbohydrate Polymers*. 98: 341-348.
- Browning, B.L. (1967). *Methods of Wood Chemistry Vol. 11*. Interscience Publishers A Division of John Wiley and Sons, New York.
- Chau, C. F.; Cheung, K. dan Wong, Y. S. (1997). Functional Properties of Protein Concentrates from Three Chinese Indigenous Legume Seeds. *Journal of Agricultural Food Chemistry* 45(7): 2500-2503.
- Chen, J.; Yi, J.; Sum, P. dan Liu, Z. W. (2009). Grafting from Ramie Fiber with Poly (MMA) or Poly (MA) Via Reversible Addition Fragmentation Chain Transfer Polymerization. *Cellulose*. 16: 1133-1145.
- Cicilia, S. (2013). Isolasi Selulosa dan Sintesis Carboxymethyl Cellulose dari Tangkai Enceng Gondok (*Eichornia crassipes* Solm). *Tesis*. Program Pascasarjana Universitas Gadjah Mada.
- Cruz, S. F.; Assuncao, R. M. N.; Motta L. A. C.; Vieira, J. G.; Filho, G. R.; Meireles, C. S.; Faria, F. A. C.; Gomide, D. D. dan Pasquini, D. (2012). Synthesis and Characterization of Methylcellulose from Cellulose Extracted from Mango Seeds for Use as a Mortar Additive. *Polimeros*. 22(1): 80-87.
- Durgin, A. G. (1957). *The Alkaline Process*. dalam: Calkin, J.B. dan Withman, G.S. (editor) *Modern Pulp Making 3 ed*. Reinhold Publishing Corp, New York.
- Fassenden, R. J. dan Fassenden, J. S. (1999). *Organic Chemistry, Fifth Edition*. Delta State University, Cleveland.
- Fathoni, F. (2014). Studi Potensi Biji Salak (*Salacca edulis* Reinw) Sebagai Sumber Alternatif Monosakarida dengan Cara Hidrolisis Menggunakan Asam Klorida. *Skripsi*. Fakultas Teknologi Pertanian. Universitas Gadjah Mada.
- Feller, R. L. dan Wilt, M. (1990). Evaluation of Cellulose Ethers for Conservation. Paul Trust, America.
- Fengel, D. dan Wegener, G. (1995). Kayu: Kimia, Ultrastruktur, Reaksi-Reaksi. Terjemahan Sudjipto A. Hadikusumo. Universitas Gadjah Mada, Yogyakarta.
- Fennema, O. R. (1996). *Food Chemistry Third Ed*. University of Wisconsin- Madison, Marcel Dekker Inc, New York.
- Ferdiansyah, M. K. (2013). Isolasi Selulosa dan Sintesis CMC dari Pelelepah Kelapa Sawit. *Tesis*. Program Pasca Sarjana Universitas Gadjah Mada.



- Filho, G. R.; De Assuncao, R. M. N.; Viera, J. G.; Meireles, C. D. S.; Cerquera, D. A.; Barud, H. D. S.; Ribeno, S. J. L. dan Messaddeq, Y. (2007). Characterization of Methycellulose Produced from Sugar Cane Baggase Cellulose: Crstallinity and Thermal Properties. *Polymer Degradation and Stability*. 92: 205-210.
- Garrett, R. H. (2005). *Biochemistry*. Third edition. Peter: Thomson Book Cole, USA.
- Gupta, K. C. dan Sahoo, J. (2001). Graft Copolymerization of 4-Vinylpyridine Onto Cellulose Using Co (III) Acetylacetone In Aqueous Medium. *Cellulose*. 8: 233-238.
- Haque, A. dan Morris, E. R. (1993). Thermogelation of Methylcellulose. Part I : Molecular Structures and Processes. *Carbohydrate Polymers*. 22: 161-173.
- Heizen, T.; Erle, U.; Nehls, I. dan Klemm, D. (1994). Determination of the Substituent Pattern of Heterogenously Cellulose by Using High-Performance Liquid Chromatography. *Die Angewandte Makromolekulare Chemie*. 215: 99-106.
- Heizen, T. dan Pfeiffer, K. (1999). Studies on the Sythesis and Characterization of Carboximethyl Cellulose. *Die Angewandte Makromolekulare Chemie*. 266: 37-45.
- Hui, Y. H. (2006). *Handbook of Food Science Technology and Engineering Volume 1*. CRC Press.
- Hutomo, G. S. (2012). Sintesis dan Karakteristik Turunan Selulosa dari *POD Husk* Kakao (*Theobroma cacao* L.). *Desertasi*. Program Pascasarjana Universitas Gadjah Mada.
- Imeson, A. (1999). *Thickening and Gelling Agents for Food*. Second edition An Aspen Publication, Maryland.
- Jain, S.; Sandhu, P. S.; Malvi, R. dan Gupta, B. (2013). Cellulose Derivatives as Thermoresponsive Polymer: An Overview. *Journal of Applied Pharmaceutical Science*. 3(12): 139-144.
- Kuntari. (2006). Optimalisasi Proses *Desizing Scouring, Bleaching* dan *Cautisizing* secara Silmutan, Sistem Pad-Batch pada Kain Rayon Viskosa. *Indonesian Journal of Material Science*. 118-123.
- Lii, K.; Henrikson, G. Dan Gellerstedt. G. (2007). Lignin Depolymerization and Repolymerization and Its Critical Role for Delignification of Aspen Wood by Steam Explosion. *Bioresource Technology*. 98: 3061-3068.
- Lin, X.; Qu, T. dan Qi, S. (1990). Kinetics of the Carboxymethylation of Cellulose in the Isopropyl Alcohol System. *Acta Polymerica*. 41(4): 220-222.
- Mann, G.; Kunze, J.; Loth, F. dan Fink, H.P. (1998). Cellulose Ethers with A Block-Like Distribution of the Substituents by Structure-Selective Derivatization of Cellulose. *Polymers*. 39 (14); 3155-3165.
- Mohdy, F. A. A.; Halim, E. S. A.; Ayana, Y. M. A. dan Sawy, A. M. E. (2009). Rice Straw as a New for Some Beneticial Uses. *Carbohydrate Polymers*. 75: 44-55.



- Mondal, M. A.; El-Kady, M. Y.; El-Sayed, S. Y. dan Amine, F. M. (2009). Preparation and Charactiozation of Microcrystallne Cellulose (MCC). *Bioresources*. 4(4): 1359-1371.
- Montgomery, D. C. (1991). *Design and Analysis of Experiments Third Edition*. John Wiley and sons, New York.
- Mosier, N.; Wyman, C.; Dale, B.; Elander, R.; Lee, Y. dan Holtzapple, M. (2005). Features of Promising Technologies for Pretreatment of Lignocellulosic Biomass. *Bioresource Technology*, 96 (6): 673-686.
- Nugroho, A. D. (2014). Studi Potensi Biji Salak (*Salacca edulis* Reinw) sebagai sumber Alternatif Monosakarida dengan Cara Hidrolisis Menggunakan Asam Sulfat. *Skripsi*. Program studi Teknologi Pangan dan Hasil Pertanian Universitas Gadjah Mada.
- Olaru, N.; Olaru L.; Stoleriu, A.; dan Timpu, D. (1997). Carboxymethylsellulose Synthesis In Organic Media Containing Ethanol and or Acetone. *Applied Polymers Science* 67: 481-486.
- Oramahi, H. A. (2008). *Teori dan Aplikasi Penggunaan RSM (Response Surface Methodology)*. Ardana media, Yogyakarta.
- Pomeranz, Y. dan Meloan, C. E. (1999). *Food Analysis Theory and Practice.3ed*. Chapman and Hall, U. S. A.
- Prihatman, K. (2000). *Salak (Salacca edulis)*. Sistem Informasi Manajemen Pembangunan di Pedesaan, BAPPENAS, Jakarta.
- Pujokaroni, A. S. (2014). Sintesis dan Karakterisasi Sodium Karboksimetil Selulosa dari Sabut Kelapa Sawit. *Tesis*. Fakultas Teknologi Pertanian Universitas Gadjah Mada.
- Pushpamalar, V.; Langford, S. J.; Ahmad, M. dan Lim, Y. Y. (2006). Optimization of Reaction Conditions for Preparing Carboxymethyl Cellulose from Sago Waste. *Carbohydrate Polymers*. 64: 312-318.
- Ramos, L. A.; Frollini, E. dan Heinze, T. H. (2005). Carboxymethylation of Cellulose in the New Solvent Dimethyl Sulfoxide/Tetrabutylammonium Flouride. *Carbohydrate Polymers*. 64: 312-318.
- Rosell, C. M.; Santos, E. dan Collas, C. (2009). Psysico-chemical Propertiesof Commercial Fibers from Different Sources A Comparative Approach. *Food Research International*. 42: 176-184.
- Schantz, L. V.; Schagerlof, H.; Karlsson, E. N. dan Ohlin, M. (2014). Characterization of the Substitution Pattern of Cellulose Derivatives Using Carbohydrate-Binding Modules. *Bio Med Central Biotechnology*. 14(113):2-8.
- Scott, J. R. dan Roff, W. J. (1971). *Handbook of Common Polymers*. CRC Press, Claveland.
- Sjostrom, E. (1981). *Wood Chemistry: Fundamentals and Application*. Academic Press, New York.



- Shieh, C.J.; Philip, E.; Koehler, P.E. dan Akoh, C.C. (1996). Optimization of Sucrose Polyesten Synthesis Using Response Surface Methodology. *Journal Food Science*. (61) : 97-100.
- Stevens, M. P. dan Sopyan, I. (2001). *Kimia Polimer*. Pradya Paramita Pusat Sains & Teknologi, Jakarta.
- Sun, R. dan Hughes, S. (1998). Fractional Extraction and Physico-Chemical Characterization of Hemicellulose and Cellulose from Sugar Beet Pulp. *Journal of Carbohydrate Polymers*. 36: 293-299.
- Supriyadi; Suhardi; Suzuki, M.; Yoshida, K.; Muto, T.; Fujita, A.; dan Watanabe, N. (2002). Changes in the Volatile Compounds and in the Chemical and Physical Properties of Snake Fruit (*Salacca edulis* Reinw) Cv. Pondoh During Maturation. *Journal of Agricultural Food Chemistry* 50(26):7627-7633.
- Susana. (2009). Sintesis dan Karakterisasi Sodium Karboksimetil Selulosa dari Mahkota Nanas. *Tesis*. Program Pascasarjana Universitas Gadjah Mada.
- Tjahjadi, N. (1989). *Bertanam Salak*. Kanisius, Yogyakarta.
- Togrul, H. dan Arslan, N. (2003). Production of Carboxymethyl Cellulose from Sugar Beet Pulp Cellulose and Rheological Behaviour of Carboxymethyl Cellulose. *Carbohydrate Polymers*. 54: 73-82.
- Togrul, H. dan Arslan, N. (2004^a). Extending Shelf- life of Peach and Pear by Using CMC from Sugar Beet Pulp Cellulose as a Hydrophylic Polymer in Emulsions. *Food Hydrocolloids*. 18: 215-220.
- Togrul, H. dan Arslan, N. (2004^b). Carboxymethyl Cellulose from Sugar Beet Pulp Cellulose as a Hydrophylic Polymer in Coating of Mandarin. *Food Engineering*. 62: 271-279.
- Ventola, S. C. (2013). Isolasi Selulosa dan Sintesis Karboksimetil Selulosa (CMC) dari Enceng Gondok. *Tesis*. Program Pasca Sarjana Universitas Gadjah Mada.
- Vieira, J. G.; Oliviera, G. C.; Filho, G. R.; de Assuncao, R. M. N.; Meireles, C. S.; Cerqueira, D. A.; Silva, W. G. dan Motta, L. A. C. (2009). Production, Characterization and Evaluation of Methyl Cellulose from Sugar Cane Bagasse for Application as Viscosity Anhancing Admixture for Cement Based Materialo. *Carbohydrate Polymers*. 78: 779-783.
- Viera, R.G. P.; Filho, G. R.; Assungcao, R. M. N.; Dasmeireles, C.; Viera, J. G. dan De Oliveira, G.S. (2007). Syntesis and Characterization of Methyl Cellulose from Sugar Cane Bagase Cellulose. *Carbohydrate Polymers*. 67: 182-189.
- Wang, L., Dong, W. dan Xu, Y. (2007). Synthesis and Caracterization of Hydroxypropyl Methyl Cellulose and Ethyl Acrylate Graft Copolymers. *Carbohydrate Polymers*. 68: 626-636.
- Wijaya, H., Ulrich, D.; Lestari, R.; Schippel, K. dan Ebert, G. (2005). Identification of potent odorants in different cultivars of snake fruit [*Salacca zalacca* (Gaert.) Voss] using gas



- chromatography-olfactometry. *Journal of Agricultural Food Chemistry*. 53(5): 1637-1641.
- Yasar, F.; Togrul, H. dan Arslan, N. (2007). Flow Properties of Cellulose and Carboxymethyl Cellulose from Orange Peel. *Food Engineering*. 81: 187-199.
- Ye, D. (2005). Preparation of Methylcellulose from Annual Plants. *Dissertation*. Departament d'Enginyeria Quimica Escola Tecnica Superior d'Enginyeria Quimica. Universitat Rovira I Virgili.
- Ye, D. dan Farriol, X. (2007). Preparation and Characterization of Methyl Cellulosa from Some Annual Plant Pulps. *Industrial Crops and Products*. 26: 54-62.
- Zhou, C. dan Wu, O. (2012). *Nanotechnology and Nanomaterials : "Nanocrystals-Synthesis, Characterization and Applications"*. CC BY 3.0 license.
- Zhou, J.; Zhang, L.; Deng, Q. dan Wu, X. (2004). Synthesis and Characterization of Cellulose Derivatives Prepared in NaOH/Urea Aqueous Solutions. *Journal of Polymer Science: Part A: Polymer Chemistry*. 42: 5911-5920.
- Zhou, J.; Xu, Y.; Wang, X.; Qin, Y. dan Zhang, L. (2008). Microstructure and Aggregation Behavior of Methy Cellulose Prepared in NaOH/Urea Aqueouse Solution. *Carbohydrate Polymers*. 74: 901-906.
- Zou, J. dan Zhang, L. (2000). Solubility of Cellulose in NaOH/Urea Aqueous Solution. *Polymers*. 10: 866-870.