

## DAFTAR PUSTAKA

- [1] K. Hornbæk, “Current practice in measuring usability: Challenges to usability studies and research,” *Int. J. Hum. Comput. Stud.*, vol. 64, no. 2, pp. 79–102, 2006.
- [2] A. Poole and L. J. Ball, “Eye Tracking in Human-Computer Interaction and Usability Research: Current Status and Future Prospects,” *Encycl. Human-Computer Interact.*, pp. 211–219, 2005.
- [3] D. Bruneau, M. A. Sasse, and J. McCarthy, “The Eyes Never Lie : The Use of Eye Tracking Data in HCI Research,” *Proc. CHI*, p. 25, 2002.
- [4] C. Sharma and S. K. Dubey, “Analysis of eye tracking techniques in usability and HCI perspective,” *2014 Int. Conf. Comput. Sustain. Glob. Dev. INDIACom 2014*, pp. 607–612, 2014.
- [5] D. Pavlin-Premrl, J. Waterston, S. McGuigan, B. Infeld, R. Sultana, R. O’Sullivan, and R. P. Gerraty, “Importance of spontaneous nystagmus detection in the differential diagnosis of acute vertigo.,” *J. Clin. Neurosci.*, vol. 22, no. 3, pp. 504–7, Mar. 2015.
- [6] N. Edenborough, R. Hammoud, a Harbach, a Ingold, B. Kisa, P. Malawey, T. Newman, G. Scharenbroch, S. Skiver, M. Smith, a Wilhelm, G. Witt, E. Yoder, and H. Zhang, “Driver State Monitor from DELPHI Proposal for Demonstration at IEEE CVPR 2005 , San Diego , CA,” *System*, pp. 1–2, 2005.
- [7] B. Kroon, S. Maas, S. Boughorbel, and A. Hanjalic, “Eye localization in low and standard definition content with application to face matching,” *Comput. Vis. Image Underst.*, vol. 113, no. 8, pp. 921–933, 2009.
- [8] A. T. Duchowski, “A breadth-first survey of eye-tracking applications.,” *Behav. Res. Methods. Instrum. Comput.*, vol. 34, no. 4, pp. 455–470, 2002.
- [9] R. Krishnamoorthi and G. Annapoorani, “A simple boundary extraction



- technique for irregular pupil localization with orthogonal polynomials,” *Comput. Vis. Image Underst.*, vol. 116, no. 2, pp. 262–273, 2012.
- [10] K. Hollingsworth, K. W. Bowyer, and P. J. Flynn, “Pupil dilation degrades iris biometric performance q,” *Comput. Vis. Image Underst.*, vol. 113, no. 1, pp. 150–157, 2009.
- [11] S. C. Kim, K. C. Nam, W. S. Lee, and D. W. Kim, “A new method for accurate and fast measurement of 3D eye movements.,” *Med. Eng. Phys.*, vol. 28, no. 1, pp. 82–89, 2006.
- [12] D. Zhu, S. T. Moore, and T. Raphan, “Robust pupil center detection using a curvature algorithm,” *Comput. Methods Programs Biomed.*, vol. 59, no. 3, pp. 145–157, 1999.
- [13] K. Hajari and K. Bhoyar, “A review of issues and challenges in designing Iris recognition Systems for noisy imaging environment,” *Pervasive Comput. (ICPC), 2015 Int. Conf.*, vol. 00, no. c, pp. 1–6, 2015.
- [14] S. Wibirama and K. Hamamoto, “Development of Gaze Tracking System for Stereoscopic Virtual Environment,” vol. 5, no. 1, pp. 1–8, 2012.
- [15] K. Rayner, “Eye movements in Reading and Information Processing: 20 Years of Research.,” *Psychol. Bull.*, vol. 124, no. 3, pp. 372–422, 1998.
- [16] D. Li and D. J. Parkhurst, “Starburst: A robust algorithm for video-based eye tracking,” *Image (Rochester, N.Y.)*, no. September 2005, p. 22, 2005.
- [17] D. Li, D. Winfield, and D. J. Parkhurst, “Starburst: A hybrid algorithm for video-based eye tracking combining feature-based and model-based approaches,” *IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit. - Work.*, vol. 3, pp. 79–79, 2005.
- [18] M. a Fischler and R. C. Bolles, “Random Sample Consensus: A Paradigm for Model Fitting with,” *Commun. ACM*, vol. 24, pp. 381–395, 1981.
- [19] N. K. Mahadeo, A. P. Papliński, and S. Ray, “Model-based pupil and iris localization,” *Proc. Int. Jt. Conf. Neural Networks*, pp. 10–15, 2012.



- [20] E. Trucco and A. Veri, *Introductory Techniques for 3-D Computer Vision*. Upper Saddle River: Prentice Hall, 1998.
- [21] R. Szeliski, *Computer Vision: Algorithms and Applications*. New York: Springer, 2011.
- [22] R. C. Gonzalez and R. E. Woods, *Digital Image Processing*. Prentice Hall, 2008.
- [23] R. Munir, *Pengolahan Citra Digital dengan Pendekatan Algoritmik*. Bandung: Informatika, 2004.
- [24] G. Bradski and A. Kaehler, *Learning OpenCV: Computer Vision with the OpenCV Library*, vol. 1. Sebastopol: O'Reilly, 2008.
- [25] "Image Thresholding," 2015. [Online]. Available: [http://docs.opencv.org/3.1.0/d7/d4d/tutorial\\_py\\_thresholding.html](http://docs.opencv.org/3.1.0/d7/d4d/tutorial_py_thresholding.html). [Accessed: 20-Jun-2016].
- [26] N. Otsu, "A threshold selection method from gray-level histograms," *IEEE Trans. Syst. Man. Cybern.*, vol. 9, no. 1, pp. 62–66, 1979.
- [27] K. A. S. Suzuki, "Topological structural analysis of digital binary image by border following," *Cvgip*, vol. 46, pp. 32–46, 1985.
- [28] M. Sonka, V. Hlavac, and R. Boyle, *Image Processing, Analysis, and Machine Vision*. CL Engineering, 2008.
- [29] "CASIA Iris Database." [Online]. Available: <http://biometrics.idealtest.org/dbDetailForUser.do?id=4>. [Accessed: 23-Apr-2016].
- [30] "Point of Gaze (PoG) Eye Tracking Dataset." [Online]. Available: <http://heracleia.uta.edu/~mcmurrough/eyetracking/>. [Accessed: 12-Jul-2016].
- [31] H. Deng, B. Li, Z. Su, and Z. Zhuang, "A robust algorithm for distorted pupil localization based on ellipse difference and PSO," *Proc. - 2010 3rd Int. Congr. Image Signal Process. CISP 2010*, vol. 5, pp. 2478–2482, 2010.