

DAFTAR PUSTAKA

- Arai, H., Hori, S., Aramori, I., Ohkubo, H. & Nakanishi, S. (1990) Cloning and expression of a cDNA encoding an endothelin receptor. *Nature*, 348: 730–32.
- Arfian, N., Emoto, N., Vignon-Zellweger, N., Nakayama, K., Yagi, K. & Hirata, K. (2012) ET-1 deletion from endothelial cells protects the kidney during the extension phase of ischemia/reperfusion injury. *Biochem Biophys Res Commun*, 425: 443–9.
- Bao, X., Wang, Y., Wei, C. & Zhang, Q. (2014) Effects of uric acid on hearts of rats with chronic kidney disease. *Am J Nephrol*, 40: 308–14.
- Cheng, T.H., Lin, J.W., Chao, H.H., Chen, C.H., Chan, P. & Liu, J.C. (2008) Uric acid activates extra cellular signal-regulated kinases and there after endothelin-1 expression in rat cardiac fibroblasts. *Int J Cardiol*, 139(1): 4–29.
- Chien, C.C., Yu, J.H., Tsung, M.L. (2011) Impact of elevated uric acid on ventricular remodeling in infarcted rats with experimental hyperuricemia. *Am J Physiol Heart Circ Physiol*, H1107–17.
- Chuang, S.Y., Chen, J.H., Yeh, W.T., Wu, C.C. & Pan, W.H. (2011) Hyperuricemia and increased risk of ischemic heart disease in a large Chinese cohort. *Int J Cardiol*, 154(3): 316–21.
- Cooke, J.P., Singer, A.H., Tsao, P., Zera, P., Rowan, R.A. & Billingham, M.E. (1992) Antiatherogenic effects of L-arginine in the hypercholesterolemic rabbit. *J Clin Invest*, 90: 1168–72.
- Darmawan, J., Valkenburg, H.A., Muirden, K.D. & Wigleys, R.D. (1992) The epidemiology of gout and hyperuricemia in a rural population of Java. *J Rheumatol*, 19(10): 1595–9.
- Doehner, W., Schoene, N., Rauchhaus, M., Leyva-Leon, F., Pavitt, D.V., Reaveley, D.A., *et al.* (2002) Effects of xanthine oxidase inhibition with allopurinol on endothelial function and peripheral blood flow in hyperuricemic patients with chronic heart failure: results from 2 placebo controlled studies. *Circulation*, 105: 2619–24.
- Farquharson, C.A., Butler, R., Hill, A., Belch, J.F. & Struthers, A.D. (2002) Allopurinol improves endothelial dysfunction in chronic heart failure. *Circulation*, 106: 221–6.
- Gibbons, G. H. & Dzau, V. J. (1994) The emerging concept of vascular remodeling. *N Engl J Med*, 330 (20): 1431–8.
- Hakoda, M. (2012) Recent trends in hyperuricemia and gout in Japan. *J Japan Med Assoc*, 55(4): 319–23.
- Herrmann, J., Lerman, L. & Lerman, A. (2010) Simply say yes to NO? Nitric oxide (NO) sensor-based assessment of coronary endothelial function. *Eu Heart J*, (31): 2834–6.

- Hicks, M., Wong, L.S. & Day, R.O. (1993) Identification of products from oxidation of uric acid induced by hydroxyl radicals. *Free Radic Res Commun*, 18: 337–51.
- Hocher, B., Schwarz, A., Slowinski, T., Bachman, S., Pfeilschifter, J., Neumayer, H.H., *et al.* (2004) In-vivo interaction of nitric oxide and endothelin. *J Hypertens*, 22(1): 111–9.
- Huns, G., Deseure, K. & Adriaensen, H. (2008) Endothelin-1-induced pain and hyperalgesia: A review of pathophysiology, clinical manifestations and future therapeutic options. *Neuropeptides*, (42): 119–32.
- Jin, M., Yang, F., Yang, I., Yin, Y., Luo, J.J., Wang, H., *et al.* (2012) Uric acid, hyperuricemia and vascular diseases. *Front Biosci*, 17: 656–69.
- Johnson, R.J., Nakagawa, T., Jalal, D., S´anchez-Lozada, L.G., Kang, D. H. and Ritz, E. 2013. Uric acid and chronic kidney disease: which is chasing which? *Nephrol Dial Transplant*, 28(9): 2221–8.
- Julius, S. (1999) Long-term potential of angiotensin receptor blockade for cardiovascular protection in hypertension: the value trial. *Cardiology*, 91 (Suppl 1): 8–13.
- Kanbay, M., Ozkara, A., Selcoki, Y., Isik, B., Turgut, F., Bavbek, N., *et al.* (2007) Effect oftreatment of hyperuricemia with allopurinol on blood pressure, creatinine clearance, and proteinuria in patients with normal renal functions. *Int Urol Nephrol*, 39: 1227–33.
- Kanbay, M., Segal, M., Afsar, B., Kang, D.H., Rodriguez-Iturbe, B. & Jhonson, R.J. (2013) The role of uric acid in the pathogenesis of human cardiovascular disease. *Heart*, 99: 759–66.
- Kanellis, J. & Duk-Hee Kang. (2005) Uric acid as a mediator of endothelial dysfunction, inflammation, and vascular disease. *Sem in Nephrol*, 25(1): 39–42.
- Kang, D.H., Nakagawa, T., Feng, L., Watanabe, S., Han, L., Mazzali, M., *et al.* (2002) A role for uric in the progression of renal disease. *J Am Soc Nephrol*, 13(12): 2888–97.
- Kato, M., Hisatome, I., Tomikura, Y., Kotani, K., Kinugawa, T., Ogino, K., *et al.* (2005) Status of endothelial dependent vasodilation in patients with hyperuricemia. *Am J Cardiol*, 96: 1576–8.
- Khosla, U.M., Zharikov, S., Finch, J.L., Nakagawa, T., Roncal, C., Mu, W., *et al.* (2005) Hyperuricemia induces endothelial dysfunction. *Kidney Int*, 67: 1739–42.
- Kim, J., Jung, K.J., Paul, K.M. (2010) Reactive oxygen species differently regulate renal tubular epithelial and interstitial cell proliferation after ischemia and reperfusion injury. *Am J Physiol Renal Physiol*, 298(5): F1118-F1129.
- Kurniari, P.K., Kambayana, G. & Putra, T.R. (2011) Hubungan hiperurisemia dan fraction uric acid clearance di Desa Tenganan Pegringsingan Karangasem Bali. *J Peny Dalam*, 12(2): 77–80.
- Kurra, V., Vehmas, T., Eräranta, A., Jokihaara, J., Pirttiniemi, P., Rushkoaho, H., *et al.* (2015) Effects of oxonic acid-induced hyperuricemia on mesenteric

- artery tone and cardiac load in experimental renal insufficiency. *BMC Nephrol*, 16: 35.
- Kuzkaya, N., Weissmann, N., Harrison, D.G. & Dikalov, S. (2005) Interactions of peroxynitrite with uric acid in the presence of ascorbate and thiols: implications for uncoupling endothelial nitric oxide synthase. *Biochem Pharmacol*, 70: 343–54.
- Levin, R.E. (1995) Endothelins. *N Engl J Med*, 333(6): 356–63. Lewis, E.J., Hunsicker, L.G., Bain, R.P. & Rohde, R.D. (1993) The effect of angiotensin-converting-enzyme inhibition on diabetic nephropathy. *N Engl J Med*, 329(20): 1456–462.
- Li, W., Mital, S., Ojaimi, C., Csiszar, A., Kaley, G. & Hintze, T.H. (2004) Premature death and age-related cardiac dysfunction in male eNOS-knockout mice. *J Mol Cell Cardiol*, 37(3): 671–80.
- Liu, B., Wang, T., Zhao, H.N., Yue, W.W., Yu, H.P., Liu, C.X., *et al.* (2011) The prevalence of hyperuricemia in China: a meta-analysis. *BMC Public Health*, 11(1): 832.
- Long, C.L., Qin, X.C., Pan, Z.Y., Chen, K., Zhang, Y.F., Cui, W.Y., *et al.* (2008) Activation of ATP-sensitive potassium channels protects vascular endothelial cells from hypertension and renal injury induced by hyperuricemia. *J Hypertens*, 26: 2326–38.
- Mazzali, M., Kanellis, J., Han, L., Feng, L., Xia, Y., Chen, Q., *et al.* (2002) Hyperuricemia induced a primary renal arteriopathy in rats by a blood-pressure-independent mechanism. *Am J Physiol Renal Physiol*, 282: F991-F997.
- Nieto, F.J., Iribarren, C., Gross, M.D., Comstock, G.W. & Cutler, R.G. (2000) Uric acid and serum antioxidant capacity: a reaction to atherosclerosis? *Atherosclerosis*, 148: 131–9.
- Nguyen, A., Thorin-Trescases, N., & Thorin, E. (2013) Working under pressure: coronary arteries and the endothelin system. *Am J Physiol Regul Integr Comp Physiol*, 298(5): R1188–R1194.
- Oskouie, F.G. & Shi, Y. (2011) The role of uric acid as an endogenous danger signal in immunity and inflammation. *Current Rheumatology Reports*, 13(2): 160-6.
- Paulsen, F. & Waschke, J. (2011) *Sobotta. Atlas of human anatomy. Latin nomenclature*. 15th edition. Munich: Elsevier GmbH.
- Preitner, P., Bonny, O., Lleverriere, A., Rotman, S., Firsov, D., Da costa, A., Metref, S., Thorens, B. (2009) Glut9 is major regulator of urate homeostasis and its genetic inactivation induces hyperuricosuria and urate nephropathy. *Proceedings of National Acaedemy of Sciences*, 106(36): 15501-6.
- Ruggiero, C., Cherubini, A., Ble, A., Bos, A.J.G., Maggio, M., Dixit, V.D., *et al.* (2006) Uric acid and inflammatory markers. *Eu Heart J*, 27(1): 1174-1181.
- Ruilope, L., & Cerezo, C. (2012) Uric acid and cardiovascular risk considered: an update. *ESC Council*, Vol.10, No.21.

- Rossi, G.P., Seccia, T.M. & Nussdorfer, G.G. (2001) Reciprocal regulation of endothelin-1 and nitric oxide: relevance in the physiology and pathology of the cardiovascular system. *Int Rev Cytol*, 209: 241–72.
- Ryu, E.S., Kim, M.J., Shin, H.S., Jang, Y.H., Choi, H.S., Jo, I., *et al.* (2013) Uric acid-induced phenotypic transition of renal tubular cells as a novel mechanism of chronic kidney disease. *Am J Physiol—Ren Physiol*, 304(5): F471–F480.
- Sattle, T., Carro, M.D., Falkenstein, E., Radke, W. & Klandorf, H. (2012) The effect of allopurinol, uric acid, and inosine administration on xanthine oxidoreductase activity and uric acid concentrations in broilers. *Poultry Science*, 91: 2895-903.
- Sautin, Y.Y. & Johnson, R.J. (2008) Uric acid: the oxidant-antioxidant paradox. *Nucleotides Nucleic Acids*, 27: 608–19.
- Schwartz, I.F., Grupper, A., Chernichovski, T., Grupper, A., Hillel, O., Engel, A., *et al.* (2011) Hyperuricemia attenuates aortic nitric oxide generation, through inhibition of arginine transport, in rats. *J Vasc Res*, 48: 252–60.
- Slowinski, T., Kalk, P., Christian, M., Schmager, F., Relle, K., Godes, M., *et al.* (2007) Cell-type specific interaction of endothelin and the nitric oxide system: pattern of prepro-ET-1 expression in kidneys of L-NAME treated prepro-ET-1 promoter-lacZ transgenic mice. *J Physiol*, 581(3): 1173–81.
- Snell, R.S. (2012) *Clinical anatomy by systems*. Washington: Lippincott Williams & Wilkins.
- So, A. & Thorens, B. (2010) Uric acid transport and disease. *J Clin Invest*, 120(6): 1791–9.
- Stamler, J.S., Lamas, S. & Fang, F.C. (2000) Nitrosylation. The prototypic redox-based signaling mechanism. *Cell*, 106: 675–83.
- Strasak, A.M., Kelleher, C.C., Brant, L.J., *et al.* (2008) Serum uric acid is an independent predictor for all major forms of cardiovascular death in 28,613 elderly women: a prospective 21-year follow-up study. *Int J Cardiol*, 125: 232-9.
- Suzuki T. (2007) Nitrosation of uric acid induced by nitric oxide under aerobic conditions. *Nitric Oxide*, 16: 266–73.
- Squadrito, G.L., Cueto, R., Splenser, A.E., Valavanidis, A., Zhang, H., Uppu, R.M., *et al.* (2000) Reaction of uric acid with peroxynitrite and implications for the mechanism of neuroprotection by uric acid. *Arch Biochem Biophys*, 376: 333–7.
- Toda, N., Tanabe, S., & Nakanishi, S. (2011). Nitric oxide-mediated coronary flow regulation in patients with coronary artery disease: Recent advances. *Int J Angiol*, 20: 121-134.
- Watanabe, A., Sohail, M.A., Gautam, S., Gomes, D.A. & Mahel, W.Z. (2012) Adenine induces differentiation of rat hepatic stellate cells. *Dig Dis Scie*, 57(9): 2371-78.
- Wheeler, J.G., Juzwishin, K.D., Eiriksdottir, G., Gudnason, V. & Danesh, J. (2005) Serum uric acid and coronary heart disease in 9,458 incident cases and 155,084 controls: prospective study and meta-analysis. *PLoS Med*, 22: e76.

- Zanatta, C.M., Gerchman, F., Burtet, L., Nabinger, G., Jacques-Silva, M.C., Canani, L.H., *et al.* (2008) Endothelin-1 levels and albuminuria in patients with type 2 diabetes mellitus. *Diabetes Res Clin Pract*, 80(2): 299–304.
- Zharikov, S., Krotova, K., Hu, H., Baylis, C., Jhonson, R.J., Block, E.R., *et al.* (2008) Uric acid decreases NO production and increases arginase activity in cultured pulmonary artery endothelial cells. *Am J Physiol–Cell Physiol*, 295: C1183–90.
- Zhou, Y., Fang, L., Jiang, L., Wen, P., Cao, H., He, W., *et al.* (2012) Uric acid induces renal inflammation via activating tubular NF- κ B signaling pathway. *Pub Lib of Scie*, 7(6): e39738.
- Zhu, Y., Pandya, B.J. & Choi, H.K. (2011) Prevalence of gout and hyperuricemia in the US general population. *Arthritis & Rheumatism*, 63(10): 3136–41.