

DAFTAR PUSTAKA

- Allwood, E.M., Devenish, R.J., Prescott, M., Adler, B., Boyce, J.D., *et al.*, 2011. Strategies for Intracellular Survival of *Burkholderia pseudomallei*. *Front. Microbiol.* 2. doi:10.3389/fmicb.2011.00170
- Allworth, A.M., 2005. Tsunami lung: a necrotising pneumonia in survivors of the Asian tsunami. *Med. J. Aust.* 182, 364.
- Amornchai, P., Chierakul, W., Wuthiekanun, V., Mahakhunkijcharoen, Y., Phetsouvanh, R., *et al.*, 2007. Accuracy of *Burkholderia pseudomallei* Identification Using the API 20NE System and a Latex Agglutination Test. *J. Clin. Microbiol.* 45, 3774–3776. doi:10.1128/JCM.00935-07
- Ashdown, L.R., 1979. An improved screening technique for isolation of *Pseudomonas pseudomallei* from clinical specimens. *Pathology (Phila.)* 11, 293–297.
- Bandeira, T. de J.P.G., Moreira, C.A., Brilhante, R.S.N., Castelo-Branco, D. de S.C.M., Neto, M.P. de A., *et al.*, 2013. In Vitro Activities of Amoxicillin-Clavulanate, Doxycycline, Ceftazidime, Imipenem, and Trimethoprim-Sulfamethoxazole against Biofilm of Brazilian Strains of *Burkholderia pseudomallei*. *Antimicrob. Agents Chemother.* 57, 5771–5773. doi:10.1128/AAC.00721-13
- Barnes, J.L., Ulett, G.C., Ketheesan, N., Clair, T., Summers, P.M., *et al.*, 2001. Induction of multiple chemokine and colony-stimulating factor genes in experimental *Burkholderia pseudomallei* infection. *Immunol. Cell Biol.* 79, 490–501. doi:10.1046/j.1440-1711.2001.01038.x
- Bauernfeind, A., Roller, C., Meyer, D., Jungwirth, R., Schneider, I., *et al.*, 1998. Molecular Procedure for Rapid Detection of *Burkholderia mallei* and *Burkholderia pseudomallei*. *J. Clin. Microbiol.* 36, 2737–2741.
- Beceiro, A., Tomas, M., Bou, G., 2013. Antimicrobial Resistance and Virulence: a Successful or Deleterious Association in the Bacterial World? *Clin. Microbiol. Rev.* 26, 185–230. doi:10.1128/CMR.00059-12
- Beeker, A., Van de Stadt, K.D., Bakker, K., 1999. Melioidosis. *Neth. J. Med.* 54, 76–79.
- Behera, B., Prasad Babu, T.L.V.D., Kamalesh, A., Reddy, G., 2012. Ceftazidime resistance in *Burkholderia pseudomallei*: first report from India. *Asian Pac. J. Trop. Med.* 5, 329–330. doi:10.1016/S1995-7645(12)60050-9
- Boddey, J.A., Day, C.J., Flegg, C.P., Ulrich, R.L., Stephens, S.R., *et al.*, 2007. The bacterial gene *lfpA* influences the potent induction of calcitonin receptor

and osteoclast-related genes in *Burkholderia pseudomallei*-induced TRAP-positive multinucleated giant cells. *Cell. Microbiol.* 9, 514–531. doi:10.1111/j.1462-5822.2006.00807.x

Brook, M.D., Currie, B., Desmarchelier, P.M., 1997. Isolation and identification of *Burkholderia pseudomallei* from soil using selective culture techniques and the polymerase chain reaction. *J. Appl. Microbiol.* 82, 589–596.

Chantratita, N., Rholl, D.A., Sim, B., Wuthiekanun, V., Limmathurotsakul, D, *et al.*, 2011. Antimicrobial resistance to ceftazidime involving loss of penicillin-binding protein 3 in *Burkholderia pseudomallei*. *Proc. Natl. Acad. Sci.* 108, 17165–17170. doi:10.1073/pnas.1111020108

Chantratita, N., Wuthiekanun, V., Boonbumrung, K., Tiyawisutsri, R., Vesaratchavest, M, *et al.*, 2007. Biological Relevance of Colony Morphology and Phenotypic Switching by *Burkholderia pseudomallei*. *J. Bacteriol.* 189, 807–817. doi:10.1128/JB.01258-06

Chantratita, N., Wuthiekanun, V., Limmathurotsakul, D., Vesaratchavest, M., Thanwisai, A, *et al.*, 2008. Genetic Diversity and Microevolution of *Burkholderia pseudomallei* in the Environment. *PLoS Negl. Trop. Dis.* 2. doi:10.1371/journal.pntd.0000182

Chen, K.-J., Sun, M.-H., Hou, C.-H., Sun, C.-C., Chen, T.-L, *et al.*, 2007. *Burkholderia pseudomallei* Endophthalmitis. *J. Clin. Microbiol.* 45, 4073–4074. doi:10.1128/JCM.01467-07

Cheng, A.C., Currie, B.J., 2005. Melioidosis: Epidemiology, Pathophysiology, and Management. *Clin. Microbiol. Rev.* 18, 383–416. doi:10.1128/CMR.18.2.383-416.2005

Chierakul, W., Winothai, W., Wattanawaitunechai, C., Wuthiekanun, V., Rugtaengan, T, *et al.*, 2005. Melioidosis in 6 Tsunami Survivors in Southern Thailand. *Clin. Infect. Dis.* 41, 982–990. doi:10.1086/432942

Chua, K.L., Chan, Y.Y., Gan, Y.H., 2003. Flagella Are Virulence Determinants of *Burkholderia pseudomallei*. *Infect. Immun.* 71, 1622–1629. doi:10.1128/IAI.71.4.1622-1629.2003

Currie, B.J., 2003. Melioidosis: an important cause of pneumonia in residents of and travellers returned from endemic regions. *Eur. Respir. J.* 22, 542–550. doi:10.1183/09031936.03.00006203

Currie, B.J., Fisher, D.A., Anstey, N.M., Jacups, S.P., 2000. Melioidosis: acute and chronic disease, relapse and re-activation. *Trans. R. Soc. Trop. Med. Hyg.* 94, 301–304.

- Dance, D.A., 2000. Melioidosis as an emerging global problem. *Acta Trop.* 74, 115–119.
- Dance, D.A., 1991. Melioidosis: the tip of the iceberg? *Clin. Microbiol. Rev.* 4, 52–60.
- Deepak, R.N., Crawley, B., Phang, E., 2008. *Burkholderia pseudomallei* identification: a comparison between the API 20NE and VITEK2GN systems. *Trans. R. Soc. Trop. Med. Hyg.* 102 Suppl 1, S42-44. doi:10.1016/S0035-9203(08)70012-9
- Derek S. Sarovich, Price, E.P., Von Schulze, A.T., Cook, J.M., Mayo, M., Watson, L.M, *et al.*, 2012. Characterization of Ceftazidime Resistance Mechanisms in Clinical Isolates of *Burkholderia pseudomallei* from Australia. *PLoS ONE* 7. doi:10.1371/journal.pone.0030789
- Dharakul, T., Songsivilai, S., Viriyachitra, S., Luangwedchakarn, V., Tassaneetritap, B, *et al.*, 1996. Detection of *Burkholderia pseudomallei* DNA in patients with septicemic melioidosis. *J. Clin. Microbiol.* 34, 609–614.
- Dharakul, T., Tassaneetrithep, B., Trakulsomboon, S., Songsivilai, S., 1999a. Phylogenetic Analysis of Ara⁺ and Ara[–] *Burkholderia pseudomallei* Isolates and Development of a Multiplex PCR Procedure for Rapid Discrimination between the Two Biotypes. *J. Clin. Microbiol.* 37, 1906–1912.
- Dharakul, T., Trakulsomboon, S., Songsivilai, S., 1999b. Phylogenetic Analysis of Ara⁺ and Ara[–] *Burkholderia pseudomallei* Isolates and Development of a Multiplex PCR Procedure for Rapid Discrimination between the Two Biotypes. *J. Clin. Microbiol.* 37, 1906–1912.
- French, C.T., Toesca, I.J., Wu, T.-H., Teslaa, T., Beaty, S.M, *et al.*, 2011. Dissection of the *Burkholderia* intracellular life cycle using a photothermal nanoblade. *Proc. Natl. Acad. Sci.* 108, 12095–12100. doi:10.1073/pnas.1107183108
- Gan, Y.-H., 2005. Interaction between *Burkholderia pseudomallei* and the Host Immune Response: Sleeping with the Enemy? *J. Infect. Dis.* 192, 1845–1850. doi:10.1086/497382
- Heng, B.H., Goh, K.T., Yap, E.H., Loh, H., Yeo, M, *et al.*, 1998. Epidemiological surveillance of melioidosis in Singapore. *Ann. Acad. Med. Singapore* 27, 478–484.

- Hoffmaster, A.R., AuCoin, D., Baccam, P., Baggett, H.C., Baird, R, *et al.*, 2015. Melioidosis Diagnostic Workshop, 2013. *Emerg. Infect. Dis.* 21. doi:10.3201/eid2102.141045
- Holden, M.T.G., Titball, R.W., Peacock, S.J., Cerdeño-Tárraga, A.M., Atkins, T, *et al.*, 2004. Genomic plasticity of the causative agent of melioidosis, *Burkholderia pseudomallei*. *Proc. Natl. Acad. Sci. U. S. A.* 101, 14240–14245. doi:10.1073/pnas.0403302101
- Howard, K., Inglis, T.J.J., 2003. Novel Selective Medium for Isolation of *Burkholderia pseudomallei*. *J. Clin. Microbiol.* 41, 3312–3316. doi:10.1128/JCM.41.7.3312-3316.2003
- I Hoppe, B.B., 1999. Characterization of a Murine Model of Melioidosis: Comparison of Different Strains of Mice. *Infect. Immun.* 67, 2891–900.
- Inglis, T.J.J., Merritt, A., Chidlow, G., Aravena-Roman, M., Harnett, G, *et al.*, 2005. Comparison of Diagnostic Laboratory Methods for Identification of *Burkholderia pseudomallei*. *J. Clin. Microbiol.* 43, 2201–2206. doi:10.1128/JCM.43.5.2201-2206.2005
- Inglis, T.J.J., Sagripanti, J.-L., 2006. Environmental Factors That Affect the Survival and Persistence of *Burkholderia pseudomallei*. *Appl. Environ. Microbiol.* 72, 6865–6875. doi:10.1128/AEM.01036-06
- Koh, G.C.K.W., Schreiber, M.F., Bautista, R., Maude, R.R., Dunachie, S, *et al.*, 2013. Host Responses to Melioidosis and Tuberculosis Are Both Dominated by Interferon-Mediated Signaling. *PLoS ONE* 8. doi:10.1371/journal.pone.0054961
- Leakey, A.K., Ulett, G.C., Hirst, R.G., 1998. BALB/c and C57Bl/6 mice infected with virulent *Burkholderia pseudomallei* provide contrasting animal models for the acute and chronic forms of human melioidosis. *Microb. Pathog.* 24, 269–275. doi:10.1006/mpat.1997.0179
- Lertpatanasuwan, N., Sermsri, K., Petkaseam, A., Trakulsomboon, S., Thamlikitkul, V, *et al.*, 1999. Arabinose-Positive *Burkholderia pseudomallei* Infection in Humans: Case Report. *Clin. Infect. Dis.* 28, 927–928. doi:10.1086/517253
- Lew, A.E., Desmarchelier, P.M., 1994. Detection of *Pseudomonas pseudomallei* by PCR and hybridization. *J. Clin. Microbiol.* 32, 1326–1332.
- Limmathurotsakul, D., Jansen, K., Arayawichanont, A., Simpson, J.A., White, L.J., *et al* 2010. Defining the True Sensitivity of Culture for the Diagnosis of Melioidosis Using Bayesian Latent Class Models. *PLOS ONE* 5, e12485. doi:10.1371/journal.pone.0012485

- Lowe, P., Engler, C., Norton, R., 2002. Comparison of Automated and Nonautomated Systems for Identification of *Burkholderia pseudomallei*. *J. Clin. Microbiol.* 40, 4625–4627. doi:10.1128/JCM.40.12.4625-4627.2002
- Ludwig, W., Schleifer, K.H., 1994. Bacterial phylogeny based on 16S and 23S rRNA sequence analysis. *FEMS Microbiol. Rev.* 15, 155–173.
- Moore, R.A., Reckseidler-Zenteno, S., Kim, H., Nierman, W., Yu, Y., *et al.*, 2004. Contribution of Gene Loss to the Pathogenic Evolution of *Burkholderia pseudomallei* and *Burkholderia mallei*. *Infect. Immun.* 72, 4172–4187. doi:10.1128/IAI.72.7.4172-4187.2004
- Merritt, A., Inglis, T.J.J., Chidlow, G., Harnett, G., 2006. PCR-based identification of *Burkholderia pseudomallei*. *Rev. Inst. Med. Trop. São Paulo* 48, 239–244.
- Palasatien, S., Lertsirivorakul, R., Royros, P., Wongratanacheewin, S., Sermswan, R.W., *et al.*, 2008. Soil physicochemical properties related to the presence of *Burkholderia pseudomallei*. *Trans. R. Soc. Trop. Med. Hyg.* 102 Suppl 1, S5-9. doi:10.1016/S0035-9203(08)70003-8
- Peacock, S.J., Chieng, G., Cheng, A.C., Dance, D.A.B., Amornchai, P., *et al.*, 2005. Comparison of Ashdown's Medium, *Burkholderia cepacia* Medium, and *Burkholderia pseudomallei* Selective Agar for Clinical Isolation of *Burkholderia pseudomallei*. 43, 5359–5361. doi:10.1128/JCM.43.10.5359-5361.2005
- Pilatz, S., Breitbach, K., Hein, N., Fehlhaber, B., Schulze, J., *et al.*, 2006. Identification of *Burkholderia pseudomallei* Genes Required for the Intracellular Life Cycle and In Vivo Virulence. 74, 3576–3586. doi:10.1128/IAI.01262-05
- Pilatz, S., Breitbach, K., Hein, N., Fehlhaber, B., Schulze, J., *et al.*, 2006. Identification of *Burkholderia pseudomallei* Genes Required for the Intracellular Life Cycle and In Vivo Virulence. *Infect. Immun.* 74, 3576–3586. doi:10.1128/IAI.01262-05
- Raja, N.S., 2008. Cases of melioidosis in a university teaching hospital in Malaysia. *J. Microbiol. Immunol. Infect. Wei Mian Yu Gan Ran Za Zhi* 41, 174–179.
- Rholl, D.A., Papp-Wallace, K.M., Tomaras, A.P., Vasil, M.L., Bonomo, R.A., *et al.*, 2011. Molecular Investigations of PenA-mediated β -lactam Resistance in *Burkholderia pseudomallei*. *Front. Microbiol.* 2. doi:10.3389/fmicb.2011.00139

- Sarovich, D.S., Price, E.P., Webb, J.R., Ward, L.M., Voutsinos, M.Y, *et al.*, 2014. Variable Virulence Factors in *Burkholderia pseudomallei* (Meliodosis) Associated with Human Disease. *PLoS ONE* 9. doi:10.1371/journal.pone.0091682
- Sarovich, Price, Peacock, Cook, Vonschulze, Wolken, Keim, Pearson, Limmathurotsakul, D., 2012. Development of ceftazidime resistance in an acute *Burkholderia pseudomallei* infection. *Infect. Drug Resist.* 129. doi:10.2147/IDR.S35529
- Schweizer, H.P., 2012. Mechanisms of antibiotic resistance in *Burkholderia pseudomallei*: implications for treatment of melioidosis. *Future Microbiol.* 7, 1389–1399. doi:10.2217/fmb.12.116
- Shenoy, V., Kamath, M.P., Hegde, M.C., D'Souza, T., Mammen, S.S, *et al.*, 2009. Melioidosis and tuberculosis: dual pathogens in a neck abscess. *J. Laryngol. Otol.* 123, 1285–1287. doi:10.1017/S0022215109004460
- Sirisinha, S., Anuntagool, N., Intachote, P., Wuthiekanun, V., Puthuchear, S.D, *et al.*, 1998. Antigenic Differences between Clinical and Environmental Isolates of *Burkholderia pseudomallei*. *Microbiol. Immunol.* 42, 731–737. doi:10.1111/j.1348-0421.1998.tb02346.x
- Smith, M.D., Angus, B.J., Wuthiekanun, V., White, N.J., 1997. Arabinose assimilation defines a nonvirulent biotype of *Burkholderia pseudomallei*. *Infect. Immun.* 65, 4319–4321.
- Smith, M.D., Angus, B.J., Wuthiekanun, V., White, N.J., 1997. Arabinose assimilation defines a nonvirulent biotype of *Burkholderia pseudomallei*. *Infect. Immun.* 65, 4319–4321.
- Stevens, M.P., Wood, M.W., Taylor, L.A., Monaghan, P., Hawes, P, *et al.*, 2002. An Inv/Mxi-Spa-like type III protein secretion system in *Burkholderia pseudomallei* modulates intracellular behaviour of the pathogen. *Mol. Microbiol.* 46, 649–659.
- Thepthai, C., Dharakul, T., Smithikarn, S., Trakulsomboon, S., Songsivilai, S, *et al.*, 2001. Differentiation between non-virulent and virulent *Burkholderia pseudomallei* with monoclonal antibodies to the Ara+ or Ara- biotypes. *Am. J. Trop. Med. Hyg.* 65, 10–12.
- Thomas, A.D., 1983. Evaluation of the API 20E and Microbact 24E systems for the identification of *Pseudomonas pseudomallei*. *Vet. Microbiol.* 8, 611–615.
- Trakulsomboon, S., Vuddhakul, V., Tharavichitkul, P., Na-Gnam, N., Suputtamongkol, Y, *et al.*, 1999. Epidemiology of arabinose assimilation

in *Burkholderia pseudomallei* isolated from patients and soil in Thailand. *Southeast Asian J. Trop. Med. Public Health* 30, 756–759.

- Tribuddharat, C., Moore, R.A., Baker, P., Woods, D.E., 2003. *Burkholderia pseudomallei* class a beta-lactamase mutations that confer selective resistance against ceftazidime or clavulanic acid inhibition. *Antimicrob. Agents Chemother.* 47, 2082–2087.
- Udayan, U., Chandrakar, S., Dias, A., Dias, M., 2014. A new threat to children: Melioidosis. *Pediatr. Infect. Dis.* 6, 135–138. doi:10.1016/j.pid.2015.01.001
- Ulett, G.C., Ketheesan, N., Hirst, R.G., 2000a. Cytokine Gene Expression in Innately Susceptible BALB/c Mice and Relatively Resistant C57BL/6 Mice during Infection with Virulent *Burkholderia pseudomallei*. *Infect. Immun.* 68, 2034–2042. doi:10.1128/IAI.68.4.2034-2042.2000
- Ulett, G.C., Ketheesan, N., Hirst, R.G., 2000b. Proinflammatory cytokine mRNA responses in experimental *Burkholderia pseudomallei* infection in mice. *Acta Trop.* 74, 229–234. doi:10.1016/S0001-706X(99)00075-3
- Vorachit, M., Chongtrakool, P., Arkomsean, S., Boonsong, S., 2000. Antimicrobial resistance in *Burkholderia pseudomallei*. *Acta Trop.* 74, 139–144.
- Vuddhakul, V., Tharavichitkul, P., Na-Engam, N., Jitsurong, S., Kunthawa, B, *et al.*, 1999. Epidemiology of *Burkholderia pseudomallei* in Thailand. *Am. J. Trop. Med. Hyg.* 60, 458–461.
- White, N., 2003. Melioidosis. *The Lancet* 361, 1715–1722. doi:10.1016/S0140-6736(03)13374-0
- Wuthiekanun, V., Smith, M.D., Dance, D. a. B., Walsh, A.L., Pitt, T.L, *et al.*, 1996. Biochemical characteristics of clinical and environmental isolates of *Burkholderia pseudomallei*. *J. Med. Microbiol.* 45, 408–412. doi:10.1099/00222615-45-6-408
- Yabuuchi, E., Kosako, Y., Arakawa, M., Hotta, H., Yano, I, *et al.*, 1992. Identification of Oklahoma isolate as a strain of *Pseudomonas pseudomallei*. *Microbiol. Immunol.* 36, 1239–1249.
- Zulkefli, N.J., Mariappan, V., Vellasamy, K.M., Chong, C.W., Thong, K.L, *et al.*, 2016. Molecular evidence of *Burkholderia pseudomallei* genotypes based on geographical distribution. *PeerJ* 4, e1802. doi:10.7717/peerj.1802