

DAFTAR PUSTAKA

- Abbassi, Val. (1998). Growth and Normal Puberty. *Pediatrics*, 102, 507-11
- Alam, N., Roy, S. K., Ahmed, T., & Ahmed, A. M. S. (2010). Nutritional Status , Dietary Intake, and Relevant Knowledge of Adolescent Girls in Rural Bangladesh. *J Health Popul Nutr*, 28(1), 86–94.
- Allen, L., Benoist, B. De, Dary, O., & Hurrell, R. (2006). *Guidelines on Food Fortification with micronutrients*. France: World Health Organization and Food and Agriculture Organization of the United Nations.
- Almatsier, S. (2004). *Prinsip Dasar Ilmu Gizi*. Jakarta: PT Gramedia Pustaka Utama.
- Al-sheraji, S. H., Ismail, A., Yazid, M., & Mustafa, S. (2013). Prebiotics as Functional Foods : A Review. *Journal of Functional Foods*, 5(4), 1542–1553.
- Anand, T., Rahi, M., Sharma, P., & Ingle, G. K. (2014). Issues in Prevention of Iron Deficiency Anemia in India. *Nutrition*, 30(7-8), 764–770.
- Angeles, I. T., Schultink, W.J., Matulesi, P., Gross, R., Sastroamidjojo, S. (1993). Decreased Rate of Stunting Among Anemic Indonesian Preschool Children through Iron Supplementation. *Am J Clin Nutr*, 58:339-42
- Astuti, M., Meliala, A., Dalais, F. S., & Wahlqvist, M. L. (2000). Tempe, A Nutritious and Healthy Food from Indonesia. *Asia Pacific Journal of Clinical Nutrition*, 9(4), 322–325.
- Atmaka, D (2016). *Pengaruh Pemberian Susu Tempe Fermentasi Sinbiotik dengan Fortifikasi Zat Besi terhadap Populasi Total Lactobacillus dan E.Coli pada Remaja Perempuan Anemia di Kulon Progo*. Universitas Gadjah Mada. Yogyakarta.
- Aukett, M., Parks, Y., Scoot, P. H., & Wharton, B. A. (1986). Treatment with iron increases weight gain and psychomotor development. *Archives of Disease in Childhood*, 61, 849–857.
- Badan Penelitian dan Pengembangan Kesehatan. (2008). *Riset Kesehatan Dasar (RISKESDAS 2007)* (pp. 151–155). Jakarta.
- Badan Pusat Statistik Kabupaten Kulon Progo. 2014. Statistik Daerah Kecamatan Wates.
- Balai Pengembangan Perbenihan Tanaman Pangan dan Hortikultura. (2009). *Deskripsi Varietas Unggul Kedelai 1918-2008* (p. 52). Yogyakarta.

- Best, C., Neufingerl, N., Miller, J., Rosso, D., Transler, C., & Briel, T. Van Den. (2011). Can Multi-Micronutrient Food Fortification Improve The Micronutrient Status, Growth, Health, and Cognition of Schoolchildren? A systematic review. *Nutrition Reviews*, 69(4), 186–204.
- Bhatia, D., & Seshadri, S. (1993). Growth Performance in Anemia and Following Iron Supplementation. *Indian Pediatrics*, 30, 195–200.
- Bravo, J. A., Julio-Pieper, M., Forsythe, P., Kunze, W., Dinan, T. G., Bienenstock, J., & Cryan, J. F. (2012). Communication between gastrointestinal bacteria and the nervous system. *Current Opinion in Pharmacology*, 12(6), 667–672.
- Carabotti, M., Scirocco, A., Maselli, M. A., & Severi, C. (2015). The gut-brain axis: Interactions between enteric microbiota, central and enteric nervous systems. *Annals of Gastroenterology*, 28(2), 203–209.
- Chang, S., Tzeng, S., Cheng, J., & Chie, W. (2000). Height and Weight Change Across Menarche of Schoolgirls With Early Menarche. *Arch Pediatr Adolesc Med*, 154, 880–884.
- Chen, J., Zhao, X., Zhang, X., Yin, S., Piao, J., Huo, J., Chen, C. (2005). Studies on The Effectiveness of NaFeEDTA-fortified Soy Sauce in Controlling Iron Deficiency: A Population Based Intervention Trial. *Food and Nutrition Bulletin*, 26.
- Chen, C., Zhou, F., Ren, J., Ai, L., Dong, Y., Wu, Z., Liu, Z., Chen, W., Guo, B. (2014). Cloning, Expression and Functional Validation of a β -fructofuranosidase from *Lactobacillus plantarum*. *Process Biochemistry*, 49(5), 758–767.
- Corwin, E. J. (2009). *Handbook of Pathophysiology*, 3rd Ed. Jakarta: EGC.
- Dinas Kesehatan Kabupaten Kulon Progo. 2014. Profil Kesehatan Kabupaten Kulon Progo Tahun 2014 (Data 2013).
- Ellen, M. (2009). World Gastroenterology Organisation Practice Guidelines: Probiotics and Prebiotics. *Arab Journal of Gastroenterology*, 10, 33–42.
- Fahmida, U., Dillon, D., Schultink, W., & Untoro, J. (1998). Iron Supplementation in Women of Reproductive Age: The Influence of Distribution Channels on Compliance. *Australian Journal of Nutrition and Dietetics*, 55.

- Famouri, F., Khoshdel, A., Golshani, A., Kheiri, S., Saneian, H., & Kelishadi, R. (2014). Effects of Synbiotics on Treatment of Children with Failure to Thrive : A Triple Blind placebo-controlled trial. *J Res Med Sci*, 1046–1050.
- Fatmah. (2010). Pengalaman Negara Lain dalam Perbaikan Gizi Remaja Sekolah Menengah. *Maj Kedokt Indon*, 60, 55–59.
- Fatmah, H. (2013). Effect of Tempeh Dates Biscuits on Nutritional Status of Preschool Children with Tuberculosis. *Mal J Nutr*, 19(2), 173–184.
- Fikawati, S., Syafiq, A., Nurjuaida, S., Kesehatan, D., Tangerang, K., & Barat, J. (2005). Pengaruh Suplementasi Zat Besi Satu dan Dua Kali per Minggu terhadap Kadar Hemoglobin pada Siswi yang Menderita Anemia. *Universa Medicina*, 24(4), 167–174.
- Fink, G., & Rockers, P. C. (2014). Childhood Growth, Schooling, and Cognitive Sevelopment: Further Evidence from the Young Lives study. *American Journal of Clinical Nutrition*, 100(1), 182–188.
- Firmansyah, A., Dwipoerwantoro, P. G., Kadim, M., Alatas, S., Conus, N., Lestarina, L., Bouisset, F., Steenhout, P. (2011). Improved Growth of Toddlers Fed a Milk Containing Synbiotics. *Asia Pac J Clin Nutr*, 20(6), 69–76.
- Golden, M. H. N. (1996). Spesific Deficiencies versus Growth failure: Type I and Type II Nutrients. *J Nutr Environ Med*. 6:301-308.
- Gibson, G. R., & Roberfroid, M. B. (2008). *Handbook of Prebiotics*. United States of America: CRC Press Taylor & Francis Group.
- Idjradinata, P., Watkins, W.E., Pollit, E. (1994). Adverse Effect of Iron Supplementation on Weight Gain of Iron-Replete Young Children. *Lancet*, 343 : 1252-1254
- Ilich-Ernst, J. Z., McKenna, a a, Badenhop, N. E., Clairmont, a C., Andon, M. B., & Nahhas, R. W. (1998). Iron Status, Menarche, and Calcium Supplementation in Adolescent Girls. *American Journal of Clinical Nutrition*, 68(4), 880–887.
- Kanani, S. J., & Poojara, R. H. (2000). Supplementation with Iron and Folic Acid Enhances Growth in Adolescent Indian Girls. *J. Nutr*, 130, 452–455.
- Kaplan, H., & Hutkins, R. W. (2000). Fermentation of Fructooligosaccharides by Lactic Acid Bacteria and Bifidobacteria. *Applied and Environmental Microbiology*, 66, 2682–2684.
- Karapanou, O., & Papadimitriou, A. (2010). Determinants of Menarche. *Reproductive Biology and Endocrinology*, 8(115), 1–8.

- Kasaoka, S., Astuti, M., Uehara, M., Suzuki, K., & Goto, S. (1997). Effect of Indonesian Fermented Soybean Tempeh on Iron Bioavailability and Lipid Peroxidation in Anemic Rats. *J. Agric. Food Chem*, *45*, 195–198.
- Kerihuel, J., Durand, H., Bohbot, S., & Cazzola, M. (2010). Efficacy of A Synbiotic Supplementation in The Prevention of Common Winter Diseases in Children : A Randomized, Double-blind, Placebo-controlled Pilot Study, 271–278.
- Kieβling, G., Schneider, J., & Jahreis, G. (2002). Long-term Consumption of Fermented Dairy Products Over 6 Months Increases HDL Cholesterol, 843–849.
- Konturek, S., Konturek, J., Pawlik, T., & Brzozowski, T. (2004). Brain-gut axis and its role in the control of food intake. *J Physiol Pharmacol*, *55*(1 Pt 2), 137–154.
- Kraemer, K., & Zimmermann, M. B. (2007). *Nutritional Anemia*. Switzerland: Sight and Life Press.
- Kusumah, E. R. (2015). *Pengaruh Lama Simpan Susu Tempe Terfermentasi dengan Fortifikasi (FeSO₄, NaFeEDTA) terhadap Kadar pH, Asam Laktat, dan Jumlah Bakteri Asam Laktat*. Universitas Gadjah Mada. Yogyakarta.
- Kusumaningrum, Elizabeth Novi. (2004). Pembuatan Minuman Soyghurt dari Sari Tempe dengan Menggunakan Bakteri *Lactobacillus plantarum*. *Jurnal Matematika, Sains Dan Teknologi*, *5*.
- Macfarlane, S., Macfarlane, G. T., & Cummings, J. H. (2006). Review Article : Prebiotics in The Gastrointestinal Tract. *Aliment Pharmacol Ther*, *24*(June), 701–714.
- Malpeli, A., González, S., Vicentin, D., Apás, A., & González, H. F. (2012). Randomised, Double-blind and Placebo-controlled Study of The Effect of a Synbiotic Dairy Product on Orocecal Transit Time in Healthy Adult Women, *27*(4), 1314–1319.
- Mesias, M., Seiquer, I., & Navarro, M. P. (2013). Iron Nutrition in Adolescence. *Critical Reviews in Food Science and Nutrition*, *53*(11), 1226–1237.
- Minocha, A. (2009). Probiotics for Preventive Health. *Nutrition in Clinical Practice*, 227–241.
- Morley, R., Abbott, R., Fairweather-tait, S., Macfadyen, U., Stephenson, T., Lucas, A., & Royal, S. (1999). Iron Fortified Follow on Formula from 9 to 18 Months Improves Iron Status but not Development or Growth : a randomised trial. *Arch Dis Child*, *81*, 247–252.

- Nelson. (1996). *Ilmu Kesehatan Anak volume 1. (diterjemahkan oleh: Samik Wahab)*. Jakarta: EGC.
- Onis, M. De, Onyango, A. W., Borghi, E., Siyam, A., & Siekmann, J. (2007). Development of a WHO growth reference for school-aged children and adolescents. *Bulletin of the World Health Organization*, 85, 660–667.
- Onubi, O. J., Poobalan, A. S., Dineen, B., Marais, D., & Mcneill, G. (2015). Effects of Probiotics on Child Growth: A Systematic Review. *Journal of Health, Population and Nutrition*, 34, 1–15.
- Perng, W., Mora-Plazas, M., Marin, C., & Villamor, E. (2013). Iron Status and Linear Growth: A Prospective Study in School-Age Children. *European Journal of Clinical Nutrition*, 67(6), 646–651.
- Pollitt, E., Kim, I., & Soemantri, D. (1985). Iron Deficiency Anemia. *Am J Clin Nutr*, 42, 1221–1228.
- Pratama, R. A. (2015). *Pengaruh Fortifikasi Zat Besi pada Susu Tempe Sinbiotik Terhadap Populasi Bakteri Escherichia coli dan Enterobacter pada Feses Tikus Wistar*. Universitas Gadjah Mada. Yogyakarta.
- Puspitaningrum, V. A. D. (2015). *Fortifikasi Zat Besi (FeSO₄, NaFeEDTA) pada Susu Tempe Terfermentasi Sinbiotik terhadap Relative Bioavailability Value Zat Besi Tikus Wistar (rattus norvegicus)*. Universitas Gadjah Mada.
- Putri, A. M. A. (2015). *Pengaruh Fortifikasi Zat Besi pada Susu Tempe Terfermentasi terhadap Sifat Fisik dan Organoleptik*. Universitas Gadjah Mada. Yogyakarta.
- Rahman, M. M., Akramuzzaman, S. M., Mitra, A.K., Fuchs, G.J., Mahalanabis. D. (1998). Long-term Supplementation with Iron Does Not Enhance Growth in Malnourished Bangladeshi Children. *The Journal of Nutrition* 129 : 1319-1322
- Ramakrishnan, U., Aburto, N., McCabe, G., & Martorell, R. (2004). Community and International Nutrition Multimicronutrient Interventions but Not Vitamin A or Iron Interventions Alone Improve Child Growth: Results of 3 Meta-Analyses 1. *J Nutr*, 134, 2592–2602.
- Pasricha, S.R., Hayes, E., Kalumba, K., Biggs, B.A. (2013). Effect of daily iron supplementation on health in children aged 4–23 months: a systematic review and meta-analysis of randomised controlled trials. *Lancet Glob Health* 2013; 1: e77–86
- Rogol, A. D., Clark, P. A., & Roemmich, J. N. (2000). Growth and Pubertal Development in Children and Adolescents: Effects of Diet and Physical Activity. *Am J Clin Nutr*, 72, 521S–528S.

- Rogol, A. D., Roemmich, J. N., & Clark, P. A. (2002). Growth at Puberty. *Journal of Adolescent Health, 31*(02), 192–200.
- Ryan, A. S. (1997). Iron-Deficiency Anemia in Infant Development : Implications for Growth , Cognitive Development , Resistance to Infection , and Iron Supplementation. *Yearbook of Physical Anthropology, 40*, 25–62.
- Sachdev, H. P. S., Gera, T., & Nestel, P. (2006). Effect of Iron Supplementation on Physical Growth in Children : Systematic Review of Randomised Controlled Trials. *Public Health Nutrition, 9*(7), 904–920.
- Santrock, J. W. (2007). *Adolescence, eleventh edition* (eleventh.). Jakarta: Erlangga.
- Sari, N. (2011). *Minuman Fermentasi Susu Menggunakan Isolat Lokal *Lactobacillus plantarum* Dad 13; Karakteristik Kimiawi dan Mikrobiologis*. Universitas Gadjah Mada.
- Sastroasmoro, S., & Ismail, S. (2002). *Dasar-dasar Metodologi Penelitian Klinik*. Jakarta: Sagung Seto.
- Sazawal, S., Dhingra, U., Hiremath, G., Sarkar, A., Dhingra, P., Dutta, A., Menon, V.P., Black, R. E. (2010). Effects of Bifidobacterium lactis HN019 and Prebiotic Oligosaccharide Added to Milk on Iron Status, Anemia, and Growth Among Children 1 to 4 Years Old. *JPGN, 51*(3), 341–346.
- Sazawal, S., Habib, A., Dhingra, U., Dutta, A., Dhingra, P., Sarkar, A., Deb, S., Alam, J., Husna, A., Black, R. E. (2013). Impact of Micronutrient Fortification of Yoghurt on Micronutrient Status Markers and Growth – a Randomized Double Blind Controlled Trial among School Children in Bangladesh. *BMC Public Health, 13*(1), 1–11.
- Scholz-ahrens, K. E., Ade, P., Marten, B., Weber, P., Timm, W., Yahya, A., & Glu, C. (2007). Prebiotics, Probiotics, and Synbiotics Affect Mineral Absorption, Bone Mineral Content and Bone Structure. *The Journal of Nutrition, 137*(4), 838S–846S.
- Sekhon, B. S., & Jairath, S. (2010). Prebiotics, Probiotics and Synbiotics : An Overview. *J Pharm Educ Res, 1*(2).
- Silva, M. R., Dias, G., Ferreira, C. L. L. F., Franceschini, S. C. C., & Costa, N. M. B. (2008). Growth of Preschool Children was Improved when Fed an Iron-Fortified Fermented Milk Beverage Supplemented with *Lactobacillus acidophilus*. *Nutrition Research, 28*, 226–232.
- Soliman, A. T., Dabbagh, M. Al, Habboub, H., Adel, A., Humaidy, A., & Abusahim, A. (2009). Brief Report Linear Growth in Children with Iron

- Deficiency Anemia Before and After Treatment. *Journal of Tropical Pediatrics*, 11–14.
- Soliman, A. T., De Sanctis, V., & Kalra, S. (2014a). Anemia and growth. *Indian Journal of Endocrinology and Metabolism*, 18.
- Soliman, A., De Sanctis, V., & Elalaily, R. (2014b). Nutrition and Pubertal Development. *Indian Journal of Endocrinology and Metabolism*, 18(Suppl 1), S39–47.
- Sunarlim, R. (2009). Potensi *Lactobacillus*, sp Asal dari Dadih sebagai Starter pada Pembuatan Susu Fermentasi Khas Indonesia. *Buletin Teknologi Pasca Pertanian*, 5, 69–76.
- Sundberg, M. (2011). Iron Bioavailability and Pro- and Prebiotics. *Uppsala*, (330).
- Tanaka, M., Kusuda, M. T., Abe, K., & Nagasaka, M. (2009). Effects of Iron Deficiency Anemia on Growth Rate of Rats, 67, 67–75.
- Titi, H., & Saihullah, M. (2013). Pembuatan Susu Tempe Kajian Pengaruh Lama Fermentasi Tempe dan Penggunaan Carboxymethyl cellulose (CMC). *Jurnal Teknologi Pangan*, 5(1).
- Troesch, B., Stujivenberg, M. E. Van, Smuts, C. M., Salome, H., Biebinger, R., Hurrell, R. F., Baumgartner, J., Zimmermann, M. B. (2011). A Micronutrient Powder with Low Doses of Highly Absorbable Iron and Zinc Reduces Iron and Zinc Deficiency and Improves Weight-For-Age. *J. Nutr*, 141, 237–242.
- Ulyatu, F., Pudji, H., Tyas, U., & Umar, S. (2015). The Changes of Sesaminol Triglycoside and Antioxidant Properties during Fermentation of Sesame Milk by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, 22(5), 1945–1952.
- UNICEF, & State of the World's Children. (1998). *Conceptual Framework for Nutritional Status* (pp. 22–23).
- Vucic, V., Berti, C., Vollhardt, C., Fekete, K., Cetin, I., Koletzko, B., Veer, P. Van. (2013). Effect of Iron Intervention on Growth During Gestation, Infancy, Childhood, and Adolescence: A Systematic Review with Meta-Analysis. *Nutrition Reviews*, 71(6), 386–401.
- World Bank. (2012). Indonesia Health Sector Review Indonesia: Menghadapi Beban Ganda Malnutrisi. *World Bank*.
- World Health Organization, & Center for Disease Control and Prevention Atlanta. (2008). *Worldwide prevalence of anaemia 1993-2005, WHO Global Database on Anaemia*. Spain.