

DAFTAR PUSTAKA

- Adriani, M., & Wirjatmadi, B. (2012). *pengantar gizi masyarakat*. jakarta: kharisma putra utama.
- Ahmed, F., Khan, M. R., Akhtaruzzaman, M., Karim, R., Marks, G. C., & Al, A. E. T. (2005). *Efficacy of twice-weekly multiple micronutrient supplementation for improving the hemoglobin and micronutrient status of anemic adolescent schoolgirls in Bangladesh* 1 – 3, *12*(1), 829–835.
- Allen, L., Benoist, B., Dary, O., & Hurrell, R. (2006). *Guidelines on food fortification with micronutrients*. France: World Health Organization & Food and Agriculture Organization of the United Nation.
- Almatsier, S. (2009). *prinsip dasar ilmu gizi*. Jakarta: Gramedia Pustaka utama.
- Angeles-agdeppa, I., Indonesian, K. D., Sastroamidjojo, S., Gross, R., & Darwin, W. (1997). Weekly micronutrient in female Indonesian supplementation to build iron stores.
- Anie, Y., Kurniawan, I., & Muslimatun, S. (2006). Anaemia and iron deficiency anaemia among young adolescent girls from peri urban coastal area of Indonesia, *15*(November 2005), 350–356.
- Arenahalli Ningegowda, M., & Siddalingaiya Gurudutt, P. (2012). In vitro fermentation of prebiotics by *Lactobacillus plantarum* CFR 2194: selectivity, viability and effect of metabolites on α -glucuronidase activity. *World Journal of Microbiology & Biotechnology*, *28*(3), 901–8. <http://doi.org/10.1007/s11274-011-0887-z>
- Astuti, R., Aminah, S., & Syamsianah, A. (2012). *Analisa zat gizi tempe fortifikasi zat besi berdasarkan pemasakan*. semarang.
- Bakta, I. M. (2006). *hematologi klinik ringkas*. jakarta: EGC.
- Balci, Y. I., Karabulut, A., Gürses, D., & Çövit, . E. (2012). Prevalence and Risk Factors of Anemia among Adolescents in Denizli , Turkey, *22*(1), 77–81.
- Badan Penelitian dan pengembangan kesehatan RI . (2013). *Riset Kesehatan Dasar 2013*. jakarta.
- Buckle, K. ., Edward, R. ., Fleet, G. ., & Wooton, M. (2010). *ilmu pangan*. jakarta: penerbit universitas indonesia.
- Chandra, J., & Sahi, P. K. (2015). Role of Food Iron Fortification on Hemoglobin Status, *82*(March), 215–216. <http://doi.org/10.1007/s12098-014-1674-2>
- Chen, J., Zhao, X., Zhang, X., Yin, S., Piao, J., Huo, J., ... Chen, C. (2005). Studies on the Effectiveness of NaFeEDTA-Fortified Soy Sauce in Controlling Iron Deficiency : A Population- Based Intervention Trial. *Food and Nutrition Bulletin*, *26*(2), 177–186.
- Foo, L. H., Khor, G. L., Tee, E., & Mbbs, D. P. (2006). Iron status and dietary iron intake of adolescents from a rural community in Sabah , Malaysia, *13*(May 2003), 48–55.
- Gera, T., & Sachdev, H. P. S. (2002). Effect of Iron Supplementation on Incidence of Infectious Illness in Children: Systematic Review. *BMJ (Clinical Research Ed.)*, *325*, 1142. <http://doi.org/10.1136/bmj.325.7373.1142>

- Gottfried, R. J., Gerring, J. P., Machell, K., & Al, G. E. T. (2013). The Iron Status of Children and Youth in a Community Mental Health Clinic is Lower than that of a National Sample, 23(2), 91–100. <http://doi.org/10.1089/cap.2012.0001>
- Gropper, S. ., Smith, J. ., & Groff, J. . (2009). *Advanced nutrition and human metabolism* (5th ed.). Belmont, USA: Wadsworth, Cengage learning.
- Guyton, A. ., & Hal, J. . (2006). *textbook of medical pysiology* (11th ed.). Pennsylvania.
- Hanin, F. (2014). *pengaruh variasi pemberian fortifikan zat besi dan zink pada susu fermentasi sinbiotik (Lactobacillus Plantarum Dad-13 - Fruktooligosakarida) terhadap kadar hemoglobin tikus Galur Wistar*. Yogyakarta.
- Hartono, K., Reed, S., Ankrah, A., & Glahn, P. (2014). alteration in gut microflora population and brus border functionality following intra-amniotic daidzein administration. *RSC Advances*, 5, 6407–6412. <http://doi.org/10.1039/C4RA10962G>
- Hoppe, M., Öning, G., Berggren, A., & Hulthén, L. (2015). Probiotic strain Lactobacillus plantarum 299v increases iron absorption from an iron-supplemented fruit drink : a double-isotope cross-over single-blind study in women of reproductive age, 1195–1202. <http://doi.org/10.1017/S000711451500241X>
- Juffrie, M., Toto, S., Istiti, K., Endri, Y., Helmyati, S. (2014). Tempeh extract fortified with iron and synbiotic as a strategy against anemia.belum diterbitkan
- Keskin, Y., Moschonis, G., Dimitriou, M., Sur, H., Kocaoglu, B., Hayran, O., & Manios, Y. (2005). Prevalence of iron deficiency among schoolchildren of different socio-economic status in urban Turkey, 64–71. <http://doi.org/10.1038/sj.ejcn.1602035>
- Kraemer, K., & Zimmermann, M. B. (2007). *Nutritional anemia*. Germany: Sight and life.
- Kusumaningrum, E. novi. (2004). pembuatan minuman soygurt dari sari tempe dengan menggunakan bakteri lactobacillus plantarum. *Jurnal Matematika, Sains Dan Teknologi*, 5 (1).
- Lobo, A. R., Gaievski, E. H. S., Carli, E. De, Alvares, E. P., & Avenue, P. (2014). Fructo-oligosaccharides and iron bioavailability in anaemic rats : the effects on iron species distribution , ferroportin-1 expression , crypt bifurcation and crypt cell proliferation in the caecum, 1, 1286–1295. <http://doi.org/10.1017/S0007114514002165>
- Magee, E. A., Richardson, C. J., Hughes, R., & Cummings, J. H. (2000). Contribution of dietary protein to sulfide production in the large intestine : an in vitro and a controlled feeding study in humans 1 – 3, 1488–1494.
- Manampiring, A. . (2008). *prevalensi anemia dan tingkat kecukupan zat besi pada anak sekolah dasar di desa minaesa kecamatan Worl kabupaten minahasa utara*. manado.
- Martin, R. N. ; A. K. K. ; G. (2010). *Early Life : Gut Microbiota and Immune Development in Infancy* (pp. 367 – 382). Benef Microbes.

- Mehansho, H. (2006). Symposium : Food Fortification in Developing Countries, 1059–1063.
- Muthayya, S., Thankachan, P., Hirve, S., Amalrajan, V., Thomas, T., Lubree, H., ... Kurpad, a. V. (2012). Iron Fortification of Whole Wheat Flour Reduces Iron Deficiency and Iron Deficiency Anemia and Increases Body Iron Stores in Indian School-Aged Children. *Journal of Nutrition*, 142(11), 1997–2003. <http://doi.org/10.3945/jn.111.155135>
- Muwakhidah. (2009). *efek suplementasi Fe, asam folat, dan vitamin B12 terhadap peningkatan kadar hemoglobin (Hb) pada pekerja wanita (di kabupaten Sukoharjo)*. universitas Diponegoro, semarang.
- Prakash, S., Tomaro-duchesneau, C., Saha, S., & Cantor, A. (2011). The Gut Microbiota and Human Health with an Emphasis on the Use of Microencapsulated Bacterial Cells, 2011. <http://doi.org/10.1155/2011/981214>
- Puertollano, E., Puertollano, M. ., Chrus-chamorro, L., Ciefuegos, G.A, D., Ruiz-bravo, A., & Pablo, M. A. de. (2009). Effects of concentrated supernatants recovered from *Lactobacillus plantarum* on *Escherichia coli* growth and on the viability of a human promyelocytic cell line. *Journal of Applied Microbiology*, (1194-1203). <http://doi.org/10.1111/j.1365-2672.2008.04086.x>
- Puspitaningrum, V. A. D. (2015). *Fortifikasi Zat Besi (FeSO₄, NaFeEDTA) pada Susu Tempe Terfermentasi Sinbiotik terhadap Relative Bioavailabilitas Value Zat Besi Tikus Wistar (Rattus norvegicus)*. Universitas Gadjah Mada.
- Rahayu, E. S., Yogeswara, A., & Utami, T. (2011). PA-198, 400–404.
- Rao, V. A. (2001). The prebiotic properties of oligofructose at low intake levels, 21, 843–848.
- Reenen, C. . van, Dicks, L. M. ., & Chikindas, M. . (1998). Isolation , purification and partial characterization of plantaricin 423 , a bacteriocin produced by *Lactobacillus*. *Journal of Applied Microbiology*, 84(April 2016), 1131–1137. <http://doi.org/10.1046/j.1365-2672.1998.00451.x>
- Salovaara, S., Sandberg, A., & Andlid, T. (2003). Combined Impact of pH and Organic Acids on Iron Uptake by Caco-2 Cells, 7820–7824.
- Sari, M., Bloem, M. W., de Pee, S., Schultink, W. J., & Sastroamidjojo, S. (2001). Effect of iron-fortified candies on the iron status of children aged 4-6 y in East Jakarta, Indonesia. *Am J Clin Nutr*, 73(6), 1034–1039.
- Sazawal, S., Dhingra, U., Dhingra, P., Hiremath, G., Sarkar, A., & Dutta, A. (2010). Micronutrient Fortified Milk Improves Iron Status , Anemia and Growth among Children 1 – 4 Years : A Double Masked , Randomized , Controlled Trial, 5(8). <http://doi.org/10.1371/journal.pone.0012167>
- Shamir, R. R. V. E. J. K. C. D. (2015). *Gut Health in Early Life : Significance of the Gut Microbiota and Nutrition for Development and Future Health*. United Kingdom: John Wiley and Sons ltd.
- Steinkrause. (1983). *Handbook of Indigenous of Fermented Foods*. new york: Marcell Dekker, Inc.

- Sumaryati, bekti tri, Utami, T., & Suparmo. (2009). Pengaruh Infeksi Escherichia Coli Dan Pemberian Lactobacillus Plantarum Dad 13 Terhadap Mikrobiota Feses Tikus Wistar. *Agritech*, 29(4), 165–170.
- Sun, J. ; J. H. W. L., Wang, L., Wang, A., Huo, J., & Chen, J. C. C. (2007). Effects of wheat flour fortified with different iron fortificants on iron status and anemia prevalence in iron deficient anemic students in Northern China. *Asia Pasific Journal of Clinical Nutrition*, 16(April 2006), 116–121.
- Susilowati, T. (2010). *Faktor - Faktor yang Berhubungan dengan Asupan Nutrisi Ibu Hamil di Asrama Arhanud Rudal 003 Desa Sukanagara Kecamatan Cikupa Kabupaten Tangerang, Jakarta*. Universitas Pembangunan Nasional “Veteran” Jakarta.
- Tako, E., Glahn, R. P., Welch, R. M., Lei, X., Yasuda, K., & Miller, D. D. (2008). Dietary inulin affects the expression of intestinal enterocyte iron transporters , receptors and storage protein and alters the microbiota in the pig intestine, 472–480. <http://doi.org/10.1017/S0007114507825128>
- Tsai, A., & Berns, J. S. (n.d.). Anemia Management, 337–356.
- Ubillaga, M. A. Z., Eill, R. I. W., Oldman, C. I. G., Radioisótopos, L. De, & Farmacia, F. De. (2003). Current Knowledge of Iron Metabolism, 92, 189–211.
- WHO. (2001). *Iron Defeciency Anemia : Assesment, Prevalence and Control : a Guide for Programme Managers Geneva*.
- WHO. (2007). *Assessing the iron status of populations* (second). geneva, switzerland: WHO press.
- WHO. (2015). The Global Prevalence Of Anaemia In 2011.
- Widyastuti, K. (2013). *Perbedaan Fortifikasi Besi ($FeSO_4$ - $NaFeEDTA$) terhada Kadar Besi, pH dan Tingkat Kesukaan pada Susu Fermentasi Sinbiotik (*L.Plantarum dad.13-FOS*). Universitas Gadjah Mada.*
- Worwood, M. (2012). Estimation of Body Iron Stores, 499–528. <http://doi.org/10.1007/978-1-60327-485-2>
- Yadav, S., & Dunkwal, V. (2013). Efficacy of iron rich biscuit on the haemoglobin status of school going girls. *Asian Journal of Home Science*, 8(2).
- Zimmermann, M. B., Biebinger, R., Egli, I., Zeder, C., & Hurrell, R. F. (2011). Iron deficiency up-regulates iron absorption from ferrous sulphate but not ferric pyrophosphate and consequently food fortification with ferrous sulphate has relatively greater efficacy in iron-deficient individuals British Journal of Nutrition, 1245–1250. <http://doi.org/10.1017/S0007114510004903>