

DAFTAR PUSTAKA

- Abbaspour N, Hurrell R, Kelishadi R. (2014). Review On Iron and Its Importance for Human Health. *Journal of Research in Medical Science*, 19(2):164–174.
- Allen LH. (2000). Anemia and Iron Deficiency : Effects on Pregnancy Outcome. *American Journal of Clinical Nutrition*, 71:1280–1284.
- Altieri C, Bevilacqua A, Sinigaglia M. (2011). Prolonging The Viability of *Lactobacillus plantarum* Through the Addition of Prebiotics Into the Medium. *Journal of Food Science*, 76(6):M336–45.
- Andrews SC, Robinson AK, Rodriguez-Quinones F. (2003). Bacterial Iron Homeostasis. *FEMS Microbiology Reviews*, 27(2-3):215–237.
- Anggraeni, AC. (2012). *Asuhan Gizi Nutritional Care Process*. Yogyakarta : Graha Ilmu.
- Antara NS, Dibia IN, Aryanta WR. (2009). Karakterisasi Bakteri Asam Laktat yang Diisolasi dari Susu Kuda Bima. *Agritech*, 29:1–9.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. (2008). *Report on Result of National Basic Health Research (RISKESDAS) 2007*. Jakarta : Kementerian Kesehatan Republik Indonesia.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. (2013). *Riset KESEHATAN DASAR (RISKESDAS) 2013*. Jakarta : Kementerian Kesehatan Republik Indonesia.
- Badan Pusat Statistik. (2014). *Kulon Progo Dalam Angka*. Katalog BPS : 1102001.3401.
- Bergqvist SW, Andlid T, Sandberg A. (2006). Lactic Acid Fermentation Stimulated Iron Absorption by Caco-2 Cells is Associated with Increased Soluble Iron Content in Carrot Juice. *British Journal of Nutrition*, 96:705–711.
- Bering S, Suchdev S, Sjøltov L, Berggren A, Tetens I, Bukhave K. (2006). A Lactic Acid-Fermented Oat Gruel Increases Non-Haem Iron Absorption from a Phytate-Rich Meal in Healthy Women of Childbearing Age. *British Journal of Nutrition*, 96:80–85.
- Bermejo F. (2009). A Guide to Diagnosis of Iron Deficiency and Iron Deficiency Anemia in Digestive Diseases. *World Journal of Gastroenterology*, 15(37):4638.
- Bougle D, Vaghefi-Vaezzadeh N, Roland N, Bouvard G, Arhan P, Bureau F, Neuville D, Maubois J. (2002). Influence of Short-Chain Fatty Acids on Iron Absorption by Proximal Colon. *Scandinavian Journal of Gastroenterology*, 9:1008–1011.
- Buhnik-Rosenblau K, Moshe-Belizowski S, Danin-Poleg Y, Meyron-Holtz EG. (2012). Genetic Modification of Iron Metabolism in Mice Affects the Gut Microbiota. *Biometals*, 25(5):883–92.
- Carr FJ, Chill D, Maida N. (2002). The Lactic Acid Bacteria : A Literature Survey. *Critical Reviews in Microbiology*, 28(4):281–370.
- Cartron, ML, Maddocks S, Gillingham P, Craven CJ, Andrews SC. (2006). Feo--Transport of Ferrous Iron into Bacteria. *Biometals*, 19(2):143–157.

- Castiglia-Delavaud C, Verdier E, Besle JM, Vernet J, Boirie Y, Beaufriere B, De Baynast R, Vermorel M. (1998). Net Energy Value of Non-Starch Polysaccharide Isolates (Sugarbeet Fibre and Commercial Inulin) and Their Impact on Nutrient Digestive Utilization in Healthy Human Subjects. *British Journal of Nutrition*, 80:343–352.
- Chen C, Zhou F, Ren J, Ai L, Dong Y, Wu Z, Liu Z, Chen W, Guo B. (2014). Cloning, Expression and Functional Validation of a β -Fructofuranosidase from *Lactobacillus plantarum*. *Process Biochemistry*, 49(5):758–767.
- Chen J, Zhao X, Zhang X, Yin S, Piao J, Huo J, Yu B, Qu N, Lu Q, Wang S, Chen C. (2005). Studies on the Effectiveness of NaFeEDTA-Fortified Soy Sauce in Controlling Iron Deficiency : A Population- Based Intervention Trial. *Food and Nutrition Bulletin*, 26(2):177–186.
- Cheung YB, Xu Y, Mangani C, Fan YM, Dewey KG, Salminen, SJ, Maleta K, Ashorn P. (2016). Gut Microbiota in Malawian Infants in a Nutritional Supplementation Trial. *Tropical Medicine & International Health*, 21(2):283–290.
- Clark SF. (2009). Iron Deficiency Anemia: Diagnosis and Management. *Current Opinion in Gastroenterology*, 25:122–8.
- Coussement PAA. (1999). Nutritional and Health Benefits of Inulin and Oligofructose Inulin and Oligofructose : Safe Intakes and Legal Status. *The Journal of Nutrition*, 129:1412S–1417S.
- Croxen MA, Finlay BB. (2010). Molecular Mechanisms of *Escherichia coli* Pathogenicity. *Nature Reviews Microbiology*, 8:26–38.
- Cummings JH, Antoine JM, Azpiroz F, Bourdet-Sicard R, Brandtzaeg P, Calder PC, Gibson GR, Guarner F, Isolauri E, Pannemans D, Shortt C, Tuijelaars S, Watzl B. (2004). PASSCLAIM--Gut Health and Immunity. *European journal of nutrition*, 43 Suppl 2:II118–II173.
- De Vries MC, Vaughan EE, Kleerebezem M, de Vos WM. (2006). *Lactobacillus plantarum*—Survival, Functional and Potential Probiotic Properties in the Human Intestinal Tract. *International Dairy Journal*, 16:1018–1028.
- Deriu E, Liu JZ, Pezeshki M, Edwards RA, Ochoa RJ, Contreras H, Libby SJ, Fang FC, Raffatellu M. (2013). Probiotic Bacteria Reduce *Salmonella typhimurium* Intestinal Colonization by Competing for Iron. *Cell Host & Microbe*, 14:26–37.
- Deschemin JC, Noordine ML, Remot A, Willemetz A, Afif C, Canonne-Hergaux F, Langella P, Karim Z, Vaulont S, Thomas M, Nicolas G. (2015). The Microbiota Shifts the Iron Sensing of Intestinal Cells. *FASEB Journal*, 30:1–10.
- Dostal A, Baumgartner J, Riesen N, Chassard C, Smuts CM, Zimmermann MB, Lacroix C. (2014). Effects of Iron Supplementation on Dominant Bacterial Groups in the Gut, Faecal SCFA and Gut Inflammation: a Randomized, Placebo-Controlled Intervention Trial in South African Children. *British Journal of Nutrition*, 112:547–556.
- Dostal A, Lacroix C, Bircher L, Pham VT, Follador R, Zimmermann B, Chassard C. (2015). Iron Modulates Butyrate Production by a Child Gut Microbiota In Vitro. *mBio*, 6(6):1–12.

- Dubreuil JD. (2013). Antibacterial and Antidiarrheal Activities of Plant Products Against Enterotoxinogenic *Escherichia coli*. *Toxins*, 5:2009–2041.
- Dunn S, Datta A, Kallis S, Law E, Myers CE, Whelan K. (2011). Validation of a Food Frequency Questionnaire to Measure Intakes of Inulin and Oligofructose. *European Journal of Clinical Nutrition*, 65:402–8.
- Eckburg PB, Bik EM, Bernstein CN, Purdom E, Dethlefsen L, Sargent M, Gill SR, Nelson KE, Relman D. (2005). Diversity of the Human Intestinal Microbial Flora. *Science*, 308:1635–8.
- Fanaro S, Chierici R, Guerrini P, Vigi V. (2003). Intestinal Microflora in Early Infancy : Composition and Development. *Acta Paediatric Supplement*, 441:48–55.
- Faridhi KKA, Tri A, Kusdiyantini E. (2013). Penambahan Filtrat Tepung Umbi Dahlia (*Dahlia variabilis* Willd.) sebagai Prebiotik dalam Pembuatan Yoghurt Sinbiotik. *Bioma*, 15(2):64–72.
- Feng XM, Eriksson ARB, Schnürer J. (2005). Growth of Lactic Acid Bacteria and *Rhizopus oligosporus* During Barley Tempeh Fermentation. *International Journal of Food Microbiology*, 104:249–56.
- Gardjito M, Djuwardi A, Harmayani E (2013). *Pangan Nusantara Karakteristik dan Prospek untuk Percepatan Diversifikasi Pangan*. Jaakarta : Kencana Prenada Media Group.
- Gera T, Sachdev HPS. (2002). Effect of Iron Supplementation on Incidence of Infectious Illness in Children: Systematic Review. *BMJ (Clinical Research ed.)*, 325:1142.
- Gibson GLEYYR, Roberfroid MB. (1995). Dietary Modulation of the Human Colonie Microbiota : Introducing the Concept of Prebiotics. *The Journal of Nutrition*:1401–1412.
- Gibson GR (2004a). From Probiotics to Prebiotics Food Microbiology and Safety. *Journal of Food Science*, 69(5):141–143.
- Gibson GR (2004b). Fibre and Effects on Probiotics (the Prebiotic Concept). *Clinical Nutrition Supplements*, 1:25–31.
- Gibson GR, Scott KP, Rastall RA, Tuohy KM, Hotchkiss A, Dubert-Ferrandon A, Gareau M, Murphy EF, Saulnier D, Loh G, Macfarlane S, Delzenne N, Ringel Y, Kozianowski G, Dickmann R, Lenoir-Wijnkoop I, Walker C, Buddington R. (2010). Dietary Prebiotics : Current Status and New Definition. *Food Science and Technology Bulletin*, 7(1):1–19.
- Gibson GR, McCartney AL, Rastall RA. (2007). Prebiotics and resistance to gastrointestinal infections. *British Journal of Nutrition*, 93(S1):S31.
- Granato D, Branco GF, Nazzaro F, Faria AF, Cruz AG. (2010). Functional Foods and Nondairy Probiotic Food Development : Trends , Concepts , and Products. *Comprehensive Reviews in Food Science and Food Safety*, 9:292–302.
- Guinane CM, Cotter PD. (2013). Role of the Gut Microbiota in Health and Chronic Gastrointestinal Disease: Understanding a Hidden Metabolic Organ. *Therapeutic Advances in Gastroenterology*, 6(4):295–308.
- Hantke K. (2001). Iron and Metal Regulation in Bacteria. *Current Opinion in Microbiology*, 4(2):172–177.

- Hartono K, Reed S, Ankrah NA, Glahn RP, Tako E. (2015). Alterations in Gut Microflora Populations and Brush Border Functionality Following Intra-Amniotic Daidzein Administration. *RSC Advances*, 5:6407–6412.
- Hartono, Muthiadin C, Bakri Z. (2012). Daya Hambat Sinbiotik Ekstrak Inulin Bawang Merah (*Allium cepa* L.) dengan Bakteri *Lactobacillus acidophilus* Terhadap Pertumbuhan Bakteri *Escherichia coli*. *Jurnal Bionature*, 13(1):31–41.
- Hayakawa K et al. (1990). Effects of Soybean Oligosaccharides on Human Faecal Flora. *Microbial Ecology in Health and Disease*, 3:293–303.
- Helmyati S, Juffrie M, Rahayu ES, Kandarina BJI. (2015). A Comparative Study of Gut Microbiota Profiles of Children Living in Kulon Progo and West Lombok. *Pakistan Journal of Nutrition*, 14(11):762–764.
- Hoppe M, Önnings G, Berggren A, Hulthén L. (2015). Probiotic strain *Lactobacillus plantarum* 299v Increases Iron Absorption from an Iron-Supplemented Fruit Drink: a Double-Isotope Cross-Over Single-Blind Study in Women of Reproductive Age. *The British Journal of Nutrition*, 114:1195–1202.
- Iannotti LL, Tielsch JM, Black MM, Black RE. (2006). Iron Supplementation in Early Childhood : Health Benefits and Risks. *Am J Clin Nutri*, 84:1261–1276.
- Ito M, Sawada H, Ohishi K, Yoshida Y, Yokoi W, Watanabe T, Yokokura T. (2001). Suppressive Effects of Bifidobacteria on Lipid Peroxidation in the Colonic Mucosa of Iron-Overloaded Mice. *Journal of Dairy Science*, 84:1583–9.
- Jaeggi T, Kortman GM, Moretti D, Chassard C, Holding P, Dostal A, Boekhorst J, Timmerman HM, Swinkels DW, Tjalsma H, Njenga J, Mwangi A, Kvalsvig J, Lacroix C, Zimmermann MB. (2015). Iron Fortification Adversely Affects the Gut Microbiome, Increases Pathogen Abundance and Induces Intestinal Inflammation in Kenyan Infants. *Gut*, 64(5):731–42.
- Jeleń H, Majcher M, Ginja A, Kuligowski M. (2013). Determination of Compounds Responsible for Tempeh Aroma. *Food Chemistry*, 141:459–465.
- Karlsson F, Tremaroli V, Nielsen J, Bäckhed F. (2013). Assessing the Human Gut Microbiota in Metabolic Diseases. *Diabetes*, 62:3341–9.
- Karyadi D, Lukito Wi. (1996). Beneficial Effects of Tempeh in Disease Prevention and Treatment. *Nutrition Reviews*, 54(11):S94–S98.
- Kawai T, Akira S. (2007). Signaling to NF-KappaB by Toll-Like Receptors. *Trends in Molecular Medicine*, 13(11):460–469.
- Kelly G. (2009). Inulin-Type Prebiotics : A Review (Part 2). *Alternative Medicine Review*, 14(1):36–55.
- Khara T, Mates E. (2015). *Adolescent Nutrition Policy and Programming in SUN+ Countries*. London : Save The Children.
- Kim S, Lee DH, Meyer D. (2007). Supplementation of Infant Formula with Native Inulin Has a Prebiotic Effect in Formula-Fed Babies. *Asia Pacific Journal of Clinical Nutrition*, 16(1):172–177.

- Kolida S, Gibson GR. (2011). Synbiotics in Health and Disease. *Annual Review of Food Science and Technology*, 2:373–93.
- Krisnayudha K (2007). *Mempelajari Potensi Garut (Maranta arundinacea L.) dan Ganyong (Canna edulis, Kerr) Untuk Mendukung Pertumbuhan Bakteri Asam Laktat*. Skripsi. Bogor : Institut Pertanian Bogor.
- Kumalasari ID, Nishi K, Harmayani E, Raharjo S, Sugahara T. (2014). Immunomodulatory Activity of Bengkoang (*Pachyrhizus erosus*) Fiber Extract In Vitro and In Vivo. *Cytotechnology*, 66:75–85.
- Lim TK (2016). *Edible Medicinal and Non-Medicinal Plants Volume 10 Modified Stems, Roots, Bulbs*. New York : Springer.
- Lobo AR, Gaievski EHS, Carli ED, Alvares EP, Colli C. (2014). Fructo-Oligosaccharides and Iron Bioavailability in Anaemic Rats : the Effects on Iron Species Distribution , Ferroportin-1 Expression , Crypt Bifurcation and Crypt Cell Proliferation in the Caecum. *British Journal of Nutrition*, 112:1286–1295.
- Lomer M. (2014). *Advanced Nutrition and Dietetics in Gastroenterology*. West Sussex : John Wiley & Sons.
- Loo JV, Coussement P, Leenheer LD, Hoebregs H, Smits G. (1995). On the presence of Inulin and Oligofructose as natural ingredients in the western diet. *Critical Reviews in Food Science and Nutrition*, 35(6):525–552.
- Lopez-legarrea P, Fuller NR, Zulet MA, Martinez JA, Caterson ID. (2014). The Influence of Mediterranean , Carbohydrate and High Protein Diets on Gut Microbiota Composition in the Treatment of Obesity and Associated Inflammatory State. *Asia Pacific Journal of Clinical Nutrition*, 23(3):360–368.
- Magee EA, Richardson CJ, Hughes R, Cummings JH. (2000). Contribution of Dietary Protein to Sulfide Production in the Large Intestine : an In Vitro and A Controlled Feeding Study in Humans. *American Journal of Clinical Nutrition*, 72:1488–1494.
- Malacaman EE, Abbousy FK, Crooke D, Nauyok G. (1985). Effect of Protein Source and Iron Content of Infant Formula on Stool Characteristics. *Journal of Pediatric Gastroenterology and Nutrition*, 4:771–773.
- McHugh JP, Rodríguez-Quinoñes F, Abdul-Tehrani H, Svistunenko DA, Poole RK, Cooper CE, Andrews SC. (2003). Global Iron-Dependent Gene Regulation in *Escherichia coli* : A New Mechanism for Iron Homeostasis. *The Journal of Biological Chemistry*, 278(32):29478–29486.
- Meyer D, Stasse-Wolthuis M. (2009). The Bifidogenic Effect of Inulin and Oligofructose and Its Consequences for Gut Health. *European Journal of Clinical Nutrition*, 63:1277–1289.
- Milman N. (2011). Anemia -- Still a Major Health Problem in Many Parts of the World! *Annals of Hematology*, 90:369–77.
- Moeller AH, Li Y, Mpoudi NE, Ahuka-Mundeke S, Lonsdorf EV, Pusey AE, Peeters M, Hahn BH, Ochman H. (2014). Rapid Changes in the Gut Microbiome During Human Evolution. *Proceedings of the National Academy of Sciences*, 111(46):16431–16435.

- Murray PR, Rosenthal KS, Pfaller MA. (2013). *Medical Microbiology*, 7th Edition. Philadelphia : Elsevier Saunders.
- Mussatto SI, Mancilha IM. (2007). Non-Digestible Oligosaccharides: A Review. *Carbohydrate Polymers*, 68:587–597.
- Nakayama J, Watanabe K, Jiang J, Matsuda K, Chao SH, Haryono P, La Ongkham O, Sarwoko MA, Sujaya IN, Zhao L, Chen KT, Chen YP, Chiu HH, Hidaka T, Huang NX, Kiyohara C, Kurakawa T, Sakamoto N, Sonomoto K, Tashiro K, Tsuji H, Chen MJ, Leelavatcharamas V, Liao CC, Nitisinprasert S, Rahayu ES, Ren FZ, Tsai YC, Lee YK. (2015). Diversity in Gut Bacterial Community of School-Age Children in Asia. *Scientific reports*, 5(8397):1–11.
- Niku-Paavola M-L, Laitila A, Mattila-Sandholm T, Haikara A. (1999). New Types of Antimicrobial Compounds Produced by *Lactobacillus plantarum*. *Journal of Applied Microbiology*, 86:29–35.
- Nurdiyawati E (2013). *Pengaruh Fortifikasi Besi terhadap Sifat Antibakteri Susu Fermentasi Sinbiotik*. Skripsi. Yogyakarta : Universitas Gadjah Mada.
- Nurliyani, Julia M, Harmayani E, Ikawati M, Baliarti E. (2015). Potency of *Lactobacillus plantarum* Dad-13 and Sweet Potato (*Ipomoea batatas*) Fiber as Immunomodulator in Rats Infected With *Salmonella typhimurium*. *Journal of Food Research*, 4(3):1.
- Nyangale EP, Mottram DS, Gibson GR. (2012). Gut Microbial Activity, Implications for Health and Disease: The Potential Role of Metabolite Analysis. *Journal of Proteome Research*, 11(12):5573–5585.
- Packett L V., Chen LH, Liu JY. (1971). Antioxidant Potential of Tempeh as Compared to Tocopherol. *Journal of Food Science*, 36:798–799.
- Pandey A, Bringel F, Meyer J-M. (1994). Iron requirement and search for Siderophores in Lactic-Acid Bacteria. *Applied Microbiology and Biotechnology*, 40:735–739.
- Pérez-Cobas AE, Gosalbes MJ, Friedrichs A, Knecht H, Artacho A, Eismann K, Otto W, Rojo D, Bargiela R, von Bergen M, Neulinger SC, Däumer C, Heinsen FA, Latorre A, Barbas C, Seifert J, dos Santos VM, Ott SJ, Ferrer M, Moya A. (2013). Gut Microbiota Disturbance During Antibiotic Therapy: a Multi-Omic Approach. *Gut*, 62:1591–1601.
- Pitarresi G, Tripodo G, Cavallaro G, Palumbo FS, Giammona G. (2008). Inulin-Iron Complexes: a Potential Treatment of Iron Deficiency Anaemia. *European Journal of Pharmaceutics and Biopharmaceutics*, 68:267–76.
- Prakash S, Tomaro-Duchesneau C, Saha S, Cantor A. (2011). The Gut Microbiota and Human Health with an Emphasis on the Use of Microencapsulated Bacterial Cells. *Journal of Biomedicine & Botechnology*:1–12.
- Pratama RA (2015). *Pengaruh Fortifikasi Zat Besi pada Susu Tempe Sinbiotik terhadap Populasi Bakteri *Escherichia coli* dan *Enterobacter**. Skripsi. Yogyakarta : Universitas Gadjah Mada.
- Puertollano E, Puertollano MA, Cruz-Chamorro L, Alvarez de Cienfuegos G, Ruiz-Bravo A, de Pablo MA. (2008). Orally Administered *Lactobacillus plantarum* Reduces Pro-Inflammatory Interleukin Secretion in Sera from

- Listeria monocytogenes* Infected Mice. *The British Journal of Nutrition*, 99:819–25.
- Puskesmas Wates Kulon Progo. *Data Screening Puskesmas Wates*; 2014.
- Puertollano E, Puertollano MA, Cruz-Chamorro L, de Cienfuegos GA, Ruiz-Bravo A, de Pablo MA. (2009). Effects of Concentrated Supernatants Recovered from *Lactobacillus plantarum* on *Escherichia coli* Growth and on the Viability of a Human Promyelocytic Cell Line. *Journal of Applied Microbiology*, 106:1194–1203.
- Rahayu ES (2003). Lactic Acid Bacteria in Fermented Foods of Indonesian Origin. *Agritech*, 23(2):75–84.
- Rahayu ES, Yogeswara A, Utami T, Suparmo. (2011). *Indigenous Probiotic Strains of Indonesia and Their Application for Fermented Food*. Bangkok : BITEC.
- Rahayu ES, Yogeswara A, Mariyatun, Windiarti L, Utami T, Watanabe K. (2015). Molecular Characteristic of Indigenous Probiotic Strain From Indonesia. *International Journal of Probiotics and Prebiotics*, 10(4):1–7.
- Rao VA. (2001). The Prebiotic Properties of Oligofructose at Low Intake Levels. *Nutrition Research*, 21:843–848.
- Reenen CA van, Dicks LMT, Chikindas ML. (1998). Isolation, Purification and Partial Characterization of Plantaricin 423, a Bacteriocin Produced by *Lactobacillus plantarum*. *Journal of Applied Microbiology*, 84:1131–1137.
- Robertfroid M, Gibson GR, Hoyles L, McCartney AL. (2010). Prebiotic Concept and Health. *British Journal of Nutrition*, 104:S1–S63.
- Ross RP, Mills S, Hill C, Fitzgerald GF, Stanton C. (2010). Specific Metabolite Production by Gut Microbiota as a Basis for Probiotic Function. *International Dairy Journal*, 20:269–276.
- Roubos-van den Hil PJ, Nout MJR, van der Meulen J, Gruppen H. (2010). Bioactivity of Tempe by Inhibiting Adhesion of *ETEC* to Intestinal Cells, as Influenced by Fermentation Substrates and Starter Pure Cultures. *Food Microbiology*, 27:638–644.
- Rycroft CE, Jones MR, Gibson GR, Rastall RA. (2001). A Comparative In Vitro Evaluation of the Fermentation Properties of Prebiotic Oligosaccharides. *Journal of Agricultural and Food Chemistry*, 91:878–887.
- Salovaara S, Sandberg A-S, Andlid T. (2003). Combined Impact of pH and Organic Acids on Iron Uptake by Caco-2 Cells. *Journal of Agricultural and Food Chemistry*, 51:7820–7824.
- Sari NM (2011). *Minuman Fermentasi Susu Menggunakan Isolat Lokal *Lactobacillus plantarum* Dad13: Karakteristik Kimiawi dan Mikrobiologis*. Tesis. Yogyakarta : Universitas Gadjah Mada.
- Sastroasmoro S, Ismael (2002). *Dasar-Dasar Penelitian Klinis*. Jakarta : CV Sagung Seto.
- Sawyer S, Afifi RA, Bearinger LH, Blakemore SJ, Dick B, Ezeh AC, Patton GC. (2012). Adolescence: a Foundation for Future Health. *Lancet*, 379(9826):1630–40.

- Scholz-ahrens KE, Schaafsma G, van den Heuvel EGHM, Schrezenmeir J. (2001). Effects of Prebiotics on Mineral Metabolism. *American Journal of Clinical Nutrition*, 73:459S–64S.
- Servin AL. (2004). Antagonistic Activities of *Lactobacilli* and *Bifidobacteria* Against Microbial Pathogens. *FEMS Microbiology Reviews*, 28:405–440.
- Shoaf K, Mulvey GL, Armstrong GD, Hutkins RW. (2006). Prebiotic Galactooligosaccharides Reduce Adherence of *Enteropathogenic Escherichia coli* to Tissue Culture Cells. *Infection and immunity*, 74(12):6920–8.
- Sumaryati BT, Utami T, Suparmo. (2009). Pengaruh Infeksi *Escherichia coli* dan Pemberian *Lactobacillus plantarum* Dad13 Terhadap Mikrobiota Feses Tikus Wistar. *Agritech*, 29(4):165–170.
- Švejstl R, Musilová Š, Rada V (2015). Raffinose-Series Oligosaccharides in Soybean Products. *Scientia Agriculturae Bohemica*, 46(2):73–77.
- Syafrul A. (2010). *Analisis Kelayakan Usaha Pembuatan Yoghurt di Perusahaan Dafarm Kecamatan Ciampea Kabupaten Bogor*. Skripsi. Bogor : Institut Pertanian Bogor.
- Tako E, Glahn RP, Welch RM, Lei X, Yasuda K, Miller DD. (2008). Dietary Inulin Affects the Expression of Intestinal Enterocyte Iron Transporters, Receptors and Storage Protein and Alters the Microbiota in the Pig Intestine. *The British Journal of Nutrition*, 99:472–80.
- Vaz RT de C, Lobo AR, Cocato ML, Colli C. (2010). Effects of Inulin-Type Fructans Consumption on Mineral Intestinal Absorption and Balance in Rats Fed Control and Iron-Deficient Diets. *Alimentos e Nutrição Araraquara*, 2(1):5–11.
- Walsh CJ, Guinane CM, O'Toole PW, Cotter PD. (2014). Beneficial Modulation of the Gut Microbiota. *FEBS letters*, 588(22):4120–30.
- Warchol M, Perrin S, Grill J, Schneider F. (2002). Characterization of a Purified β -fructofuranosidase from *Bifidobacterium infantis* ATCC 15697. *Letters in Applied Microbiology*, 35:462–467.
- Weiss G. (2015). Dietary Iron Supplementation: a Proinflammatory Attack on the Intestine? *Gut*, 64(5):696–7.
- Winarti S, Harmayani E, Nurismanto R (2011). Karakteristik dan Profil Inulin Beberapa Jenis Uwi (*Dioscorea spp.*). *Agri*, 31(4):378–383.
- World Health Organization. (2001). *Iron Deficiency Anaemia : Assessment, Prevention, and Control A Guide for Programme Managers*. Switzerland : World Health Organization.
- World Health Organization. (2009). *Global Health Risks : Mortality and Burden of Disease Attributable to Selected Major Risks*, 1st ed. Switzerland : World Health Organization.
- World Health Organization. (2014). *WHA Global Nutrition Targets 2025 : Anaemia Policy Brief*. Switzerland : World Health Organization.
- World Health Organization and Food and Agriculture Organization of the United Nation. (2004). *Vitamin and Mineral Requirements in Human Nutrition : Report of a Joint FAO/WHO Expert Consultation*, 2nd ed. Bangkok : World Health Organization and Food and Agriculture Organization of the United.

- World Health Organization and Food and Agriculture Organization of the United Nation. (2006). *Guidelines on Food Fortification With Micronutrients*, 1st ed. (Allen L *et al.*, eds.). California : World Health Organization and Food and Agriculture Organization of the United.
- World Health Organization and Food and Agriculture Organization of the United Nation. (2015). *Codex Alimentarius International Food Standards : General Principles for the Addition of Essential Nutrients to Foods CAC/GL 9-1987*.
- Xue X, Shah YM. (2013). Intestinal Iron Homeostasis and Colon Tumorigenesis. *Nutrients*, 5:2333–2351.
- Yeung CK, Glahn RP, Welch RM, Miller DD. (2005). Prebiotics and Iron Bioavailability — Is There a Connection? *Journal of Food Science*, 70(5):88–92.
- Zimmermann L, Hantke K, Braun V (1984). Exogenous Induction of the Iron Dicitrate Transport System of *Escherichia coli* K-12. *Journal of Bacteriology*, 159(1):271–277.
- Zimmermann MB, Chassard C, Rohner F, Goran KN, Nindjin C, Dostal A. (2010). The Effects of Iron Fortification on the Gut Microbiota in African Children: a Randomized Controlled trial in Cote d’Ivoire. *American Journal of Clinical Nutrition*, 92:1406–1415.