PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Anonim[a]. (2007). Anthocyanin (WHO Food Additives Series 17). INCHEM. http://www. inchem.org/document/jecfa/jecmono/v17je05. htm. [14 juli 2015].

Anonim[b]. (2008). Ubi Jalar Kaya Zat Gizi dan Serat. http://www.dinkesjatim.go.id. [22 juli 2015].

Anonim[c]. (2009). Tahun 2030 Prevalensi Diabetes Melitus di Indonesia Mencapai 213 Juta Orang. http://www.depkes.go.id. [23 Juli 2015].

Anonim[d]. (2011). Methanol Bibliography. Methanol Institute. http://www.methanol. org/pdf/IRIS-Methanol Bibliography.pdf. [15 Juli 2015].

Anonim[e]. (2015). Cortisol and Growth Hormone. http://www.diabetesindia.com/ diabetes/acute_complications1.htm. [14 juli 2015].

Abdel-aal, E.M., Young, J.C. dan Rabalski, I. (2006). Anthocyanin Composition In Black, Blue, Purple, and Red Cereal Grains. *J Agr Food Chem* **54**: 44696-4704.

Acree, H.A., Wrolstad, R.E., An, H., Decker., Smith, D.M. dan Sporns, P. (2011). *Current Protocols in Food Analytical Chemistry* iii-vi. John Wiley and Sons, Inc.

Adam, J.M.F. (2009). *Dislipidemia*. Buku Ajar Ilmu Penyakit Dalam Jilid III. Edisi ke **5** (6). Jakarta.

Ahmed, R.G. (2005). *Review*: The Physiological and Biochemical Effects of Diabetes onThe Balance between Oxidative Stress and Antioxidant Defense System. *Medical Journal of Islamic World Academy of Sciences* **15**: 31-42.

Akinola, O.B., Caxton, M. dan Dini, L. (2010). Chronic Treatment with Ethanolic Extract of The Leaves of Azadirachta Indica Ameliorates Lesions of Pancreatic Islets in Streptozotocin Diabetes. *Int. J. Morphol* **28** (1): 291-302.

Al-Faleh, A.A.A. (2013). The Effect of Ginger, Curcumin and Their Mixture on Blood Glucose, Lipids in Diabetic Rats. Thesis. Graduate Program of Food and Nutrition, Faculty of Home Economic, King Abdulaziz University, Jeddah.

PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Alla, M.M.N. dan Younis, M.E. (1995). Herbicide Effects on Phenolic Metabolism in Maize (*Zea mays L*) and Soybean (*Glycine max L*) Seeding. *Journal of Experimental Botany* **46**: 1731-1736.

Almatsier, S. (2004). *Prinsip Dasar Ilmu Gizi*. Gramedia Pustaka Utama, Jakarta.

Amarowiez, R., Naczk, M. dan Shahidi, F. (1995). Antioxidant Activity of Crude Tannins Of Cannola and Rapeseed Hulls. *JAOCS* **77**: 957-961.

American Diabetes Association. (2002). Management of Dyslipidemia in Adults With Diabetes (Position Statement). *Diabetes Care* **25**: S74–S77.

Antolovich., Michael., Paul, D., Prenzler., Emilios, P., Suzanne, M.D. dan Kevin, R. (2012). Methods for Testing Antioxidant Activity. *Analyst* **127**: 183-198.

Apriliyanti, T. (2010). Kajian Sifat Fisiko dan Sensoris Tepung Ubi Jalar ungu (*Ipomoea batatas blackie*) dengan Variasi Proses Pengeringan. Skripsi. Fakultas Pertanian. Universitas Negeri Surakarta, Surakarta.

Astuti, M., Kristanti, D., Pratiwi, V.N. dan Sutriswati, E. (2015). Pengaruh Diet Beras Merah dan Beras Putih Precooked Terhadap Glukosa Darah, Profil Mikrobiota, dan *Short Chain Fatty Acids* (SCFA) pada Digesta Tikus Wistar Hiperglikemia. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Astuti, M., Naruki, S., Nurlaili, E.P. dan Fibri, D.L.N. (2014). Pengembangan Formula Pangan Fungsional Kaya Protein dan Antioksidan Kedelai Hitam Yang Disuplementasi Dengan Ekstrak Antosianin Beras Hitam. *Laporan Akhir Kegiatan penelitian Unggulan perguruan Tinggi*. Universitas Gadjah Mada, Yogyakarta.

Ataie-Jafari, A., Hosseini, S., Karimi, F. dan Pajouhi, M. (2008). Effects of Sour Cherry Juice on Blood Glucose and Some Cardiovascular Risk Factors Improvements in Diabetic Women. A pilot study. *Nutrition and Food Science* **38**: 355-360.

Aulia, L.P., Astuti, M. dan Marsono, Y. (2015). Efektivitas Ekstrak Antosianin Beras Hitam (*Oryza sativa L*) dan Ubi Jalar Ungu (*Ipomea batatas Poiret*) Terhadap Penghambatan Stres Oksidatif dan Peningkatan Kapasitas Antioksidan pada Tikus Diabetes Mellitus Tipe Dua. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Awika, J.M., Rooney, L.W. dan Waniska R.D. (2004). Anthocyanin From Black Sorghum and Their Antioxidant Properties. *J. Food Chem* **90**: 293-301.

PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Babu, P.V.A., Liu, D. dan Gilbert, E.R. (2013). Recent Advances in Under Standing The Anti-Diabetic of Dietary Flavonoids. *J Nutr Biochem* **24** (11): 1-28.

Badole, L., Subhash, L. dan Bodhankar. (2007). Interaction of Aqueous Extract of Pleurotus Pulmonarius (Fr.) Quel-champ. with Acarbose in Alloxan Induced Diabetic Mice. *Journal of Applied Biomedicine* **5**. [Article online].http://jab.zsf.jcu.cz//5_3/badole.html. [18 November 2015].

Badshah, H., Ullah, L., Kim, S.E., Lee, H.Y. dan Kim, M.O. (2013). Anthocyanins Attenuate Body Weight Gain Via Modulating Neuropeptide Y and GABAB1 Receptor in Rats Hypothalamus. *Neuropeptides* **47** (5): 347-353.

Bagchi, D., Sen, C.K., Bagchi, M. dan Atalay, M. (2004). Anti-Angiogenic Antioxidant, and Anticarcinogenic Properties of a Novel Anthocyanin-rich Berry Extract Formula. *Biochemistry-US* **69**: 75-80.

Barbour, L.A., McCurdy, C.E., Hernandez, T.L., Kirwan, J.P., Catalano, P.M. dan Friedman, J.E. (2007). Cellular Mechanisms for Insulin Resistance in Normal Pregnancy and Gestational Diabetes. *Diabetes Care* **30** (2).

Barham dan Trinder. (1972). An Improved Color Reagent for Determnination Blood Glucose by the Oxidase System. *Analyst* **97**: 142-145.

Beisegel, U. (1996). New Aspects on The Role of Plasma Lipases in Lipoprotein Catabolism and Atherosclerosis. *Atherosclerosis* **124**: 1-8.

Benzie, F.F. dan Strain, J.J. (1996). The Ferric Reducing Ability of Plasma (FRAP) As a Measure of Antioxidant Power: The FRAP Assay. *Analytical Biochemistry* **239**: 70-76.

Bordiga, M., Gomwz-Alonso, S., Locatelli, M., Travaglia, F., Coisson, J.D. dan Hermosin-Gutierrez, L. (2014). Phenolics Characterization and Antioxidant Activity of Six Different Pigmented *Oryza Sativa L.* Cultivars Grown in Piedmont (*italy*). *Food research International* **65**: 282-290.

Bounphanousay, C. (2008). Chemical and Molecular Characterization of Fragrance in Black Glutinous Rice from PDR, Metro Manila, Philippines. *J. Clin BioChem* **50**: 3713-3717.

Buse, J.B., Polonsky, K.S. dan Burant, C.F. (2003). *Type 2 Diabetes Mellitus*. In: Harsen, P.R., Kronenberg, H.M., Melmed, S. dan Polonsky, K.S. dan Wiliam. Texbook of Endocrinology 10th ed. Philadelphia.

Chakuton, K., Puangpropintag, D. dan Nakornriab, M. (2012). Phytochemical Content and Antioxidant Activity of Colored and Non-Colored Thai Rice Cultivars. *Asian Journal of Plant Sciences* **11**: 285-293.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, P.N., Kuo, W.H., Chiang, C.L., Chiou, H.L., Hsieh, Y.S. dan Chu S.C. (2006). Black Rice Anthocyanins Inhibit Cancer Cells Invasion via Repressions of MMPs and u-PA Expression. *Journal of Chemico-Biological Interactions* **163**: 218-229.

Cheville, N.F. (2006). *Introduction to Veterinary Pathology*. Blackwell Publishing, USA. Halm 91-96.

Choi, H.J., Hwang, P.Y., Choi, Y.C., Chung, C.Y., dan Jeong, G.H. (2010). Anti-fibrotic Effects of The Anthocyanins Isolated from The Purple-fleshed Sweet Potato on Hepatic Fibrosis Induced by Dimethylnitrosamine Administration in Rats. *Food and Chemical Toxicology* **48**: 3137-3143.

Colton, T. (1974). Statistics in Medicine. Boston, Little: *Brown and Company*.

Dagli, M., Eryilmaz, M.D., Besler, T., Akmansu, H. dan Korkmaz, M.D. (2004). Role of Free Radicals and Antioxidant in Nasal Polyps. *The Laryngoscope* **144** (7): 1200-1203.

Dandona, P., Mohanty, P., Ghanim, H., Aljada, A., Browne, R., Hamouda, W., Prabhala, A., Afzal, A. dan Garg, R. (2001). The Suppressive Effect of Dietary Restriction and Weight Loss in The Obese on The Generation of Reactive Oxygen Species by Leukocytes, Lipid Peroxidation, and Protein Carbonylation. *J. Clin. Endocrinol. Metab* **86**: 355–362.

De Graaf, J., Hak-Lemmers, H.L.M., Hectors, M.P.C., Demacker, M.P.C., Hendricks, J.K.M. dan Stalenhoef, A.F.H. (1991). Enhanced Susceptibility to In Vitro Oxidation of The Dense Low Lipoprotein Subfraction in Healthy Subjects. *Artherriosclerosis and Thrombosis Metab* **86**: 355-306

Effendi, A.T., Hardinsyah., Effendi, Y.H., Dewi, M. dan Nurdin, N.N. (2013). *Nutrigenomik Resistensi Insulin Sindrom Metabolik Prediabetes*. IPB Press. ISBN: 978-979-493-546-0.

Elsner, M., Guldbakke, B., Tiedge, M., Munday, R. dan Lenzen, S. (2000). Relative Importance of Transport and Alkylation For Pancreatic Beta-Cell Toxicity of Treptozotocin. *Diabetologia* **43**: 1528-1533.

El-Yamani, M.A.S. (2011). Cinnamon, cardamom and ginger impacts as evaluated on hyperglycemic rats. *Research Journal Specific Education of College of Applied Medical Sciences of University Of Om El- Qura, K.S.A* **20**: 663-679.

Endrinaldi, E., Yerizel. dan Revilla. (2007). Pengaruh Pemberian Vitamin C dan E Terhadap Kadar MDA dan Kolesterol Darah Kelinci Diabetes Melitus (DM) Akibat Induksi Aloksan. *Majalah Kedokteran Andalas* **31** (2): 51-57.

PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Escribano, M.T., Santos, B.C. dan Rivas, G.C. (2004). Anthocyanins in Cereals. *Journal Of Chromatography* **1054** (1-2): 129-141.

Fagot, C.A., Rolka, D.B., Beckles, G.L., Gregg, E.W. dan Narayan, K.M. (2000). Prevalence of Lipid Abnormalities, Awareness, and Treatment in U.S Adults with Diabetes. Abstract 318. *Diabetes* **49** (1): A78-A79.

Faid, S.M.A.F. (2013). Biological Study on the Beneficial Effects of Arabic Gum on Biological Parameters of Hyperglycemic Albino Rats. *Life Science Journal* **10** (4): 3570-3579.

Fajri, R., Astuti, M. dan Hastuti, P. (2015). Stabilitas da Aktivitas Antioksidan Ekstrak Antosianin Beras Hitam (*Oryza sativa*) dan Ketan Hitam (*Oryza sativa glutinosa*) Selama Penyimpanan pada Berbagai Suhu dan pH. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Fauci, A.S., Kasper, D.L., Longo, D.L., Braunwald, S.L., Hauser, J.L., Jameson. dan Loscalzo, J. (2008). Harrison's Internal Medicine, 17th edition. *Internal Medicine Journal* **38** (12): 932.

Fengrentian., Min, N.H., Wang, S.Y., Tourkova, I.L., Harada, H. dan Ming, Y.X. (2007). Cyanidin-3-rutinoside, a Natural Polyphenol Antioxidant, Selectivity Kills Leukemic Cells by Induction of Oxidative Stress. *The Journal of Biological Chemistry* **282**: 13468-13476.

Fernandes, I., Faria, A., Calhau, C., de Freitas, V. dan Mateus, N. (2014). Bioavailability of Anthocyanins and Derivatives. *Journal of Functional Foods.* **7**: 54-66.

Fitriyanti, M.N.C., Astuti, M. dan Sunarti. (2015). Perbandingan Efek Anti Inflamasi antara Ekstrak Antosianin Beras Hitam (*Oryza sativa L*) dan Ubi Jalar Ungu (*Ipomea Batatas Poiret*) pada Tikus Diabetes Mellitus Tipe Dua. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Fukushima, Y., Hirayama, S., Dohi, T., Miyazaki, T., Ohmura, H., Mokuno, H., Miyauchi, K., Miida, T. dan Daida, H. (2011). Small Dense LDL Cholesterol is a Robust Therapeutic Marker of Statin Treatment in Patients with Acute Coronary Syndrome and Metabolic Syndrome. *Clinica Chimica Acta* **412**: 1423-1427.

Galambos, A.S. (2012). The Effect of Blueberry Anthocyanidins on Antioxidant Enzyme Activity in Human HepG2 Cells. Thesis. University of Georgia, Georgia.

Ganong, F. (2005). *Review Of Medical Physiology*. McGrawa-Hill Comp. US.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Ghosh, D. dan Tetsuya, K. (2007). *Review*: Anthocyanins and Anthocyanin-rich Extracts: Role in Diabetes and Eye Function. *Asia Pac J Clin Nutr* **16** (2): 200-208.

Gibney, M., Ian, A. dan Helen, M. (2003). *Nutrition and Metabolism*. Blackwell Publishing, United Kingdom.

Gill, F.A., Tomaas, B.B., Pierce, A. dan Kader. (2002). Antioxidant Capacities, Phenolic Compounds, Caratenoids, and Vitamin C Content of Nectarine, Peach, and Plum Cultivars from California. *Journal of Agricultural and Food Chemistry* **50** (17): 4976-4982.

Giuliano, D., Ciriello, A. dan Paolisso, G. (1996). Oxydative Stress and Diabetic Vascular Complications. *Diabetes Care* **19**: 257-263.

Giusti, M.M. dan Wrolstad, R.E. (2001). Characterization and Measurement of Anthocyanins by UV-Vis Spectroscopy. http//www.wiley.com. [1 Mei 2011].

Goldberg, D.M., Yan, J. dan Soleas, G.J. (2003). Absorption of Three Wine-related Polyphenols in Three Different Matrices by Healthy Subjects. *Clinical Biochemistry* **36**: 79-87.

Grace, M.H., David, M., Ribnicky., Poulev, A., Logendra, S., Yousel, G.G. dan Lila, M.A. (2009). Hypoglycemic Activity of a Novel Anthocyanin-Rich Formulation from Lowbush Blueberry, Vaccinium Angustifolium Aiton. *Phytomedicine* **16**: 406-415

Guo, H., Ling, W., Wang, Q., Liu, C., Hu, Y., Xia, M., Feng, X. dan Xia, X. (2007). Effect of Anthocyanin-rich Extract from Black Rice (*Oryza sativa L. indica*) on Hyperilipidemia and Insulin Resistance in Fructose-Fed Rats. *Plant Foods Hum Nutr* **62**: 1–6.

Guo, H., Xia, M., Zou, T., Ling, W., Zhong, R. dan Zhang, W. (2012). Cyanidin 3-glucoside Attenuates Obesity Associated Insulin Resistance and Hepatic Steatosis in High-fat Diet-fed and Db/db Mice Via The Transcription Factor FoxO1. *J Nutr Biochem* **23**: 349–360.

Guo, H., Guo, J., Jiang, X., Li, Z. dan Ling, W. (2012). Cyanidin-3-*O*-β-glucoside, a Typical Anthocyanin, Exhibits Antilipolytic EffectsIn 3T3-L1 Adipocytes During Hyperglycemia: Involvement of FoxO1-mediated Transcription of Adipose Triglyceride Lipase. *Food and Chemical Toxicology: An International Journal Published for the British Industrial Biological Research Association* **50**: 3040–3047.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Harborne, J.B. (1987). *Metode Fitokimia, Penuntun Cara Modern Menganalisis Tumbuhan, Edisi kedua*, diterjemahkan oleh Kosasih, P. dan Iwang, S., Penerbit ITB. Bandung.

Harborne, J.B. dan Williams, C.A. (1995). *Anthocyanins and Other Flavonoids*. Natural Product Reports, halm 639–657.

Harborne, J.B. (1996). *Metode Fitokimia*: *Penuntun Cara Modern Menganalisis Tumbuhan* (Terjemahan: Kosasih Padmawinata dan Iwang Soediro). ITB. Bandung.

Hardoko., Hendarto, L. dan Siregar, T. M. (2010). Pemanfaatan Ubi Jalar Ungu (Ipomoea Batatas L) Sebagai Pengganti Sebagian Tepung Terigu dan Sumber Antioksidan pada Roti Tawar. *J. Teknol. Dan Industri Pangan* **21** (1): 25-32.

Harsen, P.R., Kronenberg, H.M., Melmed, S. dan Polonsky, K.S. dan Wiliam. *Texbook of Endocrinology*. 10th ed. Philadelphia. halm 1427-1464.

He, J., Wallace, T.C., Keatley, K.E., Failla, M.L. dan Giusti, M.M. (2009). Stability Of Black Raspberry Anthocyanins In The Digestive Tract Lumen And Transport Efficiency Into Gastrict And Small Intestinal Tissues In The Rat. *Journal Of Agricultural And Food Chemistry* **57**: 3141-3148.

Herawati, E.R.N., Santoso, U. dan Astuti, M. (2013). Pengaruh Konsumsi Ekstrak Antosianin Ubi Jalar Ungu (*Ipomoea batatas L.)* Terhadap Glukosa Darah, status Antioksidan Darah, dan Gambaran Histopatologi Pankreas Tikus Hiperglikemia Induksi Aloksan. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Herodez, S.S., M. Hadolin., M. Skerget. dan Z. Knez. (2003). Solvent Extraction Study of Antioxidant From Balm (*Melissa Officinalis L*) Leaves. *Food Chemistry* **80:** 275-282.

Hidayat, B. (2002). Glisemik Bahan Pangan Perspektif Baru pada Formulasi Produk Pangan untuk Penderita Diabetes. http//www.gizi.net. [29Juli 2015].

Hisalkar, P.J., Patne, A.B., Karnik, A.C., Fawaade, M.M. dan Mumbare, S.S. (2012). Ferric Reducing Ability of Plasma with Lipid Peroxidation in type 2 diabetes. *Report of IJPBS* **2** (2): 53-56.

Holton, T.A. dan Cornish, E.C. (1995). Genetics and Biochemistry of Anthocyanin Biosynthesis. *The Plant Cell* **7**: 1071-1083.

Hou, D.X. (2004). Potential Mechanisms of Cancer Chemoprevention by Anthocyanins. *Cur. Mole. Med* **3**: 149-159.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Hou, Z., Qin, P. dan Ren, G. (2010). Effect of Anthocyanin-Rich Extract from Black Glutinous Rice (*Oryza sativa glutinosa*) on Chronically Alcohol-induced Liver Damage in Rats. *J. Agric. Food Chem* **58**: 3191–3196.

Hu, C., Zawistowski, J., Ling, W.H. dan Kitts, D.D. (2003). Black Rice (*Oryza Sativa L. Indica*) Pigmented Fraction Suppresses Both Reactive Oxygen Species and Nitric Oxide In Chemical And Biological Model System. *J Agr Food Chem* **51:** 5271-5277.

Husna, N., Melly, N., Syarifah, R. (2013). Kandungan Antosianin dan Aktivitas Antioksidan Ubi Jalar Segar dan Produk Olahannya. *Jurnal Agritech* **33** (3): 296-302.

Husni, A., Anggara, F.P., Isnansetyo, A. dan Nugroho, A.E. (2016). Blood Glucose Level and Lipid Profile of Steptozotozin-Induced Diabetic Rats Treated with Sargassum Polystum Extract. *International Journal of Pharmaceutical and Clinical Research* **8** (5):445-450.

Hwan, H.J., Mi, Y.P., Heon, W.K., Young, Min, L., Kyung, A.H., Jae, H.P., Dong, S.P. dan Oran, K. (2012). Black Rice (*Oryza sativa* L.) Extract Attenuates Hepatic Steatosis in C57BL/6J Mice Fed a High-fat Diet Via Fatty Acid Oxidation. *Journal of Nutrition and Metabolism* **9**: 27.

Hwang, Y., Jae, H., Eun, H., Hyung, G., Ji-Hyang, W., Kyung, J., Kyung, H., Kwang-il, K., Tae, C., Young, C. dan Hye, G.J. (2011). Purple Sweet Potato Anthocyanins Attenuate Hepatic Lipid Accumulation Through Activating Adenosine Monophosphate-activated Protein Kinase Human HepG2 Cells and Obece Mice. *Nutrition Research* **31**: 896-906.

Hyun, J.W. dan Chun, H.S. (2004). Cyanidin and Malvidin from Oryza cv. Heugjinjubyeo Mediate Cytotoxicity Againt Human Monocytic Leukimia Cells by Arrest of G2/M Phase Induction of Apoptosis. *Journal of Agricultural and Food Chemistry* **52** (8): 2213-2217.

Ichiyanagi, T., Rahman, M.M. dan Konishi, T. (2005). Extended Glucoronidation is Another Mayor Path of Cyanidin 3-0-beta-Glucopyranoside Metabolism in Rats. *Journal of Agricultural and Food Chemistry* **53** (18): 7312-9.

Irawan, M. (2007). *Glukosa dan Metabolisme Energi*. Sports Science Brief. **1** (6).

Jafarnejad, A.S.Z., Bathaie, M., Nakhjavani, M.Z. dan Hassan. (2008). Effect of Spermine on Lipid profile and HDL Fungctionality in The Streptozotocin-Induced Diabetic Rat Model. *Life Science* **82**: 301-307.

Jaiswal, N., Maurya, K.C., Singh, R., Narender, T. dan Tamrakar, A.K. (2014). 4-Hydroxyisoleucine Ameliorates Fatty Acid-induced Insulin Resistance and

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Inflammatory Response in Skeletal Muscle Cells. *J. Molecular and Cellular Endocrinology* **395**: 51-60.

Jayaprakasam, B., Olson, L.K., Schutzki, R.E., Tai, M.H. dan Nair, M.G. (2006). Amelioration of Obesity and Glucose Intolerance in High-Fat-Fed C57BL/6 Mice by Anthocyanins and Ursolic Acid in Cornelian Cherry (*Cornus mas*). *J Agric Food Chem* **54**: 243–248

Jeng, T.L., Shih, Y.J., Wua, M.T. dan Sung, J.M. (2010). Comparisons of flavonoids and anti-oxidative activities in seed coat, embryonic axis and cotyledon of black soybeans. *Food Chemistry* **123**: 1112–1116.

Jiao, Y., Yanjie, J., Weiwei, Z. dan Yang, Z. (2012). Studies on Antioxidant Capacity of Anthocyanin Extract from Purple Sweet Potato (*Ipomoea batatas L.*). *African Journal of Biotechnology* **11** (27): 7046-7054.

Jisu, O., Amy, E.R., Richard, E., Ostlund, Jr. dan Carlos. (1998). Increased Oxidative Stress in Rat Liver and Pancreas During Progression of Streptozotocin-induced Diabetes. *Clinical Science* **94**: 623-632.

Jusuf, M., Rahayuningsih. dan Ginting, E. (2008). Ubi Jalar Ungu. Balai Penelitian Tanaman Kacang-Kacangan dan Umbi-Umbian. *Warta Penelitian dan Pengembangan Pertanian* **30** (4).

Kano, M., Takayanagi, T., Harada, K., Makino, R. dan Ishikawa, F. (2005). Antiovidative Activity of Anthocyanins from Purple Sweet Potato, Ipomoea Batatas Cultivar Ayamurasaki. *Biosci Biotechnol Biochem* **69**: 979-988.

Kausar, H., Jeyaprakash, J., Farrukh, A., Deepika, C., Jasmeen, S., Inder, P.S. dan Ramesh, C.G. (2012). Berry anthocyanidins synergistically suppress growth and invasive potential of human non-small-cell lung cancer cells. *Cancer Letters* **325**: 54–62.

Khandelwal, N., Suresh, K. dan Abraham. (2014). Intake Anthocyanidins Pelargonidin and Cyanidin Reduces Genotoxic Stress in Mice Induced by Diepoxy Butane, Urethane and Endogenous Nitrosation. *Environmental toxicology and pharmacology* **37**: 834-843.

Kharismawati, F., Astuti, M. dan Naruki, S. (2015). Dampak Konsumsi Ekstrak Antosianin Beras Merah, Kulit Kedelai Hitam, dan Campurannya Terhadap Profil Lipid Tikus Hiperglikemia. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Kil, D.Y., Ryu, S.N., Piao, L.G., Kong, C.S. dan Kim, Y.Y. (2006). Effect of Feeding Cyanidin-3-Glicoside (C3G) High Black Rice Bran on Nutrient Digestibility,

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Blood Measurements, Growth Performance and Pork Quality of Pigs. *Asian-Aust J. Anim. Sci* **19** (12): 1790-1798.

Kim, D.K., Lee, K.W., Lee, H.J. dan Lee, C.Y. (2002). Vitamin C Equivalent Antioxidant Capacity (VCEAC) of Phenolic Phytochemicals. *J. Agric. Food. Chem* **50**: 3713-3717.

Kim, S.Y., S.M. Jeong., W.P. Park, K.C., Nam, D.U. dan Ahm, S.C. (2006). Effect of Heating Condition of Grape Seed on The Antioxidant Activity of Grape Seed Extracts. *Food Chemistry* **97**: 472-479.

Klopotek, Y., Otto, K. dan Bohm, V. (2005). Processing Stawberries to Different Products Alters Contents of Vitamin C, Total Phenolics, Total Anthocyains, and Antioxidant Capacity. *Journal of Agriculture and Food Chemistry* **53**: 5640-5646.

Koh, K.K., Quon, M.J., Han, S.H., Lee, Y., Ahn, J.Y. dan Kim, S.J. (2008). Simvastatin Improves Flow-mediated Dilation But Reduces Adiponectin Levels And Insulin Sensitivity In Hypercholesterolemic Patients. *Diabetes Care* **31**: 776–82.

Koning, R.A., Grayson, I. dan Weckbecker, C. (2015). The Effect of Bilberries, Blackcurrants, and Their Constituent Anthocyaninson Heart Health in Humans. *Agro Food Industry Hi Tech* **26** (5): 16-21.

Kowalczyk, E., Krzesinski, P., Kura, M., Szmigiel, B. dan Blaszczyk, J. (2003). Anthocyanins In Medicine. Pol. *Journal Pharmacol* **55**: 699-702.

Kramer, K., Hoppe, P.P. dan Packer, L., (2001). Nutraceuticals in Health and Disease. *Marcel Dekker, Inc*., USA. http//www.Nutraceuticals/inHealth.com. [29 juli 2015].

Kumar, S. dan O'Rahilly, S. (2004). *Insulin Resistance. Insulin Action and Its Disturbances in Disease*. Jhon Wiley and Sons Ltd. ISBN 0-470-85008-6.

Kumar, S. dan Rahilly. (2005). *Insulin Resistance. John Wiley and Sons, Ltd*. United Kingdom.

Kumulaningsih, S. (2006). *Antioksidan Alami*. Trubus Agrisarana, Surabaya. 112 hlm.

Kushwaha, U.K.S. (2016). *Black Rice Research, History and Development*. Springer International Publishing Switzerland. ISBN 978-3-319-30152-5.

Kusumawardhani, A., Astuti, M. dan Naruki, S. (2014). Pengaruh Campuran Ekstrak Antosianin Beras Hitam (*Oryza sativa L*) dan Ekstrak Protein Kedelai Hitam (*Glycine max L. Merr*) Terhadap Profil Lipid dan Status Antioksidan Plasma

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Tikus Dislipedemia. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Lachman, J., Hamouz, K., Orsak, M., Pivec, V., Hejtmankova, K., Pazderu, K. dan Cepl, J. (2012). Impact of Selected Factors – Cultivar, Storage, Cooking and Baking on The Content of Anthocyanins in Coloured-flesh Potatoes. *J. Food Chemistry* **133**: 1107-1116.

Lee, J.H. (2010). Identification and Quantification of Anthocyanins from the Grains of Black Rice (*Oryza sativa L.*) Varieties. *Food Sci. Biotechnol* **19** (2): 391-397.

Lehninger. (1982). *Dasar-dasar Biokimia Jilid 1*. Penerbit Erlangga, Jakarta.

Lestario, N.L., Rahayuni, E. dan Timotius, H.K. (2011). Kandungan Antosianin dan Identifikasi Antosianidin dari Buah Jenetri (*Elaeocarpus angustifolius Blume*). *J. Agritech* **31**: 93-101.

Li, J., Li Xiao-ding., Zhang, Y., Zheng, Z., Qu, Z., Liu, M., Zhu, S., Liu, S., Wang, M. dan Qu, L. (2013). Identification and Thermal Stability of Purple-Fleshed Sweet Potato Anthocyanins in Aqueous Solutions With Various pH Value and Fruit Juices. *Food Chemistry* **136**: 1429-1434.

Linder, M.C. (1991). Nutritional Biochemistry and Metabolism. *Department of Chemistry and Biochemistry California state University*, California. ISBN: 0-8385-7085-2.

Ling, W.H., Wang, L.L. dan Ma, J. (2002). Supplementation of The Black Rice Outer Layer Fraction to Rabbits Decreases Atherosclerotic Plaque Formation And Increases Antioxidant Status. *J Nutr* **132**: 20–26.

LIPI. (2009). *Bab IV Kolesterol*. UPT- Balai Informasi Teknologi LIPI. Pangan dan Kesehatan halm 1-6.

Lodovici, M., Giovannelli, L., Pitozzi, V., Bigagli, E., Bardini, G. dan Rotella, C.M. (2008). Oxidative DNA Damage and Plasma Antioxidant Capacity In type 2 Diabetic Patients With Good and Poor Glycaemic Control. *Mutation Research* **638**: 98–102.

Lorenzo, A. dan Alberto, C. (2015). Could Changes in Adiponectin Drive The Effect of Statins On The Risk of New-Onset Diabetes ? The Case of Pitavastatin. *Atherosclerosis Supplements* **161**: 1-27.

Macheix. J.J., Fleurit, A. dan Billot, J. (1990). *Fruit Phenolics. Boca Raton*: CRC Press.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Madhavi, D.L., Deshpande, S.S. dan Salunkhe, D.K. (1996). *Food Antioxidants*. Marcel Dekker Inc, USA.

Mahanani, W., Astuti, M. dan Marsono, Y. (2016). Konsumsi Ekstrak Antosianin Beras Merah dan Kedelai Hitam Memperbaiki Profil Glukosa Darah, Glikogen Liver, Kapasitas Total Antioksidan dan Aktivitas Enzim Superoksida Dismutase pada Tikus Hiperglikemia Induksi STZ/NA. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Manach, C., Mazur, A. dan Scalbert, A. (2005). Polyphenols and Prevention of Cardiovascular Diseases.Marcel Dekker, Inc. USA. *Curr Opin Lipidol* **16**: 77–84.

Mardiah, Z. (2014). (Anti)estrogenik Activity of Isoflavonoids Purified From Rhizopus Challenged Lupin (*L. Angustifolius*) Seedlings. Thesis. Laboratory of Food Chemistry. Wageningen University.

Mazza, G. dan Miniati, E. (1993). *Anthocyanins in Fruits, Vegetables, and Grains*. Boca Raton: CRC Press.

Merentek, E. (2008). Resistensi Insulin Pada Diabetes Melitus Tipe-2. *Cermin Dunia Kedokteran* (150).

Milbury, P.E., Cao, G., Prior, R.L. dan Blumberg, J. (2002). Bioavailablility of Elderberry Anthocyanins. *Mechanisms of Ageing and Development* **123**: 997–1006.

Minh, P. (2014). Nutritional Powder Produced From Sticky Black Rice Malt. *International Journal of Multidisciplinary Research and Development* **1**: 3 49-59.

Miyazaki, K., Kumiko, M., Emi, I., Yoriko, D. dan Fumiyasu, I. (2008). Anthocyanins from Purple Sweet Potato *Ipomoea batatas* Cultivar Ayamurasaki Supress the Development of Atherosclerotic Lesions and Both Enhancements of Oxidative Stress and Soluble Vascular Cell Adhesion Molecule-1 in Apolipoprotein E-Deficient Mice. *J. Agric. Food Chem* **56**: 11485-11492.

Moeliandari, F. dan Wijaya, A. (2002). *Metabolisme dan Mekanisme Anti-Aterosklerotik dari HDL*. Laboratorium Klinik Prodia. UNPAD. ISSN 0854-7173.

Mongkolsilp, S., Pongbupakit, I., Sae-Lee, N. dan Sitthithaworn, W. (2014). Radial Scavenging Activity and Total Phenolic Content of Medical Plants Used in Primary Health Care. *SWU J Pharm Sci* **9** (1): 32-35.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Montilla, E.C., Hillebrand, S. dan Winterhalter, P. (2011). Anthocyanins in Purple Sweet Potato (*Ipomoea batatas L.*) Varieties. *Fruit, Vegetable, and Cereal Science and Biotechnology* **5** (2): 19-24.

Mooradian, A.D. (2009). Dyslipidemia in Type 2 Diabetes Mellitus. *Nature Reviews Endocrinology* **5**: 150-159.

Moskowitz, A.H. dan G. Hrazdina. (1981). Vacuolar Contents of Fruit Subepidermal Cells from Vitis Species. *J. Plant Physiology* **68**: 686-692.

Mulyani, S. (2011). Modul 4: Metabolisme Lipid. http://dphinnohahnz.files. wordpress.com/2011/03/lipid.pdf. [28 juli 2015].

Mutiyani, M., Soeatmadji, D.K. dan Sunidya, B.R. (2014). Efek Diet Tinggi Karbohidrat dan Lemak Terhadap Kadar Glukosa Darah dan Kepadatan Sel Beta Pankreas Pada Tikus Wistar. *Indonesian Journal of Human Nutrition* **1** (2): 106-113.

Naczk, M. dan Shahidi, F. (2004). Extraction and Analysis of Phenolics in Food. *Journal of Chromatography A* **1054**: 95-111.

Nailufar, A.A., Basito. dan Choirul, A. (2012). Kajian Karakteristik Ketan Hitam *(Oryza Sativa Glutinosa)* Pada Beberapa Jenis Pengemas Selama Penyimpanan. *Jurnal Teknosains Pangan* **1** (1).

Nakhaee, A., Bokaeian, M., Saravani, M., Farhangi, A. dan Akbarzadeh, A. (2009). Attenuation of Oxidative Stress in Streptozotocin-Induced Diabetic Rats By Eucalyptus Globulus. *Indian Journal of Clinical Biochemistry* **24** (4): 419-425.

Narwidina, P. (2009). Pengembangan Minuman Isotonik Antosianin Beras Hitam (*Oryza Sativa L. Indica*) dan Efeknya Terhadap Kebugaran dan Aktivitas Antioksidan pada Manusia Pasca Stress Fisik. A case Control Study. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Nasri, S., Roghani, M., Baluchnejadmojarad, T., Rabani, T. dan Balvardi, M. (2011). Vascular Mechanisms of Cyanidin-3-glucoside Response in Streptozotocin-Diabetic Rats. *Pathophysiology* **18**: 273-278.

Ngatidjan. (2006). Metode Laboratorium dalam Toksikologi,Bagian Farmakologi dan Toksikologi. Universitas Gadjah Mada, Yogyakarta.

Niki, E. (2014). Review: Biomarkers of Lipid peroxidation in Clinical Material. *Biochimica et Biophysica Acta* **1840**: 809-817.

PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Nizamutdinova, I.T., Jin, Y.C., Chung, J.I., Shin, S.C., Lee, S.J., Seo, H.G., Lee, J. H., Chang, K.C. and Kim, H.J. (2009). The Anti-diabetic Effect of Anthocyanins in Streptozotocin-induced Diabetic Rats Through Glucose Transporter 4 Regulation and Prevention of Insulin Resistance and Pancreatic Apoptosis. *Mol. Nutr. Food Res* **53**: 1419-1429.

Noviyanti, F., Decroli, E. dan Susila, S. (2015). Perbedaan Kadar LDL-Kolesterol Pada Pasien Diabetes Melitus Tipe 2 Dengan dan Tanpa Hipertensi di RS Dr. M. Jhamil Padang Tahun 2011. *Jurnal Kesehatan Andalas* **4** (2).

Nugraheni, P.S. (2007). Absorpsi Ekstrak Antosianin dan Minuman Berbasis Ekstrak Antosianin Kulit Kedelai Hitam Pada Gastrointestinal Tract Tikus Secara In Situ. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Nyman, N.A. dan J.T. Kumpulainen. (2001). Determination of Antocyanin in Berries and Red Wine by High-Performance Liquid Chromatography. *J. Agrich. Food Chem* **49**: 4183-4187.

Oki, T., Masuda., Furutama., Nishiba., Terahara. Dan Suda. (2002). Involvement Of Anthocyanins And Other Phenolic Compounds In Radical-Scavenging Activity Of Purple Fleshed Sweet Potato Cultivar. *Journal Of Food Science* Vol **67** (5).

Ono, K., Sugihara, N., Hirose, Y. dan Katagiri, K. (2003). An Examination Of Optimal Solvents For Anthocyainin Pigments From Black Rice Produced In Gifu.

Park., Young, S., Sun-joong, K. dan Hyo-Ihl, C. (2008). Isolation of Anthocyanin From black Rice (Heugjinjubyeo) And Screening of Its Antioxidant Activities. *Journal of Microbiol. Biotecnol* **36**:1 55-60.

Park, S., Kang, S., Jeong, D.Y., Jeong, S.Y., Park, J. dan Yun, H.S. (2015). Cyanidin and Malvidin In Aqueous Extracts of Black Carrots Fermented With Aspergillus oryzae Prevent The Impairment Of Energy, Lipid And Glucose Metabolism in Estrogen-Deficient Rats by AMPK Activation. *Genes Nutr* **10**: 6.

Passamonti, S., Vrhovsek U., Vanzo, A. dan Mattivi, F. (2003). The Stomach as a Site for Anthocyanins Absorption froom Food. *FEBS Lett* **544**: 210-213.

Passamonti, S., Vrhovsek, U., Vanzo, A. dan Mattivi, F. (2005). Fast Access of Some Grape Pigment to The Brain. *Journal of Agricultural and Food Chemistry* **53**: 7029-7034.

PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Pei-Ni, C., Wu-Hsien, K., Chui-Liang, C., Hui-Ling, C., Yih-Shou, H. dan Shu-Chen, C. (2006). Black Rice Anthocyanins Inhibit Cancer Cells Invasion Via Repressions of MMPs and U-PA Expression. *Chemico-Biological Interactions* **163**: 218–229.

Pessin, J.E. dan Saltiel, A.R. (2010). Signaling Pathways in Insulin Action: Molecular Targets of Insulin Resistance. *The Journal of Clinical Investigation* **106**: 2.

Plummer, D.T. (1971). An Introduction to Practical Biochemistry. *Mc. Graw-Hill Publ. New Delhi.Plant Foods for Human Nutrition* **62**: 1-6.

Poretsky, L. (2010). Principle of Diabetes Mellitus. Second Edition. *Springer New York Dordrecht Heidelberg London*. ISBN 978-0-387-09840-1.

Pramitasari, R., Astuti, M. dan Marsono, Y. (2014). Potensi Antioksidatif Minuman Fungsional Berbasis Beras Hitam (*Oryza sativa L*) dan Kedelai Hitam (*Glycine max L. Merr*) Untuk Lansia Penyandang Diabetes Mellitus Tipe 2. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Pratiwi, V.N., Astuti, M. dan Murdiati, A. (2015). Perbandingan Profil Lipida Tikus Wistar Hiperglikemia Yang Diberi Diet Beras Merah (Mandel Handayani) dan Beras Putih (IR64) *Precooked*. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Price, S. dan Manrakhan, A. (1999). Seasonal Profiles in Production, Fruit Fly Populations and Fly Damage on Mangoes in Mauratius. *AMAS, Food and Agriculture Research Council, Reduit, Mauratius* 107-115.

Price, S.A. dan Wilson, L.M. (2006). *Patofisiologi Konsep Klinis Proses-Proses Penyakit*. Edisi Ke-6. EGS Press, Jakarta.

Prior, R.L., G, Cao. dan A. Martin. (1998). Antioxidant Capacity As Influenced By Total Phenolic and Anthocyanin Content, Maturity, and Variety of Vaccinium Species. *J Agric Food Chem* **46**: 2686-2693.

Qin, Y., Xia, M., Ma, J., Hao, Y.T., Liu, J., Mou, H.Y., Cao, L.I. dan Ling, W.H. (2009). Anthocyanin Supplementation Improves Serum LDL- and HDL-cholesterol Concentrations Associated with The Inhibition of Cholesteryl Ester Transfer Protein in Dyslipidemic Subjects. *Am J Clin Nutr* **90**: 485–92.

Rachmawanti, A.D. (2006). Kemampuan Antioksidatif Ekstrak Etanol Kacang Panjang (Vigna sinensis) dan Kacang Merah (*Phaseolus vulgaris*) pada Tikus Diabetes-Hiperkolesterolemia. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Rahman, T., Ichiyanagi, T., Komiyama, Y., Hatano, T. dan Konishi. (2009). Superoxide Radical and Peroxynitrite Scavenging Activity of Anthocyanins ; Structure Activity Relationship and Their Synergism. *Free Radical Research* **40** (9): 993-1002.

Rahmat. dan Ridwan. (2010). *Stabilisasi Mutu Beras Pecah Kulit Melalui Penerapan Teknologi Penyimpanan Hermetik*. http://www.Majalahpangan.Com/2010/04/ stabilisasi mutu beras pecah kulit melalui penerapan teknologi-penyimpanan hermetik. [22 Juli 2015].

Reeves, P.G., Neilson, F.H. dan Fahey, G.C. (1993). Review: AIN 93 Purified Diets Forresponse Induced by D-galactouse in Mouse Liver. Food and Chemical Review. *Medical Journal of Islamic World Academy of Sciences* **15**: 31-42.

Rein, M. (2005). Siebenhandl-Ehn, G. Linsberger-Martin, dan E. Berghofer. Physicochemical and Antioxidative Properties of Red and Black Rice Varieties From Thailand, China, and Sri Lanka. *J. Food Chemistry* **124**: 132-140.

Revilla, E.J.M., Ryan, G. dan Martin, O. (1998). Comparison of Several Procedures Used for The Extraction of Anthocyanin From Red Grapes. *J. Agric. Food Chem* **46**: 4592-4597.

Ricardo, G.B., Robert, C.T., Pedro, C.R.G., Jefferson, P.P. dan Lisandra, D.X. (2007). Glycemic Control and Insulin Therapy in Sepsis and Critical Illness. *J Pediatr Rio* **83** (5).

Ridha, M.F. (2009). Pengaruh Konsumsi Kacang Merah (*Phaseolus vulgaris L.*) Pratanak Terhadap Status Antioksidan dan Profil Lipida Darah Tikus Sprague Dawley. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Rinda, E. (2013). *Senyawa Flavonoid*. https://ml.scribd.com/doc/86638197/Senyawa-flavonoid#scribd. [28 juli 2015].

Robertson, R.P., Harmon, J., Tran, P.O., Tanaka, Y. dan Takahashi, H. (2003). Glucose Toxicity in β-cells: Type 2 Diabetes, Good Radicals Gone Bad, and The Glutathione Connection. *J. Diabetes Investigation* **52** (3): 581-7.

Rocco, M.B. (2012). Statins and Diabetes Risk: Fact, Fiction, and Clinical Implications. *Clev Clin J Med* **79**: 883-93.

Roy, M., Sen, S. dan Chakraborti, A.S. (2008). Action of Pelargonidin on Hyperglycemia and Oxidative Damage in Diabetic Rats: Implication for Glycation-Induced Hemoglobin Modification. *Life sci* **82**: 1102–1110.

PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Ruggiero, C., Ehrenshaft, M., Cleland, E., Stadler, K. (2011). High-fat Diet Induces an Initial Adaptation of Mitochondrial Bioenergetics in The Kidney Despite Evident Oxidative Stress and Mitochondrial ROS Production. *Am J Physiol Endocrinol Metab* **300** (6): E1047-58.

Ryu, S.N., Park, S.Z. dan Ho, C.T. (1998). High Performance Liquid Chromatographic Determination of Anthocyanin Pigments in Some Varieties of Black Rice. *Journal of Food and Drug Analysis* **6**: 729–736.

Sangkitikomol, W., Tencomnao, T. dan Rocejanasaroj, A. (2008). Comparison of Total Antioxidant of Red Rice, Black Rice and Black Sticky Rice. *J. Nut. Assoc. Thailand* **43**: 13-21.

Sangkitikomol, W., Tencomnao, T. dan Rocejanasaroj, A. (2010). Effect of Thai Sticky Rice Extract on Oxidative Stress and Lipid Metabolism Gen Expression in HepG2 Cells. *Genetics and Molecular Research* **9** (4): 2086-2095..

Santoso, U. (2006). *Antioksidan*. Diktat Bahan Ajar. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Sattar, N.A., Ginsberg, H., Ray, K., Chapman, M.J, Arca, M. dan Averna, M. (2014). The Use of Statins In People At Risk Of Developing Diabetes Mellitus: Evidence And Guidance For Clinical Practice. *Atherosclerosis Supplements* **15**: 1–15.

Senter , S.D., J.A. Robertson. dan F.I. Meredith. (1989). Phenolic Compound of The Mesocarp of Cresthaven Peaches During Storage and Ripening. *Journal Food Science* **54**: 1259-1268.

Shahab, A. (2006). *Komplikasi Kronik DM Penyakit Jantung Koroner*. Dalam: Buku Ajar Ilmu Penyakit Dalam. Jilid 3. Edisi IV. Universitas Indonesia. Hal: 1917. Jakarta.

Shahab, A. (2013). *Patofisiologi dan Penatalaksanaan Dislipidemia*. http://www.dokter-alwi.com/dislipidemia_files/dislipidemia.html. [28 juli 2015].

Shahaboddin, M., Mahdi, P., Ali, A., Mostafa, L., Seyyed, M. dan Mitra M. (2011). Antihyperglycemic and Antioxidant Activity of Viscum Album Extract. *African Journal of Pharmacy and Pharmacology* **5** (3): 432-436.

Siregar, S.B. (1994). *Ransum Ternak Ruminansia*. Penebar Swadaya. Jakarta.

Smolin, L. dan Grosvenor. (2007). *Nutrition: Science and Applications*. John Wiley and Sons Inc. USA.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Soemartono. (1980). *Ekstraksi dan Stabilitas Zat Pewarna dari Bekatul Beras Ketan Hitam*. Buletin Teknologi dan Industri Pangan. XI (1) penerbit: Yasaguna. Jakarta.

Sompong, R., Siebenhandl, E.S., Linsberger, M.G. dan Berghofer, G.E. (2011). Physicochemical and Antioxidative Properties of Red and Black Rice Varieties from Thailand, China and Sri Lanka. *Food Chemistry* **124**: 132-140.

Song, N.R., Yang, H., Park, J., Kwon, J.Y., Kang, N.J., Heo, Y.S. dan Lee, H.J. (2012). Cyanidin Suppresses Neoplastic Cell Transformation by Directly Targeting Phosphatidylinositol 3-Kinase. *J. Food Chemistry* **133**: 658–664.

Soyoung, L., Jianteng, X., Jaeyong, K., Tzu-Yu, C., Xiaoyu, S., Joseph, S., Edward, C., Jason, G., Betty, H., Benjamin, K., John, T.dan Weiqun, W. (2013). Role of Anthocyanin-enriched Purple-fleshed Sweet Potato P40 in Colorectal Cancer Prevention. *Mol Nutr Food Res* **57** (11): 1908–1917.

Spiegelman, B.M. (1993). Adipose Expression of Tumor Necrosis Factor a: Direct Role in Obesity-Linked Insulin Resistance. *Science* **259**: 87-90.

Spigno, G., Tramelli, L. dan De Faveri, D.M. (2007). Effects of Extraction Time, Temperature and Solvent on Concentration and Antioxidant Activity of Grape Marc Phenolics. *Journal of Food Engineering* **81**: 200–208.

Srisawasdi, P., Chaloeysup, S., Teerajetgul, Y., Pocathikorn, A., Sukasem, C., Vanavanan, S. dan Kroll, M.H.MD. (2011). Estimantion of Plasma Small Dense LDL Cholesterol from Classic Lipid Measures. *Am J Clin Pathol* **136**: 20-29.

Styskal, J., Van-remmen, H., Richardson, A. dan Salmon, A.B. (2011). Oxidative Stress and Diabetes: What Can We Learn About Insulin Resistance From Antioxidant Mutant Mouse Models. *Free Radic Biol Med* **52**: 46-58.

Suardi, D. (2008). Potensi Beras Merah Untuk Peningkatan Mutu Pangan. *Balai Besar dan Pengembangan Bioteknologi Sumberday Genetik Pertanian*. Bogor.

Suda, I., Tomoyuki, O., Mami, M., Mio, K.,Yoichi, N. dan Shu, F. (2003). *Review*: Physiological Functionality of Purple-Fleshed Sweet Potatoes Containing Anthocyanins and Their Utilization in Foods. *Journal of JARQ* **37** (3): 167-173.

Sullivan, J. (1998). *Anthocyanin*: International Carnivorous Plant Society. http:// www.Charlies-web.com/specialtropics/anthocyanin.html. [23 juli 2015].

PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Suryono, J. (2008). *Beras Hitam*. www.Griyokulo.com/beras%250hitam. [23 Juli 2015].

Sutharut, J. dan Sudarat, J. (2012). Total Anthocyanin Content and Antioxidant Activity of Germinated Colored Rice. *International Food Research Journal* **19** (1): 215-221.

Suzukawa, M., Abbey, M., Howe, R.C. dan Nestel, J. (2005). Effect of Fish Oil Fatty Acids on Low Density Lipoprotein Size, Oxidizability, and Uptake by Macrophages. *Journal of Lipid Research* **36.**

Syahbuddin, S. (2001). *Aterosklerosis pada Diabetes Melitus; Peran Dislipidemia*. Naskah Lengkap Pertemuan Ilmiah Berkala-II. Universitas Andalas, Sumatera Barat 7-27.

Szkudelski, T. (2012). Streptozotocin – Nicotinamide-Induced Diabetes in The Rat. Characteristics of The Experimental Model. *Experimental Biology and Medicine* **237**: 481-490.

Taher, J., Baker, C.J., Cuizon, C., Masoudpour, H., Zhang, R., Farr, S., Naples, M., Bourdon, C., Pausova, Z. dan Adeli, K. (2014). GLP-1 Receptor Agonism Ameliorates Hepatic VLDL Overproduction and De Novo Lipogenesis in Insulin Resistance. *J. Molecular Metabolism* **3** (9): 823-833.

Takanori, T., Yuki, U., Hitoshi, K., Toshikazu, Y. dan Toshihiko, O. (2005). Gene Expression Profile of Isolated Rat AdipocytesTreated with Anthocyanins. *Biochimica et Biophysica Acta* **1733**: 137–147.

Takeda, J. (1988). Light-induced Synthesis of Anthocyanin In Carrot Cells In Suspension. I. Yhe Factors Affecting Anthocyanin Production. *J. Exp. Bot* **39**: 1065-1077.

Takikawa, M., Inoue, S., Horio, F. dan Tsuda, T. (2010). Dietary Anthocyanin-rich Bilberry Extract AmelioratesHyperglycemia and Insulin Sensitivity Via Activation of AMP-activated Protein Kinase in Diabetic Mice. *J Nutr* **140**: 527–533.

Talavera, C., Felgines, C., Texier, O., Besson, C., Manach, C., Lamaison, J.L. dan Remesy, C. (2005). Anthocyanins are Efficiently Absorbed from The Small Intestine in Rats. *Journal of Nutrition* **134**: 2275-2279.

Tananuwong, K. dan Tewaruth, W. (2010). Extraction and Application of Antioxidants from Black Glutinous Rice. *Food Science and Technology* **43**: 476-481.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Ten, S. dan Maclaren, N. (2004). Insulin Resistance Syndrome in Children. *J Clin Endocrinol Metab* **89** (6): 2526-2539.

Tensiska., Een, S. dan Dita, N. (2007). Aplikasi Ekstrak Pigmen dari Buah Arben (*Rubus idaeus* (Linn.)) Pada Minuman Ringan dan Kestabilannya Selama Penyimpanan. *Agritech* **25**: 169-172.

Tortora, G.J. dan Derrickson, B. (2009). *Principles of Anatomy and Physiology, Edisi 12*. John Wiley and Sons, Inc, USA. ISBN 978-0-470-08471-7.

Truong, V.D., Nigel, D., Roger, T., Roger, F., Lisa, O.D., Kenneth, V. dan Craig, Y. (2010). Characterization of Anthocyanins and Anthocyanidins in Purple Fleshed Sweet potatoes by HPLC-DAD/ESI-MS/MS. *J. Agric. Food Chem* **508**: 404-410.

Um, M.Y., Ahn, J. dan Ha, T.Y. (2013). Hypolipidemic Effect of Cyanidin 3-Glucoside Rich Extract from Black Rice Through Regulating Hepatic Lipogenic Enzyme Activities. *Journal od Science Food Agricultural* **93** (12): 3126-8

USAID. (2011). Feed Conversion Ratio (FCR). *Technical Bulletin* **07**.

Vaya, J., Mahmood, S., Goldblum, A., Aviram, M., Volkova, N., Shaalan, A., Musa, R. dan Tamir, S. (2003). Inhibition of LDL Oxidation by Flavonoids in Relation to Their Structure and Caculated Enthalphy. *Phytochemistry* **62**: 89-99.

Vembu, S., Sivanasan, D. dan Prasanna, G. (2012). Effect of Phoenix Deactylifera on High Fat Diet Induced Obesity. *Journal of Chemical and Pharmaceutical Research* **4** (1): 348-352.

Vermerris, W., Nicholson, R. dan Jefferson, H. (2006). *Phenolic Compound Biochemistry*. Springer. Netherlands.

Vichitpan, S., Vichitpan, K. dan Sirikhansaeng, P. (2007). Flavonoid Content and Antioxidant Activity of Krachai-dum (Kaemferia parviflora) Wine. *Journal of Science Technology* (7): 97-105.

Vogiatzi, G., Tousoulis, D. dan Stefanadis, C. (2009). The Role of Oxidative Stress in Atherosclerosis. *Hellenic J Cardiol* **50**: 402-409.

Wang, D., Xia, M., Yan, X., Li, D., Wang, L., Xu, Y., Jin, T. dan Ling, W. (2012). Gut Microbiota Metabolism of Anthocyanin Promotes Reverse Cholesterol Transport in Mice Via Repressing miRNA-10b. *Circulation Research* **111**: 967-981.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, L.S. dan Stoner, G.D. (2009). Anthocyanin and Their Role in Cancer Prevention. *Cancer Lett* **269**: 281-290.

Waspadji, S. (2006). *Paradigma Baru Pengelolaan Dislipidemia; Penekanan Pada Peran HDL*. Naskah Lengkap PIB VII. Ilmu Penyakit Dalam. Universitas Andalas. Sumatera Barat.

Wei, X., Wang, D., Yang, Y., Xia, M., Li, D., Li, G., Zhu, Y., Xiao, Y. dan Ling, W. (2011). Cyanidin-3-O-β-Glucoside Improves Obesity and Triglyceride Metabolism in KK-Ay Mice by Regulating Lipoprotein Lipase Activity. *J. Sci. Food Agric* **91** (6): 1006-1013.

Widowati. dan Wahyu. (2008). Potensi Antioksidan sebagai Antidiabetes. *JKM* **7** (2).

Wilcox., Gisela G.J. dan Caxton, M. (2005). Insulin and Insulin Resistance. *Clin Biochem Rev*.Wiley dan Sons, Inc. USA. **26** (2): 19–39.

Wilska, A. dan Jeszka, J. (1997). Anthocyanins and Chlorogenic Acid Copigmentation. Influence on The Colour of Strawbeery and Chokeberry Juices. *Food res Technology* **203**: 38-42.

Winarno, F.G. (1991). *Kimia Pangan dan Gizi*. PT. Gramedia. Jakarta.

Winarsi, H., Wijayanti, S.P.M. dan Puwanto, A. (2012). Aktivitas Enzim Superoksida Dismutase, Katalase, dan Glutation Peroksidase Wanita Penderita Sindrom Metabolik. *MKB* **44** (1).

Xia, X., W. Ling, J. Ma, M., Xia, M., Hou, Q., Wang, H., Zhu. dan Z. Tang. (2006). An Anthocyanin Rich Extract From Black Rice Enhances Atherosclerotic Plaque Stabilization in Apolipoprotein E-deficient Mice. *J. Nutr* **136**: 2220-2225.

Yang, Y., Andrews, M. C., Hu, Y., Wang, D., Qin, D., Zhu, Y., Ni, H. dan Ling, W. (2011). Anthocyanin Extract from Black Rice Significantly Ameliorates Platelet Hyperactivity and Hypertriglyceridemia in Dyslipidemic Rats Induced by High Fat Diets. *J. Agric. Food Chem* **59** (12): 6759–6764.

Yanuar, W. (2009). Aktivitas Antioksidan dan Imunodulator Serealia Non Beras. http://repository.ipb.ac.id/bitstream/handle/123456789/5908/Tinjauan%20Pustaka_2009wya- 3.pdf?sequence=8. [19 Juli 2015].

Yi, L., Chun-ye, C., Xin, J., Man-tian, M., Bin, Y., Hui, C., Wen-hua, L. dan Ting, Z. (2010). Structural Requirements of Anthocyanins in Relation To Inhibition Of Endothelial Injury Induced By Oxidized Low-Density Lipoprotein and Correlation With Radical Scavenging Activity. *FEBS Letter* **584**: 583-590.

UNIVERSITAS GADJAH MADA
PERBANDINGAN EFEKTIVITAS ANTIOKSIDAN ANTOSIANIN UBI JALAR UNGU (Ipomoea batatas L), BERAS HITAM
(Oryza sativa L) DAN BERAS KETAN HITAM (Oryza sativa V) TERHADAP PERBAIKAN GLUKOSA DARAH, STATUS
ANTIOKSIDAN, SERTA PROFIL LIPID PADA TIKUS HIPERGLIKEMIA
ANGGA PRATAMA, Prof. Dr. Ir. Mary Astuti, M.S; Prof. Dr. Ir. Y. Marsono, M.S
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Zaky, E.A. (2009). Physiological response to diets fortified with Jerusalem Artichoke tubers (*Helianthus tuberosus* L.) powder by diabetic rats. *American-Eurasian Journal of Agriculture and Environmental* Science **5** (5): 682–688.

Zawistowski, J., Kopec, A. dan Kitts, D.D. (2009). Effect of a Black Rice Extracts (*Oryza Sativa L. Indica*) on Cholesterol Level and Plasma Lipids Parameters in wistar Kyoto Rats. *J Func Food* **1**: 50-56.

Zhang, Y., Shaiju, K. dan Nair, G. (2005). Human Tumor Cell Growth Inhibition By Nontoxic Anthocyanidins, The Pigments in Fruits and Vegetables. *Life Science* **76**: 1465-1472.

Zhang, M., Guo, B., Zhang, R., Chi, J., Wei, Z., Xu, Z., Zhang, Y. dan Tang, X. (2006). Separation Purification and Identification of Antioxidant Compositions in Black Rice. *Agricult. Sci. China* **5**: 431-440.

Zhang, Z., Shao, H., Yuan, L., Jun, L., Dong, M., Qun, S. dan Bin, H. (2009). Purple Sweet Potato Color Attenuates Oxidative Stress and Inflammatory Response Induced by D-galactouse in Mouse Liver. *Food and Chemical Toxicology* **47**: 496-501.

Zhang, W., Fu, Z., Zhen, W., Lum, H., Nadler, J. dan Bassaganya-Riera, J. (2010). Genistein Induces Pancreatic Beta-cell Proliferation Through Activation of Multiple Signaling Pathways and Prevents Insulin Deficient Diabetes in Mice. *Endocrinology* **151**: 3026–3037.

Zhang, Z.F., Jun, L.U., Lin,Y.Z., Mei, D.W., Hu, B., Qun-Shan., Cheng, W., Meng-Qiu, L. dan Yuan, Y.S. (2013). Purple Sweet Potato Color Attenuates Hepatic Insulin Resistance Via Blocking Oxidative Stress and Endoplasmic Reticulum Stress in High-fat-diet-treated Mice. *Journal of Nutritional Biochemistry* **24**: 1008–1018.

Zhaohua, H., Peiyou, Q. dan Guixing, R. (2010). Effect of Anthocyanin-Rich Extract from Black Rice (*Oryza sativa L. Japonica*) on Chronically Alcohol-Induced Liver Damage in Rats. *J. Agric. Food Chem* **58**: 3191–3196.

Zhaohua, H., Peiyou, Q., Yan-Zhang., Songhuan, C. dan Guixing-ren. (2013). Identification of Anthocyanins Isolated from Black Rice (*Oryza sativa L.*) and Their Degradation Kinetics. *Food Research International* **50**: 691–697.

Zhu, Y., Ling, W. dan Guo, H. (2013). Anti-inflammatory Effect of Purified Dietary Anthocyanins-Rich Extract. *Journal of Applied Physiology* **100**: 1164-1170.