

## DAFTAR PUSTAKA

- Anonim. (2012). Badan Pusat Statistik. Statistik Luas Tanaman Perkebunan Besar Menurut Jenis Tanaman, Badan Pusat Statistik Republik Indonesia. [ Diakses pada tanggal 5 Agustus 2015]
- Abdillah, M.H. (2008). Pemurnian Minyak Dari Limbah Pengolahan Ikan. Institut Pertanian Bogor [Skripsi]
- Abdullah BM, Salimon J, Yousif E, Salih N (2012) Occurrence of cyanogenic glycoside and cyanide in the Malaysian rubber seed oil. *Journal of the Association of Arab Universities for Basic and Applied Sciences*.
- Abriana,A.(2013). Kajian kandungan asam lemak trans pada minyak goreng hasil penggorengan berulang serta efek metaboliknya. Pascasarjana Universitas Hassanudin [Disertasi]
- Aini, I. N., & Miskandar, M. S. (2007). Utilization of palm oil and palm products in shortenings and margarines. *European Journal Lipid Science Technology*, 109 (4), 422–432
- AOCS (1990). Official method Cd 1c-85. Official methods and recommended practices of the American Oil Chemists' Society
- AOCS (1997a). Official method Ce 1–62: fatty acid composition by gas chromatography. Official methods and recommended practices of the American Oil Chemists' Society.
- AOCS (1997b). Official method Cc 3–25: softening point. Official methods and recommended practices of the American Oil Chemists' Society.
- AOCS (1999). Official method Cd 16b–93: solid fat content. Official methods and recommended practices of the American Oil Chemists' Society
- AOCS (2009). Official methods and recommended practice of the American Oil Chemists' Society. Method Cd 18-90. Champaign, IL: AOCS
- Adriano Antunes Souza Araújo<sup>1,\*</sup>, Marília dos Santos Bezerra<sup>1</sup>, Sílvia Storpirtis<sup>2</sup>, Jivaldo do Rosário Matos. (2010). Determination of the melting temperature, heat of fusion, and purity analysis of different samples of zidovudine (AZT) using DSC. *Brazilian Journal of Pharmaceutical Sciences* vol. (46):1
- Ariela V. Paula, Gisele F. M. Nunes, Heizir F. de Castro, and Julio C. Santos'.(2015). Synthesis of Structured Lipids by Enzymatic Interesterification of Milkfat and

- Soybean Oil in a Basket-Type Stirred Tank Reactor. *Ind. Eng. Chem. Res.* , (54): 1731–1737
- Arifan,F. Mohamad E.Y, Hari S, Muslikin H , Yuariski.O (2009). Pengembangan Proses Enzimatis Untuk Produksi Biodiesel Dari Minyak Biji Karet. *Simpodium Nasional RAPI VIII 2009.ISSN : 1412-9612*
- B.S.Chu, H.M. Ghazalia, O.M. Laia,, Y.B. Che Mana, S. Yusofa, S.B. Teea, and M.S.A. Yusoff. (2001). Comparison of Lipase-Transesterified Blend with Some Commercial Solid Frying Shortenings in Malaysia. *JAOCS*, Vol. (78):12
- Badan Standarisasi Nasional. (1995). Lemak Reroti. 01-3718-1995
- Badan Pusat Statistik.(2014). Statistik Perkebunan Indonesia (Karet). Direktorat Jenderal Perkebunan. Jakarta
- Badan Pengawas Obat dan Makanan.(2015).Kategori Pangan. Nomor 1
- Barus, P. (2007). Interesterifikasi Stearin Sawit Dengan Minyak Kemiri Menjadi Pengganti Lemak Margarin. *Jurnal Penelitian MIPA Volume 1, Nomor 1*
- Bimbo, AP. (1998). *Guidelines for characterizing food grade fish oil*. *INFORM* 9:473-483.
- Cahyaningtyas, A. (2013). Pemucatan Minyak Krengsengan Menggunakan Campuran Karbon Aktif dan Zeolit. Fakultas Teknologi Pertanian Universitas Gadjah Mada. Yogyakarta. [Skripsi]
- Casimir C.A and David B.Min. (2002). *Food Lipids (Chemistry, Nutrition, and Biotechnology)*. Second Edition. Marcel Dekker.Inc
- Chu, B. S., Ghazali, M. H., Lai, O. M., Che Man, Y. B., & Yusof, S. (2002). Physical and chemical properties of a lipasetransesterified *palm stearin*/palm kernel olein blend and its isopropanol-solid and high melting triacylglycerol fractions. *Food Chemistry*, (76):155–164
- Chitra, Pothiraj, Ruben Z, Helene S, Sylvie C and Alain L.(2012). Methodology assessment on melting and texture properties of spread during ageing and impact of sample size on the representativeness of the results. *Journal of Stored Products and Postharvest Research* Vol. 3 : (10) pp. 137 – 144,
- Criado, M., Hernández-Martín, E., López-Hernández, A., Otero, C., (2008). Enzymatic interesterification of olive oil with fully hydrogenated palm oil: characterization of fats. *Eur. J. Lipid Sci. Technol.* 110 (8), 714–724.
- D.F. Melvin Jose , R. Edwin Raj, B. Durga Prasad a, Z. Robert Kennedy c, A. Mohammed Ibrahim .(2011). A multi-variant approach to optimize process

- parameters for biodieselexttraction from rubber seed oil. *Applied Energy* **88** : 2056–2063
- Danthine, S., & Deroanne, C. (2003). Physical and textural characteristics of hydrogenated low-erucic acid rapeseed oil and low-erucic acid rapeseed oil blends. *Journal of the American Oil Chemists' Society*, **80**(2), 109–114.
- DeMan, L. and deMan, J. M. (1995). Palm oil as a component for high quality margarine and shortening formulations. *Malaysian Oil Science and Technology*, (4): 56–60.
- Dian, N.L.H.M., Sundram, K. and Nor Aini, I. (2007). Effect of chemical interesterification on triacylglycerol and solid fat contents of *palm stearin*, sunflower oil and palm kernel olein blends. *European Journal Lipid Science Technology*, **109**(2): 147–156.
- Díaz Gamboa, O. W., & Gioielli, L. A. (2003a). Consistencia de lípidos estructurados a partir de aceite de pescado y grasa de palmiste. *Grasas Aceites*, **54**(2), 122–129.
- Díaz Gamboa, O. W., & Gioielli, L. A. (2003b). Lípidos estructurados obtenidos por interesterificación química y enzimática a partir de aceite de pescado y grasa de semilla de palma. *Grasas Aceites*, **54**(2), 161–168.
- Duthie, I.F. dan S.M. Barlow. (1992). *Dietary Lipid Exemplified by Fish Oils and Their n-3 Fatty Acid*. *Food Sci. Technol.* (6)20-35.
- Estiasih, T. (2009). Minyak Ikan, Teknologi dan Penerapannya untuk Pangan dan Kesehatan. Graha Ilmu. Yogyakarta.
- Fabiana A.S, De Martini Soares, Roberta C , Da. Silva, Kelly .C.G da Silva, Maira B.L, Daniela. F.S, Luiz .A.G.(2009). Effects of chemical interesterification on physicochemical properties of blends of *palm stearin* and palm olein. *Food Research International* **42** : 1287–1294
- Gamboa, O. W., & Gioielli, L. A. (2003). Lipidos estructurados obtenidos por interesterificacion quimica y enzimatica a partir de aceite de pescado y grasa desemilla de palma. *Grasas Aceites*, (54): 161–168.
- Garima Pande, Casimir C. Akoh. (2013). Enzymatic synthesis of trans-free structured margarine fat analogs with high stearate soybean oil and *palm stearin* and their characterization. *LWT - Food Science and Technology* (50) 232-239
- Ghotra BS. Sandra D. Dyal, Suresh S. Narine.(2002). Lipid shortening : A review. *Food Research International* (35):1015–1048

- Gustone FD and Padley FB. (2002). *Lipid Technologies and Application*. Marcel Dekker Inc., New York
- Gunstone, F.D., (2006). *Modifying lipid for use in food*, Woodhead Publishing Limited, Abington Hall, Abington, Cambridge, England, 609.
- Gunstone, F.D. (2011). *Vegetable Oils in Food Technology Composition, Properties And Uses*. (2nd ed.). John Wiley & Sons Ltd, The Atrium, Southern gate, Chichester, West Sussex, UK, 1-353.
- H. K. D. H. Bhadeshia.TA Instrument Differential Scanning Calorimetry. University of Cambridge, Materials Science & Metallurgy
- Hasrini RF. (2008). *Interestriifikasi enzimatis dengan lipase pada campuran minyak sawit merah dan minyak kelapa untuk menghasilkan bahan baku spreads kaya  $\beta$  karoten*. [tesis]. Program Pascasarjana, Institut Pertanian Bogor, Bogor
- Hastuti,P. Utami,T.(2003).*Interesterifikasi Enzimatis Palm Stearin dan Minyak Ikan Lemuru Untuk Membuat Lemak Margarin*. Jurnal Teknologi dan Industri Pangan, Vol. XIV : 1
- Hunter, J. E. (2006). Dietary levels of trans fatty acids: basis for health concerns and industry efforts to limit use. *Nutrition Research*, (25): 499-513.
- I Wayan Kukuh Feryana, Sugeng Heri Suseno, Nurjanah.(2014).*Pemurnian Minyak Ikan Mackerel Hasil Samping Penepungan Dengan Netralisasi*. JPHPI 2014, 7: 3
- Idris, N.A., and N.L.H.M. Dian. (2005). *Interesterified Palm Products as Alternatives to Hydrogenation*. *Asia Pac J Clin Nutr* 14(4):396-401
- IFOMA. (1998). *International Fishmeal and Oil Manufacturers Association*. Hertfordshire. United Kingdom. *interesterification of tristearin-triolein-rich blends I: Chemical composition, sfc and thermal properties*. *European Journal of Lipid Science and Technology*, (110): 1014–1024.
- J. E. Asuquo , A. C. I. Anusiem , and E. E. Etim.(2012). *Extraction and Characterization of Rubber Seed Oil*. *International Journal of Modern Chemistry*, 2012, 1(3): 109-115
- Jacobs, L., I. Lee, and G. Poppe. (2003).*Chemical Process for the Production of 1,3-Diglyceride Oils*, U.S. Patent 2,003,104,109
- Jeung Hee Lee, Casimir C. Akoh, David S. Himmelsbach, Ki-Teak Lee.(2008). *Preparation of Interesterified Plastic Fats from Fats and Oils Free of Trans Fatty Acid*. *J. Agric. Food Chem.* 2008 (56), 4039–4046

- Kaban, J dan Daniel.(2005). Sintesis n-6 Etil Ester Asam Lemak dari Beberapa Minyak Ikan Air Tawar. [Jurnal Penelitian].
- Kaisersberger, E., DSC Investigations of Thermal Characterization of Edible Fats and Oils. *Thermochim. Acta.* (151):83-90 (1989).
- Karabulut,I, S Turan, dan G Ergin. (2004). *Effects of Chemical Interesterification on Solid Fat Content and Slip Melting Point of Fat/Oil Blends.* Eur. Food. Res. Technol (218):224–229.
- Karabulut, I., & Turan, S. (2006). Some properties of margarines and shortenings marketed in Turkey. *Journal of Food Composition and Analysis*, (19), 55–58
- Ketaren. (2008). Pengantar Teknologi Minyak dan Lemak Pangan. UI press, Jakarta.
- Kristanto,Y.D, Ibrahim,R.,Anggo,A.D.(2014).Pengaruh penambahan arang aktif dalam proses pemucatan minyak ikan dari usus ikan nila (*Oreochromis niloticus*). Universitas Diponegoro [Skripsi]
- Kromhout, D., Geleijuse, J. M., Menotti, A., dan Jacobs, D. R., Jr. (2011). The confusion about dietary fatty acids recommendations for CHD prevention. *British Journal of Nutrition.* (106) 627-632
- Kurniawan, W. (2004). *Optimasi Berat Kalium Hidroksida terhadap Minyak Biji Kapuk (Ceiba Pentandra L. Garten) dalam Reaksi Transesterifikasi Menggunakan Etanol.* Skripsi Fakultas Matematika dan Ilmu Pengetahuan Alam Univeritas Diponegoro. Semarang. (Tidak diterbitkan).
- L. Ahmadi, A.G. Marangoni .(2009). Functionality and physical properties of interesterified high oleic shortening structured with stearic acid. *Food Chemistry* (117) 668–673
- Lampert, D. (2000). Process and products of interesterification. In R. D. O’Bryen, W. E. Farr, & P. J. Wan (Eds.), *Introduction to fats and oils technology* (pp. 208–222). Champaign: AOCS Press
- Lawson H. (1995). *Food Oils and Fats Technology, Utilization, and Nutrition.* Chapman and Hall, New York
- List, G. R., Mounts, T. L., Orthoefer, F., & Neff, W. E. (1995). Margarine and shortening oils by interesterification of liquid and trisaturated triglycerides. *Journal of the American Oil Chemists0 Society*, (72) 379–382
- List, G. R., Mounts, T. L., Orthoefer, F., & Neff, W. E. (1997). Effect of interesterification on the structure and physical properties of high-stearic acid soybean oils. *Journal of the American Oil Chemists’ Society*, (74) 327–329.

- Liu, H. R., & White, P. J. (1992). Oxidative stability of soybean oils with altered fatty acid compositions. *Journal of the American Oil Chemists' Society*, (69), 528–532.
- Long Zou, Casimir C. Akoh.(2015). Antioxidant activities of annatto and palm tocotrienol-rich fractions in fish oil and structured lipid-based infant formula emulsion. *Food Chemistry* (168) 504–511
- Luthfi, R.F., Herdiana, A.W.( 2008). “Pengambilan Minyak Biji Karet dengan Metode Ekstraksi Solvent dan Pengepresan”, [Skripsi], Jurusan Teknik Kimia, Institut Teknologi Sepuluh Nopember. Surabaya
- M. Teles dos Santos , V. Gerbaud , G.A.C. Le Roux.(2014). Solid Fat Content of vegetable oils and simulation of interesterification reaction: Predictions from thermodynamic approach. *Journal of Food Engineering* (126)198–205
- Marangoni, A. G., & Hartel, R. W. (1998). Visualization and structural analysis of fat crystal networks. *Food Technology*. (52): 46–51
- Marangoni, A. G., & Narine, S. S. (2002). Identifying key structural indicators of mechanical strength in networks of fat crystals. *Food Research International*, (35) 957–969.
- Maulina,J.(2004).Pembuatan Pengganti Mentega Coklat (CBS) Melalui Reaksi Interesterifikasi Antara Minyak Kelapa, Stearin Kelapa Sawit, Yang Diperkaya Omega 3 Etil Ester Asam Lemak Ikan Sardenis Dengan Menggunakan Katalis Natrium Metoksida.
- Mayamol, P. N., Balachandran, C., Samuel, T., Sundareson, A., & Arumughan, C. (2007). Process technology for the production of micronutrient rich red palm olein. *JAOCS*, (84) 587–596.
- Modhar A. Khan, Suzana Yusup, Murni M. Ahmad.(2010). Acid esterification of a high free fatty acid crude palm oil and crude rubber seed oil blend: Optimization and parametric analysis. *Biomass and Bioenergy*. (34) :1751 -1756
- M., Kramer, J. K. G., Milosevic, V., Milosevic, M., dan Azizian, H. (2007). Interference of saturated fats in the determination of low levels of trans fats (below 0.5%) by infrared spectroscopy. *Journal of American Oil Chemist Society*, (84): 339-342.
- Mossoba, M., Moss, JM., dan Kramer, J. K. G. (2009). Trans fat labeling and levels in U.S. foods: assessment of gas chromatographic and infrared spectroscopic techniques for regulatory compliance. *Journal of AOAC International*, 92(5) : 1284-1300.

- Mozaffarian, D., Aro, A., dan Willett, W. C.(2009). Health effects of trans-fatty acids: experimental and observational evidence. *European Journal of Clinical Nutrition*. (63): S5-S21.
- Murdiati A. (1992). *Pengolahan Kelapa Sawit. Pusat Antar Universitas*. Univesitas Gajah Mada, Yogyakarta
- Noor Lida Habi Mat Dian\*, Kalyana Sundram, and Nor Aini Idris.(2006). DSC Study on the Melting Properties of Palm Oil, Sunflower Oil, and Palm Kernel Olein Blends Before and After Chemical Interesterification. *JAOCS*, Vol. (83) 8
- Nugroho,A.J. Ibrahim,R. Anggo, A.D.(2014). Pengaruh Suhu Pengukusan Terhadap Pengolahan Minyak Ikan Nila (*Oreochromis niloticus*) Kasar. Universitas Diponegoro. [Skripsi]
- O'Brien, RD., (1998), *Fats and Oil Formulating and Processing for Application*,Technomic Publishing Company Inc. USA.
- O'Brien, R.D.(2009). *Fats and Oils: Formulating and Processing for Application*. (3rd ed.). CRC Press, Taylor and Francis Group, NW, (15): 1-744.
- Ogwok, P, Muyonga, JH, Sserunjogi, ML. (2008). Fatty acid profile and stability of oil from the belly flaps of Nile perch (*Lates niloticus*). *Journal of Food Chemistry* (108): 103–109
- Osorio, NM, M.H Ribeiro, M.M.R. Da Fonseca, S-Ferreira Dias. (2008). Interesterification of fat blends rich in -3 polyunsaturated fatty acids catalysed by immobilized *Thermomyces lanuginosa* lipase under high pressure. *Journal of Molecular Catalysis B: Enzymatic* (52): 58 –66
- Pantzaris, T.P., (2000). *Pocketbook of palm oil uses* (5th ed.). Kuala Lumpur: Malaysian Palm Oil Board.
- Paul E Dim. (2013). Extraction and Characterization of Oil from Sesame Seed. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. RJPBCS Volume 4 Issue 2 Page No. 752. ISSN: 0975-8585
- Peck, H.Y., deMan, J.M. and deMan, L., (1989). Polymorphism of palm oil and palm oil products, *Journal of the American oil Chemists' Society*, (66): 693- 697

- Pedro J. G, Antonio Guadix , Luis G.R , Manuel Melgosa , Emilia M. G. (2013). Optimization of *bleaching* conditions for sardine oil. Food Engineering (**116**) 606–612
- P.N. Mayamol, T. Samuel, C. Balachandran, A. Sundaresan, and C. Arumughan.(2004). Zero-trans Shortening Using *Palm Stearin* and Rice Bran Oil. JAOCS, Vol. (**81**), no. 4
- Putri, R.U, Supriyanto.,Darmadji,P.(2015). Sifat Fisik dan Kimia Lemak Hasil Interesterifikasi Kimia Minyak Biji Kemiri (*Alleurites moluccana*) dan *Palm Stearin* Sebagai Pengganti Lemak Kakao. Universitas Gadjah Mada [Skripsi]
- Ramadhas AS, Jayaraj S, Muraleedharan C.(2005). Biodiesel production from high FFA rubber seed oil. Fuel 2005 (**84**): 35-40.
- Rani, Andrali K.S., Sunkireddy Y.R and Ramakrishna C.(2010). Quality Changes in Trans and Trans Free Fat/Oils and Products During Frying. European Food Research Technology Journal (**230**):803-811.
- Rasoarahona, Jean.RE, Gilles B, Jean P Bianchini, Emile, MG.(2005). Influence of season on the lipid content and fatty acid profiles of three tilapia species (*Oreochromis niloticus*, *O. macrochir* and *Tilapia rendalli*) from Madagascar. Food Journal of Chemistry (**91**) : 683–694
- Ribeiro, A.P., Renato, G., Luiz A.G., dan Lireny, A.G.G. (2009). *Zero Trans Fats From Soybean Oil and Fully Hydrogenated Soybean Oil: PhysicoChemical Properties And Food Application*. J. Food Resc. Inter. (**42**). (401–410).
- Roberta C. da Silva Daniela F. Soares , Mai ´ra B. Lourenço , Fabiana A.S.M. Soares , Kelly G. da Silva , Maria Ine ˆs A. Gonalves , Luiz A. Gioielli (2010). Structured lipids obtained by chemical interesterification of olive oil and *palm stearin*. LWT - Food Science and Technology (**43**)752–758
- Rodrigues, J. N., & Gioielli, L. A. (2003). Chemical interesterification of milkfat-corn oil blends. Food Research International, 36(**2**), 149–159
- Rodrigues, J. N., Torres, R., Mancini-Filho, J., & Gioielli, L. A. (2007). Physical and chemical properties of milkfat and phytosterol esters blends. Food Research International, 40(**6**), 748–755.
- Roman Przybylski.(1993). Canola Oil: Chemical and Physical Properties.
- Rossell, B. (2009). *Fish oil*. Blackwell Publishing. United Kingdom

- Rousseau, D., Hill, A. R., & Marangoni, A. G. (1996). Restructuring butterfat through *blending* and chemical interesterification 3. *Rheology* Ibid, **73(8)**, 983–989
- Salimon, J. Bashar M.A dan Salih, N. (2012). Rubber (*Hevea brasiliensis*) seed oil toxicity effect and Linamarin compound analysis. *Lipids in Health and Disease* 2012, 11:74
- Santoso, H., I. Kristianto, dan A. Setyadi. (2013). Pembuatan Biodiesel Menggunakan Katalis Basa Heterogen Berbahan Dasar Kulit Telur. Lembaga Penelitian dan Pengabdian kepada Masyarakat, Universitas Katolik Prahayangan
- Santoso, H., Iryanto, Maria, I. (2014). Effects of Temperature, Pressure, Preheating Time and Pressing Time on Rubber Seed Oil Extraction Using Hydraulic Press. *Procedia Chemistry* 9 ( 2014 ) 248 – 256
- Sato, K. (2001). Crystallization behaviour of fats and lipids – A review. *Chemical Engineering Science*, **(56)**, 2255–2265
- Shingfield, K. J., Chilliard, Y., Toivonen, V., Kairenins, P., dan Givens, D. I. (2008). Trans fatty acids and bioactive lipids in ruminant milk. *Advance in Experimental Medicine and Biology*. 606: 3-65.
- Siew WL, Ng WL: Effect of diglycerides on the crystallization of palm olein. *J Sci Food Agric* (1996), **(71)**:496–500.
- Silam. (1998). Ekstraksi Minyak Biji Karet (*Hevea brasiliensis*) Dengan Alat Pengempa Berulir (*Expeller*) dan Karakteristik Mutu Minyaknya. Institut Pertanian Bogor
- Silva, R.C, Daniela F. Soares , Mai 'ra B. Lourenço , Fabiana A.S.M. Soares , Kelly G. da Silva , Maria Ine ^s A. Gonçalves , Luiz A. Gioielli. (2010). Structured lipids obtained by chemical interesterification of olive oil and *palm stearin*. *LWT - Food Science and Technology* **(43)** : 752–758
- Siswanti. (2011). Sintesis Lemak Margarin dari Minyak Wijen dan *Palm Stearin* Melalui Interesterifikasi Kimiawi. Tesis Pasca Sarjana Fakultas Teknologi Pertanian Universitas Gadjah Mada. Yogyakarta. (Tidak diterbitkan)
- Soares, F. A. S. M.; Osorio, N. M.; Silva, R. C.; Gioielli, L. A.; Ferreira-Dias, S. (2013). Batch and continuous lipase-catalyzed interesterification of blends containing olive oil for trans-free margarines. *Eur. J. Lipid Sci. Technol.* 115: 413.
- Soemargono dan Mulyadi, E. (2011). Proses Produksi Biodiesel Berbasis Biji Karet. *Jurnal Rekayasa Proses* **(5)**:2. Universitas Pelita Nusantara. Jawa Timur

- Siti Hazirah M.F , Norizzah A.R , Zaliha. O.(2013). Effects of chemical interesterification on the physicochemical, microstructural and thermal properties of *palm stearin*, palm kernel oil and soybean oil blends. *Food Chemistry* (**137**) 8–17
- Stansby, M. E. (1987). *Fish Oils*.The AVI Publishing Company, Inc. Wesport, Connecticut.
- Sudarmadji, S. (2003). *Analisis Bahan Makanan*. Yogyakarta: Liberty Press.
- Susanto, BH., Nasikin, M., dan Sukirno, (2008) “ Sintesis Pelumas Dasar Bio melalui Esterifikasi Asam Oleat menggunakan Katalis Asam Heteropoli/Zeolit”, Prosiding Seminar Nasional Rekayasa Kimia dan Proses, Semarang
- Susanto,F.(2001). Ekstraksi Minyak Biji Karet.Institut Teknologi Bandung
- Teles dos Santos, M., Gerbaud, V., Le Roux, G.A.C., (2012). Comparison of predicted and experimental DSC curves for vegetable oils. *Thermochim. Acta* (**545**)96-102
- Teles dos Santos, M., Gerbaud, V., Le Roux, G.A.C., (2013). Modeling and simulation fo melting curves and chemical interesterification of binary blends of vegetable oils. *Chem. Eng. Sci.* (**87**), 14-22
- Teles dos Santos, M., Gerbaud, V., Le Roux, G.A.C., (2014). Ternary blends of vegetable oils: thermal profile predictions for product design. *Comput. Aided Chem. Eng.* (**33**), 1465-1470.
- Teles dos Santos, M., Gerbaud, V., Le Roux, G.A.C., (2014). Solid fat content of vegetable oils and simulation of intereseterification reaction: Predictions from thermodynamic approach. *Eng. Sci.* (**87**), 17-25
- Teles dos Santos, M., Gerbaud, V., Le Roux, G.A.C., (2016) . Thermal properties of *palm stearin*, canola oil, and fully hydrogenated soybean oil blends : Coupling experiments and modelling. *Eng. Sci.* (**87**), 17-25
- Tolstorebrov,I, Eikevik,T.M, M.Bantle.(2014). A DSC determination of phase transitions and liquid fraction in fish oils and mixtures of triacylglycerides. *Food Research International* (**58**) : 132–140
- Willis WM and Marangoni AG. (2002). Enzymatic interesterification. *In: Akoh CC and Min DB (eds). Food Lipids Chemistry, Nutrition, and Biotechnology, Second Edition*. Revice and Expand, New York, Basel

- Wilson, R. F. (1993). Practical biotechnological strategies for improving the quality and value of soybeans. *INFORM*, (6), 193–200.
- Winarno FG. (1997). *Kimia Pangan dan Gizi*. PT Gramedia Pustaka Utama, Jakarta.
- . (1999). *Minyak Goreng dalam Menu Masyarakat*. Pusat Pengembangan Teknologi Pangan, Institut Pertanian Bogor, Bogor.
- Wright, A. J., Scanlon, M. G., Hartel, R. W., & Marangoni, A. G. (2001). Rheological properties of milkfat and butter. *Journal of Food Science*, 66(8), 1056–1071
- Yuli Ristianingsih, Sutijan, dan Arief Budiman.(2011).Studi Kinetika Proses Kimia dan Fisika Penghilangan Getah Crude Palm Oil (CPO) Dengan Asam Fosfat. *Reaktor*, Vol. (13) No. 4, Desember 2011, Hal. 242-247
- Yousif, E , Abdullah, B, Ibraheem,H , Salimon,J dan Salih,N. (2013). Rubber Seed Oil Properties, Authentication and Quality Assessment Using (Chloroform: Methanol) as Solvent. (16) :1-6. Department of Chemistry, College of Science, Al-Nahrain University, Baghdad-Iraq
- Yuliani . (2008). Pengaruh Katalis Asam Sulfat dan Suhu Reaksi pada Esterifikasi Minyak Biji Karet (*Hevea brasiliensis*) menjadibiodiesel”,*Chemical Engineering Journal* (3).1.
- Zakaria, D , Murdiati,A, Supriyanto.(2014). Interesterifikasi Kimia Minyak Biji Kapok (*Ceiba pentandra* L. Gaertn) dan *Palm Stearin* Untuk Pembuatan Lemak Margarin. [Skripsi]
- Zeiton, M. A. M., Neff, W. E., List, G. R., & Mounts, T. L. (1993). Physical properties of interesterified fat blends. *Journal of the American Oil Chemists' Society*, 70: 467–471.