

DAFTAR PUSTAKA

- Abdelwahab, O., Amin., N.K., 20013, Adsorption of phenol from aqueous solutions by *Luffa cylindrica* fibers: Kinetics, isotherm and thermodynamic studies, *Egypt. J. Aquat. Res.*, 39, 215-223,.
- Abdullah, J., Ahmad, M., Heng, L.Y., Karuppiah, N., dan Sidek, H., 2005, Penggunaan Enzim Tirosinase dalam Filem Sol-gel untuk Pengesanan Fenol dengan Kaedah Optik, *Sains Malaysiana*, 34(2), 125-128.
- Adamson, A.W., 1990, Physical Chemistry of Surface, 5 th ed., John Wiley and Sons, New York.
- Akl, M.A.A., Kenawy, I.M.M., dan Lasheen, R.R., 2004. Organically Modified silica Gel and Flame Atomic Spectrometry: Employment for Separation and Preconcentration of Nine Trace Heavy Metals for Their Determination in Natural Aqueous System, *Microchem. J.*, 78: 14-156.
- Algeiri, C., Drioli, E., Guzzo, L., Donato, L., 2014. Bio-Mimetic Sensors Based on Molecularly Imprinted Membranes, *Sensors*, 14, 13863-13912.
- Alva, V.A., dan Peyton, B.M., 2003, Phenol and Catechol Biodegradation by the Haloalkaliphile *Halomonas Campisalis*: Influence of pH and Salinity, *Environ. Sci. Technol.*, 37(19), 4397-4402.
- An, F., Gao, B., Feng, X., 2008, Adsorption and Recognition Ability of Molecularly Imprinted Polymer MIP-PEI/SiO₂ towards Phenol. *J. Hazard. Mater.*, 157, 286-292.
- Anwar, C, 1994, The Conversion of Eugenol into More Valuable Substance. Disertasi, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Atkins, P. dan Paula, J. De, 2009. Physical Chemistry 9th ed., W H Freeman & Company.
- Awad, Y.M., Abuzaid, N.S., 2000. The Influence of Residence Time on The Anodic Oxidation of Phenol, *Sep. Purif. Technol.*, 18(3), pp.227–236.
- Baes, F. C. dan Mesmer, R.E., 1976, The Hydrolysis of Cations, John Wiley, NewYork.
- Barve, S.M.W., Vijayababu, D.P. V, 2013. Some Studies on Removal of Phenol from Waste Water using Low Cost Adsorbent, *Inter. J. Sci. Eng. Res.*, 4(8), pp.1790–1798.
- Bhattacharyya, K.G. dan Gupta, S.S., 1996. Adsorption of Fe(III) from Water by Natural and Acid Activated Clays: Studies on Equilibrium Isotherm, Kinetics and Thermodynamics of Interactions, *Adsorption*, 12(3):185-204.

- Birlik, E., Ersoz, A., Denizili, A., dan Say, R., 2006, Preconcentration of Copper Using Double-Imprinted Polymer via Solid Phase Extraction, *Anal. Chim. Acta*, 565, 145-151.
- Boatto, G. dkk., 2004. Determination of Phenol and o-Cresol by GC/MS in a Fatal Poisoning Case, *Forensic Sci. Int.*, 139(2-3), pp.191-194.
- Bodnár, M., dkk., 2013. Biopolymer-based nanosystem for ferric ion removal from water, *Sep. Purif. Technol.*, 112, 26-33.
- Buhani, Narsito, Nuryono, Kunarti, E.S., 2010, Production of Metal Ion Imprinted Polymer from Mercapto-Silica Through Sol-el Process as Selective Adsorbent of Cadmium, *Desalination*, 251, 8-89.
- Cahyono, H., Djunaidi, M.C. dan Ismiyanto, 2008. Recovery Logam Berat Cd(II), Cu(II), dan Cr(III) Menggunakan Teknik Membran Cair Ruah (BLM) Dengan Senyawa Pembawa Turunan Eugenol Bergugus Aktif N, *Skripsi*, Universitas Diponegoro.
- Camel, V., 200. Solid Phase Extraction of Trace Elements, *Spectrochim. Acta. Part B*; 58,1177-1233.
- Castellan dan W, C.G., 1983, Physical Chemistry, Narosa Publishing House.
- Chang, X, Jiang, N, Zheng, H, He, Q, Hu, Z, Zhai, Y, Chui, Y. 2007, Solid-Phase Extraction of Iron (III) with an Ion-Imprinted Functionalized Silica Gel Sorbent Prepared by a Surface Imprinting Technique, *Talanta*, 7,38-43
- Chapuls, F., Pichon, V., Hennion, M., 2004, Molecularly Imprinted Polymers: Developments and Applications of New Selective Solid-Phase Extraction Materials, *LC.GC Europe*, 17 (7), 408-417.
- Chen, J.H., Li, G.P, Liu, Q.L, Ni, J.C., Wu, W.B., Lin, J.M., 2010. Cr(III) Ionic Imprinted Polyvinyl Alcohol/Sodium Alginate (PVA/SA) Porous Composite Membranes for Selective Adsorption of Cr(III) Ions, *Chem. Eng. J.*,165, 465-473.
- Chen, J.H., Lin, H., Luo, Z.H., He, Y.S., Li, G.P., 2011, Cu(II)-Imprinted Porous Film Adsorbent Cu-PVA-SA has High Uptake Capacity for Removal of Cu(II) Ions from Aqueous Solution, *Desalination*, 277, p. 265-273.
- Ciszewski, A., Milczarek, G., 1999, Poly Eugenol-Modified Platinum Electrode for Selective Detection of Dopamine in The Presence of Ascorbic Acid, *Anal. Chem.*, 71, 1055-1061.
- Copello, G.J., Varela, F., Vivot, M., dan Diaz, L.E., 2008, Immobilized Chitosan as Biosorbent for Removal Cd(II), Cr(III), and Cr(VI) from Aqueous Solution, *Bioresour. Technol.*, 99 (14), 6538-6544.
- Correia, P. dan de Carvalho, J., 2003. Recovery of Phenol From Phenolic Resin Plant Effluents by Emulsion Liquid Membranes, *J. Membr. Sci.*, 225(1-2), pp.41-49.

- Chetan, R., 2008, Synthesis and Characterization of MIPs a Viable Commercial Venture, www.pharmainfo.net
- Dakova, I. Karadjova, I., Ivanov, I., Georgieva, V., Evtimova, B., dan Georgiev, G., 2007, Solid Phase Selective Separation and Preconcentration of Cu(II) by Cu(II)-imprinted Polymethacrylic Microbeads, *Anal. Chim. Acta*, 584, 196-203.
- Djunaidi, M.C., Lusiana, R.A., Wibowa, P.J., Siswanta, D., Jumina, 2006, Sintesis Polieugenol Bergugus Aktif N dan S Sebagai Carrier Selektif Dan Efektif Bagi Recovery Logam Berat Dengan Teknik Membran Cair, *Laporan Penelitian Hibah Pekerti 2006*.
- Djunaidi, M.C., Lusiana, R.A., Wibowa, P.J., Siswanta, D., Jumina, 2010, Sintesis Turunan Polieugenol Sebagai Carrier bagi Recovery Logam Berat Dengan Teknik Membran Cair, *Jurnal Reaktor*, 13, 16-23.
- Djunaidi, M.C., Ismiyarta, Cahyono, H., 2008, Sintesis Polieugenol Bergugus Aktif N sebagai Carrier Selektif dan Efektif bagi Recovery Logam berat dengan Teknik Membran Cair, *Prosiding Seminar Nasional Kimia dan Pendidikan Kimia 2008*, Surakarta, 22 November 2008
- Djunaidi, M.C., Lusiana, R.A., Wibowa, P.J., Siswanta, D., Jumina, 2006, Sintesis Polieugenol Sebagai Carrier Selektif dan Efektif Logam Cr(III), *Jurnal Alchemy*, Jurusan Kimia FMIPA UNS, Vol 5, (2), 40-49.
- Djunaidi, M.C., Lusiana, R.A. dan Kartikawati, N.G., 2010. Sintesis Polieugenol Dengan Katalis BF₃ Dietil Eter Dan H₂SO₄ Untuk Ekstraktan Logam Berat. *Prosiding Seminar Nasional Kimia dan Pendidikan Kimia 2010*. pp. 139–146.
- Djunaidi, M.C., Lusiana, R.A. dan Khabibi, 2010. Adsorpsi Molekuler (Molecularly Imprinted Polymer, MIP) Ion Logam Berat dengan Eugenol dan Turunannya, *Laporan Penelitian Strategis Nasional*. Undip. Semarang.
- Djunaidi, M.C., Khabibi, Trisna, D., 2010, Sintesis Asam Eugenoksi Asetat (EOA) dari Eugenol untuk Ekstraksi Logam berat dan Recovery Krom dari Limbah Elektroplating. *Jurnal Kimia Sains dan Aplikasi*, Vol. XIII, No. 2. 2010
- Eckenfelder, W.W., 1989, Industrial Water Pollution Control 2nd Edition, McGraw-Hill Inc., New York.
- Eicher, T. dan H. Siegfried, 1995, The Chemistry of Heterocycles Structure, Reactions, Synthesis and Application, Georg Thieme Verlag Stuttgart, New York.
- Ersöz, A., Say., R., dan Denizli, A., 2004, Ni(II) ion-imprinting Solid-Phase Extraction and Preconcentration in Aqueous Solutions by Packed-bed Columns, *Anal. Chim. Acta*, 502, 91-97
- EPA, U., 2002. Toxicological Review Phenol.

- Fan, J., Qin, Y., Ye, C., Peng, P., dan Wu, C, 2008, Preparation of the Diphenil Carbazone-Functionalized Silica Gel and its Applicationn to On-line Selective Solid-Phase Extraction and Determination of Mercury by Flow Injection Spectrophotometry, *J. Hazard. Mater.*, 150, 33-3350.
- Fan, H., dan Sun, T., 2012, Selective Removal of Iron from Aqueous Solution Using Ion Imprinted Thiocyanato-Functionalized Silica Gel Sorbents. *Korean J. Chem. Eng.*, 29(6), 798-803 .
- Febriasari, A., 2011, Studi Recovery Fenol Menggunakan Teknologi Polymer Inclusion Membrane (PIM) Berbasis PVC dengan Polieugenol Sebagai Carrier, *Tesis*, Jurusan Kimia FMIPA UGM.
- Fessenden dan Fessenden, 1990, Kimia Organik jilid 1 edisi 3, Alih bahasa A.H., Pudjaatmaka, Penerbit Erlangga, Jakarta.
- Fiamegos, Y., Stalikas C., dan Pilidis, G., 2002, 4-Aminoantipyrine Spectrophotometric Method of Phenol Analysis Study of the Reaction Products via Liquid Chromatography with Diode-array and Mass Spectrometric Detection, *Anal. Chim. Acta.*, 467, 105–114.
- Foldesova, M., Dillinger, P., Lukac, P . 1999. Sorption and desorption of Fe(III) on Natural and Chemically modified zeolite, *J Rad. Nucl*, 242(1), pp. 231-233
- Gasser, R.P.H., 1987. An Introduction to Chemisorption and Catalysis by Metals, Clarendon Press.
- Ghaee A, Shariaty-Niassar M., Barzin J., dan Zarghan A., 2012., Adsorption of Copper and Nickel Ions on Macroporous Chitosan Membrane: Equilibrium study., *App. Surf. Sci.*, 258, 7732-7743
- Girish, C.R. dan Murty, V.R., 2014. Adsorption of Phenol from Aqueous Solution Using Lantana Camara, Forest Waste: Kinetics, Isotherm, and Thermodynamic Studies, Research Article, *Int. Sch. Res. Notices*, 2014, Article ID 201626, 773–796.
- Guenther, E., 1948, The Essential Oils, Individual Essensial Oils of the Plant Families, Vol 4, D, Van Nostrand. Co, Inc., New York, 436-437.
- Guibal, E., 2004, Interaction of Metal-Ion with Chitosan-Based Sorbent. A review, *Sep. Purif. Technol.*, 38 (1), 43–74.
- Guo, J., Su, Q. D., dan Gan, W. E., 2009, On-line Selective Solid-Phase Extraction of Copper with a Surface Ion Imprinted Silica Gel Sorbent, *J. Chin. Chem. Soc.*, 56, 763-770.
- Handayani, D.S, 1999, Sintesis Poli(eugenil Sulfonat) dan Aplikasinya Sebagai Katalis Asam dalam Siklisasi Sitronelal, *Tesis*, Universitas Gadjah Mada, Jogjakarta.
- Handayani, D.S. Kusumaningsih, T., Yuli, M., 2004. Sintesis Kopoli (Eugenol-DVB) Sulfonat dari Eugenol Komponen Utama Minyak Cengkeh (*Syzygium aromaticum*), *Biofarmasi*, 2(2), pp.53–57, FMIPA, UNS,.

- Harimu, L., Matsjeh, S., Siswanta, D., Santoso, S.J., 2009, Polieugenoxiacetate Synthesis As A Carrier For Separation Of Heavy Metal Ion Fe(II), Ni(II), Cr(III), Co(II) Using The Extraction Method, *Indones. J. Chem*, 9, 2, 261-266
- He, Q., Chang, X., Zheng H., Jiang, N., Wang, X, 2008. Determination of Chromium(III) and Total Chromium in Natural Waters Using a Surface Ion-Imprinted Silica Gel as Selective Adsorbent, *Int. J. Environ. Anal. Chem.*, Vol. 88 (6), 373-38.
- Hilal, N., Kochkodan, V., Al-Khatib, L., Busca, G., Characterization of Molecularly Imprinted Composite Membranes using an Atomic Force Microscope, *Surf. Interface Anal.*, 33, 672-675 (2002).
- Ho, Y.S., dan McKay, G., 1999, Pseudo-second Order Model for Sorption Processes, *Process Biochem.*, 34, 451-465
- Huheey, J.E., Keiter, E.A., dan Keiter, R.L., 1993, Inorganic Chemistry, Principles of Structure and Reactivity, 4th Edition, Harper, Collines, Collage, Publisher, New York.
- Hunger, K., Schmeling, N., Jeazet, H.B.T., Janiak, C., Staudt, C. dan Kleinermanns, K. 2012, *Membranes*, 2, 727-763.
- Husni, D.A. dan Asijati, E., 2008. Ikat Silang Selulosa dengan N,N'-Metilendiakrilamida (NBA) Sebagai Matriks Pencangkokkan Monomer Akrilamida (AAM) dan Glisidil Metakrilat-Asam Iminodiasetat (GMA-IDA) Dengan Teknik Ozonasi, *Tesis*, Universitas Indonesia.
- Inglezakis, V.J. dan Pouloupoulos, S.G., 2006. Adsorption, Ion Exchange and Catalysis: Design of Operations and Environmental Applications, Elsevier Science B V (2006).
- Karthikeyan, G., Andal, N.M., Anbalagan, K., 2005, Adsorption Studies of Iron(III) on Chitin, *J. Chem. Sci.*, 117, 6, pp. 663-672
- Khalil, M.M.H., Al-Wakeel, K.Z., El Rehim, S.S.A., El Monem, H.A., 2013, Efficient Removal of Ferric Ions from Aqueous Medium by Amine Modified Chitosan Resins, *J. Environ. Chem. Eng.*, 1, 566-573
- Khabibi, 1997. Studi Penentuan Fenol Dalam Limbah Cair Dengan Spektrofotometri Dengan Pereaksi 4 AAP., *Skripsi*, Universitas Diponegoro.
- Kiswandono, A.A., Siswanta, D., Aprilita, N.H., Santosa, S. 2012, Transport Of Phenol Through Inclusion Polymer Membrane (PIM) Using Copoly(Eugenol-Dvb) As Membrane Carriers, *Indones. J. Chem.*, 12 (2), 105 - 112
- Kiswandono, A., 2010, Studi Transpor Fenol dengan Menggunakan Membran Cair Polieugenol, *Tesis*, Universitas Gadjah Mada, Yogyakarta.

- Leach, J. B., Wolinsky, Stone, P. J. dan Wong, J. Y., 2005, Crosslinked α -elastin Biomaterials: Towards a Processable Elastin Mimetic Scaffold, *Acta Biomater.*, (1) 155-164.
- Lee, L.L., 2006, Synthesis dan Application of Molecularly Imprinted Solid-Phase Extraction for the Determination of Terbutaline in biological Matrices, *Tesis*, University Sains Malaysia.
- Lei, X. dan Ma, J., 2010. Synthesis and Electrochemical Performance of Aluminum Based Composites, *J. Braz. Chem. Soc.*, 21, 2, 209-213.
- Li, N., dan Lee, H.K., 1997, Trace Enrichment of Phenolic Compounds From Aqueous Samples by Dynamic Ion-Exchanger Solid-Phase Extraction, *Anal.Chem.*, 69, 5193-5199.
- Lin, S.H., Pan, C.L. dan Leu, H.G., 1999. Liquid Membrane Extraction Of 2-Chlorophenol From Aqueous Solution, *J. Hazard. Mater.*, 65, Pp.289–304.
- Lodeiro, P., Fuentes, A., Herrero, R., Sastre de Vicente, M.E., 2008, Cr(III) Binding By Surface Polymers In Natural Biomass: The Role Of Carboxylic Groups, *Environ. Chem*, 5(5), Pp.355–365.
- Lusiana, R.A., Siswanta, D., 2002, Pemanfaatan Oktil Eugeniloksi Etanoat Hasil Sintesis Sebagai Plasticizer Membrane Polimer Cair Elektroda Selektif Ion, *Jurnal Kimia Sains dan Aplikasi*, V (3), 11-13.
- Lusiana, R.A., Siswanta, D., 2003, Sintesis Oktileugeniloksi Etanoat Dari Eugenol, *Jurnal Kimia Sains dan Aplikasi*, VI (1), 2003, 6-10.
- Mahony, J.O., Nolan, K., Smyth, M.R., Mizaikoff, B., 2005. Molecularly Imprinted Polymers--Potential And Challenges In Analytical Chemistry.. *Anal. Chim. Acta*, 534, 31-39.
- Martell, A.E., dan Hancock, R.D., 1996, Metal Complexes in Aqueous Solution, Plenum Press, New York.
- Masykur, A., Santosa, S.J., Siswanta, D., Jumina. 2014. Synthesis of Pb(II) Imprinted Carboxymethyl Chitosan and The Application as Sorbent for Pb(II) ion, *Indones. J. Chem.*, 14(2), 152-159.
- Merle, G., Hosseiny, S.S., Wessling, M., Nijmeijer, K., 2012. New Cross-Linked PVA Based Polymer Electrolyte Membranes For Alkaline Fuel Cells, *J. Membr. Sci.*, 490-410, 191-199
- Miland, E, Smyth, M.R. dan Fagain, C.O., 1996, Phenol removal by modified peroxidases, *J. Chem. Technol. Biotechnol.*, 67, 227-236.
- Miretzky, P., Cirelli, A.F., 2009, Hg(II) Removal From Water By Chitosan and Chitosan Derivatives: A Review. *J. Hazard. Mater.*, 167 (1-3), 10–23.
- Murti, R.H., Djunaidi, M., Wibowa, J.P., 2008. Recovery Logam Cu²⁺, Cd²⁺ dan Cr³⁺ dengan Teknik Membran Cair Menggunakan Carrier Tiazoetil Metil Eugenoksi Asetat Hasil Sintesis, *Skripsi*, FMIPA. Undip

- Nakayama, F.S., Bucks, D., 1991. Water Quality In Drip/Trickle Irrigation: A Review, *Irrigation Sci.*, 12, 187-19, pp.187-192.
- Ngadiwiyan, 2005, Polimerisasi Eugenol dengan Katalis Asam Sulfat Pekat. *Jurnal Sains Kimia dan Aplikasi*, VIII, 2, 25-35.
- Ngah, W.S.W., Ab Ghani, S. dan Kamari, A., 2005, Adsorption Behaviour of Fe(II) and Fe(III) Ions in Aqueous Solution on Chitosan and Cross-linked Chitosan Beads, *Bioresour. Technol.*, 96(4), 443-50.
- Nghiem, L.D., Mornane, P., Potter, I.D., Perera, J.M., Cattrall, R.W., dan Kolev, S.D., 2006, Extraction and Transport of Metal Ions and Small Organic Compounds Using Polymer Inclusion Membrane, Review, *J. Membr. Sci.*, 281, 7-41.
- Nukatsuka, Nakamura, S., Watanabe, K., dan Ohzeki, 2000, Determination of Phenol in Top Water and River Water Sample by Solid-Phase Spektrophotometry, *Anal. Sci.*, 16, 269-273.
- Ościk, J., 1982, Adsorption, John Wiley and Sons, New York.
- Owens. G.S., Southart, G.E, Van Houten, K.A., Murray, G.M., 2005, Molecularly Imprinted Ion-Exchange Resin for Fe³⁺, *Sep. Sci. & Tech.*, 40, 2205-2211.
- Özkaya, B., 2006. Adsorption And Desorption Of Phenol On Activated Carbon And A Comparison Of Isotherm Models, *J. Hazard. Mater.*, 129(1-3), Pp.158-163.
- Pan, B., Zhang, W., Zhang, Q. dan Zheng, S., 2009, Review Development of Polymeric and Polymer-based Hybrid Adsorbents for Pollutants Removal from Waters, *Chem. Eng. J.*, 151, 19-29.
- Parmpi, P, Kofinas, P, 2004, Biomimetic Glucose Recognition Using Molecularly Imprinted Polymer Hydrogels, *Biomaterials*, 25, 1969-1973.
- Permatasasi, S., Djunaidi, M.C. dan Khabbib, 2011. Pemisahan Ion Logam Krom dari Limbah Elektroplating Menggunakan Polieugenol Dengan Teknik Membran Cair, *Skripsi*, Universitas Diponegoro.
- Piletsky, S.A., Panasyuk, T.L., Piletskaya, E.V., Nicolls, I.A., Ulbricht, M., Receptor and Transport Properties of Imprinted Polymer Membranes. A review, *J. Membr. Sci.*, 157, 263-278 (1999).
- Qadeer, R. dan Rehan, A.H., 2002. A Study Of The Adsorption of Phenol by Activated Carbon from Aqueous Solutions, *Turkish Journal of Chemistry*, 26(3), pp.357-361.
- Qiu, H., Lv, L., Pan, B., Zhang, Q., Zhang, W., Zhang, Q., 2009. Critical Review In Adsorption Kinetic Models, *Journal of Zhejiang University SCIENCE A*, 10(5), pp.716-724.

- Rao, P.T., Daniel, S., Gladis, J.M., 2004, Tailored Materials for Preconcentration or Separation of Metals by Ion-Imprinted Polymer for Solid-Phase Extraction (II)-SPE), *Trends in Anal. Chem.*, 23(1), 29-35
- Rengaraj, S., Moon, Seung-Hyeon, S., Vabalan, R., Arabindoo, Banumathi, Murugesan, V., 2002, Removal of Phenol from Aqueous Solution and Resin Manufacturing Industry Waste Water Using an Agricultural Waste: Rubber Seed Coat, *J. Hazard. Mater.*, 185 – 196.
- Santoso, U.T., Nurmasari, R., Umaningrum, D., Santosa, S.J. Rusdiarso, B., Siswanta, D, 2012, Immobilization of Humic Acid onto Chitosan using Tosylation Method with 1,4-butanediol as a Spacer Arm, *Indones. J. Chem.*, 12 (1), 35-42
- Sartika, W., 2010. Adsorpsi Fe(III) dan Cd(II) pada Polieugenol Tersambung Silang Bisfenol A Diglisidil Eter, *Tesis*, Jurusan Kimia FMIPA Universitas Gadjahmada Yoyakarta.
- Sastrohamidjojo, 1981, A Study of Some Indonesian Essensial Oil, *Disertasi*, Gadjah Mada University, Yogyakarta.
- Setiadi, S., Djunaidi, M.C. dan Wibowa, P.J., 2009. Recovery Logam Perak (I) Dari Limbah Fotografi Dengan Teknik Membran Cair Ruah (BLM) Menggunakan Senyawa Pembawa Tiofen Metil Eugenoksi Asetat (TMEA) Hasil Sintesis, *Skripsi*, Universitas Diponegoro.
- Setyowati, L. dan Anwar, D.C., 1998, Pengaruh Penambahan Divinil Benzena (DVB) pada Kopolimerisasi Kationik Eugenol-DVB dan Sifat Pertukaran Kation Kopoligaramnya, *Tesis*, Universitas Gadjah Mada.
- Shah, J., Jan, M. dan Bashir, N., 2006. Flow Injection Spectrophotometric Determination Of 2, 4-D Herbicide, *J. Chin. Chem. Soc.*, 53, Pp.845–850.
- Shamsipur, M., Fasihi, J. Khanchi, A. Hassani, R., Alizadeth, K., dan Shamsipur H., 2007, A Stoichiometric Imprinted Chelating Resin for selective Recognition of Copper(II) Ions in Aqueous Media, *Anal. Chim. Acta*, 599, 29-301.
- Singh, D.K, Mishra, S., 2010, Singh, DK, Mishra, S. 2010. Synthesis and Characterization of Fe(III) –ion Imprinted Polymer for recovery of Fe(III) from water samples, *J. Sci. Ind. Res.*, 69, 767 – 772.
- Siswanta, D, 2002, Pemanfaatan Oktil Eugenoksi Etanoat Hasil Sintesis Sebagai Plasticizer Membran cair Elektroda Selektif Ion, *Prosiding Seminar Nasional Kimia XII*, Jurusan Kimia FMIPA, Universitas Gadjah Mada, Jogjakarta
- SNI 06-6989.21-2004, 2004, Air Dan Air Limbah – Bagian 21: Cara Uji Kadar Fenol Secara Spektrofotometri,
- Sölener, M., Tunali, S., Özcan A.S., Özcan, A., dan Gedikbey, T., 2008, Adsorption Characteristics of Lead(II) Ions Onto The

clay/Poly(Methoxyethyl) Acrylamide (PMEA) Composite From Aqueous Solutions, *Desalination*, 223 (1-3), 308-322.

Somorjai, G.A., 1972., 1972, Principle of Surface Chemistry. Prentice-Hall, New Jersey.

Sousa, A.R. dan Trancoso, M.A. 2009, Validation Of An Environmental Friendly Segmented Flow Method For Determination Of Phenol Index In Waters As Alternative To The Conventional One, *Talanta*, 79, 796-803.

Stanisavljević, M., dan Nidic, L., 2004, Removal Of Phenol from Industrial Wastewaters by Horseradish (*Cochlearia armoracia* L) Peroxidase, *Work. Liv. Environ. Prot.*, 2(4), 345 – 349.

Stum, W., dan J. J. Morgan, 1981, Aquatic Chemistry, John Wiley and Sons Inc., New York.

Su, H., Chen, S., dan Tan, T., 2007., 2007, Surface Active Site Model for Ni²⁺ Adsorption Of The Surface Imprinted Adsorbent, *Process Biochem.*, 42, 612-619.

Suhandi, D., Purwoko, T. dan Pangastuti, A., 2006. Biodegradasi Fenol oleh Isolat *Bacillus* spp asal, *Bioteknologi*, 3(1), pp.8–13.

Sun, H., Hankins, N.P., Azzopardi, B.J., Hilal, N., dan Almeida, C.A.P., 2008, A Pilot-plant Study of the Adsorptive Micellar Flocculation Process: Optimum Design and Operation, *Puri. Technol.*, 62(2), 273-280.

Tamayo, F.G., Turiel, E., Esteban, A. Martin, 2007. Molecularly Imprinted Polymers For Solid-Phase Extraction And Solid-Phase Microextraction: Recent Development and Future Trends, *J. Chromatogr. A*, 1152, 32-40.

Trotta, F., Biasizzo, M. dan Caldera, F., 2012. Molecularly Imprinted Membranes. *Membranes*, 2(3), pp.440–477.

Ulbricht, M., 2006. Advanced Functional Polymer Membranes, *Polymer*, 47, 2217-2262..

Ulbricht, M, 2004 , Membrane Separation Using Molecularly Imprinted Polymer. *J. Chromatogr. B.*, 804, 113-125 (2004).

Ulumuddin, I., Djunaidi, M.C., dan Khabibi, 2009, Pemisahan Kation Cu²⁺, Cd²⁺ dan Cr³⁺ Menggunakan Senyawa Carrier Poli(Metil Tiazol Etil Eugenoksi Asetat) Hasil Sintesis dengan Teknik BLM (Bulk Liquid Membrane), *Skripsi*, Jurusan Kimia Universitas Diponegoro Semarang.

US EPA, Drinking Water Contaminant.

Utami, T.W., Djunaidi, M.C., Lusiana, R.A., 2008. Pemisahan Kation Cu²⁺, Cd²⁺ dan Cr³⁺ Menggunakan Senyawa Carrier Poli(Metil Tiazol Etil Eugenoksi Asetat) Hasil Sintesis Dengan Teknik BLM (Bulk Liquid Membrane), *Skripsi*, Universitas Diponegoro.

Utami, H.T, Siswanta, D., Hadipranoto, N, 2004, Ligan Baru yang Selektif Terhadap Cu(II) dalam Transpor Membran Cair, Sains dan Sibernatika,

Berkala Penelitian Pasca Sarjana Ilmu-ilmu Sains, Universitas Gadjah Mada, 17 (4), 537-545.

- Utami, H.T., Ngatidjo Hadipranoto, 2002. Sintesis Asam Poli(Eugenil Oksiasetat) Dan Studi Selektivitasnya Terhadap Cu(II) Dalam Transport Membran Cair Kloroform, *Tesis*, Universitas Gadjah Mada, Jogjakarta
- Venkateswaran, P. dan Palanivelu, K., 2006. Recovery Of Phenol From Aqueous Solution By Supported Liquid Membrane Using Vegetable Oils As Liquid Membrane, *J. Hazard. Mater.*, 131, pp.146–152.
- Villaluenga, J.P.G., Khayet, M., Godino, P., Seoane, B., Mengual, J.I. 2005, Analysis Of The Membrane Thickness Effect On The Pervaporation Separation Of Methanol / Methyl Tertiary Butyl Ether Mixtures. *Sep. Purif. Technol.*, 47, 80–87.
- Walas, S., Tobiasz, A., Gawin, M., Trzewick, B., Stronjny, M., dan Mrowiec, H., 2008. Application of Metal Ion-Imprinted Polymer Based on Salen-Cu Complex to Flow Injection Preconcentration and FAAS Determination of Copper, *Talanta*, 76, 96-101.
- Wang, L., Li, Q., dan Wang, A., 2010, Adsorption Of Cationic Dye On N,O-Carboxymethyl-Chitosan From Aqueous Solutions: Equilibrium, Kinetics, And Adsorption Mechanism, *Polym. Bull.*, 65 (9), 961-975.
- Winarno, E.K., Andayani, W., dan Sumartono, A., 2006, Distribusi Surfaktan dan Fenol di Perairan Teluk Jakarta, *Indones. J. Chem.*, 6(3), 251-255.
- Xie, F., Lu, G., Wu, F., Guo, G., Li, G. 2012. Selective Adsorption And Separation Of Trace Dissolved Fe(III) From Natural Water Samples by Double Template Imprinted Sorbent with Chelating Diamines, *Chem. Eng.*, 183, 372-380
- Yan, H. dan Row, K.H., 2006. Characteristic and Synthetic Approach of Molecularly Imprinted Polymer, *Int. J. Mol. Sci.*, 7(5), pp.155–178.
- Yang, G, Liu, H., Wang, M, Liu, S, Chen, Y, 2006. Chromatographic Characterization And Solid-Phase Extraction On Diniconazole-Imprinted Polymers Stationary Phase, *React. Funct. Polym.*, 66, 579-583.
- Yoshikawa, M, 2002. Molecularly Imprinted Polymeric Membranes. *Bioseparation*. 10, 277–286
- Zhang, J., Han, B., Zhan, Y., dan Wang, D., 2007, Synthesis of Zn(II) Ion Imprinted Solid-Phase Extraction Materials and Its Analytical Application, *Anal. Chim. Acta.*, 603, 87-92.