

DAFTAR PUSTAKA

- [1] D. Wikipedia, "Pemanasan global," pp. 18–20, 2014.
- [2] D. I. Sektor and P. Energi, "Penanggulangan Pemanasan Global," 1997.
- [3] B. Daerah, A. Sungai, S. Kasus, S. U. B. Das, and G. Hulu, "Jurnal ilmu lingkungan," vol. 10, no. 1, pp. 8–18, 2012.
- [4] T. Klikauer, *Reflections on phishing for phools: The economics of manipulation and deception*, vol. 14, no. 1. 2016.
- [5] P. Data, D. A. N. Teknologi, E. Dan, S. Daya, K. Energi, D. A. N. Sumber, and D. Mineral, "KAJIAN Supply Demand ENERGI," 2013.
- [6] S. R. Bull, "Renewable energy today and tomorrow," *Proc. IEEE*, vol. 89, no. 8, pp. 1216–1226, 2001.
- [7] Y. Li, J. Song, and J. Yang, "A review on structure model and energy system design of lithium-ion battery in renewable energy vehicle," *Renew. Sustain. Energy Rev.*, vol. 37, pp. 627–633, Sep. 2014.
- [8] H. A. Kiehne, *Battery Technology Handbook*, H. A. KIEH. Technical Consultant Breckerfeld, Germany, 2003.
- [9] N. Electronics, "A Study of Energy Loss in LiFeP04 Battery- Balancing Schemes for Electric Vehicle Applications," pp. 4–7, 2014.
- [10] C. Özkurt, F. Camci, B. Esat, and O. Toker, "Cost benefit analysis of individual cell control in batteries for Electric Vehicles," *IEEE 23rd Int. Symp. Ind. Electron.*, no. 113, pp. 1800–1804, 2014.
- [11] P. H. L. N. Henk Jan Bergveld, Wanda S. Kruijt, *Battery Management Systems*, vol. 9. Eindhoven, The Netherlands, 2008.
- [12] H. Qian, J. Zhang, J. S. Lai, and W. Yu, "A high-efficiency grid-tie battery energy storage system," *IEEE Trans. Power Electron.*, vol. 26, no. 3, pp. 886–896, 2011.
- [13] V. Pop, *Battery Management Systems Accurate SoC*. University of Twente Peter H.L. Notten Eindhoven, The Netherlands Philips Research Laboratories Eindhoven Eindhoven University of Technology by Enschede, The Neth, 2008.
- [14] S. Jeon, J. J. Yun, and S. Bae, "Active cell balancing circuit for series-connected battery cells," *9th Int. Conf. Power Electron. - ECCE Asia "Green World with Power Electron. ICPE 2015-ECCE Asia*, pp. 1182–1187, 2015.
- [15] G. Eason, B. Noble, and I. N. Sneddon, "On Certain Integrals of Lipschitz-Hankel Type Involving Products of Bessel Functions," *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.*, vol. 247, no. 935, pp. 529–551, 1955.
- [16] A. Affanni, A. Bellini, G. Franceschini, P. Guglielmi, and C. Tassoni, "Battery choice and management for new-generation electric vehicles," *IEEE Trans. Ind. Electron.*, vol. 52, no. 5, pp. 1343–1349, 2005.
- [17] H.-S. Park, C.-H. Kim, K.-B. Park, G.-W. Moon, and J.-H. Lee, "Design Of A Charge Equalizer Based On Battery Modularization," *Tvt*, vol. 58, no. 7, pp. 3216–3223, 2009.
- [18] N. H. Kutkut, H. L. N. Wiegman, D. M. Divan, and D. W. Novotny, "Charge equalization for an electric vehicle battery system," *IEEE Trans. Aerosp. Electron. Syst.*, vol. 34, no. 1, pp. 235–246, 1998.
- [19] J. Q. Yevgen Barsukov, "Cell-Balancing Techniques: Theory and Implementation 4.1," in *Battery Power Management for Portable Devices*, 2013, pp. 111–138.

- [20] W. C. Lee, D. Drury, and P. Mellor, "Comparison of passive cell balancing and active cell balancing for automotive batteries," *2011 IEEE Veh. Power Propuls. Conf. VPPC 2011*, pp. 1–7, Sep. 2011.
- [21] K. Vitols, "Design of Passive Balancing for Electric Kart Battery Pack," pp. 60–64.
- [22] I. Aizpuru, U. Iraola, J. M. Canales, M. Echeverria, and I. Gil, "Passive balancing design for Li-ion battery packs based on single cell experimental tests for a CCCV charging mode," *4th Int. Conf. Clean Electr. Power Renew. Energy Resour. Impact, ICCEP 2013*, pp. 93–98, 2013.
- [23] K. Vitols, "Efficiency of LiFePO₄ Battery and Charger with Passive Balancing," *Aieee 2015*, 2015.
- [24] T. C. Kaypmaz and R. N. Tuncay, "Diagnosing overcharge behavior in operation of Li-ion polymer batteries," *2012 IEEE Int. Conf. Veh. Electron. Safety, ICVES 2012*, pp. 352–356, 2012.
- [25] G. Au, L. Cristo, D. Bennington, and A. Pellegrino, "Overcharge and characteristic of BB-2590 lithium ion battery," *Proc. Annu. Batter. Conf. Appl. Adv.*, vol. 2002-Janua, pp. 63–66, 2002.
- [26] C. Kallfaß, C. Hoch, A. Hilger, and I. Manke, "Short-circuit and overcharge behaviour of some lithium ion batteries," *Int. Multi-Conference Syst. Signals Devices, SSD 2012 - Summ. Proc.*, pp. 1–5, 2012.
- [27] T. Ma, B. Serrano, and O. Mohammed, "Fuzzy logic based power and thermal management system design for multi-cell lithium-ion battery bank protection and operation," *2014 Clemson Univ. Power Syst. Conf.*, pp. 1–5, 2014.
- [28] H. Rahimi-eichi, S. Member, and M. Chow, "Adaptive Parameter Identification and State-of-Charge Estimation of Lithium- Ion Batteries Adaptive Parameter Identification and State-of-Charge Estimation of Lithium-Ion Batteries," pp. 4012–4017, 2012.
- [29] S. Munwaja, B. Tanboonjit, and N. H. Fuengwarodsakul, "Development of cell balancing algorithm for LiFePO₄ battery in electric bicycles," *2012 9th Int. Conf. Electr. Eng. Comput. Telecommun. Inf. Technol.*, pp. 1–4, May 2012.
- [30] K. Tang, J. Sun, X. Yu, H. Li, and X. Huang, "Electrochemical performance of LiFePO₄ thin films with different morphology and crystallinity," *Electrochim. Acta*, vol. 54, no. 26, pp. 6565–6569, 2009.
- [31] Y. Xing, E. W. M. Ma, K. L. Tsui, and M. Pecht, "Battery management systems in electric and hybrid vehicles," *Energies*, vol. 4, no. 11, pp. 1840–1857, 2011.
- [32] L. Lu, X. Han, J. Li, J. Hua, and M. Ouyang, "A review on the key issues for lithium-ion battery management in electric vehicles," *J. Power Sources*, vol. 226, pp. 272–288, 2013.
- [33] M. U. Cuma and T. Koroglu, "A comprehensive review on estimation strategies used in hybrid and battery electric vehicles," *Renew. Sustain. Energy Rev.*, vol. 42, pp. 517–531, 2015.
- [34] K. C. Bae, S. C. Choi, J. H. Kim, C. Y. Won, and Y. C. Jung, "LiFePO₄ dynamic battery modeling for battery simulator," *Proc. IEEE Int. Conf. Ind. Technol.*, pp. 354–358, 2014.
- [35] G. K. Prasad and C. D. Rahn, "Model based identification of aging parameters in lithium ion batteries," *J. Power Sources*, vol. 232, pp. 79–85, 2013.
- [36] S. Dey, B. Ayalew, and P. Pisu, "Combined Estimation of State - of - Charge and State - of - Health of Li - ion Battery Cells Using SMO on Electrochemical

- Model,” 2014.
- [37] S. Li and B. Ke, “Study of battery modeling using mathematical and circuit oriented approaches,” *IEEE Power Energy Soc. Gen. Meet.*, pp. 1–8, 2011.
 - [38] P. Amiribavandpour, A. Kapoor, and J. Shearer, “The mathematical model of 18650 lithium-ion battery in electric vehicles,” *2013 IEEE 8th Conf. Ind. Electron. Appl.*, pp. 1264–1269, 2013.
 - [39] C. Unterrieder, M. Lunglmayr, S. Marsili, and M. Huemer, “Battery state-of-charge estimation prototype using EMF voltage prediction,” *Proc. - IEEE Int. Symp. Circuits Syst.*, pp. 622–625, 2014.
 - [40] B. Pattipati, B. Balasingam, G. V. Avvari, K. Pattipati, and Y. Bar-Shalom, “Robust battery fuel gauge algorithm development, part 0: Normalized OCV modeling approach,” *3rd Int. Conf. Renew. Energy Res. Appl. ICRERA 2014*, pp. 116–121, 2014.
 - [41] L. W. Yao, P. Y. Kong, and N. R. N. Idris, “Modeling of Lithium-Ion Battery Using MATLAB / Simulink,” pp. 1729–1734, 2013.
 - [42] W. Gao, M. Jiang, and Y. Hou, “Research on PNGV model parameter identification of LiFePO₄ Li-ion battery based on FMRLS,” *Proc. 2011 6th IEEE Conf. Ind. Electron. Appl. ICIEA 2011*, no. 10111406006, pp. 2294–2297, 2011.
 - [43] J. Kim and B. H. Cho, “State-of-charge estimation and state-of-health prediction of a Li-Ion degraded battery based on an EKF combined with a per-unit system,” *IEEE Trans. Veh. Technol.*, vol. 60, no. 9, pp. 4249–4260, 2011.
 - [44] C. Y. Chun, J. Baek, G. S. Seo, B. H. Cho, J. Kim, I. K. Chang, and S. Lee, “Current sensor-less state-of-charge estimation algorithm for lithium-ion batteries utilizing filtered terminal voltage,” *J. Power Sources*, vol. 273, pp. 255–263, 2015.
 - [45] B. Vairamohan, “State of charge estimation for batteries,” *Simulation*, no. December, pp. 1–60, 2002.
 - [46] A. Prisma, B. Segara, D. C. Riawan, and H. Suryoatmojo, “Monitoring Kinerja Baterai Berbasis Timbal untuk Sistem Photovoltaic,” vol. 1, no. 1, pp. 1–6, 2013.
 - [47] J. E. Ingvaldsen, ??zlem ??zg??bek, and J. A. Gulla, “Context-aware user-driven news recommendation,” *CEUR Workshop Proc.*, vol. 1542, no. 9, pp. 33–36, 2015.
 - [48] V. Lukashenko and V. Spivak, “Sign model for the quick selection of a suitable accumulator battery type,” *Proc. 13th Int. Conf. Exp. Des. Appl. CAD Syst. Microelectron. CADSM 2015*, vol. 1, no. 1, pp. 279–281, 2015.
 - [49] H. Oman, “On-board energy and power management on electric vehicles: effect\nof battery type,” *17th DASC. AIAA/IEEE/SAE. Digit. Avion. Syst. Conf. Proc. (Cat. No.98CH36267)*, vol. 2, 1998.
 - [50] Y. Xing, E. W. M. Ma, K. L. Tsui, and M. Pecht, “Battery management systems in electric and hybrid vehicles,” *Energies*, vol. 4, no. 11, pp. 1840–1857, Oct. 2011.
 - [51] X. Yang, “Design of a Battery Management System Based on Matrix Switching Network *,” no. August, pp. 138–141, 2015.
 - [52] K. S. Ng, C. S. Moo, Y. P. Chen, and Y. C. Hsieh, “Enhanced coulomb counting method for estimating state-of-charge and state-of-health of lithium-ion batteries,” *Appl. Energy*, vol. 86, no. 9, pp. 1506–1511, 2009.
 - [53] P. Power, P. Management, and M. Listrik, “Laporan sementara,” 2012.
 - [54] Tim Pengembang Mobil Listrik Nasional ITB, “Penelitian dan pengembangan

- mobil listrik Nasional 2014,” 2014.
- [55] I. N. Haq, E. Leksono, M. Iqbal, F. X. N. Sodami, Nugraha, D. Kurniadi, and B. Yuliarto, “Development of battery management system for cell monitoring and protection,” *Proc. 2014 Int. Conf. Electr. Eng. Comput. Sci. ICEECS 2014*, no. November, pp. 203–208, 2014.
 - [56] M. Daowd, N. Omar, P. van den Bossche, and J. van Mierlo, “A review of passive and active battery balancing based on MATLAB/Simulink,” *Int. Rev. Electr. Eng.*, vol. 6, no. 7, pp. 2974–2989, 2011.
 - [57] J. Cao, N. Schofield, and A. Emadi, “Battery balancing methods: A comprehensive review,” *2008 IEEE Veh. Power Propuls. Conf. VPPC 2008*, pp. 1–6, Sep. 2008.
 - [58] D. J. Park, S. Y. Choi, R. Y. Kim, and D. S. Kim, “A novel battery cell balancing circuit using an auxiliary circuit for fast equalization,” *Proceedings, IECON 2014 - 40th Annu. Conf. IEEE Ind. Electron. Soc.*, pp. 2933–2938, 2014.
 - [59] R. Delrossi, “Cell Balancing Design Guidelines,” pp. 1–4, 2002.
 - [60] S. Wen, “Cell balancing buys extra run time and battery life,” *Analog Appl.*, pp. 14–18, 2009.
 - [61] J. D. Welsh, “A Comparison of Active and Passive Cell Balancing Techniques for Series / Parallel Battery Packs,” p. 115, 2009.
 - [62] M. Daowd, N. Omar, P. van den Bossche, and J. van Mierlo, “A review of passive and active battery balancing based on MATLAB/Simulink,” *Int. Rev. Electr. Eng.*, vol. 6, no. 7, pp. 2974–2989, Sep. 2011.
 - [63] Wikimedia Foundation, “Dummy load,” 2015. .
 - [64] U. Manual, “Programmable DC Electronic Load,” no. 82, pp. 1–268, 2000.