

## DAFTAR PUSTAKA

- Aronof, S., 2005. *Remote Sensing for GIS Managers*, New York: ESRI Press.
- Asis, A.M. De and Omasa, K., 2007. Estimation of vegetation parameter for modeling soil erosion using linear Spectral Mixture Analysis of Landsat ETM data, *Photogrammetry and Remote Sensing*, Vol. 62, pp.309–324.
- Barman, T., 2008. Tea Bush Health Determination and Yield Estimation, Thesis: San Jose State University.
- BPS, 2013. *Statistik Teh Indonesia*, Jakarta.
- Brown, D.G., 2001. A Spectral Unmixing Approach To Leaf Area Index ( LAI ) Estimation At The Alpine Treeline Ecotone *dalam GIS and Remote Sensing Applications in Biogeography and Ecology*, Diedit oleh A. C. Millington, S. J. Walsh, and atrick E. Osborne, eds., Springer US.
- Chambell, J.B. and Wyne, R.H., 2011. *Introduction to Remote Sensing* Fifth Edition, New York: The Guilford Press.
- Chang, K., 2002. *Introduction to Geographic Information System*, Mac Graw Hill.
- De Coasta, W.A.J.M., Navaratne, D.M.S. and Annandacoomaraswamy, A., 2009. Physiological Basis of Yield Variation of Tea (*Camellia sinensis*) During Different Years of The Pruning Cycle in The Central Highlands of Sri Lanka, *Experimental Agriculture*, Vol.45, pp.429–450.
- Danoedoro, P., 2012. *Pengantar Penginderaan Jauh Digital*, Yogyakarta: Penerbit Andi.
- Darmawijaya, M.I., 1982. *Klasifikasi Kecerahan Tanah Bagi Tanaman Teh di Indonesia*, Disertasi: Universitas Gadjah Mada.
- Dewi, M.. S., Indradewa, D. and Sudikno, T.S., 1990. Daur Petik Optimum Tanaman Teh di Berbagai Tinggi Tempat di Perkebunan PT Pagilaran, Makalah Seminar Kecil di Kebun Teh PT Pagilaran
- Dimara, P.A., 2012. Pemanfaatan Citra Quickbird untuk Estimasi Potensi Produksi Sagu Masak Tebang di Distrik Sentani Kabupaten Jayapura Propinsi Papua. Thesis: Universitas Gadjah Mada.
- Direktorat Jenderal Perkebunan, J., 2012. *Komoditas Teh*, Jakarta.
- Djaenudin, D., Marwan, H., Subagjo, H. and A. Hidayat., 2011. *Petunjuk Teknis Evaluasi Lahan untuk Komoditas Pertanian* Edisi Kedua. Balai Besar

Penelitian dan Pengembangan Sumberdaya Lahan Pertanian Badan Penelitian dan Pengembangan Pertanian.

Djumena, E., 2013. Teh Indonesia Terpuruk. Available at: <http://bisniskeuangan.kompas.com/read/2013/11/27/0728450/Teh.Indonesia.Terpuruk> [Accessed September 8, 2014].

Dutta, R., 2011. A Spatio - Temporal Analysis of Tea Productivity and Quality in North East India, Dissertation: University of Twente, The Netherlands.

Dutta, R., 2006. Assessment of Tea Bush Health and Yield Using Geospatial Techniques, Thesis: University of Twente, The Netherlands.

Dutta, R., Stein, A. and Bhagat, R.M., 2011. Integrating Satellite Images and Spectroscopy to Measuring Green and Black Tea Quality,. *Food Chemistry*, Vol. 127(2), pp.866–874.

Effendi, D.S., Syakir, M., Yusron, M. and Wiratno, 2010, *Budidaya dan Pasca Panen Teh*, Pusat Penelitian dan Pengembangan Perkebunan.

Emden, J.H. Van and Deijjs, W.B., 1949. *Perkebunan Teh*, Yogyakarta

Gomarasca, M.A. 2009. *Basics of Geomatics*, New York: Springer.

Jensen, J.R., 2014. *Remote Sensing of the Environment An Earth Resource Perspective* Second Edition., Pearson.

Kamau, D.M., Spiertz, J.H.J., Oenema, O., Owuor, P.O., 2008. Field Crops Research Productivity and Nitrogen Use of Tea Plantations in Relation to Age and Genotype, *Field Crops Research*, Vol. 108, pp.60–70.

Kumar, A., Manjunath, K R., Meenakshi, Bala, R., Sud, R K., Singh, R.D., and Panigrahy, S., 2013. Field hyperspectral data analysis for discriminating spectral behavior of tea plantations under various management practices, *International Journal of Applied Earth Observations and Geoinformation*, Vol. 23, pp.352–359.

Lillesand, T.M., Kiefer, R.W. and Chipman, J.W., 2008, *Remote Sensing and Image Interpretation*, New York: John Wiley and Sons.

Longley, P.A., Goodchild, Michael F., Maguire, David J., Rhind, David W., 2005, *Geographical Information Systems and Science* Second Edition., New York: John Wiley and Sons, Ltd.

Lou, W. Ji, Z., Sun, K., Zhou, J., 2013. Application of remote sensing and GIS for assessing economic loss caused by frost damage to tea plantations, *Precision*

*Agriculture*, pp.606–620.

- Lu, D., Batistella, M. and Moran, E., 2012. Linear Spectral Mixture Analysis of TM Data for Land-Use and Land-Cover Classification, *Symposium on Geospatial Theory, Processing and Application*, (August 2015).
- Muningsih, R., Indradewa, D. and Sulistyarningsih, E., 2014. Karakter Fisiologis dan Hasil Pucuk Teh pada Beberapa Umur Pangkas Produksi dan Tinggi Tempat. *Ilmu Pertanian*, Vol. 17(1), pp.25–36.
- Murti, S.H., 2014. Pemodelan Spasial Untuk Estimasi Produksi Padi Dan Tembakau Berdasarkan Citra Multiresolusi (Kasus Untuk Produksi Padi di Kabupaten Wonosobo dan Sragen, serta Produksi Tembakau di Kabupaten Temanggung, Provinsi Jawa Tengah), Disertasi: Universitas Gadjah Mada.
- Nurlina., 2008. Linear spectral Mixture Analysis Untuk Kajian Perubahan Tutupan Lahan di Daerah Perkotaan Menggunakan Data Satelit Landsat Multitemporal: Studi kasus Kota Banjarbaru dan sekitarnya, Thesis: Universitas Gadjah Mada.
- Prana, A.A., 2014. Analisis Perbandingan Berbagai Model Transformasi Indeks vegetasi dalam Kerapatan Kanopi Jati (*Tectona Grandis L. F.*) di Sebagian Hutan Wanagama, Skripsi: Universitas Gadjah Mada.
- Purwadhi, F.S.H. and Santoso, T.B., 2009. *Pengantar Interpretasi Citra Penginderaan Jauh* Edisi kedua, Lembaga Penerbangan dan Antariksa Nasional dan Universitas Negeri Semarang.
- Rajapakse, R.M.S.S., Tripathi, N.K. and Honda, K., 2000. Modelling tea (*Camellia* (L.) O. Kuntze) yield using satellite derived LAI, landuse and meteorological data, Available at: <http://geospatialworld.net/Paper/Application/ArticleView.aspx?aid=193#sthash.cZCjjFPY.dpuf>.
- Rohman, A.S., 2002. Analisis Digital Data Citra Landsat TM dan SIG untuk Estimasi Produksi Teh di Sebagian Wilayah Bogor, Cianjur dan Sukabumi Propinsi Jawa Barat, Skripsi: Universitas Gadjah Mada.
- Schomaker, M.E., Zarnoch, S.J., Bechtold, W.A., Latelle D.J., Burkman, W.G., and Cox S.M., 2007. Crown-condition Classification: A Guide to Data Collection and Analysis, Asheville: Southern Research Station
- Silvan-Cardenas, J.L. and Wang, L., 2010. Retrieval of Subpixel Tamarix Canopy Cover From Landsat Data Along the Forgotten River Using Linear and Nonlinear Spectral Mixture Models, *Remote Sensing of Environment*, Vol. 114(8), pp.1777–1790.

- Soetrisno, K., 1998, *Silvika*, Bahan kuliah Silvika: Fakultas Kehutanan Universitas Mulawarman
- Somers, B., Asner, Gregory P., Tits, L., Coppin, P., 2011. Endmember Variability in Spectral Mixture Analysis: A review, *Remote Sensing of Environment*, Vol. 115(7), pp.1603–1616.
- Sugiyono., 2013. *Metode Penelitian Pendidikan (Pendekatan Kuantitatif, Kualitatif dan RandD)*, Bandung: Alfabeta.
- Susetyo, I., 2012. *Pemodelan Estimasi Produksi Tanaman Karet (*Hevea brasiliensis* Muell.-Arg) Berbasis Citra Satelit, Potensi Genetik, dan Satuan Medan (Studi Kebun Getas, PTPN IX, Salatiga, Kabupaten Semarang, Jawa Tengah)*, Thesis: Universitas Gadjah Mada.
- Swain, P.H. and Davis, S.M., 1978, *Remote Sensing: The Quantitative Approach*, New York: McGraw-Hill.
- Thiede, G., 1981, *Application of Remote Sensing to Agricultural Production Forecasting* A. Berg, ed., Rotterdam: A.A. Balkema.
- Tripathi, N.K., Rajapakse, S.S., and Honda, K., 2004. Tea Yield Modeling Based on Satellite Derived LAI, *Geocarto International*, Vol. 19(3), pp.51–54.
- Wang, G. and Weng, Q., 2014. *Remote Sensing of Natural Resource*, New York: Taylor and Francis Group.
- Weng, Q., 2010. *Remote Sensing and GIS Integration: Theories, Methods, and Application*, New York: McGraw-Hill.
- Wibowo, Z., Sri., 1997, *Petunjuk Kultur Teknis Tanaman Teh*. Bandung: Pusat Penelitian Teh dan Kina.
- Yudatama, S., 2014. *Meski Kurang Ekspor Teh Tetap Jalan*. Available at: <http://bumn.go.id/ptpn8/berita/15748/Meski.Kurang,.Ekspor.Teh.Tetap.Jalan>

Referensi internet:

<http://kbbi.web.id/> diakses 12 Maret 2016

<http://www.gerbangpertanian.com> diakses 18 Juni 2016