

DAFTAR PUSTAKA

- Alkhudhiri, A., Darwish, N., dan Hilal, N., 2012, Membrane Distillation: A Comprehensive Review, *Desalination*, 287, 2–18.
- Alves, V. D., Castelló, R., Rita, A., Costa, N., Isabel, M., dan Coelho, I. M., 2011, Barrier Properties of Carrageenan / Pectin Biodegradable Composite Films, *Procedia Food Science*, 1, 240-245.
- Amale, S. H., Sapkal, R. S., dan Sapkal, V. S., 2015, Pervaporation : A Novel Process for Ethanol Separation using Fermentation, *IJER*, 4(2), 64–68.
- Aminabhavi, T. M., Naidu, B. V. K., Sridhar, S., dan Rangarajan, R., 2005, Pervaporation Separation of Water–Isopropanol Mixtures Using Polymeric Membranes : Modeling and Simulation Aspects, *J. Appl. Polym. Sci.*, 95(5), 1143–1153.
- Baker, R. W., 2004, *Membrane Technology and Application* (Second Ed.), John Wiley & Sons, Ltd., Chichester, England.
- Belfort, G. dan Screeve, J., 1976, Porous Glass Desalination Membrane: Phenomenological Transport Coefficients and Fixed Charge Salt Exclusion, *Desalination*, 18(1), 43–58.
- Bell, D. C., dan Erdman, N., 2013, *Low Voltage Electron Microscopy*. (First Ed.) John Wiley & Sons, Ltd., Chichester, UK. doi: 10.1002/9781118498514.ch1.
- Bhat, S. D., dan Aminabhavi, T. M., 2007, Pervaporation Separation Using Sodium Alginate and Its Modified Membranes - A Review, *Sep. Purif. Rev.*, 36(3-4), 203–229.
- Bolto, B., Hoang, M., dan Xie, Z., 2012, A Review of Water Recovery by Vapour Permeation Through Membranes, *Water Research*, 46(2), 259–266.
- Bolto, B., Tran, T., Hoang, M., dan Xie, Z., 2009, Crosslinked poly(vinyl alcohol) membrane, *J. Prog. Polym. Sci.*, 34, 969–981.
- Bursali, E. A., Coskun, S., Kizil, M., dan Yurdakoc, M., 2011, Synthesis, Characterization and in Vitro Antimicrobial Activities of Boron/Starch/ Polyvinyl Alcohol Hydrogels, *Carbohydr. Polym.*, 83(3), 1377–1383.

- Çaykara, T. dan Demirci, S., 2006, Preparation and Characterization of Blend Films of Poly(Vinyl Alcohol) and Sodium Alginate, *J Macromol. Sci. A*, 43(7), 1113–1121.
- Chan, E. P., Young, A. P., Lee, J. H., dan Stafford, C. M., 2013, Swelling of Ultrathin Molecular Layer-by-Layer Polyamide Water Desalination Membranes, *J. Polym. Sci. Pol. Phys.*, 51(22), 1647–1655.
- Chang, W.-L., 2010, Acetone–Butanol–Ethanol Fermentation by Engineered *Clostridium beijerinckii* and *Clostridium tyrobutyricum*, *Disertasi*, Food Science and Technology, The Ohio State University, Ohio.
- Chao, K. P., Chow, J. D., Chai, W. L., dan Hong, G. M., 2012, Estimation of Resistance of Starch/Polyvinyl Alcohol Blends to Permeation by Organic Solvents, *Carbohydr. Polym.*, 89(2), 432–437.
- Chen, C., Xiao, Z., Tang, X., Cui, H., Zhang, J., Li, W., dan Ying, C., 2013, Acetone–Butanol–Ethanol Fermentation in a Continuous and Closed–Circulating Fermentation System with PDMS Membrane Bioreactor, *Bioresour. Technol.*, 128, 246–251.
- Chovau, S., Gaykawad, S., Straathof, A. J. J., dan Bruggen, B. Van der., 2011, Influence of Fermentation by–Products on The Purification of Ethanol from Water using Pervaporation, *Bioresour. Technol.*, 102, 1669–1674.
- Corcione, C. E., dan Frigione, M., 2012, Characterization of Nanocomposites by Thermal Analysis, *J. Mater.*, 5, 2960–2980.
- Davis, J. R., 2004, *Tensile Testing*, (J. R. Davis, Ed.), 2nd Edition, ASM International.
- Ding, W.-W., Wu, Y.-T., Tang, X.-Y., Yuan, L., dan Xiao, Z.-Y., 2010, Continuous Ethanol Fermentation in a Closed–Circulating System Using an Immobilized Cell Coupled with PDMS Membrane Pervaporation, *J. Chem. Technol. Biotechnol.*, 86(1), 82–87.
- Dolejš, I., Krasn, V., Stloukal, R., Rosenberg, M., dan Rebroš, M., 2014, Butanol Production by Immobilised *Clostridium Acetobutylicum* in Repeated Batch , Feed–Batch, and Continuous Modes of Fermentation, *Bioresour. Technol.*, 169, 723–730.
- DuBois, M., Gilles, K., Hamilton, J. K., Rebers, P., dan Smith, F., 1956, Colorimetric Method for Determination of Sugars and Related Substances, *Anal. Chem.*, 28(3), 350–356.

- Ezeji, T. C., dan Li, Y., 2010, *Advanced Product Recovery Technologies, in Biomass to Biofuels: Strategies for Global Industries*, (eds A. A. Vertés, N. Qureshi, H. Blaschek, & H. Yakawa), Blackwell Publishing Ltd., Oxford, UK. doi: 10.1002/9780470750025.ch16.
- Ezeji, T. C., Qureshi, N., dan Blaschek, H. P., 2007, Bioproduction of Butanol from Biomass : from Genes to Bioreactors, *Curr. Opin. Biotechnol.*, 18(3), 220–227.
- Fauzi, A. R., Haryadi, D., dan Priyanto, S., 2012, Pengaruh Waktu Fermentasi dan Efektivitas Adsorben dalam Pembuatan Bioetanol Fuel Grade dari Limbah Pod Kakao (*Theobroma cacao*), *J. Teknologi Kimia dan Industri*, 1(1), 179–185.
- Figueiredo, K. C. S., Alves, T. L. M., dan Borges, C. P., 2009, Poly (vinyl alcohol) Films Crosslinked by Glutaraldehyde Under Mild Conditions, *J. Appl. Polym. Sci.*, 111, 3074–3080.
- Fishman, M. L., Coffin, D. R., Onwulata, C. I., dan Willett, J. L., 2006, Two Stage Extrusion of Plasticized Pectin/ poly(vinyl alcohol) blends, *Carbohydr. Polym.*, 65, 421–429.
- Gebben, BY., van den Berg, H.W.A., Bargeman, D., dan Smolders, C. A., 1985, Intramolecular Crosslinking of Poly(vinyl alcohol), *Polymers*, 26, 1737–1740.
- Gheshlaghi, R., Scharer, J. M., Moo–young, M., dan Chou, C. P., 2009, Metabolic Pathways of Clostridia for Producing Butanol, *Biotechnol. Adv.*, 27(6), 764–781.
- Gohil, J. M., Bhattacharya, A., dan Ray, P., 2006, Studies on The Cross–linking of Poly(Vinyl Alcohol), *J. Polym. Res.*, 13(2), 161–169.
- Gonzalez–Velasco, J., Gonzalez–Marcos, J., dan Lopez_Dehesa, C., 2002, Pervaporation of Ethanol–Water Mixtures Through Poly (1–trimethylsilyl– 1 –propyne) (PTMSP) Membranes, *Desalination*, 149, 61–65.
- Hahn, H. D., Dämbkes, G., Rupprich, N., dan Bahl, H., 2012, *Butanols*, Ullmann, F. dan Bohnet, M. (Eds.), *Ullmann's Encyclopedia of Industrial Chemistry*, Vol. 6. Wiley–VCH Verlag GmbH & Co., Weinheim, Germany
- Hambali, E., Mujdalifah, S., Tambunan, A. H., Pattiwiri, A. W., dan Hendroko, R., 2007, *Teknologi Bioenergi*, PT. Agromedia, Jakarta.

- Han, Y. J., Wang, K. H., Lai, J. Y., dan Liu, Y. L., 2014, Hydrophilic Chitosan–Modified Polybenzimidazole Membranes for Pervaporation Dehydration of Isopropanol–Aqueous Solutions, *J. Membrane Sci.*, 463, 17–23.
- Handayani, S., Dewi, E. L., Purwanto, W. W., dan Soemantojo, R. W., 2007, Pengaruh Aditif terhadap Karakteristik Membran Elektrolit Polieter–Eter Keton Tersulfonasi untuk Aplikasi Sel Bahan Bakar Metanol Langsung, *J. Teknik Kimia Indonesia*, 6(1), 563–570.
- Haweel, C. K., dan Ammar, S. H., 2008, Preparation of Polyvinyl Alcohol from Local Raw Material, *IJCPE*, 9(1), 15–21.
- Hidayat, W., 2007, Teknologi Membran, *Majarimagazine*, 2 Desember 2007
- Hood, E. E., Nelson, P., dan Powell, R., 2011, *Plant biomass conversion*, (E. E. Hood, P. Nelson, & R. Powell, Eds.), John Wiley & Sons, Ltd., Chichester, West Sussex, UK. doi: 10.1002/9780470959138.ch5
- Horikoshi, T., A., Ogawa, T. S., dan Hoshiro, H., 2005, *Properties of Polyvinylalcohol Fiber as Reinforcing Materials for Cementitious Composites*, G. Fischer & V. C. Li (Eds.), *International RILEM Workshop on High Performance Fiber Reinforced Cementitious Composites in Structural Applications*, RILEM Publications SARL.
- Huang, H., Ramaswamy, S., Tschirner, U. W., dan Ramarao, B. V., 2008, A Review of Separation Technologies in Current and Future Biorefineries, *Sep. Purif. Technol.*, 62(1), 1–21.
- Huang, Z., Shi, Y., Wen, R., Guo, Y., Su, J., dan Matsuura, T., 2006, Multilayer poly(vinyl alcohol)-zeolite 4A Composite Membranes for Ethanol Dehydration by means of Pervaporation, *Sep. Purif. Technol.*, 51(2), 126–136.
- Hunger, K., Schmeling, N., Jeazet, H. B. T., Janiak, C., Staudt, C., dan Kleinermanns, K., 2012, Investigation of Cross–linked and Additive Containing Polymer Materials for Membranes with Improved Performance in Pervaporation and Gas Separation, *Membranes*, 2(4), 727–763.
- Isiklan, N., dan Sanli, O., 2005, Separation Characteristics of Acetic Acid–Water Mixtures by Pervaporation using Poly(vinyl alcohol) Membranes Modified with Malic Acid, *Chem. Eng. Process*, 44(9), 1019–1027.

- Kalyani, S., Smitha, B., Sridhar, S., dan Krishnaiah, A., 2008, Pervaporation Separation of Ethanol–Water Mixtures Through Sodium Alginate Membranes, *Desalination*, 229(1), 68–81.
- Kamoun, E. A., Kenawy, E. S., Tamer, M., El–meligy, M. A., dan Mohy Eldin, M. S., 2013, Poly(vinyl alcohol)–alginate Physically Crosslinked Hydrogel Membranes for Wound Dressing Applications : Characterization and bio–evaluation, *ARABJC*, 8(1), 1-12.
- Kanti, P., Gowri, K. S., Madhuri, J., Smitha, B., dan Sridhar, S., 2004, Dehydration of Ethanol Through Blend Membranes of Chitosan and Sodium Alginate by Pervaporation, *Sep. Purif. Technol.*, 40(3), 259–266.
- Kashima, K., dan Imai, M., 2012, Advanced Membrane Material from Marine Biological Polymer and Sensitive Molecular–Size Recognition for Promising Separation Technology, *Adv. Desalination*, 3–36.
- Kiswandono, A. A., Siswanta, D., dan Aprilita, N. H., 2014, The Capability of Copoly (Eugenol–Divinylbenzene) As a Carrier For Phenol Transport With Polymer Inclusion Membrane (PIM), *J. of Envi. Friendly Proc.*, 2(2), 57–68.
- Kosaric, N., Duvnjak, Z., Farkas, A., Sahm, H., Bringer–Meyer, S., Goebel, O., dan Mayer, D., 2012, *Ethanol*, Ullmann, F. dan Bohnet, M. (Eds.), *Ullmann's Encyclopedia of Industrial Chemistry* (7th Edition), Willey–VCH Verlag GmbH & Co. KGaA, United Kingdom.
- Kótai, L., Szépvölgyi, J., Szilágyi, M., Zhibin, L., Baiquan, C., Sharma, V., dan Sharma, P. K., 2013, *Biobutanol from Renewable Agricultural and Lignocellulose Resources and Its Perspectives as Alternative of Liquid Fuels*. Fang, Z. (Ed.), *Liquid, Gaseous and Solid Biofuels–Conversion Techniques*, InTech, Rijeka, Croatia,
- Kujawska, A., Kujawski, J., Bryjak, M., dan Kujawski, W., 2015, ABE fermentation products recovery methods-A review, *Renew Sust. Energ. Rev.*, 48, 648–661.
- Kurkuri, M. D., Toti, U. S., dan Aminabhavi, T. M., 2002, Syntheses and Characterization of Blend Membranes of Sodium Alginate and Poly(vinyl alcohol) for The Pervaporation Separation of Water - Isopropanol Mixtures, *J. Appl. Polym. Sci.*, 86(14), 3642–3651.
- Laganà, F., Barbieri, G., dan Drioli, E., 2000, Direct Contact Membrane Distillation: Modelling and Concentration Experiments. *J. Membrane Sci.*, 166(1), 1–11.

- Lang, K., Matsuura, T., Chowdhury, G., dan Sourirajan, S., 1995, Preparation and Testing of Polyvinyl Alcohol Composite Membranes for Reverse Osmosis, *Canadian J. Chem. Eng.*, 73(5), 686–692.
- Lawrie, G., Keen, I., Drew, B., Chandler–Temple, A., Rintoul, L., Fredericks, P., dan Grøndahl, L., 2007, Interactions Between Alginate and Chitosan Biopolymers Characterized using FTIR and XPS, *Biomacromolecules*, 8(8), 2533–2541.
- Lewandowska, M., dan Kujawski, W., 2007, Ethanol Production from Lactose in a Fermentation / Pervaporation System, *J. Food Eng.*, 79(2), 430–437.
- Li, G., Zhang, W., Yang, J., dan Wang, X., 2007, Time–dependence of Pervaporation Performance for The Separation of Ethanol/Water Mixtures through Poly(vinyl alcohol) Membrane, *J. Colloid Interface Sci.*, 306(2), 337–344.
- Li, N. N., Fane, A. G., Ho, W. S. W., dan Matsuura, T., 2012, *Advanced Membrane Technology and Applications*, Vol. XXXIII, John Wiley & Sons, Inc., Hoboken, New Jersey. doi: 10.1002/9780470276280
- Li, T., Pan, Y., Peinemann, K.–V., dan Lai, Z., 2013, Carbon Dioxide Selective Mixed Matrix Composite Membrane Containing ZIF–7 nano–fillers, *J. Membrane Sci.*, 425–426, 235–242.
- Liu, F., Liu, L., dan Feng, X., 2005, Separation of Acetone–Butanol–Ethanol (ABE) from Dilute Aqueous Solutions by Pervaporation, *Sep. Purif. Technol.*, 42(3), 273–282.
- Liu, Y., Wang, R., Ma, H., Hsiao, B. S., dan Chu, B. (2013). High–flux Microfiltration Filters Based on Electrospun Poly(vinyl alcohol) Nanofibrous Membranes, *Polymer (UK)*, 54(2), 548–556.
- Lokesh, B. G., Reddy, V. N. M., dan Rao, K. S. V. K., 2009, Dehydration of Isopropanol Through Blend Membranes of Poly(vinyl Alcohol) and Chitosan by Pervaporation, *Bull. Che. Sci*, 7(1), 67–76.
- Marigliano, G., Barbieri, G., dan Drioli, E., 2003, Equilibrium Conversion for a Pd–based Membrane Reactor Dependence on The Temperature and Pressure, *Chem. Eng. and Processing*, 42(3), 231–236.

- Meenakshi, S., Bhat, S. D., Sahu, A. K., Alwin, S., Sridhar, P., dan Pitchumani, S., 2012, Natural and Synthetic Solid Polymer Hybrid Dual Network Membranes as Electrolytes for Direct Methanol Fuel Cells, *J. of Solid State Electrochem.*, 16(4), 1709–1721.
- Mishra, R. K., Banthia, A. K., dan Majeed, A. B. A., 2012, Pectin Based Formulations Biomedical Application: A Review, *Asian J. Pharm Clin. Res.*, 5(4), 1–7.
- Mishra, R. K., Datt, M., dan Banthia, A. K., 2008, Synthesis and Characterization of Pectin/ PVP Hydrogel Membranes for Drug Delivery System. *AAPS Pharm. Sci. Tech.*, 9(2), 395–403.
- Muller, V., 2008, *Bacterial Fermentation*, Agro, A.F. (Ed.), *Encyclopedia of Life Sciences*. John Willey & Sons, Inc., Chichester, West Sussex, UK. doi: 10.1002/9780470015902.a0001415.pub2
- Niemistö, J., 2014, *Towards Sustainable and Efficient Biofuels Production : Use of Pervaporation in Product Recovery and Purification*, Disertasi, Faculty of Technology, University of Oulu, Oulu.
- Ogino, S.–I., Sato, Y., Yamamoto, G., Sasamori, K., Kimura, H., Hashida, T., dan Tohji, K., 2006, Relation of The Number of Cross–links and Mechanical Properties of Multi–walled Carbon Nanotube Films formed by a dehydration condensation reaction, *The J. of Phys. Chem. B*, 110(46), 23159–23163.
- Osunkoya, O. A., dan Okwudinka, N. J., 2011, Utilization of Sugar Refinery Waste (Molasses) for Ethanol Production-using *Saccharomyces Cereviceae*, *Am. J. Sci. Ind. Res.*, 2(4), 694–706.
- Pabby, A. K., Rizvi, S. S. H., dan Sastre, A. M., 2009, *Handbook of Membrane Separations: Chemical, Pharmaceutical, Food and Biotechnological Application*, CRC Press, New York.
- Peresin, M. S., Vesterinen, A.–H., Habibi, Y., Johansson, L.–S., Pawlak, J. J., Nevzorov, A. a., dan Rojas, O. J., 2014, Crosslinked PVA Nanofibers Reinforced with Cellulose Nanocrystals: Water interactions and thermomechanical properties, *J. Appl. Polym. Sci.*, 131(11), 40334–40345.
- Praptowidodo, V. S., 2005, Influence of Swelling on Water Transport Through PVA–based Membrane, *J. Mol. Struct.*, 739(1–3), 207–212.

- Puspita M, E., Silviana, H., dan Ismail, T., 2010, Fermentasi Etanol dari Molasses dengan *Zymomonas Mobilis* A3 yang Diamobilisasi pada κ -Karaginan, *Seminar Rekayasa Kimia dan Proses*, Jurusan Teknik Kimia, Fakultas Teknik, ITS, Surabaya.
- Ribeiro Jr., C. P., dan Borges, C. P., 2004, Using Pervaporation Data in The Calculation of Vapour Permeation Hollow-Fibre Modules For Aroma Recovery, *Braz. J. Chem. Eng.*, 21(4), 629–640.
- Rusmana, I., 2008, *Sistem Operasi Fermentasi*. Departemen Biologi, FMIPA IPB, Bogor.
- Samal, A., 2011, Simultaneous Fermentation and Separation Using Pervaporation Technique of Aceton–Butanol–Ethanol Fermentation: A Mathematical Approach, *Tesis*, Department Of Biotechnology and Medical Engineering, National Institute of Technology, Rourkela.
- San Roman, M. F., Bringas, E., Ibanez, R., dan Ortiz, I., 2010, Liquid Membrane Technology : fundamentals and review of its applications, *J. Chem. Technol. Biotechnol.*, 85(1), 2–10.
- Saxena, S. K., 2004, *Polyvinyl Alcohol (PVA): Chemical and Technical Assessment (CTA)*, 61st JECFA, 1(3)-3(3).
- Scott, C., 2004, Microbial Fermentation: The Oldest Form of Biotechnology, *Bio Process International*, 2, June, Suppl. 1–8.
- Sekharnath, K. V, Siraj, S., Rao, U. S., Sudhakar, P., Maruthi, Y., Kumar babu, P., dan Rao, K. C., 2014, Phosphomolybdic Acid Embedded PVA–Pectin Blend Membranes for Pervaporation Dehydration of Isopropanol and Water, *Advances in Polymer Science and Technology: An Int. J.*, 4(4), 60–68.
- Shahrabi, S.S., Mortaheb, H. R., Barzin, J., dan Ehsani, M. R., 2012, Pervaporation Performace of a PDMS/blended PES Composite Membrane for Removal of Toluene from Water, *Desalination*, 287, 281–289.
- Sheftel, V., 2000, *Indirect Food Additives and Polymers: Migration and Toxicology*, CRC Press, New York.
- Simone, S., Figoli, a., Criscuoli, a., Carnevale, M. C., Rosselli, a., dan Drioli, E., 2010, Preparation of Hollow Fibre Membranes from PVDF/PVP Blends and Their Application in VMD, *J. Membrane Sci*, 364(1–2), 219–232.

- Soares, G. A., Castro, A. D. De, Cury, B. S. F., dan Evangelista, R. C., 2013, Blends of Cross-linked High Amylose Starch/Pectin Loaded with Diclofenac, *Carbohydr. Polym.*, 91(1), 135–142.
- Speight, J. G., 2002, *Chemical and Process Design Handbook*, McGraw-Hill, New York, USA.
- Sulihono, A., Tarihoran, B., dan Agustina, T. E., 2012, Jenis Pelarut Terhadap Ekstraksi Pektin dari Kulit Jeruk Bali (*Citrus maxima*), *J. Teknik Kimia*, 18(4), 1–8.
- Suprihatin, 2010, *Teknologi Fermentasi*, (1st ed.), UNESA Press, Surabaya.
- Svang–Ariyaskul, A., Huang, R. Y. M., Douglas, P. L., Pal, R., Feng, X., Chen, P., dan Liu, L., 2006, Blended Chitosan and Polyvinyl Alcohol Membranes for The Pervaporation Dehydration of Isopropanol, *J. Membrane Sci.*, 280(1–2), 815–823.
- Tang, X., dan Alavi, S., 2011, Recent Advances in Starch, Poly(vinyl alcohol) Based Polymer Blends, Nanocomposites and Their Biodegradability, *Carbohydr. Polym.*, 85(1), 7–16.
- Tashiro, Y., dan Sonomoto, K., 2010 *Advances in butanol production by clostridia*, Mendez-villas, A. (Ed), *Current Research, Technology and Education Topics in Applied Microbiology and Microbial Biotechnology*, FORMATEX.
- Toti, U. S., dan Aminabhavi, T. M., 2004, Different Viscosity Grade Sodium Alginate and Modified Sodium Alginate Membranes in Pervaporation Separation of Water + Acetic Acid and Water + Isopropanol Mixtures, *J. Membrane Sci.*, 228(2), 199–208.
- van der Merwe, A., 2010, Evaluation of Different Process Designs for Biobutanol Production from Sugarcane Molasses, *Tesis*, Department of Process Engineering, University of Stellenbosch, Stellenbosch.
- Vane, L. M., 2013, Pervaporation and Vapor Permeation Tutorial: Membrane Processes for the Selective Separation of Liquid and Vapor Mixtures, *Sep. Sci. and Technol.* 48(3), 429–437.
- Waldron, K., 2010, *Bioalcohol production: Biochemical Conversion of Lignocellulosic Biomass* (K. Waldron, Ed.), Woodhead Publishing Limited, New York.

- Wang, Y., dan Hsieh, Y., 2010, Crosslinking of Polyvinyl Alcohol (PVA) Fibrous Membranes with Glutaraldehyde and PEG Diacylchloride, *J. Appl. Polym. Sci.*, 116(6), 3249–3255.
- Widjaja, I. T., 2009, Produktifitas Etanol dari Molases dengan Proses Fermentasi Kontinyu Menggunakan *Zymomonas Mobilis* dengan Teknik Immobilisasi Sel K-Karaginan dalam Bioreaktor Packed-Bed, Jurusan Teknik Kimia, Fakultas Teknik Industri, Institut Teknologi Sepuluh November, Surabaya.
- Widodo, S., Widiasta, I. N., dan Wenten, I. G., 2004, Pengembangan Teknologi Pervaporasi untuk Produksi Etanol Absolut, *Proceeding of Chemical engineering on Seminar Nasional Rekayasa Kimia dan Proses*, UNDIP, Semarang.
- Wong, W., Abbas, F. M. A., Liong, M. T., dan Azhar, M., 2008, Modification of Durian Rind Pectin for Improved Biosorbent Ability, *Int. Food Res. J.*, 15(3), 363–365.
- Wu, H., Chen, X.-P., Liu, G.-P., Jiang, M., Guo, T., Jin, W.-Q., dan Zhu, D.-W., 2012, Acetone–Butanol–Ethanol (ABE) Fermentation using *Clostridium acetobutylicum* XY16 and in situ Recovery by PDMS/Ceramic Composite Membrane, *Bioproc. Biosyst. Eng.*, 35(7), 1057–1065.
- Wu, Z., Bouklas, N., dan Huang, R., 2013, Swell–induced Surface Instability of Hydrogel Layers with Material Properties Varying in Thickness Direction, *Int. J. Solids Struct.*, 50(3–4), 578–587.
- Xie, Z., 2012, Hybrid Organic-Inorganic Pervaporation Membranes for Desalination, *Disertasi*, Institute for Sustainability and Innovation, School of Engineering & Science, Victoria University, Victoria.
- Yang, C.-C., 2007, Synthesis and Characterization of The Cross-linked PVA/TiO₂ Composite Polymer Membrane for Alkaline DMFC, *J. Membrane Sci.*, 288(1–2), 51–60.
- Yeom, C. K., dan Lee, K. H., 1996, Pervaporation Separation of Water–Acetic acid Mixtures Through Poly(vinyl alcohol) Membranes Crosslinked with Glutaraldehyde, *J. Membrane Sci.*, 109(2), 257–265.
- Yu, J., Haeng Lee, C., dan Hi Hong, W., 2002, Performances of Crosslinked Asymmetric Poly(vinyl alcohol) Membranes for Isopropanol Dehydration by Pervaporation, *Chem. Eng. Process*, 41(8), 693–698.

- Yu, L. Yu., Shen, H. M., dan Xu, Z. L., 2009, PVDF–TiO₂ Composite Hollow Fiber Ultrafiltration Membranes Prepared by TiO₂ Sol–Gel Method and Blending Method, *J. Appl. Polym. Sci.*, 113(3), 1763–1772.
- Zhang, C., Yuan, X., Wu, L., Han, Y., dan Sheng, J., 2005, Study on Morphology of Electrospun Poly(vinyl alcohol) Mats, *Eur. Polym. J.*, 41(3), 423–432.
- Zhou, H., Su, Y., Chen, X., dan Wan, Y., 2011, Separation of Acetone, Butanol and Ethanol (ABE) from Dilute Aqueous Solutions by Silicalite–1/PDMS Hybrid Pervaporation Membranes, *Sep. Purif. Technol.*, 79(3), 375–384.
- Zuo, J., Bonyadi, S., dan Chung, T.–S., 2015, Exploring The Potential of Commercial Polyethylene Membranes for Desalination by Membrane Distillation, *J. Membrane Sci.*, 497, 239–247.