

## DAFTAR PUSTAKA

- Abu-Hamdah, R., Rabiee, A., Meneilly, G.S., Shannon, R.P., Andersen, D.K., Elahi, D. 2009. The extrapancreatic effects of Glucagon-like peptide-1 and related peptides. *J Clin Endocrinol Metab* 94(6): 1843–1852.
- Adeghate, E., Saadi, H., Adem, A. & Obineche, E. 2006. *Diabetes mellitus and its Complications: Molecular mechanisms, epidemiology, and clinical medicine*, Wiley-Blackwell, New York, USA.
- Aguilar-Bryan, L., Clement, J. P., Gonzalez, G., Kunjilwar, K., Babenko, A., & Bryan, J. 1998. Toward understanding the assembly and structure of KATP channels. *Physiol Rev*, 78(1), 227-245.
- Ahn, J.H. *et al.*, 2014. Prevalence and determinants of diabetic nephropathy in Korea: Korea national health and nutrition examination survey. *Diabetes & metabolism*, 38 (2), 109–119
- Aherne, S.A., O'Brien, N.M., 2002. Dietary flavonols: chemistry, food content, and metabolism. *Nutrition*, 18:75-81.
- American Diabetes Association, 2005. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 28 (1 suppl) : S5-S10.
- American Diabetes Association, 2012. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 35 ( 1 suppl) : S64- S71.
- American Diabetes Association, 2015. Microvascular complications and foot care *Diabetes Care*, 38 (Suppl 1), S58–S66
- Anonim. 2009. What is the metabolic role of phosphoenolpyruvate carboxykinase? *J. Biol. Chem* . The America Society for Biochemistry and Molecular Biology, Inc.
- Barratt, J and Topham, P. 2007. Urine proteomics: The present and future of measuring urinary protein components in disease. *CMAJ*, 177 : 361–368
- Basu, R., Chandramouli, V., Dicke, B., Landau, B., Rizza, R., 2005. Obesity and type 2 diabetes impair insulin-induced suppression of glycogenolysis as well as gluconeogenesis. *Diabetes* 54:1942–1948.
- Beale, E.G., Chrapkiewicz, N.B., Scoble, H.A., Metz, R.J., Quick, D.P *et al.*, 1985. Rat hepatic cytosolic phosphoenolpyruvate carboxykinase structure of the protein, messenger RNA, and gene. *J Biol Chem* 260: 10748-10760.
- Begoa, C., 2003. Repeated oral administration of high doses of the pomegranate ellagitannin punicalagin to rats for 37 days is not toxic. *J Agric Food Chem*. 51(11):3493-3501.
- Bell, G.I. *et al.*, 1983. Exon duplication and divergence in the human preglucagon Gene. *Nature*. 304 : 368–371
- Bitar, M. S., Al-Saleh, E., and Al-Mulla, F., 2005. Oxidative stress mediated alterations in glucose dynamics in a genetic animal model of type II diabetes. *Life Sci* 77: 2552–2573.
- Brownlee, M., 2001. Biochemistry and molecular cell biology of diabetic complications. *Nature* 414:813–820.

- Brubaker, P. L., 2006. The glucagon-like peptides: pleiotropic regulators of nutrient homeostasis. *Ann N Y Acad Sci* 1070:10–26.
- Brubaker, P. L., Drucker, D., 2004. Minireview: Glucagon-like peptides regulate cell proliferation and apoptosis in the pancreas, gut, and central nervous system. *Endocrinology* 145: 2653–2659.
- Bryant, N.J., Govers, R., James, D.E., 2002. Regulated transport of the glucose transporter GLUT4. *Mol Cell Biol* 3: 267-277.
- Cazarolli, L.H., Zanatta, L., Alberton, E.H., Figueiredo, M.S., Folador, P., Damazio, R.G., et al. 2008. Flavonoids: prospective drug candidates. *Mini Rev Med Chem.* 8:1429–1440.
- Chan, J.C.N., Malik, V., Jia, W., Kadowaki, T., Yajnik, C.S., Yoon, K.H., Hu, F.B., 2009. Diabetes in Asia, epidemiology, risk factors, and pathophysiology. *JAMA* 301(20).
- Chang, Y.C., Chuang, L.M., 2010. The role of oxidative stress in the pathogenesis of type 2 diabetes: from molecular mechanism to clinical implication. *Am J Transl Res* 2(3): 316- 331.
- Cheng, A.Y and Fantus, I.G., 2005. Oral antihyperglycemic therapy for type 2 diabetes mellitus. *CMAJ.* 172(2) :213-26.
- Cho, Y.M., Youn, B-S., Lee, H., Lee, N., Min, S-S., Kwak, S.H., Lee, H.K., Soo, K., 2006. Plasma retinol-binding protein-4 concentrations are elevated in human subjects with impaired glucose tolerance and type 2 diabetes. *Diabetes Care* 29(11): 2457-61.
- Ciuchi, E., Odetti, P., Prando, R., 1996 : Relationship between glutathione and sorbitol concentrations in erythrocytes from diabetic patients. *Metabolism* 45(5):611-613.
- Colantuoni, V., Romano, V., Bensi, G., Santoro, C., Costanzo, F., Raugei, G., and Cortese, R., 1983. Cloning and sequencing of a full length cDNA coding for human retinol binding protein. *Nucleic Acids Res* 11: 7769–7776.
- D'Alession, D.A. dan Vahl, T.P., 2004. Glucagon-like peptide 1: evolution of an incretin into a treatment for diabetes. *Am J Physiol Endocrinol Metab*, 286:E882-E890.
- Dao, T.M.A., Waget, A., Klopp, P., Serino, M., et al., 2011. Resveratrol increases glucose induced GLP-1 secretion in mice: a mechanism which contributes to the glycemic control. *PLoS ONE*, 6 (6): e 20700.
- Day, A.J., Cañada, F.J., Diaz, J.C., Kroon, P.A., Mclauchlan, R., Faulds, C.B., Plumb, G.W., Morgan, M.R., Williamson, G. 2000. Dietary flavonoid and isoflavone glycosides are hydrolysed by the lactase site of lactase phlorizin hydrolase. *FEBS Lett.*, 2000, 468, 166-170.
- Day, A.J., Gee, J.M., DuPont, M.S., Johnson, I.T., Williamson, G. 2003. Absorption of quercetin-3-glucoside and quercetin-40-glucoside in the rat small intestine: the role of lactase phlorizin hydrolase and the sodium-dependent glucose transporter. *Biochem Pharmacol* 65:1199–1206.
- De, D., Chatterjee, K., Ali, K.M., Bera, T.K., and Ghosh, D., 2011. Antidiabetic potentiality of the aqueous-methanolic extract of seed of *swietenia mahagoni* (L.) jacq. in streptozotocin-induced diabetic male albino rat: Correlative and evidence-based approach with antioxidative and

- antihyperlipidemic activities. *Evid Based Complement Alternat Med.* 2011: 1-11.
- Deacon, C.F., Nauck, M.A., Toft-Nielsen, M., Pridal, L., Willms, B., Holst, J.J., 1995. Both subcutaneously and intravenously administered glucagon-like peptide 1 are rapidly degraded from the NH<sub>2</sub>-terminus in type II diabetic patients and in healthy subjects. *Diabetes* . 44:1126–1131.
- Dewanjee, S., Maiti, A., Das, A.K., Mandal, S.C., Dey, S.P., 2009. Swietenine: A potential oral hypoglycemic from *Swietenia macrophylla* seed. *Fitoterapia*, 80: 249–251.
- Ducluzeu, P.H., Perreti, N., Laville, M., Andreelli, F., Vega, N., Riou, J. P. Vidal, H., 2001. Regulation by insulin of Gene Expression in Human Skeletal Muscle and Adipose Tissue: Evidence for Specific Defects in Type 2 Diabetes. *Diabetes* 50: 1134-1142.
- Esteve, E, Ricart, W, Fernandez-Real, JM. 2009. Adipocytokines and insulin resistance. *Diabetes Care.* 32, 2.
- Falah, Suzuki and Katayama, 2008. Chemical constituents from *Swietenia macrophylla* Bark and their antioxidant activity, *Pak J Biol Sci* 11(16): 2007- 2012.
- Falah, S., Safitri, M., Katayama, T., and Suzuki, T., 2010. Hypoglycemic effect of mahogany (*Swietenia macrophylla* King) bark extracts in alloxan- induced diabetic rats. *Wood Res Jl* 1 (2): 89-94.
- Farilla, L., Hui, H., Bertolotto, C et al (2002) Glucagon-like peptide-1 promotes islet cell growth and inhibits apoptosis in Zucker diabetic rats *Endocrinology* 143:4397–4408.
- Feldman, D., Hirst, M. 1978. Glucocorticoids and regulation of Phosphoenolpyruvate carboxykinase activity in rat brown adipose tissue. *Am J Physiol.*235: 197-202.
- Flores, H., Alleyne, G.A. 1971. Phosphoenolpyruvate carboxykinase of kidney: subcellular distribution and response to acid-base changes. *Biochem J* 123: 35-39.
- Flower, D. R., 1996. The lipocalin protein family: structure and function. *Biochem. J.* 318 : 1–14.
- Fowler, M.J., 2008. Microvascular and macrovascular complications of diabetes. *Clinical Diabetes* (26) 77-82.
- Goh, B.H., Kadir, A. H., Malek, A. S, Ng, S.W., 2010. Swietenolide diacetate from the seeds of *Swietenia macrophylla*. *Acta Crystallogr. E*, 66: 1396–1396.
- Gómez-Valadés, A.G., Vidal-Alabré, A., Molas, M., Boada, J., Bermúdez, J., Bartrons, R., Perales, J.C., 2008. Overcoming diabetes-induced hyperglycemia through inhibition of hepatic phosphoenolpyruvate carboxykinase (GTP) with RNAi. *Mol Ther.*;13(2):401-10.
- Govorko, D, Logendra, S, Wang, Y, Esposito, D, Komarnytsky, S, Ribnicky, D, et al. 2007. Polyphenolic compounds from *Artemisia dracuncululus* L. Inhibit PEPCK gene expression and gluconeogenesis in an H4IIE hepatoma cell line. *Am J Physiol Endocrinol Metab* 293: E1503-E1510

- Graham, T.E., yang, Q., Bluher, M., Hammar Stedt, A., Ciaraldi, F.C., Henry, R.R., *et al.*, 2006. Retinol- binding protein 4 and insulin resistance in lean, obese, and diabetic subjects. *N Engl. J. Med* 354: 2552-2563.
- Hajra,S., Metha, A., Pandey, P., and Vyas, S.P., 2011. Antioxidant and antidiabetic potential of ethanolic extract of *Swietenia mahagoni* (LINN) seed. *IJPRD* 3(3): 180 - 186.
- Hanson, R.W., Reshef, L., 1997. Regulation of phosphoenolpyruvate carboxykinase (GTP) gene expression. *Annu Rev Biochem* 66: 581–611.
- Hare, K.J., Vilsbøll, T., Asmar, M., Deacon, C.F., Knop, F.K., Holst, J.J., 2010 The glucagonostatic and insulinotropic effects of glucagon-like peptide 1 contribute equally to its glucose-lowering action. *Diabetes* 59:1765–1770
- Hermann, C., Goke, R., Richtel, G., Fehmann, H.C., Arnold, R., Goke, B., 1995. Glucagon-like peptide-1 and glucose-dependent insulin-releasing polypeptide plasma levels in response to nutrients. *Digestion* 56:117–126.
- Hiriart, M., & Aguilar-Bryan, L. 2008. Channel regulation of glucose sensing in the pancreatic beta-cell. *Am J Physiol Endocrinol Metab*, 295(6), 1298-1306.
- Holst, JJ. 2007. The physiology of glucagon-like peptide-1. *Physiol Rev* 87: 1409-1439.
- Jaconi, S., Rose ,K., Hughes, G.J., Saurat, J.H & Siegenthaler, G., 1995. Characterization of two post-translationally processed forms of human serum retinol-binding protein: altered ratios in chronic renal failure. *J. Lipid Res.* 36 : 1247–1253.
- Jarald, E., Joshi, S.B., Jain, D.C.H., 2008. Diabetes and herbal medicines. *Iran J Pharm & Therap* 7 (1): 97–106.
- Jung, M., Park, M., Lee, H.C., Kang, Y.H., Kang, E.S., and Kim, S.K., 2006. Antidiabetic agents from medicinal plants. *Curr Med Chem* 13: 1203-1218.
- Junga, UJ., Leeb, MK., Parkc, YB., Kangc, MA., Choi, MS., 2006. Effect of citrus flavonoids on lipid metabolism and glucose-regulating enzyme mRNA levels in type-2 diabetic mice. *Int J Biochem Cell Biol* 38(7): 1134-1145.
- Kalkan, I.H and Suher, M., 2013. The relationship between the level of glutathione impairment of glucose metabolism and complication of diabetes mellitus. *Pak. J. Med Sci*: 29(4): 938-942.
- Kanter, M.,H., Uysal, T., Karaca and Sagmanligil, H. , 2006. Depression of glucose levels and partial restoration of pancreatic - cell damage by melatonin in streptozotocin-induced diabetic rats. *Arch. Toxicol* 80: 362-369.
- Kato, M, Tani, T, Terahara, N, Tsuda, T. 2015. The anthocyanin delphinidin 3-rutinoside stimulates glucagon-like peptide-1 secretion in murine GLUTag cell line via the Ca<sup>2+</sup>/calmodulin-dependent kinase II pathway. *PloS ONE* 10(5).
- Karaca, T., Yoruk, M., Ibrahim, H., Yoruk and Sema., 2010. Effects of green tea and ginseng on pancreatic beta cells and level of serum glucose, insulin, cholesterol and triglycerides in rats with experimentally streptozotocin-

- induced diabetes : A Histochemical and immunohistochemical study. *J Anim Vet Adv* 9(1): 102-107.
- Kieffer TJ, McIntosh CH, Pederson RA. 1995. Degradation of glucosedependent insulinotropic polypeptide and truncated glucagon like peptide 1 in vitro and Invivo by dipeptidyl peptidase IV. *Endocrinology* ;136:3585–3596.
- Kieffer T.J, Habener JF. The glucagon-like peptides. *Endocr Rev.*1999;20(6): 876-913. Available on: <http://www.edrv.endojournals.org/cgi/reprint/876>
- Kloting, N., Graham, T.E., Berndt, J., Kralisch, S., Kovacs, P., Wason, C.J., Fasshauer, M., Schön, M.R., Stumvoll, M., Blüher, M., Kahn, B.B., 2007. Serum retinol-binding protein is more highly expressed in visceral than in subcutaneous adipose tissue and is a marker of intra-abdominal fat mass. *Cell Metab* 6(1): 79-87.
- Kupriyanova, T.A., Kandror, K.V. 1999. Akt-2 binds to Glut4-containing vesicles and phosphorylates their component proteins in response to insulin. *J Biol Chem* 274: 1458-1464.
- Lambert, N., Kroon, P.A., Faulds, C.B., Plumb, G.W., McLauchlan, W.R., Day, A.J., Williamson, G. 1999. Purification of cytosolic beta-glucosidase from pig liver and its reactivity towards flavonoid glycosides. *Biochim Biophys Acta.* 1999;1435:110–116.
- Lee, Y.S., Shin, S., Shigihara, T., Hahm, E., Liu, M.J., Han, J., Yoon, J.W., Jun, H.S., 2007. Glucagon-like peptide-1 gene therapy in obese diabetic mice results in long-term cure of diabetes by improving insulin sensitivity and reducing hepatic gluconeogenesis. *Diabetes* 56(6): 1671-9.
- Le Good, J. A., Ziegler, W. H., Parekh, D. B., Alessi, D. R., Cohen, P. and Parker, P. J., 1998. Protein kinase C isotypes controlled by phosphoinositide 3-kinase through the protein kinase PDK1; *Science* 281: 2042–2045.
- Liu, D., Zhen, W., Yang, Z., Carter, J.D., Si, H., Reynolds, K.A., 2006. Genistein acutely stimulates insulin secretion in pancreatic beta-cells through a cAMP-dependent protein kinase pathway. *Diabetes* 55: 1043-1050
- Logendra, S., Ribnicky, D.M., Yang, H., Poulev, A., Ma, J., Kennelly, E.J., Raskin, I., 2006. Bioassay-guided isolation of aldose reductase inhibitors from *Artemisia dracunculus*. *Phytochemistry* 67: 1539–1546.
- Manach, C., Scalbert, A., Morand, C., Rémésy, C., Jimenez, L. 2004. Polyphenol: food sources and bioavailability. *Am J Clin Nutr.* 79:727–747.
- Mane, P.B., Antre, R.V. and Oswal, R.J., 2012. Antidiabetic drugs: An overview, review Article. *IJPCS* 1 (1): 301-306.
- Marguet D, Baggio L, Kobayashi T, Bernard AM, Pierres M, Nielsen PF, Ribel U, Watanabe T, Drucker DJ, Wagtman N. 2000. Enhanced insulin secretion and improved glucose tolerance in mice lacking CD26. *Proc Natl Acad Sci U S A* 2000;97:6874–6879.
- Marks, D. B., Allan, D., Smith, Colleen, M., 1996. *Basic medical Biochemistry a clinical Approach*, Baltimore, USA.
- Marritim, A. C., Sanders, R.A., and Watkins III, J.B., 2002. Diabetes, oxidative stress, and antioksidans: A review. *J Biochem Mol Toxicol* 17:24–38.
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys,

- D., et al., 1998. Experimental NIDDM: Development of a new model in adult rats administered streptozotocin and nicotinamide. *Diabetes* 47: 224-229.
- Marsono, Y., 2009. Penelitian dengan hewan coba. *Handout pelatihan pusat studi pangan dan gizi*, UGM. Yogyakarta.
- Martin, S., Millar, C.A., Lyttle, C.T., Meerloo, T., Marsh, B.J, Gould, G.W., James, D.E. 2000. Effects of insulin on intracellular GLUT4 vesicles in adipocytes: evidence for a secretory mode of regulation. *J Cell Sci.* 113(19): 3427-3438.
- Matschinsky, F. M. 1996. Banting Lecture 1995. A lesson in metabolic regulation inspired by the glucokinase glucose sensor paradigm. *Diabetes*, 45(2), 223-241.
- Mayo, K.E., Miller, L.J., Bataille, D., Dalle, S., et al., 2003. International Union of Pharmacology. XXXV. The glucagon receptor family. *Pharmacol Rev* 55 : 167-194.
- Miharja, L., Delima, Siawoyo, H., Ghani, L., Soegondo, S., 2009. Prevalence and determinants of diabetes mellitus and impaired glucose tolerance in Indonesia ( A part of basic health research/ Riskesdas), *Acta Med Indones* 41(4): 169-174.
- Mohan, S, Nandhakumar, L. 2014. Role of various flavonoids: hypotheses on novel approach to treat diabetes. *J Medical Hypoth Ideas*,8. 1-6.
- Mooradian, A.D. 2009. *Dyslipidemia in type 2 diabetes mellitus*, Departement of medicine, University of Florida College of Medicine, Jacksonville, FL, USA.
- Muoiol, D.M., and Newgardl, C.B., 2005. Metabolism: A is for adipokine. *Nature* 436: 337- 338.
- Murray, RK, Granner, DK, Mayes, PA, Rodwell, VW. 2003. *Harper's illustrated biochemistry*. 26 edn. McGraw-Hill Companies. United States of America.
- Mursiti, S., 2008. Isolation compound anti diabetes mellitus from the seeds of mahogany (*Swietenia macrophylla* King). UGM. Yogyakarta.
- Naudi, A., Jove, M., Ayala, V., Cassanye, A., Serrano, J., Gonzalo, H *et al.*, 2012. Cellular dysfunction in diabetes as maladaptive response to mitochondrial oxidative stress. *Exp Diabetes Res.* 2012:1-14.
- Németh, K., Plumb, G.W., Berrin, J.G., Juge, N., Jacob, R., Naim, H.Y., et al., 2003. Deglycosylation by small intestinal epithelial cell  $\beta$ -glucosidases is a critical step in the absorption and metabolism of dietary flavonoid glycosides in humans *Eur. J. Nutr.*, 42, 29-42.
- Nielsen, S.E, Breinholt, V., Justesen, U., Cornett, C., and Dragsted, L.O.1998. In vitro biotransformation of flavonoids by rat liver microsomes. *Xenobiotica* 28:389-401
- Norseen, J., Hosooka, T., Hammarstedt, A., Yore, M.M., Kant, S., Aryal, P., et al., 2012. Retinol-binding protein 4 inhibits insulin signaling in adipocytes by inducing proinflammatory cytokines in macrophages through a c-Jun N-Terminal Kinase- and Toll-Like Receptor 4-Dependent and retinol-independent mechanism. *Mol. Cell. Biol* 32(10): 2010-19.

- Noy, N., 2000. Retinol-binding protein : mediators of retinol actions. *Biochem J* 348 (3): 481-495.
- Orskov C, Rabenhoj L, Wettergren A, Kofod H, Holst, JJ. Tissue and plasma concentrations of amidated and glycine-extended glucagon-like peptide I in humans. *Diabetes* 1994;43:535–539.
- Patel, D.K., Kumar, R., Prasad, S.K., Sairam, K., Hemalatha, S., 2011. Antidiabetic and in *vitro* antioxidant potential of *Hybanthus enneaspermus* (Linn) F. Muell in streptozotocin-induced diabetic rats. *Asian Pac J Trop Biomed.* 1(4): 316-322.
- Pietta, P.G., 2000. Flavonoid as antioxidants. *J. Nat. Prod.* 63. 1035-1042.
- Piskula, M. K. and Terao, J. 1998a. Accumulation of (-)-epicatechin metabolites in rat plasma after oral administration and distribution of conjugation enzymes in rat tissues. *J. Nutr.* 128:1172-1178.
- PERKENI, 2011. Konsensus pengendalian dan pencegahan diabetes mellitus tipe 2 di Indonesia. Jakarta : PERKENI.
- Polonsky, K.S., Sturis, J., Bell, G.I., 1996. Non insulin-dependent diabetes mellitus a genetically programmed failure of the beta cell to compensate for insulin resistance. *N Engl. J. Med* 334(12): 777-783.
- Prabu, K., Ananda, *et al.*, 2012. Effect of *biophytum sensitivum* on streptozotocin and nicotinamide induced diabetic rats. *Asian Pac J Trop Biomed* 2(1): 31-35.
- Prasath, GS, Pillai, SI, Subramanian, SP. 2014. Fisetin improves glucose homeostasis through the inhibition of gluconeogenic enzyme in hepatic tissues of streptozotocin induced diabetic rats. *Eur J Pharmacol*, 740:248-54.
- Price, S.A., Wilson, L.M., 2003. *Patofisiologi, konsep klinis proses-proses penyakit*. Penerbit Buku Kedokteran EGC. Jakarta 6 (2): 940-941.
- Rang, H.P., Dale, M.M., and Ritter, J.M., 1991. *Pharmacology*, Longman Group Ltd, London, UK.
- Reimann, F., Gribble, F.M., 2002. Glucose-sensing in glucagon-like peptide-1-secreting cells. *Diabetes* 51:2757–2763.
- Reshef, L., Hanson, R.W., Ballard, F.J. 1970. A possible physiological role for glyceroneogenesis in rat adipose tissue. *J Biol Chem.* 245 : 5979-5984.
- Ribnicky, D.M., Poulev, A., Watford, M., Cefalu, W.T., Raskin, I., 2006. Antihyperglycemic activity of tarralin, an ethanolic extract of *Artemisia dracuncululus* L. *Phytomedicine* 13: 550–557.
- Rorsman, P., & Renstrom, E. 2003. Insulin granule dynamics in pancreatic beta cells. *Diabetologia*, 46(8): 1029-1045.
- Ruiz-Grande C, Alarcon C, Alcantara A, Castilla C, Lopez Novoa JM, Villanueva-Penacarrillo ML, Valverde I. Renal catabolism of truncated glucagon-like peptide 1. *Horm Metab Res* 1993;25: 612–616.
- Saad, A.H and Bushra, H. M. 2013. Flavonoids as alternatives in treatment of type 2 diabetes mellitus. *Acad J Med Plants.* 1(2): 031-036.
- Sasaki, R, Nishimura, H., Hoshino, H., Isa, Y., Kadowaki, M., Ichi, T, *et al.*

2007. Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice. *Biochem pharmacol*, 74(11):1619-27.
- Scalbert, A., Williamson, G. 2000. Dietary intake and bioavailability of polyphenols. *J Nutr* ., 130:2073S–85S.
- Sherwood, L. 2010. *Human physiology: from cells to systems*. 7 edn. Yolanda Cassio. Canada.
- Sinnreich, M., Taylor, B.V., Dyck, P.J. 2005. Diabetic neuropathies. Classification, clinical features, and pathophysiological basis. *Neurologist*, 11: 63–79
- Sung, H.Y., Hong, C.G., Suh, Y.S., Cho, H.C., Park, J.H., Bae, J.H, *et al.* 2010. Role of (-)-epigallocatechin-3-gallate in cell viability, lipogenesis, and retinol-binding protein 4 expression in adipocytes. *Naunyn-Schmiedeberg's Arch Pharmacol*, 382(4):303-310.
- Stephan, M., Radicke, A., Leutloff, S., Schmiedl, A., Pabst, R., Von hörsten, S., Dettmer, S., Lotz, J., Nave, H., 2011. Dipeptidyl peptidase IV (DPP4)-deficiency attenuates diet-induced obesity in rats: possible implications for the hypothalamic neuropeptidergic system. *Behav. Brain Res.* 216: 712-718.
- Straub, S. G., & Sharp, G. W. 2002. Glucose-stimulated signaling pathways in biphasic insulin secretion. *Diabetes Metab Res Rev*, 18(6): 451-463.
- Tamori, Y., sakaue, H., and Kasuga, M., 2006. RBP4, an unexpected adipokine *Nature Medicine* 12, 30 – 31
- Tortora, GJ, Derrickson, B. 2012. Endocrine system, *Principles of Anatomy & Physiology*. 13 edn. p. 709. John Wiley & Sons Inc. United States of America.
- Tracy, J.A., P.J. Dyck, P.J. 2008. The spectrum of diabetic neuropathies. *Phys Med Rehabil Clin N Am*, 19 (2008), pp. 1–26.
- Vahl, T.P, *et al.*, 2003. Effects of GLP-1-(7-36)NH<sub>2</sub>, GLP-1-(7-37), and GLP-1-(9-36)NH<sub>2</sub> on intravenous glucose tolerance and glucose-induced insulin secretion in healthy humans. *J. Clin. Endocrinol. Metab.*, 88 :1772–1779
- Vessal, M., Hemmati, M., Vasei, M., 2003. Antidiabetic effects of quercetin in streptozocin induced diabetic rats. *Comp. Biochem Physiol* 135C: 357-364.
- Viltsboll T, Krarup T, Deacon CF, Madsbad S, Holst JJ. Reduced postprandial concentrations of intact biologically active glucagon-like peptide 1 in type 2 diabetic patients. *Diabetes* 2001; 50:609–613.
- Weir, B.S., 2001. B-cell turnover its assessment and implication. *Diabetes* 50 (Suppl 1): S 20- S 24.
- White, M. F., Shoelson, S.E., Keutmann, H., Kahn, C.R. 1988. A cascade of tyrosine autophosphorylation in the beta-subunit activates the phosphotransferase of the insulin receptor. *J Biol Chem*. 263: 2969-2980.
- Wild, S., Roglic, G., Green, A., Sicree, R., King, H., 2004. Global prevalence of diabetes : Estimate for the year 2000 and projection for 2030. *Diabetes Care* 27: 1047-1053.

- Wootten, D, Simms, J, Koole, C, Woodman, OL, Summers, RJ, Christopoulos, A, *et al.* 2011. Modulation of the glucagon-like peptide-1 receptor signaling by natural occurring and synthetic flavonoids. *The J Pharm and Experiment Therap*, vol. 336, No. 2
- World Health Organization, 2008. *Diabetes*. World Health Organization. Geneva.
- World Health Organization, 2011. *Diabetes*. World Health Organization. Geneva.
- Xiao Q, Boushey RP, Drucker DJ, Brubaker PL. 1999. Secretion of the intestinotropic hormone glucagon-like peptide 2 is differentially regulated by nutrients in humans. *Gastroenterology* 117: 99–105.
- Xu, G, Kaneto, H, Laybutt. DR, Duvivier-Kali, VF, Trivedi, N, Suzuma, K, *et al.* 2007. Downregulation of GLP-1 and GIP receptor expression by hyperglycemia. *Diabetes*, vol. 56, pp.1551-1558.
- Yamaaki, N., Yagi, k., Kobayashi, J., Nohara, J., Ito, N., Asano, A., *et al.*, 2013. Impact of serum retinol-binding protein 4 levels on regulation of remnant-like particles triglyceride in type 2 diabetes mellitus. *J Diabet Res* (10)115-143
- Yang, Q., Graham, T.E., Mody, N., Preitner, F., Peroni, O.D., Zabolotny, J.M., *et al.* , 2005. Serum retinol binding protein 4 contributes to insulin resistance in obesity and type 2 diabetes. *Nature* 436: 356–362.
- Yang, Y., Kalhan, S.C., and Hanson, R.W. 2009. What is the metabolic role of Phosphoenolpyruvate carboxykinase? *J. Biol.Chem.* 284 (40): 27025-27029.
- Zakir, S., 2005. *Effect of sweet potato in reducing blood glucose level in diabetic*. Faisalabad, Pakistan : University of Agriculture (tesis).