

DAFTAR PUSTAKA

- Agbede, J. O., H. Kluth, and M. Rodehutsord. 2009. Studies on the effect of microbial phytase on amino acid digestibility and energy metabolisability in caeectomised laying hens and the interaction with the dietary phosphorus level. *British Poultry Science*. 50: 583-591.
- Ahmed, T., S. H. Raza, S. Rasool, and A. Waheed. 2000. Technique for phytase enzyme production from *Aspergillus niger* and its efficacy for *in vitro* and *in vivo* dephosphorylation of corn and soybean meal. *Asian-Australasian Journal of Animal Sciences*. 13: 180-183.
- Amerah, A. M., and V. Ravindran. 2009. Influence of particle size and microbial phytase supplementation on the performance, nutrient utilization and digestive tract parameters of broiler starters. *Animal Production Science*. 49: 704 - 710.
- Angel, R., W. W. Saylor, A. D. Mitchell, W. Powers, and T. J. Applegate. 2006. Effect of dietary phosphorus, phytase and 25-hydroxycholecalciferol on broiler chicken bone mineralization, litter phosphorus and processing yields. *Poultry Science*. 85: 1200-1211.
- Awojobi, H. A., A. A. Adekunmisi, and A. O. Talabi. 2007. Comparison of wet and dry mash feeding of growing/finishing cockerel. *Animal Production Research Advances*. 3, 27-33.
- Awojobi, H. A., and O. O. Meshioye. 2001. A comparison of wet mash and dry mash feeding for broiler finisher during wet season in the tropics. *Nigerian Journal of Animal Production*. 28: 143-146.
- Broz, J., P. Oldale, A. H. Perrin-Voltz, G. Rychen, J. Schulze and C. S. Nunes. 1994. Effects of supplemental phytase on performance and phosphorus utilisation in broiler chickens fed a low phosphorus diet without addition of inorganic phosphates. *British Poultry Science*. 35: 273-280.
- Bunchasak, C. 2009. Role of dietary methionine in poultry production. *Journal of Poultry Science*. 46: 169- 179.
- Carlos, A. B., and H. M. Edwards. 1998. The Effect of 1,25-dihydroxycholecalciferol and phytase on the natural phytate phosphorus utilization by laying hens. *Poultry Science*. 77: 850-858.
- Catala-Gregori, P., V. Garcia, F. Hernandez, J. Madrid, and J. J. Ceron. 2006. Response of broilers to feeding low-calcium and phosphorus diets plus phytase under different environmental conditions: Body weight and tibiotarsus mineralization. *Poultry Science*. 85: 1923-1931.
- Cheng, Y. H., J. P. Goff, J. L. Sell, M. E. Dallorso, S. Gil, S. E. Pawlak, and R. L. Horst. 2004. Utilizing *Solanum glaucophyllum* alone or with phytase to improve phosphorus utilization in broilers. *Poultry Science*. 83: 406-413.

- Daghir, N. J. 1998. Poultry Production in Hot Climates. CAB International, Wallingford. 4: 68-72.
- Denbow, D. M., V. Ravindran, E. T. Kornegay, Z. Yi and R. M. Hulet, 1995. Improving phosphorus availability in soybean meal for broilers by supplemental phytase. Poultry Science. 74: 1831-1842.
- Dono, N. D. 2012. Nutritional strategies to improve enteric health and growth performance of poultry in the post antibiotic era. Ph.D. Thesis, University of Glasgow. Glasgow.
- Driver, J., A. Atencio, H. M. Edwards, Jr., and G. M. Pesti, 2006. Improvements in nitrogen-corrected apparent metabolizable energy of peanut meal in response to phytase supplementation. Poultry Science. 85: 96-99.
- D'Mello, J. P. F. 2003. Amino acids as multifunctional molecules. In Amino Acids in Animal Nutrition. CABI Publishing. Wallingford. 1-14.
- Fritts, C., A and P. W. Walddroup. 2006. Modified phosphorus program for broiler based on commercial feeding intervals to sustain live performance and reduce total and water-soluble phosphorus in litter. Journal of Applied Poultry Research. 15: 207-218
- Greiner, R., E. Haller, U. Konietzny and K. D. Jany.1993. Purification and characterization of a phytase from *Klebsiella terrigena*. Archives of Biochemistry and Biophysics. 341: 201-206.
- Joong, K. Y., A. Liavoga, K. Bagorogo, and M. Okot Kotber. 2000. Characterizing of phytase from bran and various wheat cultivars. American Assosiation of Cereal Chemists. 9: 5-6.
- Kaps, M. and W. Lamberson. 2004. Biostatistics for animal science. CABI Publishing. Oxfordshire.
- Kidd, M. T., J. W. Taylor, C. M. Page, B. D. Lott, and T. N. Chamblee. 2007. Hatchery feeding of starter diets to broiler chicks. The Journal of Applied Poultry Research. 16: 234-239.
- Kornegay, E. T. 2001. Digestion of phosporus and other nutrients : the role of phytates and factors influencing their activity. Department of Animal and Poultry Sciences. Virginia Polytechnic Institut and State University Blacksburg, Virginia.
- Lan, G. Q., N. Abdullah, S. Jalaludin, and Y. W. Ho. 2002. Efficacy of supplementation of a phytase-producing bacterial culture on the performance and nutrient use of broiler chickens fed corn-soybean meal diets. Poultry Science. 81: 1522-1532.
- Lesson S., and J. D. Summer. 2001. Nutrition of the Chicken. Fourth Edition. University Book. Gaelph. Ontario.
- Leeson, S., J. D. Summers. 2002. Commercial Poultry Nutrition. University Book. Gaelph. Ontario.

- Liu, Y. C., D. R. Ledoux, T. L. Veum, V. Raboy, and D. S. Ertl. 2007. Effects of low phytic acid corn on phosphorus utilization, performance and bone mineralization in broiler chicks. *Poultry Science*. 79: 1444–1450.
- Longo, F. A., J. F. M. Menten, A. A. Pedroso, A. N. Figueiredo, A. M. C. Racanicci, and J. O. B. Sorbara. 2007. Performance and carcass composition of broilers fed different carbohydrate and protein sources in the prestarter phase. *Journal of Applied Poultry Research*. 16: 171-177.
- McGilvery, R. W., and G. W. Goldstein. 1996. *Biochemistry A Fungtional Approach*. Penerjemah: T. M. Sumarno, S. Utari, V. P. Wibowo, P. Sutjipto. Rianto dan S. Sigit. Airlangga University Press, Surabaya.
- Meanz, D. D. 2005. Enzymatic Characteristic of Phytases as They Relate to Their Use in Animal Feeds. *Enzyme in Animal Nutrition*. M. R. Bedford dan G. G. Partridge, Eds. CABI Pub., United Kingdom.
- Nelson, T. S., T. R. Shieh, R. J. Wodzinski, and J. H. Ware. 1971. Effect of supplemental phytase on the utilization of phytate phosphorus by chicks. *Journal of Nutrition*. 101: 1289-1293.
- NRC. 1994. *Nutrient Requirements of Poultry*. 9th revised edition. National Academy Press, Washington, D.C.
- Odetallah, N. H., J. J. Wang, J. D. Garlich, and J. C. H. Shih. 2003. Keratinase in starter diets improves growth of broiler chicks. *Poultry Science*. 82: 664-670.
- Onyango, E. M., M. R. Bedford, and O. Adeola. 2004. The yeast production system in which *Escherichia coli* phytase is expressed may affect growth performance, bone ash and nutrient use in broiler chicks. *Poultry Science*. 83: 421-427.
- Pen J., T. C. Verwoerd, P. A. Van Paridon, R. F. Beudeker, P. J. M. Van den Elzen, K. Geerse, J. D. Van der Klis, H. A. J. Versteegh, A. J. J. Van Ooyen and A. Hoekema. 1993. Phytase-containing transgenic seeds as novel feed additive for improved fosforous utilization. *Journal Biology Technology*. 11: 811- 814.
- Perney, K. M., A. H. Cantor, M. L. Straw, and K. L. Herkel. Man. 1993. The effect of dietary phytase on growth performance and phosphorus utilization of broiler chicks. *Poultry Science*. 72 :2106-2114
- Qian, H., H. P. Veit, E. T. Kornegay, V. Ravindran and D. M. Denbow, 1996. Effects of supplemental phytase and phosphorus on histological and other tibial bone characteristics and performances of broilers fed semi-purified diets. *Poultry Science*. 75: 618-626.
- Radovic, V., S. Bogosavljevic-Boskovic, and V. Daskovic. 2007. Phytase in diet for fattening chickens, influence on bone's quality. *Biotechnology in Animal Husbandry*. 3: 303-309.

- Ravindran, V., W. L. Bryden, and E. T. Kornegay. 1995. Phytases: occurrence bioavailability and implication in poultry nutrition. Department of Animal Science, University of Sydney, Camden, Australia.
- Santos, F. R., M. Hruby, E. E. M. Pierson, J. C. Remus, and N. K. Sakomura. 2008. Effect of phytase supplementation in diets on nutrient digestibility and performance in broiler chicks. *Research Journal of Applied Poultry Research*. 17: 191-201.
- Saylor, W. W., A. Bartnikowski and T. L. Spencer. 1991. Improved performance of broiler chicks fed diets containing phytase. *Poultry Science*. 70: 104.
- Schoner, F. J., P. P. Hoppe, G. Schwarz and H. Wiesche, 1993. Effects of microbial phytase and inorganic phosphate in broiler chickens: performance and mineral retention at various calcium levels. *Journal of Animal Physiology and Animal Nutrition*. 69: 235-244.
- Sebastian, S., S. P. Touchburn, E. R. Chavez, and P. C. Lague. 1996. The effects of supplemental microbial phytase on the performance and utilization of dietary calcium, phosphorus, copper, and zinc in broiler chickens fed corn-soybean diets. *Poultry Science*. 75: 729-736.
- Selle, P. H. and V. Ravindran. 2006. Phytate degrading enzymes in pig nutrition. *Livestock Science*. 115: 99-122.
- Shin, S., N. C. Ha, B. C. Oh, T. K. Oh, and B. H. Oh. 2001. Enzyme mechanism and catalytic property of β propeller phytase. Department of Life Science and Division of Molecular and Life Science. 9:851-858.
- Simons, P. C., H. A. Versteegh, A. W. Jongbloed, P. A. Kemme, P. Slump, K. D. Bos, M. G. Wolters, R. F. Beudeker and G. J. Verschoor. 1990. Improvement of phosphorus availability by microbial phytase in broilers and pigs. *British Journal of Nutrition*. 64: 525-540.
- Sittikulwiti S, P. P. Sirichakwal, P. Purwastien, V. Chavasit, P. Sungpuag. 2004. In vitro bioavailability of calcium from chicken bone extracts powder and its fortified product. *Journal Food Compos Analysis*. 17: 321-329.
- Soeparno. 2009. Ilmu dan Teknologi Daging. Gadjah Mada University Press, Yogyakarta.
- Tadtiyanant, C., J. J. Lyons, and J. M. Vandepopuliere. 1991. Influence of wet and dry feed on laying hens under heat stress. *Poultry Science*. 70, 44 - 52.
- Tillman, A. D., H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, dan S. Lebdoesoekojo. 1991. Ilmu Makanan Ternak Dasar. Gadjah Mada Press. Yogyakarta.
- Traylor, S. L., G. L. Cromwell, M. D. Lindermann, and D. A. Kuabe. 2001. Effects of levels of supplemental phytase on ileal digestibility of amino acid, calcium and phosphorus in dehulled soybean meal for growing pigs. *Journal of Animal Science*. 79: 2634-2642.

- Viveros, A., A. Brenes, I. Arija, and C. Centeno. 2002. Effect of microbial phytase supplementation on mineral utilization and serum enzyme activities in broiler chicks fed different levels of phosphorus. *Poultry Science*. 81: 1172-1183.
- Waldroup, P. W. 1997. Calcium and phosphorus sources for poultry feeds. *Fats and proteins research foundation, inc. University of Arkansas, Fayetteville*.
- Waldroup, P. W., J. H. Kerey, E. A. Saleh, C. A. Fritts, F. Yan, H. L. Stilborn, R. C. Crum, Jr., and V. Raboy. 2000. Nonphytate phosphorus requirement and phosphorus excretion of broiler chicks fed diets composed of normal and high available phosphate corn with and without microbial phytase. *Poultry Science*. 79: 1451-1459.
- Wang, Y. Z., Z. R. Xu, and J. Feng. 2004. The effect of betaine and dl-methionine on growth performance and carcass characteristics in meat ducks. *Animal Feed Science and Technology*. 116: 151-159.
- Yan, F., J. H. Kersey, C. A. Fritts, P. W. Waldroup, H. L. Stilborn, R. C. Crum, Jr., D. W. Rice and V. Raboy, 2006. Evaluation of normal yellow dent corn and high available phosphorus corn in combination with reduced dietary phosphorus and phytase supplementation for broilers grown to market weights in litter pens. *Poultry Science*. 79:1 282-1289.
- Zhou, J. P., B. Yang, W. R. Yang, X. Y. Wang, S. Z. Jiang, and G. G. Zhang. 2008. Effect of a new recombinant phytase on the performance and mineral utilization of broilers fed phosphorus-deficient diets. *Research Journal of Poultry Sciences*. 17: 331-339.
- Zyla K., J. Koreleski, S. Swiatkiewicz, D. R. Ledoux, and J. Piironen. 2001: Influence of supplemental enzymes on the performance and phosphorus excretion of broilers fed wheat-based diets to 6 weeks of age. *Animal Feed Science and Technology*. 89: 113 - 118.