

DAFTAR PUSTAKA

- Afnimar, 2009, Seismologi, ITB, Bandung
- Ai-Lan C., Takahiro, I., Yoshiya, O., and Xiu-Run, G., 2006, Study on the Applicability of Frequency Spectrum of Microtremor of Surface Ground in Asia Area. *Journal of the Jiang University*.
- Aki, K., dan Kanai, K., 1957. Space and time spectra of stationary stochastic waves, with special reference to microtremors. *Bulletin of the Earthquake Research Institute* 1957;35:415–56.
- Aki, K., 1965, Maximum Likelihood Estimate of b value in the Formula $\log N = a - bM$ and Its Confidence Limits. *Bulletin of Earthquake, Res. Ins.*, Tokyo University.
- Aldiamar, F., 2009, Analisis Resiko Gempa Di Batuan Dasar <http://www.digilib.ui.ac.id/file?file=pdf/abstrak-135147.pdf>, *Jurnal Jalan-Jembatan*, Vol. 26, No. 3 Desember 2009, pp. 213-229.
- Anonim, 2015, Renstra KESDM 2015-2019. Kementrian ESDM. Jakarta
- Asrurifak M., 2010, Peta Respon Spektra Indonesia Untuk Perencanaan Struktur Bangunan Tahan Gempa Dengan Model Sumber Gempa Tiga Dimensi Dalam Analisa Probabilitas, Disertasi, Teknik Sipil Institut Teknologi Bandung.
- Brotopuspito, K.S, Tiar P., dan Ferry M.W., 2006, Percepatan Getaran Tanah Maksimum Daerah Istimewa Yogyakarta 1943-2006, *J. Geofisika*, 2006/1.
- Cornell, A.C., 1968, Engineering seismic risk analysis, *Bulletin of the Seismological Society of America*, October 1968, v. 58, no. 5, p. 1583-1606.
- Daryono, 2011, Indeks Kerentanan Seismik Berdasarkan Mikrotremor pada Setiap Bentuklahan di Zona Graben Bantul, Daerah Istimewa Yogyakarta. *Disertasi*, Program Pascasarjana Fakultas Geografi UGM, Yogyakarta.
- Edwiza, D., 2008, Analisis Terhadap Intensitas Dan Percepatan Tanah Maksimum Gempa Sumbar, Sumatra-Barat : Lab. Geofisika Unand.
- Fauzi., Masturyono., Sulaiman, R., Nugroho, S., Subardjo., Wandono., Adi, R., Pasaribu, R., Mardiyono, R., Paritusta, R., Guswanto., Yuliana, R.R., Muzli., Ikbali., Karyono., R, Ariska., dan Gafur, A., 2005, *Aplikasi Sistem Informasi Geografi Untuk Peta Bencana Alam Di Indonesia*, BMKG.
- Fowler, 1990. An Intruduction to 1968 Seismological Tables for P Phase, *Bulletin of the Seismological research letters*, v. 66, n.4 p. 8-21

- Fukhusima, Y., dan Tanaka, T., 1990, A New Attenuation Relation for Peak Horizontal Acceleration of Strong Earthquake Ground Motion in Japan, *Bull of the seismological society of America. Soc. Am.*, 80, 757-783.
- Gardner, J. K. dan Knopoff, L., 1974, Is the sequence of earthquakes in southern California, with aftershocks removed, Poissonian?, *Bulletin of the Seismological Society of America* 64, 1,363–1,367.
- Guttenberg, B. and Richter, C., 1944, *Frequency of Earthquake in California*, Bulletin of Seismological Society of America, Vol. 34.
- Handayani, L., Mulyadi, D., Dadan, D., Wardhana, dan Wawan H. Nur, 2009, Percepatan Pergerakan Tanah Maksimum Daerah Cekungan Bandung: *Studi Kasus Gempa Sesar Lembang*. JSDG Vol 19.
- Harlianto, B. 2013. Pemetaan Percepatan Gerakan Tanah Maksimum, Indeks Kerentanan Seismik, Ground Shear Strain, dan Ketebalan Lapisan Sedimen untuk Mitigasi Bencana Gempabumi di Kabupaten Bengkulu Utara, *Tesis*, Program Pascasarjana Fakultas MIPA UGM, Yogyakarta.
- Huang, H., dan Tseng, Y., 2002, *Characteristics of Soil Liquefaction Using H/V of Microtremor in Yuan-Lin Area, Taiwan*. TAO, Vol. 13, No. 3, 325-338.
- Ibs-von, M. S., and Wohlenberg, J., 1999, Microtremor Measurements Used to Map Thickness of Soft Sediments, *Bulletin of the Seismological Society of America*, Vol. 89, No. 1, pp. 250-259, February 1999.
- Idriss, I.M., 1985, Evaluating Seismic Risk Engineering Practic, *Proceeding of the 11th International Conference on Soil Mechanics and Foundation Engineering, San Francisco, Vol. 1*.
- Irsyam, M., Sengara I.W., Adiamar, F., Widiyantoro, S., Triyoso, W., Natawidjaja, D.H., Kertapati, E., Meilano, I., Suhardjono, Asrurifak, M., dan Ridwan, M., 2010, *Ringkasan Hasil Studi Tim Revisi Peta Gempa Indonesia*, Bandung.
- Isihara, K., 1982, Evaluatian of Soil Properties for Use in Earthquake Response Analysis. *Proc. Int. Symp. On Numerical Model in Geomech*, 237-259.
- Ishimoto, M. dan Iida, K., 1939, Observation Sur Les Seismes Enregistres Par Le Microseismographe Construit Dernierement (In Japanese With French Abstact), *Bull. Earthquake Res. Univ. Tokyo*, 17, 443-478.
- Kaharuddin, M.S., 2011, Perkembangan Tektonik dan Implikasinya Terhadap Potensi Gempa dan Tsunami Di Kawasan Pulau Sulawesi, Jurusan Geologi Universitas Hasanudin, *Proceeding JCM Makasar, The 36th HAGI and 40th IAGI Annual Convention and Exhibition*, Makasar.

- Kertapati, E.K., 2006. *Aktivitas Gempabumi di Indonesia*, Departemen Energi dan Sumberdaya Mineral, Badan Geologi, Pusat Survei Geologi, Bandung.
- Konno, K. dan Omachi, T., 1998, *Ground-Motion Characteristics Estimated from Spectral Ratio between Horizontal and Vertical Components of Microtremor*, *Bull. Seism. Soc. Am.*, 88, 228-241.
- Kramer, S.L., 1996, *Geotechnical Earthquake Engineering*, Prentice Hall, New Jersey.
- Kurniawan R, 2016, *Pemetaan Daerah Resiko Gempabumi Berdasarkan Metode Probabilistic Seismic Hazard Analysis (PSHA) dan analisis data mikrotremor di Kotamadya Denpasar dan sekitarnya*, Bali. Tesis. Program Studi S2 Ilmu Fisika Jurusan Fisika FMIPA UGM, Yogyakarta.
- Lay, T dan Wallace, T.C 1995.. *Modern Global Seismology*, Academic Press, San Diago New York
- Mangkoesebroto, S.P., 2006, *Keselamatan Struktur Gedung Reaktor Nuklir Akibat Gempabumi*. Seminar Keselamatan Nuklir.
- Marjiyono, 2010, *Estimasi Karakteristik Dinamik Tanah dari Data Mikrotremor Studi Kasus Wilayah Kota Bandung*, *Tesis*, Program Studi Geofisika Terapan, Institut Teknologi Bandung, Bandung.
- McGuire, R.K. and Arabasz, W.J., 1990, *An Introduction to Probabilistic Seismic Hazard Analysis*, *Geotechnical and Environmental Geophysics*, Vol. 1.
- McGuire, R.K., 1976. *Seismic Structural Response Risk Analysis, Incorporating Peak Response Regresions on Earthquake Magnitude and Distance*. Ph.D. Thesis M.I.T.
- Meidji, I.U., 2014, *Kajian Karakteristik Dinamika Tanah Terhadap Resiko Kerawanan Seismik dan Dampaknya Terkait Rencana Tata Ruang Wilayah di Kota Mataram Bagian Timur*, *Tesis*, Program Studi S2 Ilmu Fisika Jurusan Fisika FMIPA UGM, Yogyakarta.
- Nakamura, Y. 1989. *A Method for Dynamic Characteristic Estimation of Subsurface Using Microtremor on the Ground Surface*. QR Railway Technical Research Institute, 30 (1), 25-33
- Nakamura, Y. 1996. *Realtime Information Systems for Seismic Hazard Mitigation*. Quarterly report of Railway Technical Research Inst. (RTRI) 37, 112–127.
- Nakamura, Y. 2000. *Clear identification of fundamental idea of Nakamura's Technique and its Applications*. *Proc XII World Conf. Earthquake Engineering*, New Zealand, 2656.

- Nakamura, Y. 2008. On the H/V spectrum. *The 14th World Conference on Earthquake Engineering*, Beijing, China. Paper ID: 07-0033.
- Ningrum, R.W., 2011, Analisis Probabilitas Seismic Hazard Untuk Daerah Kepulauan Maluku, *Tesis*, Program Studi S2 Ilmu Fisika Jurusan Fisika FMIPA UGM, Yogyakarta.
- Pasau, G., dan Tanauma, A., 2011, Pemodelan Sumber Gempa di Wilayah Sulawesi Utara Sebagai Upaya Mitigasi Bencana Gempabumi, *Jurnal Ilmiah Sains* Vol. 11 No. 2, Oktober 2011.
- Pawirodikromo, W. 2012. Teknik dan Rekayasa Kegempaan. Pustaka Pelajar. Yogyakarta
- Permana, H. 2005, Potensi Bencana Geologi Kawasan Timur Indonesia, Tektonik Aktif dan Gempabumi Palu, Pertemuan Ilmiah Tahunan, Forum Himpunan Mahasiswa Geologi Indonesia VIII, Universitas Hasanudin, Makasar.
- Pertiwi, 2012. Analisis Distribusi Spasial dan temporal Seismotektonik Wilayah Sulawesi Bagian Selatan dan Barat berdasarkan nilai-*b* dengan metode maksimum *likelihood*. *Jurnal Sains dan Pendidikan Fisika*, Jilid 8, Nomor 3, hal 269-278
- Prabowo, U.N, 2015, Pemetaan Daerah Rawan Rekahan Tanah Berdasarkan Analisis Mikrotremor di Kotamadya Denpasar dan Kabupaten Badung, Bali, *Tesis*, Program Pascasarjana Fakultas MIPA, Universitas Gadjah Mada, Yogyakarta.
- Razali, 2008, Rekonturing Zona Percepatan Gempa Di Permukaan Tanah Provinsi Sumatera Utara dengan Program Aplikasi Shake2000, *Tesis*, Universitas Sumatera Utara.
- Reiter, L., 1990, *Earthquake Hazard Analysis: Issues and Insights*, Columbia University Press, New York.
- Santoso, E., Widiyantoro, S. dan Sukanta, I. N., 2011, Studi Hazard Seismik Dan Hubungannya Dengan Intensitas Seismik Di Pulau Sumatera Dan Sekitarnya (http://www.bmkg.go.id/Puslitbang/filePDF/Dokumen_2748_Volume_12_Nomor_2_September_2011_Studi_Hazard_Seismik_dan_Hubungannya_dengan_Intensitas_Seismik_di_Pulau_Sumatera_dan_Sekitarnya.pdf), *Jurnal Meteorologi dan Geofisika*, Vol. 12, No. 2, September 2011, pp.129-136, diunduh Jam 06:18 WITA, tanggal 07/04/2012.
- Sesame. 2004. Site Effects Assessment Using Ambient Excitations. European Commission – Research General Directorate Project No. EVG1-CT-2000-00026 SESAME. Report of the WP04 H/V Technique : Empirical Evaluation.

- Siefko, S., 2004. Microseismic hazard analysis, earthquake vulnerability and multihazard risk assessment: Geospatial Tools for rehabilitation and Reconstruction Efforts, ITC.
- Sompotan, F. 2012. Struktur Geologi Sulawesi. Perpustakaan Sains Kebumihan Institut Teknologi Bandung.
- Stepp, J.C., 1973, *Analysis of the Completeness of the Earthquake Hazard Sample in the Puget Sound Area*, NOAA Technical Report, ERL 267-ESL 30, Boulder, CO.
- Sunardi, B., 2009, Laporan Mitigasi Bencana, Puslitbang BMKG, Jakarta.
- Sunarko dan Suntoko, 2011, Survei Mikrotremor Di Pulau Belitung Untuk Kajian Tapak PLTN, Prosiding Seminar Nasional Pengembangan Energi Nuklir IV – BATAN. Jakarta
- Surono, 2012. Geologi bagian Timur Sulawesi Hubungannya Terhadap Sumber Daya Geologi. Kuliah Umum, UMS
- Thatcher, W., dan Hanks, T. C., 1973, Source parameters of southern California earthquakes, *J. Geophys. Res.*, 78, 8547-8576.
- Thenhaus, P. dan Campbell, K., 2003, *Seismic Hazard Analysis*, In Chen, W. F. and Scawthorn, C., editors, *Earthquake Engineering Handbook*, page 8-1 – 8-50. CRC Press.
- Tuladhar, R., Cuong, N.N.H., dan Yamasaki, F., 2004, *Seismic Microzonation of Hanoi, Vietnam Using Microtremor Observations*, Paper No. 2539, 13th World Conference on Earthquake Engineering, Vancouver, B.C., Canada.
- Wald, D.J., Vincent, Q., Thomas, H.H., and Hiroo, K., 1999, *Relationship Between Peak Ground Acceleration, Peak Ground Velocity And Modified Mercalli Intensity In California*. USA.
- Waluyo., 1996, *Seismologi*, Lab. Geofisika, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Waluyo., 2013, Analisis Runtun Waktu, Program Studi Teknik Geofisika, FMIPA, UGM, Yogyakarta.
- Yasui, Y. and Noguchi, T., 2004, Soil Profile Confirmation Through Microtremor Observation, Proceeding Third UJNR Workshop on Soil-Structure Interaction, March 29-30, 2004, Menlo Park, California, USA.
- Youngs, R.R. and Coppersmith, K.J., 1985, *Implications of Fault Slip Rates and Earthquakes Recurrence Models to Probabilistic Seismic Hazard Estimates*, Bulletin of the Seismological Society Of America, Vol. 75.