

DAFTAR PUSTAKA

- Adams, D.J., Adams, E.M., Hills, G.J., 1979, The Computer Simulation of Polar Liquids, *Mol. Phys.*, 38, 387-400.
- Appl, M., 2000. Ammonia, 1. Introduction. In: Ullmann's Encyclopedia of Industrial Chemistry, Wiley-VCH Verlag GmbH & Co. KGaA.
- Ahlrichs, R., Bar, M., Haser, M., Horn, H., Kolmel, C., 1989, Electronic Structure Calculations on Workstation Computers: The Program System Turbomole, *Chem. Phys. Lett.*, 162, 165-169.
- Armunanto, R., Schwenk, C.F., Randolph, B.R., Rode, B.M., 2004a, Ag(I) Ion in Liquid Ammonia. *Chem. Phys. Lett.*, 388, 395-399.
- Armunanto, R., Schwenk, C.F., Rode, B.M., 2003, Structure and Dynamics of Hydrated Ag(I): Ab Initio Quantum Mechanical-Molecular Mechanical Molecular Dynamics Simulation, *J. Phys. Chem. A*, 107, 3132-3138.
- Armunanto, R., Schwenk, C.F., Tran, H.T., Rode, B.M., 2004b, Structure and Dynamics of Au⁺ Ion in Aqueous Solution : Ab Initio QM/MM MD Simulations, *J. Am. Chem. Soc.*, 126, 2582-2587.
- Azam.S.S., Hofer.T.S., Bhattacharjee.A., Lim.L.H.V., Pribil.A.B., Randolph.B.R., Rode.B.M., 2009, Beryllium (II): The Strongest-Forming Ion in Water? A QMCF MD Simulation Study, *J. Phys. Chem. B*, 113, 9289 – 9295.
- Baima.J., Erba.A., Revat.M., Orlando.R., Dovesi.R., 2013, Beryllium Oxide Nanotubes and Their Connection to the Flat Monolayer, *J. Phys. Chem*, 117, 12864 – 12872.
- Berger.R.J.F., Jana.S., Monkowius.V., Mitzel.N.W., 2012, Bis(μ -diisopropylhydroxylaminato)- κ^2 O: N; κ^2 O: O-bis(diisopropylhydroxylaminato- κ O)beryllium., *Acta. Cryst*, E68, m1463.
- Berendsen, H.J.C., Postma, J.P.M., van Gunsteren, W.F., DiNola, A., Haak, J.R., 1984, Molecular Dynamics with Coupling to an External Bath, *J. Chem. Phys.*, 81, 3684-3690.
- Borsuk.A.N., Andina.G.N., Hein.I.I., Korlikna.D.A, Iuku.S.I, 2014, Analysis of Possible Ways for Removing Fluorine from the Complex Beryllium – containing Raw Material at UMP JSC, *Procedia Chemistry*, 11, 107 – 112.

- Boys, S.F., Bernardi, F., 1970, The Calculation of Small Molecular Interactions by the Differences of Separate Total Energies. Some Procedures with Reduced Errors, *Mol. Phys.*, 19, 553-566.
- Brode, S., Horn, H., Ehrig, M., Moldrup, D., Rice, J.E., Ahlrichs, R., 1993, Parallel Direct SCF and Gradient Program for Workstation Clusters, *J. Comput. Chem.*, 14, 1142-1148.
- Chiarappa-Zucca, M.L., Finker, L., Martinelli, R., McAninch, J. E., Nelson, D. O., Turteltaub, K. W., 2004, Measurement of Beryllium in Biological Damples by Accelerator Mass Spectrometry: Applications for Studying Chronic Beryllium Disease, *Chemical Research in Toxicology*, 17(12), 1614-1620.
- Cho, S., Raffray, A.R., Abdou, M.A., 1994, Modeling of Tritium Release from Beryllium in Fusion Blanket Applications, *Journal of Nuclear Materials*, 212, 961-965.
- Clayton, G.M., Wang, Y., Crawford, F., Novikov, A., Wimberley, B.T., Kieft, J. S., Falta, M. T., Bowerman, N. A., Marrack.P., Fontenot, A.P., Dai, S., Kappler, J. W., 2014, Structural Basis of Chronic Beryllium Disease: Linking Allergic Hypersensitivity and Sutoimmunity, *Cell*, 158(1), 132-142.
- Courtois.X., Meunier.L., Kuznetsov.V., Beaumont.B., Lamalle.P., Conchon.D., Languille.P., 2016, High Heat Flux Testing of ITER ICN & CD Antenna Beryllium Faraday Screen Bars Mock-ups, *Fusion Eng. Des*, 6, 1 – 6.
- D’Incal.A., Hofer.T.S., Randolf.B.R., Rode.B.M., 2006, Be(II) in Aqueous Solution – an Extended Ab Initio QM/MM MD Study, *Phys. Chem. Chem. Phys*, 8, 2841 – 2847.
- Dunning, T.H., 1970, Gaussian Basis Functions for Use in Molecular Calculations. I. Contraction of (9s5p) Atomic Basis Sets for the First-Row Atoms, *J. Chem. Phys.*, 53, 2823-2833.
- Eichler.J.F., Just.O., Rees Jr.W.S., 2005, The Structural Characterization of The First Beryllium Amide Possesing Nitrogen-bridged Be(II) and Sn(II) Metal Centers: Synthesis and X-Ray Study of [(Me₃Sn)₂Nbe(Cl).(THF)]₂, *Inorg. Chem. Comm*, 8, 936 – 938.
- Frisch, M.J., Trucks, G.W., Schlegel, H.B., Scuseria, G.E., Robb, M.A., Cheeseman, J.R., Scalmani, G., Barone, V., Mennucci, B., Petersson, G.A., Nakatsuji, H., Caricato, M., Li, X., Hratchian, H.P., Izmaylov, A.F., Bloino, J., Zheng, G., Sonnenberg, J.L., Hada, M., Ehara, M., Toyota, K., Fukuda, R., Hasegawa, J., Ishida, M., Nakajima, T., Honda, Y., Kitao, O., Nakai, H.,

Vreven, T., Montgomery Jr., J.A., Peralta, J.E., Ogliaro, F., Bearpark, M., Heyd, J.J., Brothers, E., Kudin, K.N., Staroverov, V.N., Kobayashi, R., Normand, J., Raghavachari, K., Rendell, A., Burant, J.C., Iyengar, S.S., Tomasi, J., Cossi, M., Rega, N., Millam, J.M., Klene, M., Knox, J.E., Cross, J.B., Bakken, V., Adamo, C., Jaramillo, J., Gomperts, R., Stratmann, R.E., Yazyev, O., Austin, A.J., Cammi, R., Pomelli, C., Ochterski, J.W., Martin, R.L., Morokuma, K., Zakrzewski, V.G., Voth, G.A., Salvador, P., Dannenberg, J.J., Dapprich, S., Daniels, A.D., Farkas, O., Foresman, J.B., Ortiz, J. V, Cioslowski, J., Fox, D.J., 2009. Gaussian 09 Revision D.01.

Humphrey, W., Dalke, A., Schulten, K., 1996, VMD Visual Molecular Dynamics, *J. Mol. Graph.*, 14, 33-38.

Karadjova.V., Georgiev.M., Marinova.D., Stoilova.D., 2013, Ammonium Beryllium Selenate Dihydrate, $(\text{NH}_4)_2\text{Be}(\text{SeO}_4)_2 \cdot 2\text{H}_2\text{O}$: Preparation, X-ray Powder Diffraction, and Vibrational Spectra, *Vib. Spec.*, 64, 39 – 43.

Keizer.T.S., Sauer.N.N., Mc Cleskey.T.M., 2005, Beryllium Binding at Neutral pH: The Importance of the Be – O – Be Motif, *J. Inorg. Bio.*, 99, 1174 – 1181.

Kraus.F., Baer.S.A., Buchner.M.R., Karttunen.A.J., 2012, Reactions of Beryllium Halides in Liquid Ammonia, The Tetraammineberyllium Cation $[\text{Be}(\text{NH}_3)_4]^{2+}$, Its Hydrolysis Product and the Action of Be^{2+} as a Fluoride-ion Acceptor, *Chem. Eur. J.*, 18, 2131 -2142.

Kraus.F., Fichtls.B., Baer.S.A., 2008, Beryllium Diammine Difluoride $[\text{BeF}_2(\text{NH}_3)_2]$, *Z. Naturforsch.*, 64b, 257 – 262.

Kubiak.R., Waskowska.A., Sledz.M., Jezierski.A., 2005, Synthesis, X-Ray Structures, and Characterization of Beryllium Phthalocyanine and (2-ethoxyethanol)-aqua-Beryllium Phthalocyanine, *Inorg. Chem. Acta*, 359, 1344 – 1350.

Kumada.H., Kurikara.T., Yoshioka.M., Kobayashi.N., Matsumoto.H., Sugano.I., Sakurai.H., Sakae.T., Matsuma.A., 2015, Development of Beryllium-based Neutron Target System with the Large Structure for Accelerator Neutron Source for Boron Neutron Capture Therapy, *Applied Radiation and Isotopes*, 106. 78 – 83.

Mankani, M., Sharma, S., 2015. Heat Treatment of Mill-hardened Beryllium Copper for Space Applications. *Universal Journal of Mechanical Engineering*, 3(4), 147–150.

Mulliken, R.S., 1955, Electronic Population Analysis on LCAO-MO Molecular Wave Functions, I. *J. Chem. Phys.*, 23, 1833.

- Pranowo, H.D., Rode, B.M., 1999, Solvation of Cu^{2+} in Liquid Ammonia: Monte Carlo Simulation Including Three-Body Corrections, *J. Phys. Chem. A*, 103, 4298-4302.
- Prasetyo, N., Canaval, L.R., Wijaya, K., Armunanto, R., 2015, Lithium(I) in Liquid Ammonia: A Quantum Mechanical Charge Field(QMCF) Molecular Dynamics Simulation Study, *Chem. Phys. Lett*, 619, 158-162.
- Ramachandran, K.I., Deepa, G., Namboori, K., 2008, *Computational Chemistry and Molecular Modelling: Principles and Application*, Springer-Verlag, Berlin.
- Rode.B.M, Hofer.T.S., Randolf.B.R., Schwenk.C.F., Xenides.D., Vchiranongkorn.V., 2005, Ab Initio Quantum Mechanical Charge Field (QMCF) Molecular Dynamics: a QM/MM – MD Procedure for Accurate Simulations of Ions and Complexes, *Theor. Chem. Acc*, 115, 77 – 85.
- Ruangpornvisuti, V. W. T., Sangsoontorn, T., 1990. Interaction Potential Between Beryllium (II) Ion and Ammonia Derived from Ab-initio Calculations. *J. Sci. Soc.*, 16, 43 – 51.
- Singh.D., Bhagwal.S., Tanwar.V., Saini.R.K., 2016, Synthesis and Optical Characterization of Color-Tunable Heterocycle Ligand Based Beryllium(II) Complexes for White Lighting Application, *Material and Design*, 100, 245 – 253.
- Smythe.L.E., Whateley.I.L., Warner.R.L., 1968, The Infra-red Spectra of Complexes of Beryllium with tri-n-Octylphosphine Oxide and di(2 – ethylhexyl) Phosphoric Acid, *J. Inorg. Nuc. Chem*, 30, 6, 1553 – 1561.
- Sripradite, J., Tongraar, A. dan Kerdcharoen, T., 2015. Solvation Structure and Dynamics of Na^+ in Liquid Ammonia Studied by ONIOM-XS MD Simulations. *Chemical Physics*, 463, 88-94.
- Sutton, M., Burastero, S.R., 2003. Beryllium Chemical Speciation in Elemental Human Biological Fluids. *Chemical Research in Toxicology*, 16(9), 1145-1154.
- Tongraar, A., Hannongbua, S., 2008, Solvation Structure and Dynamics of Ammonium NH_4^+ in Liquid Ammonia Studied by HF/MM and B3LYP/MM Molecular Dynamics Simulations, *J. Phys. Chem. B*, 112, 885-891.

- Weston, A., Snyder, J., McCanlies, E. C., Schuler, C. R., Andrew, M. E., Kathleen, K., Demchuk, E., 2005. Immunogenetic Factors in Beryllium Sensitization and Chronic Beryllium Disease. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 592(1-2), 68–78.
- Wildner.M., Karadjova. V., Marinova.D., Georgiev.M., Stoilova.D., 2012, Crystal and Molecular Structure of Ammonium Beryllium Sulfate Dihydrate $(\text{NH}_4)_2\text{Be}(\text{SO}_4)_2 \cdot 2\text{H}_2\text{O}$, *J. Mol. Structure*, 1022, 117 – 124.