



DAFTAR PUSTAKA

- Afsar, B. (2014). Elevated Uric Acid Levels as Another Cause of Erectile Dysfunction: Hypothesis and Rationale? *JINA*, 1 (1), 11-13.
- Andersson, K. (2011). Mechanisms of Penile Erection and Basis for Pharmacological Treatment of Erectile Dysfunction. *Pharm Rev*, 63 (4), 811–859.
- Andersson, K. (2001). Pharmacology of Penile Erection. *Pharm Rev*, 53 (3), 417-450.
- Anggara, F., & Prayitno, N. (2013). Faktor-Faktor Yang Berhubungan Dengan Tekanan Darah Di Puskesmas Telaga Murni, Cikarang Barat Tahun 2012. *JIKes*, 5 (1), 20-25.
- Balitbang Kemenkes RI. (2013). *Riset Kesehatan Dasar: Riskesdas 2013*. Jakarta: Kemenkes RI.
- Chen, Y.-F., Lin, H.-H., Lu, C.-C., Hung, C.-T., Lee, M.-H., Hsu, C.-Y., et al. (2015). Gout and a Subsequent Increased Risk of Erectile Dysfunction in Men Aged 64 and Under: A Nationwide Cohort Study in Taiwan. *J Rheumatol*, 42 (10), 1898-1905.
- Chobanian, A. (2004). *The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure*. Bethesda: National Institutes of Health.
- Coca, V., Nicolescu, G., Copcea, A., Coca, M., & Hancu, N. (2006). The Prevalence of the Metabolic Syndrome in a Male Population with Erectile Dysfunction. *Medica*, 1 (1), 23-28.
- Conen, D., Wietlisbach, V., Bovet, P., Shamlaye, C., Riesen, W., Paccaud, F., et al. (2004). Prevalence of hyperuricemia and relation of serum uric acid with cardiovascular risk factors in a developing country. *BMC Pub Health*, 4 (9), 1-9.
- de Oliveira, E. P., & Burini, R. C. (2012). High plasma uric acid concentration: causes and consequences. *Diab Met Syn*, 4, 12-18.
- Dieterle, T. (2014). Erectile Dysfunction in Arterial Hypertension. *Cardiovas Med*, 17 (3), 82–84.
- Dodie, N., Tendean, L., & Wantouw, B. (2013). Pengaruh Lamanya Diabetes Melitus terhadap Terjadinya Disfungsi Ereksi. *eBM*, 1 (3), 1120-1125.
- Doumas, M., Tsakiris, A., Douma, S., Grigorakis, A., Papadopoulos, A., Hounta, A., et al. (2006). Factors Affecting the Increased Prevalence of Erectile Dysfunction in Greek Hypertensive Compared With Normotensive Subjects. *J Andrology*, 27 (3), 469–477.
- El-Sakka, A., Anis, T., Khadr, N., Ismail, T., Hegazy, A., Fekry, O., et al. (2011). Sildenafil for Erectile Dysfunction in the Middle East: Observational Analysis of Patients with Diabetes and/or Hypertension Treated in the Clinical Practice Setting. *J Int Med Res*, 39, 558 – 568.
- Fadzil, M. A., Sidib, H., Ismail, Z., Hassan, M. R., Thuzar, K., Midin, M., et al. (2014). Socio-demographic and psychosocial correlates of erectile dysfunction among hypertensive patients. *Comp Psych*, 55, S23–S28.



- Feig, D. (2012). Hyperuricemia and Hypertension. *Adv Chron Kidney Dis*, 19 (6), 377-385.
- Feig, D., Soletsky, B., & Johnson, R. (2008). Effect of Allopurinol on Blood Pressure of Adolescents With Newly Diagnosed Essential Hypertension: A Randomized Trial. *JAMA*, 300 (8), 924-932.
- Fine, S. (2004). Erectile Dysfunction and Comorbid Diseases, Androgen Deficiency, and Diminished Libido in Men. *JAOA*, 104 (1), S9-S15.
- Gelber, A. (2015). Gout and Association with Erectile Dysfunction. *J Rheumatol*, 42, 1731-1733.
- Hatzimouratidis, K., Eardley, I., Giuliano, F., Hatzichristou, D., Moncada, I., Salonia, A., et al. (2014). *Guidelines on Male Sexual Dysfunction: Erectile dysfunction and premature ejaculation*. Arnhem: European Association of Urology.
- Heinig, M., & Johnson, R. (2006). Role of uric acid in hypertension, renal disease, and metabolic syndrome. *Cleveland C J Med*, 73 (12), 1059-1064.
- Hood, S., & Kirby, M. (2004). Risk factor assessment of erectile dysfunction. *Br J Diab Vasc Dis*, 4 (3), 157-161.
- James, P., Oparil, S., Carter, B., Cushman, W., Dennison-Himmelfarb, C., Handler, J., et al. (2014). 2014 Evidence-Based Guideline for the Management of High Blood Pressure in Adults. Report From the Panel Members Appointed to the Eighth Joint National Committee (JNC 8). *JAMA*, 311 (5), 507-520.
- Kaminetsky, J. (2008). Epidemiology and Pathophysiology of Male Sexual Dysfunction. *Int J Impot Res*, 20, S3-S10.
- Kubin, M., Wagner, G., & Fugl-Meyer, A. (2003). Epidemiology of erectile dysfunction. *Int J Impot Res*, 15, 63-71.
- Kumalasari, T., Saryono, & Purnawan, I. (2009). Hubungan Indeks Massa Tubuh dengan Kadar Asam Urat Darah pada Penduduk Desa Banjaranyar Kecamatan Sokaraja Kabupaten Banyumas. *J Kep Soedirman*, 4 (3), 119-124.
- Kurniari, P., Kambayana, G., & Putra, T. (2011). Hubungan Hiperurisemia dan Fraction Uric Acid Clearance di Desa Tenganan Pegringsingan Karangasem Bali. *J Peny Dalam*, 12 (2), 77-80.
- Lilyasari, O. (2007). Hipertensi Dengan Obesitas: Adakah Peran Endotelin-1? *J Kard Ind*, 28 (6), 460-475.
- Lina, N., & Setiyono, A. (2014). Analisis Kebiasaan Makan yang Menyebabkan Peningkatan Kadar Asam Urat. *JKKI*, 10 (2), 1004-1016.
- Lugito, N. (2013). Nefropati Urat. *CDK*, 40 (5), 330-336.
- Luk, A., & Simkin, P. (2005). Epidemiology of Hyperuricemia and Gout. *AJMC*, 11 (15), S435-S442.
- Mader, S. (2004). *Understanding Human Anatomy & Physiology, Fifth Edition*. New York: McGraw-Hill.
- Miner, M., & Kuritzky, L. (2007). Erectile Dysfunction: A Sentinel Marker for Cardiovascular Disease in Primary Care. *Cleveland C J Med*, 74, S30-S37.



- Nasrul, E., & Sofitri. (2012). Hiperurisemia pada Pra Diabetes. *J Kes Andalas*, 1 (2), 86-91.
- Pangkahila, W. (2005). *Disfungsi Seksual Pria*. Jakarta: Yayasan Penerbitan IDI.
- Putra, T. R. (2006). Hiperurisemia. In A. Sudoyo, B. Setiyohadi, I. Alwi, M. Simadibrata, & S. Setiati, *Buku Ajar Ilmu Penyakit Dalam* (4th ed., Vol. 2, pp. 1213-1217). Jakarta: Departemen Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Indonesia.
- Rahajeng, E., & Tuminah, S. (2009). Prevalensi Hipertensi dan Determinannya di Indonesia. *Maj Kedokt Ind*, 59 (12), 580-587.
- Rohman, M., Hersunarti, N., Soenarta, A., Suhardjono, Mayza, A., Lukito, A., et al. (2011). Pemahaman Dokter Indonesia Mengenai Hipertensi dan Permasalahan yang Dihadapi pada Praktik Sehari-Hari. *Maj Kedokt Ind*, 61 (2), 51-57.
- Rosen, R. C., Cappelleri, J. C., & Gendrano, N. (2002). The International Index of Erectile Function (IIEF): a state-of-the-science review. *Int J Impot Res*, 14, 226-244.
- Sadr, S., Namayandeh, S., Moadares, M., & Rafiei, M. (2009). Serum Uric Acid Levels and Its Association with Cardiovascular Risk Factors. *Iranian J Publ Health*, 38 (1), 53-59.
- Santoso, T. (2010). Disfungsi Ereksi pada Penderita Stroke. *JPST*, 11 (2), 144-155.
- Sarosa, H., Billah, M., Herlambang, B., & Muslimah. (2009). Perbedaan Tekanan Darah setelah Pemaparan Cold Pressure Test antara Mahasiswa Tanpa dan dengan Riwayat Hipertensi di Keluarga. *Sains Medika*, 1 (1), 36-43.
- Sastroasmoro, S., & Ismael, S. (2011). *Dasar-dasar Metodologi Penelitian Klinis*. Jakarta: Sagung Seto.
- Sasube, N., & Rampengan, S. (2016). Disfungsi Ereksi pada Penyakit Kardiovaskular. *JBM*, 8 (1), 8-16.
- Solak, Y., Akilli, H., Kayrak, M., Aribas, A., Gaipov, A., Turk, S., et al. (2014). Uric Acid Level and Erectile Dysfunction in Patients with Coronary Artery Disease. *J Sex Med* (11), 165-172.
- Solomon, H., Man, J., & Jackson, G. (2003). Erectile dysfunction and the cardiovascular patient: endothelial dysfunction is the common denominator. *Heart*, 89, 251-254.
- Susanto, J. (2015). Konsep Baru Renin Angiotensin System (RAS). *CDK*, 42 (2), 102-105.
- Tedjasukmana, P. (2012). Tata Laksana Hipertensi. *CDK*, 39 (4), 251-255.
- Vlachopoulos, C., Jackson, G., Stefanidis, C., & Montorsi, P. (2013). Erectile dysfunction in the cardiovascular patient. *Eur Heart J*, 34, 2034-2046.
- Webster-Gandy, J., Madden, A., & Holdsworth, M. (2014). *Gizi & Dietetika*. Edisi 2. Jakarta: EGC.
- Wibowo, A. F., Yuliadi, I., & Karyanta, N. A. (2013). Perbedaan Derajad Disfungsi Ereksi Pria Dewasa Awal Ditinjau Dari Tingkat Stres Di Kelurahan Jagalan Surakarta . *J IPsi Candrajawa*, 2 (4), 83-92.
- Wibowo, S., & Gofir, A. (2007). *Disfungsi Ereksi*. Yogyakarta: Pustaka Cendekia Press.



UNIVERSITAS
GADJAH MADA

HUBUNGAN HIPERURISEMIA DENGAN DISFUNGSI EREKSI PADA PENDERITA HIPERTENSI DI RSU

BETHESDA

LEMPUYANGWANGI YOGYAKARTA

JANSJE HENNY VERA TICOALU, Dr.rer.nat. dr. B. J. Istiti Kandarina; Dr. dr. Dicky Moch. Rizal, M.Kes, Sp.And

Universitas Gadjah Mada, 2016 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Wisesa, I., & Suastika, K. (2009). Hubungan antara Konsentrasi Asam Urat Serum dengan Resistensi Insulin pada Penduduk Suku Bali Asli di Dusun Tenganan Pegring singan Karangasem. *J Peny Dalam*, 10 (2), 110-122.
- Wylie, K., & Kenney, G. (2010). Sexual Dysfunction and The Ageing Male . *Maturitas* (65), 23–27.
- Zgaga, L., Theodoratou, E., Kyle, J., Farrington, S., Agakov, F., Tenesa, A., et al. (2012). The Association of Dietary Intake of Purine-Rich Vegetables, Sugar-Sweetened Beverages and Dairy with Plasma Urate, in a Cross-Sectional Study. *PLoS ONE*, 7 (6), e38123.
- Zhang, Q., Radisavljevic, Z., Siroky, M., & Azadzoi, K. (2010). Dietary Antioxidants Improve Arteriogenic Erectile Dysfunction. *Int J Andr*, 33, 1-11.
- Zhang, W., Sun, K., Yang, Y., Zhang, H., Hu, F., & Hui, R. (2009). Plasma Uric Acid and Hypertension in a Chinese Community: Prospective Study and Metaanalysis. *Clin Chem*, 55 (11), 2026–2034.
- Zhu, Y., Pandya, B., & Choi, H. (2011). Prevalence of Gout and Hyperuricemia in the US General Population. *Arth Rheum*, 63 (10), 3136–3141.