

DAFTAR PUSTAKA

- AOAC, 2012, *Guidelines for Single-Laboratory Validation of Chemical Methods for Dietary Supplements and Botanicals, Official Methods of Analysis, 19th Ed., Appendix K*, AOAC INTERNATIONAL, Gaithersburg, MD.
- Badan Pengawas Obat dan Man (BPOM). 2014, *Peraturan Kepala Badan Pengawas Obat Dan Makanan Republik Indonesia Nomor 4 Tahun 2014 Tentang Batas Maksimum Penggunaan Bahan Tambahan Pangan Pemanis*, Jakarta, Badan Pengawas Obat dan Makanan.
- Bergs, D., Burghoff, B., Joehnck, M., Martin, G., and Schembecker, G. 2012, Fast And Isocratic HPLC-Method For Steviol Glycosides Analysis From *S. rebaudiana* Leaves, *Journal für Verbraucherschutz und Lebensmittelsicherheit*, **7**: 147–154.
- Brandle, J.E., Starratt, A.N., and Gijzen, M. 1998, *Stevia rebaudiana*: Its Agricultural, Biological, And Chemical Properties, *Canadian Journal Of Plant Science*, **78**: 527–536.
- Bovanová, L., Brandšteterová, E., and Baxa, S. 1998, HPLC Determination Of Stevioside In Plant Material And Food Samples, *Zeitschrift für Lebensmitteluntersuchung und-Forschung A*, **207**: 352–355.
- Cacciola, F., Delmonte, P., Jaworska, K., Dugo, P., Mondello, L., and Rader, J.I. 2011, Employing Ultra High Pressure Liquid Chromatography As The Second Dimension In A Comprehensive Two-Dimensional System For Analysis Of *S. rebaudiana* Extracts, *Journal of Chromatography A* **1218**: 2012–2018.
- Catharino, R.R. and Santos, L.S. 2012, On-line Monitoring Of Stevioside Sweetener Hydrolysis To Steviol In Acidic Aqueous Solutions, *Food Chemistry*, **133**: 1632–1635.
- Ceunen, S. and Geuns, J.M.C. 2013, Spatio-temporal variation of the diterpene steviol in *S. rebaudiana* grown under different photoperiods, *Phytochemistry* **89**: 32–38. doi:10.1016/j.phytochem.2013.01.007
- Chaturvedula, V.S.P. and Prakash, I. 2011, Acid And Alkaline Hydrolysis Studies Of Stevioside And Rebaudioside A, *Journal of Applied Pharmaceutical Science* **1**: 104–108.



CheMBL, European Bioinformatics Institute (EBI), of the European Molecular Biology Laboratory (EMBL). Compound Report Card Name Stevioside (44122)-Rebaudioside (430341).

<https://www.ebi.ac.uk/chembl/compound/inspect/CHEMBL444122>; <https://www.ebi.ac.uk/chembl/compound/inspect/CHEMBL430341> (diakses tanggal 15 Juli 2016).

Chester, K., Tamboli, E.T., Singh, M., Ahmad, S., 2012. Simultaneous quantification of stevioside and rebaudioside A in different stevia samples collected from the Indian subcontinent. *Journal of Pharmacy and Bioallied Sciences* **4**: 276–281. doi:10.4103/0975-7406.103236

Chranioti, C., Chanioti, S., and Tzia, C. 2016, Comparison of spray, freeze and oven drying as a means of reducing bitter aftertaste of steviol glycosides (derived from *S. rebaudiana* Bertoni plant) – Evaluation of the final products, *Food Chemistry*, **190**: 1151–1158. doi:10.1016/j.foodchem.2015.06.083

Clos, J.F., DuBois, G.E., and Prakash, I. 2008, Photostability of Rebaudioside A and Stevioside in Beverages, *Journal Of Agricultural And Food Chemistry*, **56**: 8507–8513.

Dacome, A.S., Da Silva, C.C., Da Costa, C.E., Fontana, J.D., Adelmann, J., and Da Costa, S.C. 2005, Sweet Diterpenic Glycosides Balance of A New Cultivar of *S. rebaudiana* (Bert.) Bertoni: Isolation and Quantitative Distribution by Chromatographic, Spectroscopic, and Electrophoretic Methods, *Process Biochemistry*, **40**: 3587–3594.

Ermer, J. 2005, 'Analytical Validation within the Pharmaceutical Environment', in Ermer, J. and Miller, J.H.M., *Method Validation in Pharmaceutycal Analysis*, 1st ed., Wiley-VCH Verlag GmbH & Co.KGaA, Weinheim, pp 15-19.

Gardana, C., Scaglianti, M., and Simonetti, P. 2010, Evaluation Of Steviol And Its Glycosides In *S. rebaudiana* Leaves And Commercial Sweetener By Ultra-High-Performance Liquid Chromatography-Mass Spectrometry, *Journal of Chromatography A*, **1217**: 1463–1470.

Gregersen, S., Jeppesen, P.B., Holst, J.J., and Hermansen, K. 2004, Antihyperglycemic Effects of Stevioside In Type 2 Diabetic Subjects. *Metabolism*, **53**: 73–76.

Guiochon G., Felinger A., and Shirazi D.G.G., and Katti AM. 2006, Fundamentals of Preparative and Nonlinear Chromatography, Second Edition, Elsevier, The Netherlands, halaman 118.

- Hajihashemi, S. and Geuns, J. 2013, Radical Scavenging Activity Of Steviol Glycosides, Steviol Glucuronide, Hydroxytyrosol, Metformin, Aspirin And Leaf Extract of *S. rebaudiana*, *Free Radicals and Antioxidants*, **3**: 34-41.
- He, Y.-C., Fang, S., and Xu, X.-J. 2012, Simultaneous determination of acesulfame-K, aspartame and stevioside in sweetener blends by ultraviolet spectroscopy with variable selection by sipls algorithm. *Macedonia Journal of Chemistry and Chemistry Engeenering*, **31**: 17–28.
- Hearn, L.K. and Subedi, P.P. 2009, Determining Levels Of Steviol Glycosides In The Leaves Of *S. rebaudiana* By Near Infrared Reflectance Spectroscopy, *Journal Of Food Composition And Analysis*, **22**: 165–168.
- Hosu, A., Cristea, V.-M. and Cimpoiu, C. 2014, Analysis Of Total Phenolic, Flavonoids, Anthocyanins And Tannins Content In Romanian Red Wines: Prediction Of Antioxidant Activities And Classification Of Wines Using Artificial Neural Networks, *Food Chemistry*, **150**: 113–118.
- Hurum, D., and Rohrer, J. 2014. *Determination of Steviol Glycosides by HPLC with UV and ELS Detections*. Application Note 241, Thermo Fisher Scientific, Sunnyvale, CA, USA.
- Inamake, M.R., Shelar, P.D., Kulkarni, M.S., Katekar, S.M., and Rashmi, T. 2013, Isolation and Characterization of Stevioside from Leave *S. rebaudiana* (Bert.); (Asteraceae), *International Journal of Research in Ayurveda and Pharmacy*, **1**: 572–581.
- Jaitak, V., Gupta, A.P., Kaul, V.K., and Ahuja, P.S. 2008, Validated High-Performance Thin-Layer Chromatography Method For Steviol Glycosides In *S. rebaudiana*, *Journal Of Pharmaceutical And Biomedical Analysis*, **47**: 790–794.
- Jaworska, K., Kryni茨基, A.J., and Rader, J.I. 2012, Simultaneous Analysis Of Steviol And Steviol Glycosides By Liquid Chromatography With Ultraviolet Detection On A Mixed-Mode Column: Application To Stevia Plant Material And Stevia-Containing Dietary Supplements, *Journal of AOAC International*, **95**: 1588–1596.
- Jentzer, J.-B., Alignan, M., Vaca-Garcia, C., Rigal, L., and Vilarem, G. 2015, Response surface methodology to optimise Accelerated Solvent Extraction of steviol glycosides from *S. rebaudiana* Bertoni leaves. *Food Chemistry*, **166**, 561–567. doi:10.1016/j.foodchem.2014.06.07.



- Jooken, E., Amery, R., Struyf, T., Duquenne, B., Geuns, J., and Meesschaert, B. 2012, Stability of Steviol Glycosides in Several Food Matrices, *Journal Of Agricultural And Food Chemistry*, **60**: 10606–10612.
- Jeppesen, P.B., Gregersen S., Poulsen, C.R., and Hermansen, K. 2000, Stevioside acts directly on pancreatic beta cells to secrete insulin: actions independent of cyclic adenosine monophosphate and adenosine triphosphate sensitive potassium ion channel activity. *Metabolism*, **49**: 208-14.
- Kementerian Kesehatan, 2008. *Peraturan Menteri Kesehatan Republik Indonesia Nomor 87 Tahun 2013 Tentang Peta Jalan Pengembangan Bahan Baku Obat*, Jakarta, Kementerian Kesehatan Republik Indonesia.
- Kim, I.-S., Yang, M., Lee, O.-H., and Kang, S.-N. 2011, The Antioxidant Activity And The Bioactive Compound Content Of *S. rebaudiana* Water Extracts, *LWT-Food Science and Technology* **44**: 1328–1332.
- Kinghorn, A.D. 2002, ' Overview', in Kinghorn, A.D., *Stevia, The genus Stevia*, Taylor & Francis, New York, pp 8, 60-62.
- Kolb, N., Herrera, J.L., Ferreyra, D.J., and Uliana, R.F. 2001, Analysis Of Sweet Diterpene Glycosides From *S. rebaudiana*: Improved Hplc Method, *Journal Of Agricultural And Food Chemistry*, **49**: 4538–4541.
- Kovylyeva, G.I., Bakaleinik, G.A., Strobykina, I.Y., Gubskaya, V.I., Sharipova, R.R., Al'Fonsov, V.A., et al. 2007, Glycosides from *S. rebaudiana*. *Chemistry of Natural Compounds*, **43**:81–85.
- Kroyer, G. 2010, Stevioside And Stevia-Sweetener In Food: Application, Stability And Interaction With Food Ingredients, *Journal Für Verbraucherschutz und Lebensmittelsicherheit*, **5**: 225–229.
- Kujur, R.S., Singh, V., Ram, M., Yadava, H.K., Singh, K.K., Kumari, S., et al. 2010, Antidiabetic Activity and Phytochemical Screening of Crude Extract of *S. rebaudiana* in Alloxan-induced Diabetis Rats, *Pharmacognosy Journal*, **2**: 27–32.
- Kurniawati, E., Rohman, A., and Triyana, K. 2014, Analysis Of Lard In Meatball Broth Using Fourier Transform Infrared Spectroscopy And Chemometrics, *Meat science*, **96**: 94–98.
- Lambert, J.B., Gronert, S., Shurvell, H.F., and Lightner, D.A. 2011, *Organic Structural Spectroscopy*, Prentice Hall, New Jersey, United States, pp 342-344.



- Liu, J., Li, J., and Tang, J. 2010, Ultrasonically Assisted Extraction Of Total Carbohydrates From *S. rebaudiana* Bertoni And Identification Of Extracts, *Food And Bioproducts Processing*, **88**: 215–221.
- Londhe, S.V. and Nanaware, S.M. 2013, HPTLC Method for Simultaneous Analysis of Stevioside and Rebaudioside-A in *S. rebaudiana*, *Journal of AOAC International*, **96**: 24–26.
- Lorenzo, C., Serrano-Díaz, J. Plaza, M., Quintanilla, C., and Alonso, G.L. 2014, Fast methodology of analysing major steviol glycosides from *S. rebaudiana* leaves, *Food Chemistry*, **157**: 518–523.
- Martono, Y., Darmawan, F.A., Ratuaminu, N., and Hastuti, D.K.A.K. 2012, Water-Based Crystallization and Formulation of Stevioside from *Stevia rebaudiana* (Bert.) As Natural Sweetener With Antidiabetic Activity, *Proceeding of the 2nd International Seminar on New Paradigm and Innovation on Natural Sciences and its Application (ISNPINSA). Science for Environmental Sustainability and Public*, Faculty of Science and Math, Diponegoro University, Semarang, Central Java, Indonesia. pp 56-64.
- Martono, Y. and Hastuti, D.K.A.K. 2013, Optimization Of Production Process Stevia Beverages With Antidiabetic Activity, *Proceeding of The 2nd International Conference of the Indonesian Chemical Society*, Indonesian Chemical Society, Yogyakarta, Indonesia. pp 104-114.
- Martono, Y. dan Soetjipto, H. 2014, 'Optimalisasi Proses Produksi Minuman Stevia Dengan Teknologi Adsorpsi Dan Formulasinya Dengan Kurkumin Sebagai Minuman Kesehatan Yang Berkhasiat Antidiabetes Dan Antioksidan', Laporan Penelitian Hibah Bersaing Tahun 2014, Universitas Kristen Satya Wacana.
- Melis, M.S., and Sainati, A.R. 1991, Effect of calcium and verapamil on renal function of rats during treatment with stevioside, *Journal of Ethnopharmacology*, **33** : 251-262.
- Minne, V.J., Compernolle, F., Toppet, S., and Geuns, J.M. 2004, Steviol Quantification At The Picomole Level By High-Performance Liquid Chromatography, *Journal Of Agricultural And Food Chemistry*, **52**: 2445–2449.
- Musa, A., Miao1, M., Gasmalla, M.A.A., Zhang, T., Eibaid, A., Aboshora, W., and Jiang, B. 2014, Stability of Stevioside and Glucosyl-Stevioside under Acidic Conditions and its Degradation Products, *Journal of Food and Nutrition Research*, **2**: 198-203. DOI: 10.12691/jfnr-2-4-11.
- Ni, F., Ammann, J., and Mabud, A. 2007, Monitoring Stevioside In Soju By High-Performance Liquid Chromatography And Liquid Chromatography/Mass Spectrometry, *Journal of AOAC International*, **90**: 1365–1372



- Periche, A., Castelló, M.L., Heredia, A., and Escriche, I. 2015, Influence of Extraction Methods on the Yield of Steviol Glycosides and Antioxidants in *S. rebaudiana* Extracts Plant, *Foods Human Nutrition*, **70**: 119 - 127. DOI 10.1007/s11130-015-0475-8.
- Pieri, V., Belancic, A., Morales, S., and Stuppner, H. 2011, Identification And Quantification Of Major Steviol Glycosides In *S. rebaudiana* Purified Extracts By 1H NMR Spectroscopy, *Journal Of Agricultural And Food Chemistry*, **59**: 4378–4384.
- Pól, J., Hohnová, B., and Hyötyläinen, T. 2007, Characterisation Of *S. rebaudiana* By Comprehensive Two-Dimensional Liquid Chromatography Time-Of-Flight Mass Spectrometry, *Journal of Chromatography A*, **1150**: 85–92.
- Prakash Chaturvedula, V.S., Mubarak, C., and Prakash, I. 2012, IR Spektral Analysis of Diterpene Glycosides Isolated from *S. rebaudiana*, *Food & Nutrition Sciences*, **3**: 1467-1471.
- Prakash, I., Clos, J.F., and Chaturvedula, V.S.P. 2012, Stability Of Rebaudioside A Under Acidic Conditions And Its Degradation Products, *Food Research International*, **48**: 65–75.
- Prakash, I., Markosyan, A., and Bunders, C. 2014, Development of Next Generation Stevia Sweetener: Rebaudioside M, *Foods*, **3**: 162-175; doi:10.3390/foods3010162.
- ^aRohman, A. and Che Man, Y.B. 2011, The Use Of Fourier Transform Mid Infrared (FT-MIR) Spectroscopy For Detection And Quantification Of Adulteration In Virgin Coconut Oil, *Food Chemistry*, **129**: 583–588.
- ^bRohman, A., Che Man, Y.B., and Riyanto, S. 2011^c, Authentication Analysis of Red Fruit (*Pandanus Conoideus Lam*) Oil Using FTIR Spectroscopy in Combination with Chemometrics, *Phytochemistry Analysis*, **22**: 462–467. doi:10.1002/pca.1304.
- ^cRohman, A., Erwanto, Y., and Che Man, Y.B. 2011, Analysis Of Pork Adulteration In Beef Meatball Using Fourier Transform Infrared (FTIR) Spectroscopy, *Meat Science*, **88**: 91–95.
- Rohman, A. and Che Man, Y.B. 2012, The Chemometrics Approach Applied To FTIR Spectral Data For The Analysis Of Rice Bran Oil In Extra Virgin Olive Oil, *Chemometrics and Intelligent Laboratory Systems*, **110**: 129–134.

^aRohman, A., Setyaningrum, D.L., and Riyanto, S. 2014, FTIR Spectroscopy Combined with Partial Least Square for Analysis of Red Fruit Oil in Ternary Mixture System, *International Journal of Spectroscopy*, **2014**: 1 -5. doi:10.1155/2014/785914.

^bRohman, A., Nugroho, A., Lukitaningsih, E., and Sudjadi. 2014^b, Application of Vibrational Spectroscopy in Combination with Chemometrics Techniques for Authentication of Herbal Medicine, *Applied Spectroscopy Reviews*, **49**: 603–613.

Rohman, A., Ramadhani, D., and Nugroho, A. 2015, Analysis of Curcumin in Curcuma longa and Curcuma xanthorrhiza Using FTIR Spectroscopy and Chemometrics, *Research Journal of Medicinal Plant*, **9**: 179–186. doi:10.3923/rjmp.2015.179.186.

Samah, N.A., Hisham, A.D.A., and Rahim, S.A. 2013, Determination of Stevioside and Rebaudioside A in *S. rebaudiana* Leaves via preparative High Performance Liquid Chromatography (prep-HPLC), *International Journal of Chemical & Environmental Engineering*, **4**: 86–89.

Sehar, I., Kaul, A., Bani, S., Pal, H.C., and Saxena, A.K. 2008, Immune Up Regulatory Response Of A Non-Caloric Natural Sweetener, Stevioside, *Chemico-Biological Interactions*, **173**: 115–121.

Shafii, B., Vismeh, R., Beaudry, R., Warner, R., and Jones, A.D. 2012, Large-Scale Profiling Of Diterpenoid Glycosides From *S. rebaudiana* Using Ultrahigh Performance Liquid Chromatography/Tandem Mass Spectrometry, *Analytical And Bioanalytical Chemistry*, **403**: 2683–2690.

Shivanna, N., Naika, M., Khanum, F., and Kaul, V.K. 2013, Antioxidant, Anti-Diabetic And Renal Protective Properties of *S. rebaudiana*, *Journal of Diabetes and its Complications*, **27**: 103–113.

Sigma-Aldrich, 1998, Guide to Solid Phase Extraction, Bulletin 910, Sigma-Aldrich Co., USA.

Soejarto, D.D., Kinghorn, A.D., and Farnsworth, N.R. 1982, Potential Sweetening Agents of Plant Origin. III Organoleptic Evaluation of Stevia Leaf Herbarium Samples for Sweetness, *Journal Of Natural Products*, **45**: 590–599.

Snyder, L.R., Kirkland, J.J., and Glajch, J.L. 1997, *Practical HPLC Method Development*, 2nd edition, John Wiley & Sons, New York. USA, pp 67, 60-81, 253-258.



Takasaki, M., Konoshima, T., Kozuka, M., Tokuda, H., Takayasu, J., Nishino, H., *et al.* 2009, Cancer Preventive Agents. Part 8: Chemopreventive Effects of Stevioside and Related Compounds, *Bioorganic & Medicinal Chemistry*, **17**: 600–605.

Wang, L.S., Shi, Z., Shi, B.M., and Shan, A.S. 2014, Effects Of Dietary Stevioside/Rebaudioside A On The Growth Performance And Diarrhea Incidence Of Weaned Piglets, *Animal Feed Science and Technology*, **187**: 104–109.

Well, C., Frank, O., and Hofmann, T. 2013, Quantitation of Sweet Steviol Glycosides by Means of a HILIC-MS/MS-SIDA Approach, *Journal Of Agricultural And Food Chemistry*, **61**: 11312–11320.

Wishart, D.S., Jewison, T., Guo, A.C., Wilson, M., Knock, C., *et al.* 2013, HMDB 3.0-The Human Metabolome Database in 2013, *Nucleic Acid Research*, **41**: D801-7.

^aWölwer-Rieck, U., Tomberg, W., and Wawrzun, A. 2010, Investigations On The Stability of Stevioside and Rebaudioside A In Soft Drinks, *Journal Of Agricultural And Food Chemistry*, **58**: 12216–12220.

^bWoelwer-Rieck, U., Lankes, C., Wawrzun, A., and Wüst, M. 2010, Improved HPLC Method For The Evaluation Of The Major Steviol Glycosides In Leaves of *S. rebaudiana*, *European Food Research and Technology*, **231**: 581–588.

Yu, C., Xu, K., and Shi, Y. 2011, The Spectrum Model Established For Measuring The Contents Of Rebaudioside A And Stevioside Quickly In The Leaves of *S. rebaudiana* Bertoni, *Energy Procedia*, **5**: 855–861

Zhao, Y.-G., Chen, X.-H., Yao, S.-S., Pan, S.-D., Li, X.-P., and Jin, M.-C. 2012, Analysis of Nine Food Additives in Red Wine by Ion-Suppression Reversed-Phase High-Performance Liquid Chromatography Using Trifluoroacetic Acid and Ammonium Acetate as Ion-Suppressors, *Analytical Sciences*, **28**: 967–971.

Zhao, Y.-G., Cai, M.-Q., Chen, X.-H., Pan, S.-D., Yao, S.-S., and Jin, M.-C. 2013, Analysis Of Nine Food Additives In Wine By Dispersive Solid-Phase Extraction And Reversed-Phase High Performance Liquid Chromatography, *Food Research International*, **52**: 350–358.