

DAFTAR PUSTAKA

- Aittoniemi, J., Fotinou, C., Craig, T.J., de Wet, H., Proks, P. dan Ashcroft, F.M., 2009. SUR1: a unique ATP-binding cassette protein that functions as an ion channel regulator. *Phi. Trans. R. Soc.* 364 : 257 – 267.
- Al-Mahmood, A.K., Ismail, A.A., Rashid, F.A., dan Wan Bebakar, W.M., 2006. Insulin Sensitivity and Secretary Status of a Healthy Malay Population. *Malays J Med Sci.* 13 (2) : 37 – 44.
- American Diabetes Association, 2014. Diagnosis and Classification of Diabetes Mellitus. *Diab Care.* 37 (1 Suppl): S81 – 90.
- American Diabetes Association, 2016. Classification and Diagnosis of Diabetes. *Diab Care.* 39 (1 Suppl): S13 – 22.
- Aschroft, F. dan Rorsman, P., 2004. Type 2 diabetes mellitus : not quite exciting enough?. *Hum Mol Gen*, 13 (Review issue) : R21 – R31.
- Babenko, A.P., Polak, M., Cave, H., Busiah, K., Czernichow, P., Scharfmann, R., Bryan, J., Aguilar-Bryan, L., Vaxillaire, M., dan Froguel, P., 2006. Activating Mutations in the ABCC8 Gene in Neonatal Diabetes Mellitus. *N Eng J Med.* 355 : 456 – 466.
- Barroso, I., Luan, J., Middelberg, R.P.S., Harding, A.H., Franks, P.W., Jakes, R.W., Clayton, D., Schafer, A.J., O’Rahilly, S., dan Wareham, N.J., 2003. Candidate Gene Association Study in Type 2 Diabetes Indicates a Role for Genes Involved in β -Cell Function as Well as Insulin Action. *PloS Biol.* 1 : 41 – 55.
- Bender, D.A., Mayes, P.A., 2009. Gluconeogenesis and the control of blood glucose. In: Murray, R.K., Bender, D.A., Botham, K.M., Kennelly, P.J., Rodwell, V.W., dan Weil, P.A. *Harper’s Illustrated Biochemistry.* 28th Edition. The McGraw-Hill Companies, Inc. USA.
- Cheng, D., 2005. Prevalence, Predisposition and Prevention of Type II Diabetes. *Nut and metab.* 2 : 1 – 12.
- Dean, L. dan McEntyre, J., 2004. The Genetic Landscape of Diabetes [Internet]. Available from : <http://www.ncbi.nlm.nih.gov/books/NBK1669/?report=reader>, Akses 20 April 2016.
- Doria, A., Patti, M-E., dan Kahn, R., 2008. The Emerging Genetic Architecture of Type 2 Diabetes. *Cell Metab.* 8 (3) : 186 – 200.
- Edghill, E.L., Flanagan, S.E., dan Ellard, S., 2010. Permanent neonatal diabetes due to activating mutations in ABCC8 and KCNJ11. *Rev Endocr Metab Disord.* 11 : 193 – 198.

- Ekoe, J-M., Zimmet, P., Williams, R. (Eds.), 2002. *The Epidemiology of Diabetes Mellitus An International Perspective*. John Wiley & Sons, LTD, New York.
- Fatehi, M., Raja, M., Carter, C., Soliman, D., Holt, A. dan Light, P.E., 2012. The ATP-Sensitive K⁺ Channel ABCC8 S1369A Type 2 Diabetes Risk Variant Increase MgATPase Activity. *Diabetes*. 61 : 241 – 249.
- Florez, J.C., Burt, N., de Bakker, P.I.W., Almgren, P., Tuomi, T., Holmkvist J., Gaudet, D., Hudson, T.J., Schaffner, S.F., Daly, M.J., Hirschhorn, J.N., Groop, L. dan Altshuler, D., 2004. Haplotype Structure and Genotype-Phenotype Correlations of the Sulfonylurea Receptor and the Islet ATP-Sensitive Potassium Channel Gene Region. *Diabetes*. 53 : 1360 – 1368.
- Florez, J.C., Jablonski, K.A., Kahn, S.E., Franks, P.W., Dabelea, D., Hamman, R.F., Knowler, W.C., Nathan, D.M., dan Altshuler, D., 2007. Type 2 Diabetes-Associated Missense Polymorphisms KCNJ11 E23K and ABCC8 S1369A Influence Progression to Diabetes and Response to Interventions in the Diabetes Prevention Program. *Diabetes*. 56 : 531 – 536.
- Gloyn, A.L., Weedon, M.N., Owen, K.R., Turner, M.J., Knight, B.A., Hitman, G., Walker, M., Levy, J.C., Sampson, M., Halford, S., McCarthy, M.I., Hattersley, A.T., dan Frayling, T.M., 2003. Large-Scale Association Studies of Variants in Genes Encoding the Pancreatic β -Cell K_{ATP} Channel Subunits Kir6.2 (KCNJ11) and SUR1 (ABCC8) Confirm That the KCNJ11 E23K Variant Is Associated With Type 2 Diabetes. *Diabet Med*. 52 : 568 – 572.
- Goldberg, I.J., 2001. Clinical Review 124 Diabetic Dyslipidemia: Cause and Consequences. *J Clin Endocrinol*. 86 (3) : 965 – 971.
- Gonen, M.S., Arikoglu, H., Kaya, D.E., Ozdemir, H., Ipecki, S.H., Arslan, A., Kayis, S.A., dan Gogebakan, B., 2012. Effect of Single Nucleotide Polymorphisms in K_{ATP} Channel Gates on Type 2 Diabetes in Turkish Population. *Acrh Med Res*. 43 : 317 – 323.
- Guariguata, L., Whiting, D.R., Hambleton, I., Beagley, J., Linnenkamp, U., dan Shaw, J.E., 2013. Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabetes Res Clin Pract*. 103 (2014) : 137 – 149.
- Hamming K.S.C., Soliman, D., Maternisz, L.C., Niazi, O., Lang, Y., Glyon, A.L., dan Light, P.E., 2009. Coexpression of the Type 2 Diabetes Susceptibility Gene Variants KCNJ11 E23K and ABCC8 S1369A Alter the ATP and Sulfonylurea Sensitivities of the ATP-Sensitive K⁺ Channel. *Diabetes*. 59 : 2419 – 2424.

- Hansen, T., Echwald, S.M., Hansen, L., Møller, A.M., Almind, K., Clausen, J.O., Urhammer, S.A., Inoue, H., Ferrer, J., Bryan, J., Aguilar-Bryan, L., Permutt, M.A., dan Pedersen, O., 1998. Decreased Tolbutamide-Stimulated Insulin Secretion in Healthy Subjects With Sequence Variants in High-Affinity Sulfonylurea Receptor Gene. *Diabetes*. 47 : 598 – 605.
- Hettihewa, L.M., Palangasinghe, S., Jayasinghe, S.S., Gunasekara, S.W., Weerathna, T.P., 2006. Comparison of insulin resistance by indirect method-HOMA, QUICKI and McAuley-with fasting insulin in patients with type 2 diabetes in Galle, Sri Lanka: A pilot study. *OJHAS*. 5 (1) : 1 – 8.
- Houssen, M.E., Raslan, H.M., Zekrie, M.E., dan Zarouk, W.A., 2015. Sulfonylurea Receptor-1 Gene Polymorphisms in Egyptian Patients With Type 2 Diabetes Mellitus. *Int J Pharm Bio Sci*. 5 : 57 – 67.
- Inoue, H., Ferrer, J., Welling C.M., Elbien, S.C., Hoffman, M., Mayorga, R., Warren-Perry, M., Zhang Y., Millns, H., Turner, R., Province, M., Bryan, J., Permutt, M.A., dan Aguilar-Bryan, L., 1996. Sequence Variants in the Sulfonylurea Receptor (SUR) Gene Are Associated With NIDDM in Caucasians. *Diabetes*. 46 : 825 – 831.
- Kemenkes RI, 2013. *Riset Kesehatan Dasar (RISKESDAS 2013)*. Kementerian Kesehatan RI, Jakarta.
- McGarry, J.D., 2002. Dysregulation of Fatty Acid Metabolism in the Etiology of Type 2 Diabetes, *Diabetes*. 53 : 2610 – 2616.
- Miharja, L., Delima, Siswoyo, H., Ghani, L., dan Soegondo, S., 2009. Prevalence and Determinants of Diabetes Mellitus and Impaired Glucose Tolerance in Indonesia (A Part of Basic Health Research/Riskesdas). *Acta Med Indones*. 41 (4) : 169 – 174.
- Muniyappa, R., Lee, S., Chen, H., dan Quon, M.J., 2007. Current approaches for assessing insulin sensitivity and resistance in vivo: advantages, limitations and appropriate usage. *Am J Physiol Endocrinol Metab*. 294 : E15 – 26.
- National Institute of Diabetes and Digestive and Kidney Diseases (NIH), 2014. Insulin Resistance and Prediabetes. Available from : http://www.niddk.nih.gov/health-information/health-topics/Diabetes/insulin-resistance-prediabetes/Documents/Insulin_Resistance_Prediabetes-508.pdf, Akses 19 April 2016.
- Nikolac, N., Simundic, A.M., Topic, E., Cipak, A., dan Zjadic-Rotkvic, V., 2009. Metabolic control in type 2 diabetes is associated with sulfonylurea receptor-1 (SUR-1) but not with KCNJ11 polymorphism. *Arch Med Res*. 40 (5) : 387 – 392.
- Nussbaum, R.L., McInnes, R.R., dan Willard, H.F., 2007. *Thompson & Thompson: Genetics in Medicine*. 7th Edition. Elsevier. Canada.

- Pasternak, J.J., 2005. *An Introduction to Human Molecular Genetics: Mechanisms of Inherited Diseases*. 2nd Edition. John Wiley & Sons, Inc. Canada.
- Philipson, L.H., Rosenberg, M.P., Kuznetsov, A., Lancaster, M.E., Worley, J.F., Roe, M.W., Dukes, I.D., 1994. Delayed Rectifier K⁺ Channel Overexpression in Transgenic Islet and β -cells Associated with Impaired Glucose Responsiveness. *J. Biomol. Chem.* 269 : 27787 – 27790.
- Proks, P. dan Lippiat, J.D., 2006. Membrane Ion Channels and Diabetes. *Curr Pharm Des.* 12 : 485 – 501.
- Radcliffe Department of Medicine, 2013, Homa Calculator. Available from : <https://www.dtu.ox.ac.uk/homacalculator/download.php> , Akses 26 Juli 2016.
- Radha, V. dan Mohan, V., 2007. Genetic predisposition to type 2 diabetes among Asian Indians. *Indian J Med Res.* 125 : 259 – 274.
- Radha, V., Vimalaswaran, K.S., Deepa, R., dan Mohan, V., 2003. The genetics of diabetes mellitus. *Indian J Med Res.* 117 : 225 – 238.
- Reis, A.F., Hani, E.H., Beressi, N., Robert, J.J., Bresson, J.L., Froguel, P., dan Velho, G., 2002. Allelic Variation In Exon 18 Of The Sulfonylurea Receptor 1 (SUR1) Gene, Insulin Secretion and Insulin Sensitivity in Nondiabetic Relatives of Type 2 Diabetic Subjects. *Diabetes Metab (Paris)*. 28 : 209 – 215.
- Rissanen, J., Markkanen, A., Kärkkäinen, P., Pihlajamäki, J., Kekäläinen, P., Mykkänen, L., Kuusisto, J., Karhapää, P., Niskanen, L., dan Laakso, M., 2000. Sulfonylurea Receptor 1 Gene Variants Are Associated With Gestational Diabetes and Type 2 Diabetes but Not With Altered Secretion of Insulin. *Diab Care.* 23 (1) : 70 – 73.
- Rorsman, P., Eliasson, L., Renström, E., Gromada, J., Barg, S., dan Göpel, S., 2000. The Cell Physiology of Biphasic Insulin Secretion. *News Physiol Sci.* 15 : 72 – 77.
- Sakura, H., Trapp, S., Liss, B. dan Ashcroft, F.M., 1999. Altered functional properties of K_{ATP} channel conferred by a novel splice variant of SUR1. *J Physiol.* 521 (2) : 337 – 350.
- Sastroasmoro, S., dan Ismael, S., 2014. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi 5. CV Sagung Seto, Yogyakarta.
- Sato, R., Watanabe, H., Genma, R., Takeuchi, M., Maekawa, M. dan Nakamura, H., 2010. ABCC8 polymorphism (Ser1369Ala): influence on severe hypoglykemia due to sulfonylurea. *Pharmacogenomics.* 11 (12) : 1743 – 1750.

- Sokolova, E.A., Bondar, I.A., Shabeinikova, Y., Pyankova, O.V. dan Filipenko, L., 2015. Replication of KCNJ11 (p.E23K) and ABCC8 (p.S1369A) Association in Russian Diabetes Mellitus 2 Type Cohort and Meta-Analysis. *PLoS ONE*. 10 (5) : 1 – 21.
- The Expert Committee on The Diagnosis and Classification of Diabetes Mellitus, 2003. Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus. *Diab Care*. 26 (1 Suppl) : S5 – S20.
- Tortora, G.J. dan Derrickson, B., 2009. Principles of Anatomy and Physiology. 12th edition, John Wiley & Sons, Inc. USA.
- Venkatesan, R., Bodhini, D., Narayani, N., dan Mohan, V., 2014. Association study of the ABCC8 gene variants with type 2 diabetes in south Indians. *Indian J Hum Genet*. 20 (1) : 37 – 42.
- Wallace, T.M., Levy, J.C., dan Matthews, D.R., 2004. Use and Abuse of HOMA Modeling. *Diab Care*. 27 : 1487 – 1493.
- Weisnagel, S.J., Rankinen, T., Nadeau, A., Rao, D.C., Chagnon, Y.C., Pérusse, L., dan Bouchard, C., 2001. Decreased Fasting and Oral Glucose Stimulated C-peptide in Nondiabetic Subjects With Sequence Variants in the Sulfonylurea Receptor 1 Gene. *Diabetes*. 50 : 697 – 702.
- Wild, S., Roglic, G., Green, A., Sicree, R., dan King, H., 2004. Global Prevalence of Diabetes ; Estimates for the year 2000 and projection for 2030. *Diab Care*. 27 (5): 1047 – 1053.
- Yokoi, N., Kanamori, M., Horikawa, Y., Takeda, J., Sanke, T., Furuta, H., Nanjo, K., Mori, H., Kasuga, M., Hara, K., Kadowaki, T., Tanizawa, Y., Oka, Y., Iwami, Y., Ohgawara, H., Yamada, Y., Seino, Y., Yano, H., Cox, N.J., dan Seino. S., 2006. Association Studies of Variants in Genes Involved in Pancreatic β -Cell Function in Type 2 Diabetes in Japanese Subjects. *Diabetes*. 55 : 2379 – 2386.