



DAFTAR PUSTAKA

- Alavi-Moghaddam, M., Bakhshi, H., Rezaei, B. and Khashayar, P. 2013. Pneumonia severity index compared to CURB-65 in predicting the outcome of community acquired pneumonia among patients referred to an Iranian emergency department: a prospective survey. *Braz J Infect Dis*, 17(2), 179–183.
- Arpitha, G., Rehman, M. and Ashwitha, G. 2014. Effect of severity of malnutrition on pneumonia in children aged 2 M-5Y at a tertiary care center in Khammam, Andhra Pradesh: a clinical study. *SJAMS*, 2, 3199–3203.
- Atwa, Z. T. H. 2014. Usefulness of gender and abnormal blood count for predicting pneumonia outcome in children. *EJCDT*, 64(1), 169–174.
- Aujesky, D. and Fine, M. J. 2008. The Pneumonia Severity Index□ : A Decade after the Initial Derivation and Validation. *Clin Infect Dis*, 47, 133–139.
- Basnet, S., Adhikari, R. K. and Gurung, C. K. 2006. Hypoxemia in children with pneumonia and its clinical predictors. *Indian J Pediatr*, 73(9), 777–781.
- Bilan, N., Behbahan, A. G., Abdinia, B. and Mahallei, M. 2010. Validity of pulse oximetry in detection of hypoxaemia in children□ : comparison of ear, thumb and toe probe placements. *East Mediterr Health J*, 16(2), 218–222.
- Bradley, J. S., Byington, C. L., Shah, S. S., Alverson, B., Carter, E. R., Harrison, C., et al. 2011. The management of community-acquired pneumonia in infants and children older than 3 months of age: Clinical practice guidelines by the pediatric infectious diseases society and the infectious diseases society of America. *Clin Infect Dis*, 53(7), 1–52.
- Burnett, L. E. and Stickle, W. B. 2001. Physiological responses to hypoxia. *AGU*, 101–114.
- Cardinale, F., Cappiello, A. R., Mastrototaro, M. F., Pignatelli, M. and Esposito, S. 2013. Community-acquired pneumonia in children. *Early Hum Dev*, 89(3), S49–S52.
- Chan, M. and Lake, A. 2013. Integrated action for the prevention and control of pneumonia and diarrhoea. *The Lancet*, 381(9876), 1436–1437.
- Child, I. and Review, H. 2006. Clinical Risk Factors for Death in Children with Pneumonia. *ICHRC*, 1–2.



- Chopra, M., Mason, E., Borrazzo, J., Campbell, H., Rudan, I., Liu, L., et al. 2013. Ending of preventable deaths from pneumonia and diarrhoea: An achievable goal. *The Lancet*, 381(9876), 1499–1506.
- Departemen Kesehatan Republik Indonesia. 2014. Profil Kesehatan Indonesia Tahun 2014. Jakarta.
<http://www.depkes.go.id/downloads/publikasi/ProfilKesehatanIndonesia2014.pdf>. 2 April 2015 (10:00)
- Djelantik, I. G. G., Gessner, B. D., Sutanto, A., Steinhoff, M., Linehan, M., Moulton, L. H. and Arjos, S. 2003. Case fatality proportions and predictive factors for mortality among children hospitalized with severe pneumonia in a rural developing country setting. *J Trop Pediatr*, 49(6), 327–332.
- Ebell, M. H. 2010. Point-of-Care Guides Clinical Diagnosis of Pneumonia in Children. *Am Fam Phys*, 82(2), 192–193.
- Ferreira, S., Sant'Anna, C. C., March, M. D. F. B. P., Santos, M. A. R. C. and Cunha, A. J. L. A. 2014. Lethality by pneumonia and factors associated to death. *J Pediatr*, 90(1), 92–97.
- Fischer Walker, C. L., Rudan, I., Liu, L., Nair, H., Theodoratou, E., Bhutta, Z. A., et al. 2013. Global burden of childhood pneumonia and diarrhoea. *The Lancet*, 381(9875), 1405–1416.
- Fonseca, W., Kirkwood, B. R., Victora, C. G., Fuchs, S. R., Flores, J. A. and Misago, C. 1996. Risk factors for childhood pneumonia among the urban poor in Fortaleza, Brazil: a case-control study. *Bull World Health Organ*, 74(2), 199–208.
- Gereige, R. S. 2013. Pneumonia. *Pediatr Rev*, 34(10), 438–456.
- Ginsburg, A. S., Izadnegahdar, R., Berkley, J. A., Walson, J. L., Rollins, N. and Klugman, K. P. 2015. Undernutrition and pneumonia mortality. *Lancet Glob Health*, 3(12), e735–e736.
- Ginsburg, S., Cleve, W. C. Van, Thompson, M. I. W. and English, M. 2012. Oxygen and Pulse Oximetry in Childhood Pneumonia: A Survey of Healthcare Providers in Resource-limited Settings. *J Trop Pediatr*, 58(5), 389–393.
- Gunajaya, E. and Widia, I. M. 2003. Clinical predictors of hypoxemia in pneumonia. *Paediatr Indones*, 43, 192-197.



- Hanum, L., Naning, R. and Prawirohartono, E. P. 2012. Clinical signs as diagnostic test to assess hypoxemia in children with acute asthma exacerbation. *J Med Sci*, 44(2), 1–9.
- Harris, M., Clark, J., Coote, N., Fletcher, P., Harnden, A., Mckean, M., et al. 2011. British Thoracic Society guidelines for the management of community acquired pneumonia in children: update 2011. *Thorax*, 66, ii1–ii23.
- Huang, C. Y., Chang, L. and Liu, C. C. 2013. Risk factors of progressive community-acquired pneumonia in hospitalized children: A prospective study. *J Microbiol Immunol Infect*, 48(1), 36–42.
- Hussain, S. Q., Ashraf, M., Wani, J. G. and Ahmed, J. 2014. Low Hemoglobin Level a Risk Factor for Acute Lower Respiratory Tract Infections (ALRTI) in Children. *J Clin Diagn Res*, 8(4), 1–3.
- Ivijanthi, M. Q., Vitri, S., Landia, S. and Makmuri, M. S., 2005. Risk Factors of Mortality in Children Under 6-Year-Old with Pneumonia. In: Konika Bandung XIII.
- Jroundi, I., Mahraoui, C., Benmessaoud, R., Moraleda, C., Alonso, P. L. and Bassat, Q. 2014. Risk factors for a poor outcome among children admitted with clinically severe pneumonia to a university hospital in Rabat, Morocco. *Int J Infect Dis*, 28, 164–170.
- Julian, R. J. 2007. The response of the heart and pulmonary arteries to hypoxia, pressure and volume. A short review. *Poultry Sci J*, 86(5), 1006–1011.
- Kisworini, P., Setyati, A. and Sutaryo. 2010. Mortality predictors of pneumonia in children. *Paediatr Indones*, 50(3), 149–153.
- Knill-Jones, R. P. 1987. Diagnostic systems as an aid to clinical decision making. *BMJ (Clinical Research Ed.)*, 295(6610), 1392–1396.
- Lazzerini, M., Seward, N., Lufesi, N., Banda, R., Sinyeka, S., Masache, G., et al. 2016. Mortality and its risk factors in Malawian children admitted to hospital with clinical pneumonia. *Lancet Glob Health*, 4(1), e57–e68.
- Lim, W. 2003. Defining community acquired pneumonia severity on presentation to hospital: an international derivation and validation study. *Thorax*, (3), 377–383.
- Loeb, M. 2001. Community acquired pneumonia. *Arch Dis Child*, 85, 445–446.



- Moreno-pérez, D., Martín, A. A., García, A. T., Montaner, A. E., Mulet, J. F., García, J. J. G., et al. 2015. Community acquired pneumonia in children: Outpatient treatment and prevention. *An Pediatr*, 83(6), 1–7.
- Nair, H., Nokes, D. J., Gessner, B. D., Dherani, M., Madhi, S. A., Singleton, R. J., et al. 2010. Global burden of acute lower respiratory infections due to respiratory syncytial virus in young children: a systematic review and meta-analysis. *Lancet*, 375(9725), 1545–1555.
- Nurjannah, Sovira, N. dan Anwar, S. 2012. Profil Pneumonia pada Anak di RSUD Dr. Zainoel Abidin, Studi Retrospektif. *Sari Pediatri*, 13(5), 1–5.
- Palafox, M. 2000. Diagnostic value of tachypnoea in pneumonia defined radiologically. *Arch Dis Child*, 82(1), 41–45.
- Patwari, A. K. 2012. Risk Factors for Mortality in Children Hospitalized with Pneumonia. *Indian Pediatr*, 49, 869–870.
- Qazi, S. and Were, W. 2015. Improving diagnosis of childhood pneumonia. *Lancet Infect Dis*, 15(4), 372–373.
- Ramachandran, P. 2012. Risk Factors for Mortality in Community–Acquired Pneumonia Among Children Aged 1–59 Months Admitted in a Referral Hospital. *Indian Pediatr*, 49, 889–895.
- Ramakrishnan, K. and Harish, P. S. 2006. Hemoglobin Level as a Risk Factor for Lower Respiratory Tract Infections. *Indian J Pediatr*, 73, 881–883.
- Rambaud-Althaus. 2015. Clinical features for diagnosis of pneumonia in children younger than 5 years: A systematic review and meta-analysis. *Lancet Infect Dis*, 15(4), 439–450.
- Reed, C., Madhi, S. A., Klugman, K. P., Kuwanda, L., Ortiz, J. R. and Fry, A. M. 2012. Development of the Respiratory Index of Severity in Children (RISC) Score among Young Children with Respiratory Infections in South Africa. *PLoS One*, 7(1), 1–8.
- Rello, J. 2008. Demographics, guidelines and clinical experience in severe community-acquired pneumonia. *Crit Care Med*, 12(6), 1–9.
- Rudan, I., Tomaskovic, L., Boschi-Pinto, C. and Campbell, H. 2004. Global estimate of the incidence of clinical pneumonia among children under five years of age. *World Health Organization. Bull World Health Organ*, 82(03), 895–903.



- Seymour, D. G., Green, M. and Vaz, F. G. 1990. Making better decisions: construction of clinical scoring systems by the Spiegelhalter-Knill-Jones approach. *BMJ (Clinical Research Ed.)*, 300(6719), 223–226.
- Shah, B. A. 2010. Validity of Pneumonia Severity Index and CURB-65 Severity Scoring Systems in Community Acquired Pneumonia in an Indian Setting. *Indian J Chest Dis Allied Sci*, (1178).
- Smyth, A., Carty, H. and Hart, C. 1998. Clinical Predictors of Hypoxaemia in Children with Pneumonia. *Ann Trop Paediatr*, 18, 31–40.
- Spiegelhalter, D. J. 1987. Probabilistic expert systems in medicine: practical issues in handling uncertainty. *Statist Sci*, 2(1), 3–44.
- Spiegelhalter, D. J. and Knill-Jones, R. P. 1984. Statistical and Knowledge-Based Approaches to Clinical Decision-Support Systems, with an Application in Gastroenterology. *J R Stat Soc. Series A (General)*, 147(1), 35–77.
- Stuckey-Schrock, K., Hayes, B. and George, C. 2012. Community-Acquired Pneumonia in Children. *Am Fam Physician*, 86(7), 661–667.
- Tiewsoh, K., Lodha, R., Pandey, R. M., Broor, S., Kalaivani, M. and Kabra, S. K. 2009. Factors determining the outcome of children hospitalized with severe pneumonia. *BMC Pediatr*, 9, 15.
- Usen, S., Weber, M., Mulholland, K., Jaffar, S., Oparaugo, A., Omosigho, C., et al. 1999. Clinical predictors of hypoxaemia in Gambian children with acute lower respiratory tract infection: Prospective cohort study. *BMJ*, 318(7176), 86–91.
- Wallihan, R. and Ramilo, O. 2014. Community-acquired pneumonia in children : Current challenges and future directions. *J Infect*, 69, S87–S90.
- Watt, J. P., Wolfson, L. J., O'Brien, K. L., Henkle, E., Deloria-Knoll, M., McCall, N., et al. 2009. Burden of disease caused by *Haemophilus influenzae* type b in children younger than 5 years: global estimates. *Lancet*, 374(9693), 903–911.
- WHO. 2013. Ending Preventable Child Deaths from Pneumonia and Diarrhoea by 2025: The integrated Global Action Plan for Pneumonia and Diarrhoea (GAPPD). *WHO/Unicef*, 1–61.
- Williams, D. J., Hall, M., Auger, K. A., Tieder, J. S., Jerardi, K. E., Queen, M. A., et al. 2015. Association of White Blood Cell Count and C-Reactive Protein with Outcomes in Children Hospitalized for Community-acquired Pneumonia. *Pediatr Infect Dis J*, 34(7), 792–3.