

DAFTAR PUSTAKA

- Abraham, E.M., Kyriazopoulos, A.P., Parissi, Z.M., Kostopoulou, P., Karatassiou, M., Anjalanidou, K., Katsouta, C., 2014. *Growth dry matter production, phenotypic plasticity, and nutritive value of three natural populations of *Dactylis glomerata* L. under various shading treatments*. *Agroforest. syst.* 88, 287–299.
- Adiam, B.Z., Hadish, H. and Issak, T., 2013. Water Requirement, Growth and Yield of Four Rice Varieties at Hamelmalo Agricultural College. *Senior Research Paper, Department of Land Resources and Environment, Hamelmalo Agricultural College, Eritrea*.
- Afif, T., & Dody K., Prapto Y. (2013). *Pengaruh Macam Pupuk Kandang Terhadap Pertumbuhan dan Hasil Tiga Kultivar Kacang Hijau (*Vigna radiata* L. Wilczek) di Lahan Pasir Pantai Bugel*. Kulon Progo. *Vegetalika* Vol.3 No.3, 2014 : 78 - 88
- Afuakwa, J.J. and Crookston, R.K., 1984. *Using the kernel milk line to visually monitor grain maturity in maize*. *Crop Science*, 24(4), pp.687-691.
- Ahira, A., 2010. *Morfologi Tanaman Padi*. Diakses Dari <http://www.Anneahira.com/morfologi-tanaman-padi.htm>. pada 28 Oktober 2015.
- Ahmad, R., Jabbar, A., Ahmad, A.H., Ullah, E. and Bhatti, I.H., 2007. *Evaluation of direct seeded upland rice-based intercropping system under strip planting geometry*. *Pakistan J. Agric. Sci*, 44, pp.1-5.
- Alavan, A., Hayati, R. and Hayati, E., 2015. *Pengaruh Pemupukan Terhadap Pertumbuhan Beberapa Varietas Padi Gogo (*Oryza sativa* L.)*. *Jurnal Floratek*, 10(1), pp.61-68.
- Ali, S., Bhatti, A.U., Khan, F. and Ghani, A., 2008. *Performance of mungbean in wheat mungbean system under integrated plant nutrient management on eroded lands*. *Sarhad Journal of Agriculture*, 24(3), pp.445-452.
- Alom, M.S., Paul, N.K. and Quayyum, M.A., 2010. *Production potential of different varieties of hybrid maize (*Zea mays* L.) with groundnut (*Arachis hypogaea* L.) under intercropping system*. *Bangladesh Journal of Agricultural Research*, 35(1), pp.51-64.
- Al-Omran, A.M., A.M. Falatah, A.S. Sheta, dan A.R. Al-Harbi. 2004. *Clay Deposits for Water Management of Sandy Soils*. *Arid Land Research and Management* (1): 171-183.
- Amossé, C., Jeuffroy, M.H., Celette, F. and David, C., 2013. *Relay-intercropped forage legumes help to control weeds in organic grain production*. *European Journal of Agronomy*, 49, pp.158-167.

- Andrianto, T.T. dan N. Indrarto, 2004. *Budidaya dan Analisis Usaha Tani Kedelai, Kacang Hijau, Kacang Panjang*. Yogyakarta : Absolut
- Anonim. 2005. “Uji Coba Padi di Lahan Pasir Pantai, Berasnya Masih Mudah Pecah”. Diakses dari www.suaramerdeka.com.klnpgo?hnp.jinh&id=213. Pada tanggal 2 Juni 2016.
- Anwarhan, H, 1984, *Effects of Population Density and Nitrogen Application On the Growth of Corn and Soybean Planted as Monoculture and Intercrop*. Dalam Contribution number 73: 21 – 38. Central Research Intitute for Food Crop Bogor. Indonesia.
- Astuti ZAT, (2014), *Pengaruh Pembenh Tanah Terhadap Perubahan Komunitas Gulma Di Lahan Pertanian Pasir Pantai Kulon Progo Dan Purworejo*. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Augstburger, Franz. Jörn Berger, Udo Censkowsky, Petra Heid, Joachim Milz, Christine Streit, Vitoon Panyakul, dan Koen den Braber. 2002. *Organic Farming in the Tropics and Subtropics Exemplary Description of 20 Crops Rice*. Naturland e.V. – 1st edition.
- Awal, M.A., H. Koshi and T. Ikeda. 2006. *Radiation interception and use by maize/peanut intercrop canopy*. Agric. For. Meteorol. 139: 74–83.
- Aztrina, A., Siregar, L. A., & Kardhinata, E. H. 2014. *Pengaruh Paclobutrazol Terhadap Jumlah Klorofil, Umur Berbunga, dan Umur Panen Dua Varietas Sorgum (Sorghum bicolor (L.) Moench)*. AGROEKOTEKNOLOGI, 2(4).
- Balitkabi, 2012. *Kacang Hijau. Laporan Tahun 2012 Penelitian Aneka Kacang dan Umbi*. Diakses dari <http://balitkabi.litbang.deptan.go.id>. Pada tanggal 2 Juni 2016
- Banik, P., Midya, A., Sarkar, B.K. and Ghose, S.S., 2006. *Wheat and chickpea intercropping systems in an additive series experiment: Advantages and weed smothering*. European Journal of Agronomy, 24(4), pp.325-332.
- Banik, P., Sasmal, T., Ghosal, P.K. and Bagchi, D.K., 2000. *Evaluation of Mustard (Brassica campestris Var. Toria) and Legume Intercropping under 1: 1 and 2: 1 Row-Replacement Series Systems*. Journal of Agronomy and Crop Science, 185(1), pp.9-14.
- Beets, W.,, 1982, *Multiple Cropping at Tropical Farming System*. Gower Pub. LTD Hamshire. 340p.
- Berti, M., Gesch, R., Johnson, B., Ji, Y., Seames, W. and Aponte, A., 2015. *Double- and relay-cropping of energy crops in the northern Great Plains, USA*. Industrial Crops and Products, 75, pp.26-34.
- Beuerlein, J., 2001. *Relay Cropping Wheat and Soybeans*. Ohio State University Extension Fact Sheet. Horticulture and Crop Science AGF–106–01, pp.1-5.

- Bhatt, M.D. and Tewari, A., 2006. *Losses in growth and yield attributes due to weed composition in transplanted paddy in Terai region*. Scientific World,4(4), pp.99-101.
- Boedhram, N., Arkebauer, T.J. and Batchelor, W.D., 2001. *Season-long characterization of vertical distribution of leaf area in corn*. Agronomy Journal, 93(6), pp.1235-1242.
- Boguzas, V. Marcinkevikeviciene, A. Kairyte. (2004). *Quantitative and Qualitative Evaluation of Weed Seed Bank in Organic Farming*. Agronomy Reseach. 2(1): 13-22.
- BPATP. 2014. *Kacang Hijau Varietas Vima-1*. Diakses dari <[http:// bpatp. litbang. pertanian.go.id /ind/ index.php / teknologi - pertanian/55 – teknologi - inovatif badan-litbang-pertanian/613-kacang-hijau varietas-vima-1](http://bpatp.litbang.pertanian.go.id/ind/index.php/teknologi-pertanian/55-teknologi-inovatif-badan-litbang-pertanian/613-kacang-hijau-varietas-vima-1)>. Pada tanggal 2 Juni 2016.
- BPSa, 2015. *Produksi, Luas Panen dan Produktivitas Padi dan Palawija di Indonesia*. Diakses dari <http://www.bps.go.id>. Pada tanggal 24 Maret 2016.
- BPSb, 2015. *Proyeksi Penduduk Indonesia 2010-2035*. Diakses dari <http://www.bps.go.id>. Pada tanggal 24 Maret 2016
- BPSc, 2015. *Ekspor dan Impor Barang-Barang*. Diakses dari <http://www.bps.go.id>. Pada tanggal 24 Maret 2016.
- BPSd, 2015. *Nilai Produksi dan Biaya Produksi per Musim Tanam per Hektar Budidaya Tanaman Padi Sawah, Padi Ladang, Jagung, dan Kedelai, 2014*. Diakses dari <https://www.bps.go.id/linkTabelStatis/view/id/1855>. Pada 29 Juni 2016.
- Budi, G.P. and Hajoeningtjas, O.D., 2009. *KEMAMPUAN KOMPETISI BEBERAPA VARIETAS KEDELAI (GLYCINE MAX) TERHADAP GULMA ALANG-ALANG (IMPERATA CYLINDRICA) DAN TEKI (CYPERUS ROTUNDUS)*. Jurnal Litbang Provinsi Jawa Tengah–Vol, 7(2), p.127.
- Casagrande, M., David, C., Valantin-Morison, M., Makowski, D. and Jeuffroy, M.H., 2009. *Factors limiting the grain protein content of organic winter wheat in south-eastern France: a mixed-model approach*. Agronomy for sustainable development, 29(4), pp.565-574.
- Catharina, T.S., 2009. *Respon tanaman jagung pada sistem monokultur dengan tumpangsari kacang-kacangan terhadap ketersediaan unsure hara N dan nilai kesetaraan lahan di lahan kering*. Fakultas Pertanian Universitas Maraswati, Mataram. Ganec Swara Edisi Khusus, 3(3), pp.17-21.
- Chauhan, B.S. 2012. *Weed ecology and weed management strategies for dry-seeded rice in Asia*. *Weed Technol.* 26: 1-13.

- Choudhary, V.K., Dixit, A., Suresh Kumar, P. and Chauhan, B.S., 2014. *Productivity, Weed Dynamics, Nutrient Mining, and Monetary Advantage of Maize-Legume Intercropping in the Eastern Himalayan Region of India. Plant Production Science*, 17(4), pp.342-352.
- Djuwanto, Suyitno, Sudarsono, dan Ratnawati, (2006) *Karakteristik Vegetasi di Kawasan Pantai Samas Bantul Daerah Istimewa Yogyakarta*. Seminar Nasional MIPA 2006: Penelitian, Pendidikan, dan Penerapan MIPA serta Peranannya dalam Peningkatan Keprofesionalan Pendidik dan Tenaga Kependidikan.
- Dobermann and Fairhurst. 2000. *Rice Nutrient Disorder and Nutrient Management*. International Rice Research Institute. Philippines. 201pp.
- Downs, R.J., 2012. *Environment and the experimental control of plant growth*(Vol. 6). Elsevier. 83p.
- El Bassiouny, H.M., Gobarah, M.E. and Ramadan, A.A., 2005. *Effect of antioxidants on growth, yield and favism causative agents in seeds of Vicia faba L. plants grown under reclaimed sandy soil*. Journal of Agronomy 4:281-287.
- Endriani. 2010. *Sifat Fisika dan Kadar Air Tanah Ultisol Akibat Penerapan Sistem Olah Tanah Konservasi*. Jurnal Hidrolitan. Vol. 1. No. 1. Masyarakat Konservasi Tanah dan Air (MKTI) Cabang Jambi. Jambi.
- Exner, D.N., Cruse, R.M., 1993. *Interseeded forage legume potential as winter ground cover, nitrogen source, and competition*. J. Prod. Agric. 6,226–231.
- Fariudin, R., Sulistyaningsih, E. and Waluyo, S., 2013. *Pertumbuhan dan Hasil Dua Kultivar Selada (Lactuca sativa L.) dalam Akuaponika pada Kolam Gurami dan Kolam Nila*. Vegetalika, 2(1), pp.66-81.
- Fournier, R.A., Mailly, D., Walter, J.M.N. and Soudani, K., 2003. *Indirect measurement of forest canopy structure from in situ optical sensors. In Remote sensing of forest environments (pp. 77-113)*. Springer US.
- Galinato, M.I., Moody, K. and Piggin, C.M., 1999. *Upland rice weeds of South and Southeast Asia*. Int. Rice Res. Inst..
- Gardner, F.P., Pearce, R.B. and Mitchell, R.L., 1991. *Fisiologi Tanaman Budidaya*. Penerjemah Herawati Susilo dan Pendamping Subiyanto. Penerbit Universitas Indonesia Press. Jakarta.
- Giller, K.E., Cadisch, G., 1995. *Future benefits from biological nitrogen fixation: an ecological approach to agriculture*. Plant Soil 174, 225–277.
- Ginting, C., 2010. *Analisis Pertumbuhan Selada (Lactuca sativa) Dibudidayakan Secara Hidroponik pada Musim Kemarau dan Penghujan*. AGRIPPLUS, Volume 20 (1-8).

- Giunta, F., Motzo, R. and Pruneddu, G., 2008. *Has long-term selection for yield in durum wheat also induced changes in leaf and canopy traits?*. Field Crops Research, 106(1), pp.68-76.
- Gloria Samantha, "Terbaru: Panjang Garis Pantai Indonesia Capai 99.000 Kilometer". Diakses dari <http://nationalgeographic.co.id/berita/2013/10/terbaru-panjang-garis-pantai-indonesia-capai-99000-kilometer>. Pada tanggal 28 Oktober 2015.
- Gnangle, C.P., Gbemavo, C., Aihou, K., Kakai, R.G., Sokpon, N., 2013. *Productivity of cotton and sorghum in an agroforestry system of shea trees (Vitellaria paradoxa Gaertn) in northern Benin*. Nat. Sci. 5, 207–213
- Gomez, A,A, and K,A, Gomez, 1983. *Multiple Cropping in The Humid Tropics of Asia IDRC Ottawa*. 248p.
- Hanum, C. 2008. *Teknik Budidaya Tanaman Jilid 2. Direktorat Pembinaan Sekolah Menengah Kejuruan*. Direktorat Jendral Manajemen Pendidikan Dasar dan Menengah. Departemen Pendidikan Nasional. Jakarta. 280 hal.
- Hartati, S. 1998. *Pengaruh Saat Tanam dan Populasi Jagung Terhadap Pertumbuhan dan Hasil Tanaman dalam Sistem Tumpang Gilir Kedelai Jagung*. Tesis. Universitas Gadjah Mada. Yogyakarta
- Hasanah, I. 2007. *Bercocok Tanam Padi*. Azka Mulia Media. Jakarta. 68 hal.
- Heaton, E.A., Schulte, L.A., Berti, M., Langeveld, H., Zegada-Lizarazu, W., Parrish, D. and Monti, A., 2013. Managing a second-generation crop portfolio through sustainable intensification: Examples from the USA and the EU. *Biofuels, Bioproducts and Biorefining*, 7(6), pp.702-714.
- Hiebsch, C.K. and McCollum, R.E. 1987. *Area-xtime equivalency ratio: A method for evaluating the productivity of intercrops*. Agronomy Journal 79:15 -22.
- Hinsinger P, Betencourt E, Bernard L, Brauman A, Plassard C, Shen JB, Tang XY, Zhang FS. 2011. *P for two, sharing a scarce resource: soil phosphorus acquisition in the rhizosphere of intercropped species*. Plant Physiol 156:1078 1086.
- HSB, A. S. Z., Budiyanto, G., & Mulyono, D. (2014). *Pemanfaatan Bahan Organik Dalam Perbaikan Beberapa Sifat Tanah Pasir Pantai Selatan Kulon Progo*. Jurnal Agroteknologi UMY. Yogyakarta.
- Hussain, Z.A.H.I.D., Marwat, K.B., Munsif, F., Samad, A., Hashim, S. and Bakht, T.A.M.A.N.A. 2013. *Influence of intercropping in maize on performance of weeds and the associated crops*. Pak. J. Bot, 45(5), pp.1729-1734.
- Indriati, T. R. (2009). *Pengaruh dosis pupuk organik dan populasi tanaman terhadap pertumbuhan serta hasil tumpang sari kedelai (Glycine max L.) dan jagung (Zea mays L.)* (Doctoral dissertation, Universitas Sebelas Maret).

- Istiyanti, E., Khasanah, U. and Anjarwati, A., 2016. Pengembangan Usahatani Cabai Merah di Lahan Pasir Pantai Kecamatan Temon Kabupaten Kulonprogo. *Jurnal AGRARIS*, 1(1), pp.6-11.
- Jackson, L.E., Pascual, U. and Hodgkin, T., 2007. *Utilizing and conserving agrobiodiversity in agricultural landscapes*. Agriculture, ecosystems & environment, 121(3), pp.196-210.
- Jayakumar, M., Ponnuswamy, K. and Amanullah, M.M. 2008. *Effect of sources of nitrogen and intercropping on weed control, growth and yield of cotton*. Res. J. Agric. Biol. Sci. 4:154-158.
- Kaggwa-Asiimwea, R., Andrade-Sanchez, P., Wang, G., 2013. *Plant architecture influences growth and yield response of upland cotton to population density*. Field Crops Res. 145, 52–59.
- Karadag, Y., 2004. *Forage Yields, Seed Yields and Botanical Compositions of Some Legume-barley*. Asian Journal of Plant Sciences, 3(3), pp.295-299.
- Kartasapoetra, A.G. 1988. *Teknologi Budidaya Tanaman Pangan di Daerah Tropika*. Bina Aksara. Jakarta. 418 hlm.
- Kementan, 2006. LHK-01 : Laporan Harian Harga Produsen Komoditas Pangan Tingkat Kabupaten/Kota (Satuan dalam Rp/Kg) bulan juni 2016. Diakses dari <https://aplikasi.pertanian.go.id/smspargakab/lhk01.asp>. Pada 29 Juni 2016.
- Kertonegoro, B.D. 2001. *Gumuk Pasir Pantai Di D.I. Yogyakarta : Potensi dan Pemanfaatannya untuk Pertanian Berkelanjutan. Prosiding Seminar Nasional Pemanfaatan Sumberdaya Lokal untuk Pembangunan Pertanian Berkelanjutan*. Universitas Wangsa Manggala Yogyakarta. Pada tanggal 02 Oktober 2001. Hal 46-54.
- Khudori, M., 1990. *Kajian Peranan Pupuk Kandang dan urea dalam Sistim Tumpang Sari Tanaman Jagung dengan Padi Gogo pada Tanah Regosol*. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Kline, A.M., Scott, M.M., Tony, V.J., Terry, W.D., Ellsworth, C.P. 2003. *Management considerations for relay intercropping: I. Wheat*. In: *Cooperative Ext. Serv. Purdue Univ. Agronomy Guide*, pp. AY-315.
- Kristamtini dan Prajitno ALKS. 2009. *Karakterisasi Padi Beras Merah Segreng Varietas Unggul Lokal Gunung Kidul*. Ilmu-Ilmu Pertanian. vol 5 (1) : 45-51.
- Kropff, M.J. and Van Laar, H.H., 1993. *Modelling crop-weed interactions*. Int. Rice Res. Inst..
- Lam, C.H., Lim, J.K. and Jantan, B., 1993. Comparative studies of a paraquat mixture and glyphosate and/or its mixtures on weed succession in plantation crops. *Planter*, 69(812), pp.525-535.

- Levitt, J., 1980. *Responses of plants to environmental stresses. Volume II. Water, radiation, salt, and other stresses (No. Ed. 2)*. Academic Press.
- Li, L., S.C. Yang, X.L. Li, F.S. Zhang and P. Christie. 1999. *Interspecific complementary and competitive interactions between intercropped maize and faba bean*. Plant Soil 212: 105-114.
- Lithourgidis AS, Dordas CA, Damalas CA, Vlachostergios DN. 2011. *Annual intercrops: an alternative pathway for sustainable agriculture*. Aust J Crop Sci 5:396–410.
- Maclean, J.L., 2002. *Rice almanac: Source book for the most important economic activity on earth*. Int. Rice Res. Inst..
- Malézieux, E., Crozat, Y., Dupraz, C., Laurans, M., Makowski, D., Ozier-Lafontaine, H., Rapidel, B., De Tourdonnet, S. and Valantin-Morison, M.. 2009. *Mixing plant species in cropping systems: concepts, tools and models: a review*. In Sustainable agriculture (pp. 329-353). Springer Netherlands.
- Mall, R. K., Gupta, B. R. D., Singh, K. K., & Singh, T. K. 2000. *Phenology and yield of wheat (Triticum aestivum) in relation to growing degree-days and photothermal units*. Indian Journal of Agricultural Sciences, 70(10), 647-652.
- Mallikarjuna, G.B., Manjunath, T.R. and Megeri, S.M. 2011. *Performance of maize-urdbean intercropping as influenced by weed management in bhadra command area of Karnataka*. Int. J. Sci. Nature 2: 334-338.
- Manidool, C. 1992. *Axonopus compressus (Sw.) P. Beauv.* In: 't Mannelje, L. and Jones, R.M. (eds) Plant Resources of South-East Asia No. 4. Forages. pp. 53-54. (Pudoc Scientific Publishers, Wageningen, the Netherlands).
- Manna, M.C., Ghosh, P.K. and Acharya, C.L., 2003. *Sustainable crop production through management of soil organic carbon in semiarid and tropical India*. Journal of Sustainable Agriculture, 21(3), pp.85-114.
- Mao, L., Zhang, L., Zhao, X., Liu, S., van der Werf, W., Zhang, S., Spiertz, H., Li, Z., 2014. *Crop growth, light utilization and yield of relay intercropped cotton as affected by plant density and a plant growth regulator*. Field Crops Res. 155, 67–76.
- Mariscal, M.J., Martens, S.N., Ustin, S.L., Chen, J.Q., Weisis, S.B., Roberts, D.A., 2004. *Light-transmission profiles in an old-growth forest canopy: simulations of photosynthetically active radiation by using spatially explicit radiative transfer models*. Ecosystems 7, 454–467.
- Maulana, Y., Sukirman, S. and Zurni, R., 2016. *Studi Kadar Aspal Optimum Menggunakan Alat Marshall dan Alat Percentage Refusal Density*. REKA RACANA, 2(1). ITENAS. Bandung.

- Meena, S., Swaroop, N. and Dawson, J., 2016. *Effect of integrated nutrient management on growth and yield of green gram (Vigna radiata L.)*. *Agricultural Science Digest-A Research Journal*, 36(1), pp.63-65.
- Mile, M.Y., 2007. *Pengembangan species tanaman pantai untuk rehabilitasi dan perlindungan kawasan pantai, Info teknis Balai Besar Penelitian Bioteknologi dan Pemuliaan Tanaman Hutan*. Yogyakarta.
- Mujib, Ridwan. (2013). *Struktur Dan Komposisi Vegetasi Gumuk Pasir Di Desa Parangtritis Kecamatan Kretek Kabupaten Bantul Yogyakarta*. Skripsi. UIN SUNAN KALIJAGA. Yogyakarta
- Nina, A. (2003). *Kajian waktu tanam dan jumlah baris kacang hijau dalam sistem pertanaman tumpangsari dengan padi gogo*. Thesis S2 (tidak dipublikasikan). Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta.
- Norsalis, E., 2011. *Padi Gogo dan Padi Sawah*. Diakses dari <http://repository.usu.ac.id>. pdf. Pada 15 Oktober 2015.
- Nugraheni, I., 2006. *Perubahan Penggunaan Tanah Pertanian ke Non Pertanian di Kantor Pertanahan Kabupaten Demak* (Doctoral dissertation, Universitas Negeri Semarang).
- Nur Aini Muhabbibah, 2009. *Pengaruh Jenis dan Konsentrasi Ekstrak Gulma terhadap Perkecambah beberapa Biji Gulma*. Skripsi. Jurusan Biologi Fakultas Sains dan Teknologi Universitas Islam Negeri (UIN) Malang.
- Oliver, Y.M. and Smettem, K.R.J., 2005. *Predicting water balance in a sandy soil: Model sensitivity to the variability of measured saturated and near saturated hydraulic properties*. *Soil Research*, 43(1), pp.87-96.
- Ouma, G., 2009. *Intercropping and its application to banana production in East Africa: a review*. *Journal of plant breeding and crop science*, 1(2), pp.013-015.
- Palaniappan, S,P,, 1988. *Cropping System in The Tropics Principle Management*.
- Pandey, M., & Singh, T. 2015. *Effect of Intercropping Systems and Different Levels of Nutrients on Dry Matter Accumulation and Physiological Growth Parameters of Bed Planted Wheat (Triticum aestivum L.)*. *Indian Journal of Science and Technology*, 8(11).
- Partoyo. 2005. *Analisis Indeks Kualitas Tanah Pertanian Di Lahan Pasir Pantai Samas Yogyakarta*. *Ilmu Pertanian* 12(2): 140-151.
- Pettigrew, W.T., Johnson, J.T., 2005. *Effects of different seeding rates and plant growth regulators on early-planted cotton*. *J. Cotton Sci.* 9, 189–198.
- Poggio, S.L., 2005. *Structure of weed communities occurring in monoculture and intercropping of field pea and barley*. *Agriculture, ecosystems & environment*, 109(1), pp.48-58.

- Pratiwi Herdina, Rahmianna AA, Taufiq A. 2012. *Perbandingan fenologi beberapa varietas unggul kacang hijau pada pertanaman awal musim hujan. Di dalam: Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi*. Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian. Malang. hlm. 487.
- Purnama, J. M., & Tohari, D. K. (2013). *Kajian Teknologi Parit Berbahan Organik pada Produktivitas Tumpangsari Jagung (Zea mays L.) dengan Kacang Hijau (Vigna radiata (L.) Wilczek di Lahan Kering*. *Vegetalika*, 2(2), 40-49.
- Purwono, Purnamawati H. 2007. *Budidaya 8 Jenis Tanaman Pangan Unggul*. Jakarta: Penebar Swadaya.
- Quah, K.B., Lim, J.L. and Badrulisam, J., 2000. Alternating herbicides to minimize weed succession in the plantation. In *Extended Abstract Proceedings of 2nd International Pesticides Conference—Crop Protection Towards 2000* (pp. 110-113).
- Radosevich, S.R., J.S. Hold, 1984. *Weed Ecology Implication for Vegetation Management*. John Wiley and Son. New York. 262 p
- Rahayu, T. 2009. *Budidaya Tanaman Padi Dengan Teknologi MIG-6 plus*. Diakses dari <http://cybex.deptan.go.id/penyuluhan/persyaratan-tumbuh-padi-gogo>. Pada 28 Oktober 2015.
- Rajagopal, N., Velayadham, K., Rajendran, P. and Radhamani, S. 1998. *Efficiency of dual cropping of green manures with maize on weed management*. *Madras Agric. J.* 85: 393-395.
- Ram, S.N., 2015. *Effect of Weed Control on Performance of Guinea Grass-Legumes Intercropping System under Rainfed Conditions*. *Indian Journal of Dryland Agricultural Research and Development*, 30(1), pp.42-49.
- Randhawa, Jit Gurinder. Shashi Bhalla Manoranjan, Hota V. Celia Chalam, Vandana Tyagi dan Desh Deepak Verma. 2006. *Document on Biology of Rice (Oryza sativa L.) in India*. National Bureau of Plant Genetic Resources and Project Coordinating and Monitoring Unit, Ministry of Environment and Forests, New Delhi.
- Ridwan M. 1992. *Pengaruh jumlah benih jagung per lubang tanam dalam pola tumpangsari jagung dengan kedelai terhadap produksi dan nisbah kesetaraan lahan*. Pendidikan Pasca Sarjana KPK-UNAND. Padang.
- Rowe, E.C., M.V. Noordwijk, D. Suprayogoa and G. Cadisch. 2005. *Nitrogen use efficiency of monoculture and hedgerow intercropping in the humid tropics*. *Plant Soil* 268: 61-74.
- Saeed, M., A. Ullah, R. Ahmad and A. Jabbar. 1999. *Bio-economic assessment of direct-seeded ricebased intercropping systems under strip plantation*. *Pak. J. Bio. Sci.* 2(3): 980-983.

- Samsudi. 2005. *Uji pemberian pupuk kandang dan urea pada tanaman kacang hijau (Phaseolus radiatus L.)*. Skripsi. Universitas Islam Riau Pekanbaru.
- Sarwani, M., 2008. *Teknologi budidaya Padi. Balai Besar Pengkajian dan Pengembangan Teknologi Pertanian*. Balitbang. Bogor.
- Satriadi, A. 2004. *Komposisi gulma pada berbagai pertanaman di Lahan Pasir Pantai Puncu Kabupaten Purworejo*. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada.
- Satyarini, B.T. 2009. *Analisis kelayakan usaha tani cabai di lahan pantai (Studi kasus di pantai Pandan Simo Bantul, Daerah Istimewa Yogyakarta)*. Prosiding Seminar Nasional Peningkatan Daya Saing Agribisnis Berorientasi Kesejahteraan Petani, Bogor, 14 Oktober 2009. Pusat Analisis Sosial Ekonomi dan Kebijakan Pertanian, Bogor.
- Shen Q R, Chu G X, Cao J L, Cao Y, Yin X Y. 2004. *Yield advantage of groundnut intercropped with rice cultivated in aerobic soil from the viewpoint of plant nitrogen nutrition*. Scientia Agricultura Sinica, 37, 117-1182.
- Singh, U., Saad, A.A., Hasan, B., Singh, P. and Singh, S.R., 2008. *Production potential and economics of intercropping of lentil (Lens culinaris) with brown sarson (Brassica campestris) and oat (Avena sativa)*. Indian Journal of Agronomy, 53(2), p.135.
- Sipai, A.H., Jat, J.R. and Rathore, B.S., 2016. *Effect of Phosphorus, Sulphur and Biofertilizer on Growth, Yield and Nodulation in Mungbean on Loamy Sand Soils of Kutch*. Crop Research, 2016.
- Siradz, S. A., & Kabirun, S. 2007. *Pengembangan lahan marginal pesisir pantai dengan bioteknologi masukan rendah*. Jurnal Ilmu Tanah dan Lingkungan, 7(2), 83-92.
- Siregar, Hadrian. 1981. *Budidaya Tanaman Padi di Indonesia*. Jakarta: Sastra Hudaya. 320 Hal.
- Six, J., Elliot, E.T. and Paulina, K., 2005. *Soil structur and soil organic matter: II. A normalized ability and the effect of mineralogy*. Soil Society America Journal, 64, pp.1042-1049.
- Sobkowicz, P., 2006. *Competition between triticale (Triticosecale Witt.) and field beans (Vicia faba var. minor L.) in additive intercrops*. Plant Soil and Environment, 52(2), p.47.
- Soemartono, 1988. *Sistem Pertanaman (Cropping System) pada Lahan Tadah Hujan dan Lahan Berpengairan*. Integrated Land Development Training Program Faculty of Technology, Gadjah Mada University. Yogyakarta.
- Soeprapto. 1993. *Bertanam Kacang Hijau*. Penebar Swadaya. Jakarta. 20 hal.

- Soerjani, M., M. Soendaru dan C. Anwar. 1996. *Present Status of Weed Problems and their Control in Indonesia*. Biotrop. Special Publication. No. 24.
- Soverda, N. Evita dan H. Arjuna. 2008. *Pengaruh beberapa dosis abu janjang kelapa sawit terhadap pertumbuhan dan hasil kacang hijau (Vigna radiata L.)*. Jurnal Agronomi, 12(2): 3-5.
- Sri Handayani, 2005. *Kadar Fe, Mg, Ca, Na, Jaringan dan Pertumbuhan Kacang Hijau yang Diintroduksi di Lahan Pasir di Daerah Patihan Kawasan Pantai Samas Bantul Yogyakarta dengan Pemberian Mulsa dan Dosis Pupuk Kandang*. Yogyakarta : FMIPA UNY
- Su, L., Wang, Q., Wang, C. and Shan, Y., 2015. *Simulation Models of Leaf Area Index and Yield for Cotton Grown with Different Soil Conditioners*. PloS one, 10(11), p.e0141835.
- Sudomo, A dan N. Mindawati. 2011. *Pertumbuhan Manglid (Manglieta Glauca BU) Pada Tiga Jarak Tanam dan Tiga Jenis Pupuk di Tasikmalaya Jawa Barat*. Jurnal Tekno Hutan Tanaman. 4(3) : 115
- Sulistiyono, Eko. Suwanto dan Yulianti Ramdiani. 2005. *Defisit Evapotranspirasi sebagai Indikator Kekurangan Air pada Padi Gogo*. Bul. Agron. (33) (1) 6-11.
- Sumardi, Kasli, M.Kasim, A. Syarif, dan N. Akhir, 2007. *Aplikasi ZPT untuk Meningkatkan Kekuatan Sink Tanaman Padi Sawah*. Jurnal Akta Agrosia Edisi Khusus. No. 1 hlm 26-35.
- Sumaryanto, B. Irawan, M. Suryadi, M.H Sawit, A. Setyanto dan J. Situmorang. 2011. *Dampak Perubahan Iklim Terhadap Kerawanan Pangan Temporer*. Pusat Sosial Ekonomi dan Kebijakan Pertanian. Bogor.
- Sunghening, W., & Tohari, D. F. S. 2013. *Pengaruh Mulsa Organik Terhadap Pertumbuhan dan Hasil Tiga Varietas Kacang Hijau (Vigna radiata L. Wilczek) di Lahan Pasir Pantai Bugel*. Kulon Progo. *Vegetalika*, 1(2), 54-66.
- Suntoro, W.A., 2003. *Peranan Bahan Organik terhadap Kesuburan Tanah dan Upaya Pengelolaannya*. Pidato Pengukuhan Guru Besar Ilmu Kesuburan Tanah Fakultas Pertanian Universitas Sebelas Maret 4 Januari 2003.
- SUPRIYANTI, A., Ir Supriyanta, M.P. and Ir Kristamtini, M.S., 2015. *Karakterisasi Dua Puluh Padi (Oryza sativa. L) Lokal Di Daerah Istimewa Yogyakarta*. Skripsi. Universitas Gadjah Mada. Yogyakarta.
- Syukur, A. 2005. *Penyerapan Boron oleh Tanaman Jagung di Tanah Pasir Pantai Bugel dalam Kaitannya dengan Tingkat Frekuensi Penyiraman dan Pemberian Bahan Organik*. Jurnal Ilmu Tanah dan Lingkungan, 5(2), 20-26.
- Szumigalski, A., & Van Acker, R. 2005. *Weed suppression and crop production in annual intercrops*. Weed Science, 53(6), 813-825.

- Tawang, A and T.A. Ahmad. 2003. *Stabilization of Upland Agriculture under El nino induced Climatic Risk : Regional and Farm Level Risk Management and Coping Mechanism in the Kedah-Perlis Region, Malaysia*. United Nations CGRPT Centre.
- Thierfelder, C., Cheesman, S. and Rusinamhodzi, L., 2013. *Benefits and challenges of crop rotations in maize-based conservation agriculture (CA) cropping systems of southern Africa*. International Journal of Agricultural Sustainability, 11(2), pp.108-124.
- Tjokrowardojo, A.S. and Djauhariya, E., 2005. *Gulma Pada Budidaya Tanaman Jahe. Bunga rampai*, p.49.
- Tsubo, M., & Walker, S. 2004. *Shade Effects on Phaseolus vulgaris L. Intercropped with Zea mays L. under Well-Watered Conditions*. Journal of Agronomy and Crop Science, 190(3), 168-176.
- Ullah, A., Bhatti, M.A., Gurmani, Z.A. and Imran, M., 2007. *Studies on planting patterns of maize (Zea mays L.) facilitating legumes intercropping*. Journal of Agricultural Research, 45(2), pp.113-118.
- Ume, Humaedah. 2014. *Syarat Tumbuh dan Budidaya Kacang Hijau*. <<http://cybex.deptan.go.id/penyuluhan/syarat-tumbuh-dan-budidaya-kacanghijau>>. (diakses 2 Juni 2016).
- Warsana. 2009. *Introduksi teknologi Tumpangsari Jagung dan Kentang*. Bul. Penel. 45 (7):9-12
- Weiner, J., Griepentrog, H.W., Kristensen, L., 2001. *Suppression of weeds by spring wheat triticum aestivum increases with crop density and special uniformity*. J. Appl. Ecol. 38, 784–790.
- Wiley Eastern Limited, Sanches, P,A. 1976, *Properties and Management of Soil in The Tropics*. Jhon Willey and Sons. New York.
- Wiroatmodjo, J., Martha, B., Lontoh, P., Adam, Y.M. and Utomo, I.H., 1992. *Pengaruh Pengaruh Pupuk Kandang Terhadap Pertumbuhan Dan Hasil Jahe (Zingiber Officinale Rosc.) Jenis Badak Serta Periode Kritis Jahe Terhadap Kompetisi Gulma*. P.50.
- Xu, B.C., F.M. Li and L. Shan. 2008. *Switchgrass and milkvetch intercropping under 2:1 row-replacement in semiarid region, northwest China: aboveground biomass and water use efficiency*. Eur. J. Agron. 28:485-492.
- Yamane, K., Ikoma, A. and Iijima, M., 2016. *Performance of double cropping and relay intercropping for black soybean production in small-scale farms*. Plant Production Science, pp.1-9.

- Yudono, P., B. D. Kertonegoro, Harsoyo, Setyastuti P, Nunik Astuti. 2004. *Penyusunan Model Teknologi Pengembangan Sayuran di Lahan Pasir Pantai Kabupaten Bantul dan Kulon Progo*. Tim Lahan Pasir Pantai Fak. Pertanian UGM. Laporan Akhir (tidak dipublikasikan) 74 hal.
- Yudono, P., B. D. Kertonegoro, Z. A. T. Astuti. 2013. *Pengaruh Pemanfaatan Budidaya Pertanian Lahan Pasir Pantai terhadap Perubahan Komunitas Gulma*. Laporan Akhir Penelitian Hibah Jurusan Budidaya Pertanian (tidak dipublikasikan) 17 hal. Fakultas Pertanian UGM. Yogyakarta.
- Zhang, F.S. and L. Li. 2003. *Using competitive and facilitative interactions in intercropping systems enhances crop productivity and nutrient-use efficiency*. Plant Soil 248:305-312.
- Zhang, L., van der Werf, W., Zhang, S., Li, B., Spiertz, J.H.J., 2008b. *Temperaturemediated developmental delay may limit yield of cotton in relay intercrops with wheat*. Field Crops Res. 106, 258–268.
- Zhu YY, Chen HR, Fan JH, Wang YY, Li Y, Chen JB, Fan JX, Yang SS, Hu LP, Leung H, Mew TW, Teng PS, Wang ZH, Mundt CC. 2000. *Genetic diversity and disease control in rice*. Nature 406:718–722.
- Zomer RJ, Trabucco A, Coe R, Place F. 2009. *Trees on farm: Analysis of global extent and geographical patterns of agroforestry*. ICRAF Working Paper no 89. Nairobi, Kenya: World Agroforestry Centre.