



DAFTAR PUSTAKA

- [1] R. C. Kroeze and P. T. Krein, "Electrical battery model for use in dynamic electric vehicle simulations," *2008 IEEE Power Electron. Spec. Conf.*, pp. 1336–1342, 2008.
- [2] S. U. N. Kai and S. H. U. Qifang, "Overview of the Types of Battery Models," pp. 3644–3648, 2011.
- [3] M. A. Roscher, S. Member, J. Assfalg, and O. S. Bohlen, "Detection of Utilizable Capacity Deterioration in Battery Systems," vol. 60, no. 1, pp. 98–103, 2011.
- [4] T. Kim and W. Qiao, "A hybrid battery model capable of capturing dynamic circuit characteristics and nonlinear capacity effects," *IEEE Trans. Energy Convers.*, vol. 26, no. 4, pp. 1172–1180, 2011.
- [5] W. He, N. Williard, C. Chen, and M. Pecht, "State of charge estimation for Li-ion batteries using neural network modeling and unscented Kalman filter-based error cancellation," *Int. J. Electr. Power Energy Syst.*, vol. 62, pp. 783–791, Nov. 2014.
- [6] R. K. Singh, S. Member, and S. Mishra, "A Digital Optimal Battery Charger with the inbuilt Fault Detection Property," pp. 1–6, 2012.
- [7] S. a. Gadsden and S. R. Habibi, "Model-based fault detection of a battery system in a hybrid electric vehicle," *2011 IEEE Veh. Power Propuls. Conf.*, pp. 1–6, Sep. 2011.
- [8] V. Lystianingrum, B. Hredzak, and V. G. Agelidis, "Multiple model estimator based detection of abnormal cell overheating in a Li-ion battery string with minimum number of temperature sensors," *J. Power Sources*, vol. 273, pp. 1171–1181, Jan. 2015.
- [9] P. H. L. Notten and D. Danilov, "From battery modeling to Battery Management," *INTELEC, Int. Telecommun. Energy Conf.*, 2011.
- [10] M. a. Roscher, R. M. Kuhn, and H. Döring, "Error detection for PHEV, BEV and stationary battery systems," *Control Eng. Pract.*, vol. 21, no. 11, pp. 1481–1487, Nov. 2013.
- [11] R. P. S. Ventura, A. M. S. Mendes, and A. J. M. Cardoso, "Fault Detection



in multilevel cascaded inverter using Park ' s Vector Approach with balanced battery power usage Keywords The Cascaded Multilevel Converter,” 2008.

- [12] G. Pebriyanti, “A lithium-ion battery modeling for a HIL-battery simulator,” *2013 Int. Conf. Comput. Control. Informatics Its Appl.*, pp. 185–190, Nov. 2013.
- [13] Y. Wang, X. Lin, M. Pedram, and N. Chang, “Online fault detection and fault tolerance in electrical energy storage systems,” *2014 IEEE PES Gen. Meet. | Conf. Expo.*, pp. 1–5, Jul. 2014.
- [14] W. Gao and M. Jiang, “Research on PNGV Model Parameter Identification of LiFePO₄ Li-ion Battery Based on FMRLS,” no. 10111406006, pp. 2294–2297, 2011.
- [15] M. Ouyang, M. Zhang, X. Feng, L. Lu, and J. Li, “Internal short circuit detection for battery pack using equivalent parameter and consistency method,” *J. Power Sources*, vol. 294, pp. 272–283, 2015.
- [16] W. Lombardi, M. Zarudniev, S. Lesecq, and S. Bacquet, “Sensors fault diagnosis for a BMS,” *2014 Eur. Control Conf.*, pp. 952–957, Jun. 2014.
- [17] W. Chen, W.-T. Chen, M. Saif, M.-F. Li, and H. Wu, “Simultaneous Fault Isolation and Estimation of Lithium-Ion Batteries via Synthesized Design of Luenberger and Learning Observers,” *IEEE Trans. Control Syst. Technol.*, vol. 22, no. 1, pp. 290–298, Jan. 2014.
- [18] H. Dai, X. Zhang, X. Wei, Z. Sun, J. Wang, and F. Hu, “Cell-BMS validation with a hardware-in-the-loop simulation of lithium-ion battery cells for electric vehicles,” *Int. J. Electr. Power Energy Syst.*, vol. 52, pp. 174–184, Nov. 2013.
- [19] B. S. Bhangu, P. Bentley, D. A. Stone, and C. M. Bingham, “Nonlinear Observers for Predicting State-of-Charge and State-of-Health of Lead-Acid Batteries for Hybrid-Electric Vehicles,” vol. 54, no. 3, pp. 783–794, 2005.
- [20] E. H. El Bouchikhi, V. Choqueuse, and M. Benbouzid, “Induction machine faults detection using stator current parametric spectral estimation,” *Mech. Syst. Signal Process.*, vol. 52–53, pp. 447–464, Feb. 2015.
- [21] A. Singh, A. Izadian, and S. Anwar, “Fault diagnosis of Li-Ion batteries using multiple-model adaptive estimation,” *IECON 2013 - 39th Annu.*



Conf. IEEE Ind. Electron. Soc., pp. 3524–3529, Nov. 2013.

- [22] G. Welch and G. Bishop, “An Introduction to the Kalman Filter,” pp. 1–16, 2006.
- [23] R.-J. Chen, T.-D. Lin, H.-Y. Lin, and Y.-C. Hsieh, “Electric circuit modelling for lithium-ion batteries by intermittent discharging,” *IET Power Electron.*, vol. 7, no. April, pp. 2672–2677, 2014.
- [24] Z. Chen, A. Member, Y. Fu, and C. C. Mi, “State of Charge Estimation of Lithium-Ion Batteries in Electric Drive Vehicles Using Extended Kalman Filtering,” vol. 62, no. 3, pp. 1020–1030, 2013.
- [25] B. Xia and C. Mi, “A fault-tolerant voltage measurement method for series connected battery packs,” *J. Power Sources*, vol. 308, pp. 83–96, 2016.
- [26] A. Q. Khan, A. Qayyum, and M. Abid, “ScienceDirect Robust Fault Detection and Isolation for Robust Fault Detection and Isolation for Uncertain Switched Systems under Uncertain Switched Systems under Uncertain S,” *IFAC-PapersOnLine*, vol. 48, no. 21, pp. 131–136, 2015.
- [27] R. Stetter, R. Stetter, R. Gmbh, R. Gmbh, R. Gmbh, R. Gmbh, and R. Gmbh, “ScienceDirect Predictive fault-tolerant fault-tolerant control for for Predictive Predictive fault-tolerant control control for,” pp. 476–483, 2015.
- [28] M. D. Programme, “A Method for Evaluating Battery State of Charge Estimation Accuracy,” 2012.
- [29] C. Zhang, K. Li, Z. Yang, L. Pei, and C. Zhu, “A new battery modelling method based on simulation error minimization,” pp. 0–4, 2014.
- [30] D.-H. Shin, H. Heo, T.-H. Kim, H.-S. Song, B.-H. Kim, J.-B. Jeong, and B.-H. Lee, “Verification of battery system model for environmentally friendly vehicles using a battery hardware-in-the-loop simulation,” *IET Power Electron.*, vol. 6, no. October 2012, pp. 417–424, 2013.
- [31] H. He, R. Xiong, X. Zhang, F. Sun, J. Fan, and S. Member, “State-of-Charge Estimation of the Lithium-Ion Battery Using an Adaptive Extended Kalman Filter Based on an Improved Thevenin Model,” vol. 60, no. 4, pp. 1461–1469, 2011.
- [32] L. Devarakonda and T. Hu, “Effects of rest time on discharge response and



- equivalent circuit model for a lead-acid battery,” *J. Power Sources*, vol. 282, pp. 19–27, 2015.
- [33] J. a. Aziz and N. Ramli, “Detail analysis of RC parallel network-based model for high capacity lithium ferro phosphates battery,” *6th IET Int. Conf. Power Electron. Mach. Drives (PEMD 2012)*, pp. D62–D62, 2012.
- [34] C. Y. Chun, J. Baek, G.-S. Seo, B. H. Cho, J. Kim, I. K. Chang, and S. Lee, “Current sensor-less state-of-charge estimation algorithm for lithium-ion batteries utilizing filtered terminal voltage,” *J. Power Sources*, vol. 273, no. 0, pp. 255–263, 2015.
- [35] C. Fleischer, W. Waag, H. M. Heyn, and D. U. Sauer, “On-line adaptive battery impedance parameter and state estimation considering physical principles in reduced order equivalent circuit battery models part 2. Parameter and state estimation,” *J. Power Sources*, vol. 262, pp. 457–482, 2014.
- [36] J. Sabatier, J. M. Francisco, F. Guillemard, L. Lavigne, M. Moze, and M. Merveillaut, “Lithium-ion batteries modeling: A simple fractional differentiation based model and its associated parameters estimation method,” *Signal Processing*, vol. 107, pp. 290–301, 2015.
- [37] H. He, Z. Liu, and Y. Hua, “Adaptive extended kalman filter based fault detection and isolation for a lithium-ion battery pack,” *Energy Procedia*, vol. 75, pp. 1950–1955, 2015.
- [38] M. Tadj, K. Benmouiza, and A. Cheknane, “An innovative method based on satellite image analysis to check fault in a PV system lead–acid battery,” *Simul. Model. Pract. Theory*, vol. 47, pp. 236–247, Sep. 2014.
- [39] K. W. E. Cheng, S. Member, B. P. Divakar, H. Wu, K. Ding, and H. F. Ho, “Battery-Management System (BMS) and SOC Development for Electrical Vehicles,” vol. 60, no. 1, pp. 76–88, 2011.
- [40] L. Lu, X. Han, J. Li, J. Hua, and M. Ouyang, “A review on the key issues for lithium-ion battery management in electric vehicles,” *J. Power Sources*, vol. 226, pp. 272–288, Mar. 2013.
- [41] I. Power and E. Society, *IEEE Guide for Selection and Use of Battery Monitoring Equipment in Stationary Applications*, vol. 2012, no. June. 2012.



- [42] Y. Xiao, S. Huang, H. Chen, and B. Xu, "Research on Tension Control Strategy of Battery Pole-piece Winding and Unwinding System Based on Fault-tolerant Control," *Procedia Eng.*, vol. 15, pp. 5073–5078, 2011.
- [43] K. Smarsly and K. H. Law, "Decentralized fault detection and isolation in wireless structural health monitoring systems using analytical redundancy," *Adv. Eng. Softw.*, vol. 73, pp. 1–10, Jul. 2014.
- [44] R. Ahmed, S. Member, M. El Sayed, I. Arasaratnam, J. Tjong, and S. Habibi, "Reduced-Order Electrochemical Model Parameters Identification and SOC Estimation for Healthy and Aged Li-Ion Batteries Part I: Parameterization Model Development for Healthy Batteries," vol. 2, no. 3, pp. 659–677, 2014.
- [45] G. Wang, "Estimation of Power Battery SOC Based on Improved BP Neural Network," pp. 2022–2027, 2014.
- [46] J. Zhang, "Application of Statistical Parameter Identification in Battery Management System," pp. 5938–5942, 2010.
- [47] I. Conference and C. Modelling, "2014 UKSim-AMSS 16th International Conference on Computer Modelling and Simulation," 2014.
- [48] P. Przysta and W. Moczulski, "Engineering Applications of Artificial Intelligence Methodology of neural modelling in fault detection with the use of chaos engineering," vol. 41, pp. 25–40, 2015.
- [49] Y. Zou, X. Hu, H. Ma, and S. Eben, "Combined State of Charge and State of Health estimation over lithium-ion battery cell cycle lifespan for electric vehicles," *J. Power Sources*, vol. 273, pp. 793–803, 2015.
- [50] S. M. M. Alavi, C. R. Birkl, and D. A. Howey, "Time-domain fitting of battery electrochemical impedance models," *J. Power Sources*, vol. 288, pp. 345–352, 2015.
- [51] D. V. Cadar, D. M. Petreus, and T. M. Patarau, "An Energy Converter Method for Battery Cell Balancing," pp. 26–28, 2010.
- [52] F. Baronti, W. Zamboni, N. Femia, R. Roncella, S. Rosi, R. Saletti, and M. Chow, "Parameter Identification of Li-Po Batteries in Electric Vehicles: a Comparative Study."



- [53] G. L. Plett, "1 Extended Kalman filtering for battery management systems of LiPB-based HEV battery packs Part 1. Background," *J. Power Sources*, vol. 161, no. 2, pp. 1369–1384, 2006.
- [54] S. Silvestre, M. Aires, A. Chouder, D. Guasch, and E. Karatepe, "New procedure for fault detection in grid connected PV systems based on the evaluation of current and voltage indicators," *Energy Convers. Manag.*, vol. 86, pp. 241–249, 2014.
- [55] Z. Liu and H. He, "Sensor fault detection and isolation for a lithium-ion battery pack in electric vehicles using adaptive extended Kalman filter q ," *Appl. Energy*, 2015.
- [56] I. S. Lee, J. T. Kim, J. W. Lee, D. Y. Lee, and K. Y. Kim, "Model-based fault detection and isolation method using ART2 neural network," *Int. J. Intell. Syst.*, vol. 18, pp. 1087–1100, 2003.