

## REFERENCES

- Bertuccio, C. a, 2011. Relevance of VEGF and nephrin expression in glomerular diseases. *J. Signal Transduct.* 2011, 718609. doi:10.1155/2011/718609
- Boute, N., Gribouval, O., Roselli. S., Benessy, F., Lee, H., Fuchshuber, A., Dahan, K., Gubler, M,C., Niaudet, P., Antignac, C., 2000. NPHS2, encoding the glomerular protein podocin, is mutated in autosomal recessive steroid-resistant nephrotic syndrome. *Nat Genet*, 25(1):125.
- Brinkkoetter, P.T., Ising, C., Benzing, T., 2013. The role of the podocyte in albumin filtration. *Nat Rev Nephrol* 9, 328–336. doi:10.1038/nrneph.2013.78
- Cohen, M.P., Chen, S., Ziyadeh, F.N., Shea, E., Hud, E.A., Lautenslager, G.T., & Shearman, C.W. 2005. Evidence linking glycated albumin to altered glomerular nephrin and VEGF expression, proteinuria, and diabetic nephropathy. *Kidney Int.* 68(4):1554–1561.
- Coresh, J., 2004. Chronic Kidney Disease Awareness, Prevalence, and Trends among U.S. Adults, 1999 to 2000. *Journal of the American Society of Nephrology*, 16(1), pp.180–188.
- Coresh, J., Selvin, E., Stevens, L.A., Manzi, J., Kusek, J.W., Eggers, P., Lente, F.V., Levey, A.S. 2007. Prevalence of Chronic Kidney Disease in the United States. *JAMA.* ;298(17):2038–2047.
- Doublier, S., Salvidio, G., Lupia, E., Ruotsalainen, V., Verzola, D., Deferrari, G., Camussi, G. 2003. Nephrin expression is reduced in human diabetic nephropathy: evidence for a distinct role for glycated albumin and angiotensin II. *Diabetes* 52, 1023–1030.
- Gasim, A. & Falk, R. J. 2014. "Updates in focal segmental glomerulosclerosis". UNC Kidney Center.

- Huber, T.B., Köttgen, M., Schilling, B., Walz, G., & Benzing, T. 2001. Interaction with Podocin Facilitates Nephrin Signaling. *J. Biol. Chem.* 276(45):41543-41546.
- Huh, W., Kim, D.J., Kim, M.K., Kim, Y.G., Oh, H.Y., Ruotsalainen, V., Tryggvason, K. 2002. Expression of nephrin in acquired human glomerular disease. *Nephrol. Dial. Transplant.* 17(3):478-84.
- Jha, V., Garcia-Garcia, G., Iseki, K., Li, Z., Naicker, S., Plattner, B., Saran, R., Wang, A.Y.M., & Yang, C.W. 2013. Chronic kidney disease: Global dimension and perspectives. *Lancet. Elsevier Ltd.* 382(9888):260-272.
- Jin, M., Yang, F., Yang, I., Yin, Y., Luo, J, J. Wang, H., Yang, X, F., 2012. Uric acid, hyperuricemia and vascular diseases. *Front. Biosci.* 17, 656. doi:10.2741/3950
- Johnson, R.J., Kang, D.H., Feig, D., Kivlighn, S., Kanellis, J., Watanabe, S., Tuttle, K.R., Rodriguez-Iturbe, B., Herrera-Acosta, J. and Mazzali, M., 2003. Is there a pathogenetic role for uric acid in hypertension and cardiovascular and renal disease?. *Hypertension*, 41(6), pp.1183-1190
- Johnson, R.J., Nakagawa, T., Jalal, D., Sánchez-Lozada, L.G., Kang, D.H., & Ritz, E. 2013. Uric acid and chronic kidney disease: Which is chasing which? *Nephrol. Dial. Transplant.* 28(9):2221-2228.
- Jones N, New LA, Fortino MA, Eremina V, Ruston J, Blasutig IM, Aoudjit L, Zou Y, Liu X, Yu G-L, Takano T, Quaggin SE, Pawson T, 2009. Nck proteins maintain the adult glomerular filtration barrier. *J Am Soc Nephrol* 20 : 1533- 1543

- Kang, D., Nakagawa, T., Feng, L., Harris, R., & Johnson, R.J. 2002. A Role for Uric Acid in the Progression of Renal Disease. (9):2888-2897.
- Kestila, M., Lenkkeri, U., Mannikko, M., Lamerdin, J., McCready, P., Putaala, H., Ruotsalainen, V., Morita, T., Nissinen, M., Herva, R., Kashtan, C. E., Peltonen, L., Holmberg, C., Olsen, A., Tryggvason, K, 1998. Positionally cloned gene for a novel glomerular protein--nephrin--is mutated in congenital nephrotic syndrome. *Molec. Cell* 1: 575-582.
- Kiffel, J., Rahimzada, Y., dan Trachtman, H. 2011. "Focal segmental glomerulosclerosis and chronic kidney disease in pediatric. *Adv Chronic Kidney Dis*, pp.332-338.
- Levey, A.S., Coresh, J., Balk, E., Kausz, A.T., Levin, A., Steffes, M.W., Hogg, R.J., Perrone, R.D., Lau, J., & Eknoya, G. 2003. Clinical Guidelines National Kidney Foundation Practice Guidelines for Chronic Kidney. *Ann. Intern. Med.* 139:137-147.
- Levey, A.S., Eckardt, K.-U., Tsukamoto, Y., Levin, A., Coresh, J., Rossert, J., De Zeeuw, D., Hostetter, T.H., Lameire, N., & Eknoyan, G. 2005. Definition and classification of chronic kidney disease: a position statement from Kidney Disease: Improving Global Outcomes (KDIGO). *Kidney Int.* 67(6):2089-2100.
- Lloyd, C.M., Minto, A.W., Dorf, M.E., Proudfoot, A., Wells, T.N., Salant, D.J. and Gutierrez-Ramos, J.C., 1997. RANTES and monocyte chemoattractant protein-1 (MCP-1) play an important role in the inflammatory phase of crescentic nephritis, but only MCP-1 is involved in crescent formation and interstitial fibrosis. *The Journal of experimental medicine*, 185(7), pp.1371-1380.
- Metcalf, W., 2007. How does early chronic kidney disease progress? A background paper prepared for the UK consensus conference on early chronic kidney disease. *Nephrology Dialysis Transplantation*, 22(SUPPL.9), pp.26-30.

- Michaud, J. L., Lemieux, L. I., Dube, M., Vanderhyden, B. C., Robertson, S. J., Kennedy, C. R. J., 2003. Focal and Segmental Glomerulosclerosis in Mice with Podocyte-Specific Expression of Mutant  $\alpha$ -Actinin-4. *J. Am. Soc. Nephrol.* 14(5):1200-1211.
- Moore, K.L., 2014. *Keith L Moore* 7th ed., Philadelphia: Lippincott Williams & Wilkins.
- Musante, L., Candiano, G., Petretto, A., Bruschi, M., Dimasi, N., Caridi, G., Pavone, B., Del Boccio, P., Galliano, M., Urbani, A., Scolari, F., Vincenti, F., & Ghiggeri, G.M. 2007. Active Focal Segmental Glomerulosclerosis Is Associated with Massive Oxidation of Plasma Albumin. *J. Am. Soc. Nephrol.* 18(3):799-810.
- Obermayr, R.P., Temml, C., Gutjahr, G., Knechtelsdorfer, M., Oberbauer, R. and Klausner-Braun, R., 2008. Elevated uric acid increases the risk for kidney disease. *Journal of the American Society of Nephrology*, 19(12), pp.2407-2413.
- Patrakka, J. & Tryggvason, K., 2007. Nephrin - a unique structural and signaling protein of the kidney filter. *Trends in Molecular Medicine*, 13(9), pp.396-403.
- Pollak, M.R., Quaggin, S.E., Hoenig, M.P., Dworkin, L.D., 2014. The glomerulus: The sphere of influence. *Clin. J. Am. Soc. Nephrol.* 9, 1461-1469.
- Seegerer, S., Nelson, P.J., & Schlondorff, D. 2000. Chemokines, chemokine receptors, and renal disease: from basic science to pathophysiologic and therapeutic studies. *J Am Soc Nephrol.* 11(1):152-176.
- Sohn, R. L., Huang, P., Kawahara, G., Mitchell, M., Guyon, J., Kalluri, R., Kunkel, L. M., Gussoni, E, 2009. A role for nephrin, a renal protein, in vertebrate skeletal muscle cell fusion. *Proc. Nat. Acad. Sci.* 106: 9274-9279.

- Schwarz, K., Simons, M., Reiser, J., Saleem, M.A., Faul, C., Kriz, W., Shaw, A.S., Holzman, L.B., & Mundel, P. 2001. Podocin, a raft-associated component of the glomerular slit diaphragm, interacts with CD2AP and nephrin. *J. Clin. Invest.* 108(11):1621-1629.
- Tojo, A. & Kinugasa, S., 2012. Mechanisms of glomerular albumin filtration and tubular reabsorption. *International Journal of Nephrology*, 2012.
- Tryggvason, K., Pikkarainen, T. & Patrakka, J., 2006. Nck Links Nephrin to Actin in Kidney Podocytes. *Cell*, 125(2), pp.221-224.
- Wagner, N., Morrison, H., Pagnotta, S., Michiels, J.-F., Schwab, Y., Tryggvason, K., Schedl, A., Wagner, K., 2011. The podocyte protein nephrin is required for cardiac vessel formation. *Hum. Molec. Genet.* 20: 2182-2194
- Zhou, Y., Fang, L., Jiang, L., Wen, P., Cao, H., He, W., Dai, C., Yang, J., 2012. Uric acid induces renal inflammation via activating tubular NF- $\kappa$ B signaling pathway. *PLoS One* 7, 1-10.
- Zhu, Y., Jenkins, M.M., Brass, D.A., Ravago, P.G., Horne, B.D., Dean, S.B., & Drayton, N. 2008. Heterophilic antibody interference in an ultra-sensitive 3-site sandwich troponin I immunoassay. *Clin. Chim. Acta.* 395(1-2):181-182.