

DAFTAR PUSTAKA

- AACC Report, 2001. *The Definition of Dietary Fiber*. AACC Report. 46 (3). 112-126.
- Adebowale, K.O. dan Lawal, O.S. (2004). Comparative study of the functional properties of bambarra groundnut (*Voandzeia subterranean*), jack bean (*Canavalia ensiformis*) and mucuna bean (*Mucuna pruriens*) flours. *Food Research International*, 37(4): 355-365.
- Adeleke, R.O., Odedeji, J.O. (2010). Functional properties of wheat potato flour blends. *Pakistan Journal Nutrition*. 9 (6): 535-538
- Aguero, J., Lora, J., Estrada, K., Concepcion, F., Nunez, A., Rodriguez, A. dan Pino, J.A. (2003). Volatile components of a commercial sample of the blue-green algae *Spirulina platensis*. *Journal Of Essential Oil Research*, 15(2): 114-117.
- Agustini, T. W., Suzery, M., Sutrisnanto, D., & Ma'ruf, W. F. (2015). Comparative Study of Bioactive Substances Extracted from Fresh and Dried *Spirulina* sp. *Procedia Environmental Sciences*, 23, 282-289.
- Aiba, S dan Ogawa, T. 1977. Assesment of Growth yield of a blue green algae *Spirulina platensis* in axenic and continuous culture. *Journal Genetic Microbiology*. (102):179-182.
- Allen LH. 1982. Calcium bioavailability and absorption: a review. *American Journal Clinical Nutrition*. 35:738-808.
- Almatsier S. 2006. *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.
- Angka S.I., dan Suhartono, T.S. 2000. *Bioteknologi Hasil Laut*. Bogor. Pusat Kajian Sumber Daya Pesisir Lautan. Institut Pertanian Bogor. hal 49-56
- Anonim. (2011). *Notice to US Food and Drug Administration that the use of Certified Organic Spirulina (Arthrospira platensis) is Generally Recognize as Safe*. E.I.D. Parry (India) Limited, Parry Nutraceuticals Division, Dare House. Chennai, India.
- AOAC. (1995). *Official Method of Analysis. Association of Official Analytical Chemist(AOAC)*. 16th Edition. Published by the Association of Official Analytical Chemist. Washington DC, USA.
- Apriyantono A. Fardiaz D, Puspitasari N, Budiyanto S. 1989. *Analisis Pangan*. Bogor: IPB Press.
- Arad, M. S. 1988. Production of sulfated polysaccharides from red unicellular algae. *Dalam* Stadler T, Mollion J, Verdus, MC, Kara-manos Y, Morvan H, Christiaen D (eds). *Algal Biotechnology*. Elsevier Applied Science, London, UK, pp. 65–87.
- Arumsari, K., 2011. *Fortifikasi Spirulina platensis pada flake berbahan dasar campuran pati jagung dan pati garut*. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Asp, N. G., Johansson, C. G., Hallmer, H., dan Siljestroem, M. (1983). Rapid enzymic assay of insoluble and soluble dietary fiber. *Journal of Agricultural and Food Chemistry*, 31(3): 476-482.
- Babadzhanov, A.S., Abdusamatova, N., Yusupova, F.M., Faizullaeva, N., Mezhlumyan, L.G. dan Malikova, M.K. (2004). Chemical composition of

- Spirulina platensis* cultivated in Uzbekistan. *Chemistry of Natural Compounds*, 40(3): 276-279.
- Bailey, M. E., & Um, K. W. (1992). Maillard reaction products and lipid oxidation. In *ACS Symposium series-American Chemical Society (USA)*.
- Belay, A. (2008). *Spirulina (Arthrospira): Production and Quality Assurance. Dalam: Gershwin M. E and A. Belay (ed.). hal 1-26. Spirulina in Human.* CRC Press.
- Berdanier, C.D. 1998. *Advanced Nutrition Micronutrients*. CRC Press. Florida.
- Bielecka, M., E. Biedrzycka dan A. Majkowska. 2002. Selection of Probiotics and Prebiotics For Symbiotics and Conformation of Their Effectiveness. *Food Research International*. 35:125-131.
- Blackwood, A.D., Salter, J., Dettmar, P.W. and Chaplin, M.F. (2000). Dietary fibre, physicochemical properties and their relationship to health. *The journal of the Royal Society for the Promotion of Health*, 120(4):242-247.
- Boniface, J.J., Allbritton, N.L., Reay, P.A., Kantor, R.M., Stryer, L. and Davis, M.M., 1993. pH affects both the mechanism and the specificity of peptide binding to a class II major histocompatibility complex molecule. *Biochemistry*, 32(44): 11761-11768.
- Borowitzka, M.A. dan Borowitzka, L.J. (1988). *Micro-algal biotechnology*. Cambridge University Press.
- Boskau, D dan Elmadfa, I. 1999. *Frying of Food*. Technomic Publishing Company, INC. Lancaster, Pennysylvania, U.S.A.
- Bosscher, D., M.V. Caillie-Bertrand dan H. Deelstra. 2001. Effects of thickening Agents, Based on Soluble Dietary Fiber, on the Availability of Calcium, Iron, and Zinc From Infant Formulas. *Nutrition* 17:614–618
- Bosscher, D., Van Caillie-Bertrand, M., Van Cauwenbergh, R. and Deelstra, H., 2003. Availabilities of calcium, iron, and zinc from dairy infant formulas is affected by soluble dietary fibers and modified starch fractions. *Nutrition* 19(7): 641-645.
- Bourquin, L.D., Titgemeyer, E.C., Fahey, G.C. and Garleb, K.A., 1993. Fermentation of dietary fibre by human colonic bacteria: disappearance of, short-chain fatty acid production from, and potential water-holding capacity of, various substrates. *Scandinavian journal of gastroenterology*, 28(3): 249-255.
- Boyer, J. and Liu, R., 2004. Apple phytochemicals and their health benefits. *Nutrition Journal*, 3(1):1-15.
- Bright-See, E., (1988). Dietary Fiber and Cancer. *Nutrition Today*, 23(4): 4-10.
- Brody, T. (1994). *Nutritional Biochemistry*. Academic Press. New York.
- Bronner, F. 1993. Nutrient bioavailability, with special reference to calcium. *Journal Nutrition*. 123: 797-802
- Bronner, F dan Pansu, D. (1999). Nutritional aspects of calcium absorption. *The Journal of nutrition*. 129(1): 9-12.
- Brouns, K dan N.T. Vermeer. 2000. Contents of Zinc, Iron, Calcium and Their Absorption inhibitors in foods. *Journal of Food Composition and Analysis*. 18: 803-817

- Brown, A.D. dan Borowitzka, L.J. (1979). Halotolerance of *Dunaliella*. *Dalam: Levandowsky, M., dan Huntner, S.H. (eds.), hal 139–190. Biochemistry and Physiology of Protozoa*. Academic Press, New York.
- Brum, G., L. McKane, G. Karp. 1997. *Biolog: Exploring Life*. 2nd. Ed.. New York. MacMillan Publ. Co.Inc. John Wiley and Sons, Inc. New York.
- Byrd-Bredbenner, C., Moe, G., Beshgetoor, D. and Berning, J. 2007. Wardlaw, Hampl & DiSilvestro. *Perspective in Nutrition*. 8th Ed, The McGraw Hill Companies.
- Callegaro, M.G.K., Milbradt, B.G., Alves, E., Diettrich, T., Kemerich, D.M., Hausen, B.S., Duarte, F.A., Flores, E.M.M., Dressler, V.L. and Emanuelli, T. (2010). Effect of wheat bran and flaxseed on cadmium effects and retention in rats. *Human & experimental toxicology*, p.0960327110384526.
- Caratù, G., Allegra, D., Bimonte, M., Schiattarella, G. G., D'Ambrosio, C., Scaloni, A., ... & Zambrano, N. (2007). Identification of the ligands of protein interaction domains through a functional approach. *Molecular & Cellular Proteomics*, 6(2), 333-345.
- Carcea, M., Sorto, M., Batello, C., Narducci, V., Aguzzi, A., Azzini, E., Fantauzzi, P., Finotti, E., Gabrielli, P., Galli, V. and Gambelli, L. (2015). Nutritional characterization of traditional and improved dihé, alimentary blue-green algae from the lake Chad region in Africa. *LWT-Food Science and Technology*, 62(1):753-763.
- Cashman, K. 2003. Prebiotics and Calcium Bioavailability. *Current Issues Intestinal Microbiology*. (2003) 4: 21-3
- Cashman, K.D., 2002. Calcium intake, calcium bioavailability and bone health. *British Journal of Nutrition*, 87(S2): S169-S177.
- Chaiklahan, R., Chirasuwan, N., Triratana, P., Loha, V., Tia, S. dan Bunnag, B. (2013). Polysaccharide extraction from *Spirulina* sp. and its antioxidant capacity. *International journal of biological macromolecules*, 58: 73-78.
- Chawla, R. and Patil, G.R. (2010). Soluble dietary fiber. *Comprehensive Reviews in Food Science and Food Safety*, 9(2):178-196.
- Chitra, U., Singh, U., & Rao, P. V. (1996). Phytic acid, in vitro protein digestibility, dietary fiber, and minerals of pulses as influenced by processing methods. *Plant Foods Human Nutrition*, 49(4), 307-316.
- Choi, G.G., Bae, M.S., Ahn, C.Y. dan Oh, H.M. (2008). Induction of axenic culture of *Arthrospira (Spirulina) platensis* based on antibiotic sensitivity of contaminating bacteria. *Biotechnology letters*, 30(1): 87-92.
- Chronakis, I.S. (2001). Gelation of edible blue-green algae protein isolate (*Spirulina platensis* strain pacifica): thermal transitions, rheological properties, and molecular forces involved. *Journal of agricultural and food chemistry*, 49(2): 888-898.
- Ciferri, O. (1983). *Spirulina*, the edible microorganism. *Microbiological. Reviews*. 47: 551-578
- Cilla, A., M.J. Lagarda. A. Alegria, B. de Ancos, M. P. Cano, Sanchez-Moreno, L. Plaza, R. Barbera. (2011). Effect of Processing and Food Matrix on Calcium and Phosphorus bioavailability from milk-based fruit beverages in Caco-2 cells. *Food Research International*. 44: 3030-3038

- Cleary, L. J., Andersson, R., & Brennan, C. S. (2007). The behaviour and susceptibility to degradation of high and low molecular weight barley β -glucan in wheat bread during baking and in vitro digestion. *Food Chem*, 102(3), 889-897.
- Clydesdale, F.M., 1988. Mineral interactions in foods. *Dalam: Bodwell CE, Erdman JW (eds.) Nutrient Interactions* Marcel Dekker New York. (hal: 73-113).
- Cohen, Z., 1997. The chemicals of *Spirulina*. *Dalam: Vonshak, A. (ed). Spirulina platensis (Arthrospira): Physiology, Cell-biology and Biotechnology*, hal 175-204. Taylor and Francis, London
- Colin-Henrion, M., Mehinagic, E., Renard, C.M., Richomme, P. and Jourjon, F., (2009). From apple to applesauce: Processing effects on dietary fibres and cell wall polysaccharides. *Food Chemistry*, 117(2); 254-260.
- Pérez-Conesa, D., Periago, M. J., Ros, G., & López, G. (2005). Non-protein nitrogen in infant cereals affected by industrial processing. *Food chemistry*, 90(4), 513-521.
- Costa, J.A.V., Colla, L.M., Filho, P. D., Kabke, K. dan Weber, A. (2002). Modelling of *Spirulina platensis* growth in fresh water using response surface methodology. *World Journal Microbiology Biotechnology*, 18 (2002): 603–607
- Coudray, C., Bellanger, J., Castiglia-Delavaud, C., Remesy, C., Vermorel, M. and Rayssiguier, Y. (1997). Effect of soluble or partly soluble dietary fibres supplementation on absorption and balance of calcium, magnesium, iron and zinc in healthy young men. *European Journal of Clinical Nutrition*, 51(6): 375-380.
- Cummings, J. H., & Macfarlane, G. T. (1997). Colonic microflora: nutrition and health. *Nutrition*, 13(5), 476-478.
- Cummings, J.H. and Bingham, S.A. (1986). Dietary fibre, fermentation and large bowel cancer. *Cancer surveys*, 6(4): 601-621.
- Cummings, J.H. and Macfarlane, G.T. (1997). Collaborative JPEN-Clinical Nutrition Scientific Publications Role of intestinal bacteria in nutrient metabolism. *Journal of Parenteral and Enteral Nutrition*, 21(6): 357-365.
- Cummings, J.H. and Macfarlane, G.T., 1991. The control and consequences of bacterial fermentation in the human colon. *Journal of Applied Bacteriology* 70(6): 443-459.
- Cummings, J.H. and Macfarlane, G.T., 1991. The control and consequences of bacterial fermentation in the human colon. *Journal of Applied Bacteriology*, 70(6), pp.443-459.
- Danesi, E., Navacchi, M., Takeuchi, K., Frata, M., Carlos, J. and Carvalho, M. (2010). Application of *Spirulina platensis* in protein enrichment of Manico based bakery products. *Journal Biotechnology*, 150: 311.Abstract.
- Darmono, 1995. Logam dalam Sistem Biologi Makhluk Hidup. Penerbit Universitas Indonesia. Jakarta.
- De La Fuente, M. A., OLano, A., Casal, V., & Juarez, M. (1999). Effects of high pressure and heat treatment on the mineral balance of goats' milk. *Journal of Dairy Research*, 66(01), 65-72.

- De Marco, E.R., Steffolani, M.E., Martínez, C.S. and León, A.E. (2014). Effects of spirulina biomass on the technological and nutritional quality of bread wheat pasta. *LWT-Food Science and Technology*, 58(1): 102-108.
- Debon, S.J. and Tester, R.F. (2001). In vitro binding of calcium, iron and zinc by non-starch polysaccharides. *Food Chemistry*, 73(4): 401-410.
- Delgado-Andrade, C., Seiquer, I. and Navarro, M.P. (2006). Changes in calcium absorption and subsequent tissue distribution induced by Maillard reaction products: in vitro and in vivo assays. *Journal of the Science of Food and Agriculture*, 86(2): 271-278.
- Delgado-Andrade, C., Seiquer, I., Nieto, R. and Navarro, M.P. (2004). Effects of heated glucose-lysine and glucose-methionine model-systems on mineral solubility. *Food chemistry*, 87(3): 329-337.
- Departemen Kesehatan. 2009. Berdiri tegak bicara lantang kalahkan osteoporosis. <http://www.depkes.go.id/article/view/404/berdiri-tegak-bicara-lantang-kalahkan-osteoporosis.html#sthash.GmClv2eh.dpuf>
- Devi, M.A. dan Venkataraman, L.V. (1984). Functional Properties of Protein Products of Mass Cultivated Blue-Green Alga *Spirulina Platensis*. *Journal of Food Science*, 49(1): 24-27.
- Dewi, E.N., Amalia, U. and Mel, M. (2016). The Effect of Different Treatments to the Amino Acid Contents of Micro Algae *Spirulina* sp. *Aquatic Procedia*, 7, pp.59-65.**
- Dewi, M.K. (2010). *Pengaruh metode pemasakan terhadap kandungan mineral kerang hijau (Perna viridis.)*. Fakultas Perikanan dan Ilmu Kelautan. IPB. Bogor. Skripsi.
- Drago, S.R., Binaghi, M. and Valencia, M.E. (2005). Effect of gastric digestion pH on iron, zinc, and calcium dialyzability from preterm and term starting infant formulas. *Journal of food science* 70(2): S107-S112.
- Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. dan Smith, F. (1956). Colorimetric method for determination of sugars and related substances. *Analytical chemistry*, 28(3): 350-356.
- Duncan, S.H., Barcenilla, A., Stewart, C.S., Pryde, S.E. and Flint, H.J. (2002). Acetate utilization and butyryl coenzyme A (CoA): acetate-CoA transferase in butyrate-producing bacteria from the human large intestine. *Applied and Environmental Microbiology*, 68(10): 5186-5190.
- Ekantari, N. 2012. *Efek Pengolahan Panas Terhadap Perubahan Komponen Gizi dan Fungsional *Spirulina platensis* Untuk Pengembangan Produk Pangan Fungsional*. Laporan Penelitian. Hibah Dosen Muda. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Ekholm, P., Virkki, L., Ylinen, M. and Johansson, L. (2003). The effect of phytic acid and some natural chelating agents on the solubility of mineral elements in oat bran. *Food Chemistry*, 80(2): 165-170.
- El-Desouki, N.I., Tabl, G.A., Abdel-Aziz, K.K., Salim, E.I. and Nazeeh, N. (2015). Improvement in beta-islets of Langerhans in alloxan-induced diabetic rats by erythropoietin and spirulina. *The Journal of Basic & Applied Zoology*, 71: 20-31.

- Falony, G., Vlachou, A., Verbrugghe, K. and De Vuyst, L. (2006). Cross-feeding between *Bifidobacterium longum* BB536 and acetate-converting, butyrate-producing colon bacteria during growth on oligofructose. *Applied and environmental microbiology*, 72(12): 7835-7841.
- Federer, W. T. (1991). *Statistics and Society: Data Collection and Interpretation*. 2nd. Marcell Dekker, pp 142.
- Fellows, P.J. (2000). *Food processing technology*. 2nd ed. CRC Press. Boca-Raton
- Friedman, M. (1996). Food browning and its prevention: an overview. *Journal of Agricultural and Food Chemistry*, 44(3): 631-653.
- Frolich, W. (1995). Bioavailability of micronutrients in a fibre-rich diet, especially related to minerals. *Eur J Clin Nutr*.
- Frontela, C., Ros, G. and Martínez, C. (2011). Phytic acid content and “in vitro” iron, calcium and zinc bioavailability in bakery products: The effect of processing. *Journal of Cereal Science*, 54(1): 173-179.
- Gaman, P.M. and Sherrington, M. (1981). *Food Poisoning and It's Prevention*. The Science of Food Pergamon Press.Oxford
- Göksan, T., ZEKERİYA OĞLU, A., & Ak, İ. (2007). The growth of *Spirulina platensis* in different culture systems under greenhouse condition. *Turkish Journal of Biology*, 31(1), 47-52.
- Gomez, K. A. dan Gomez, A.A. (1984). *Statistical procedures for agricultural research*. John Wiley & Sons.
- Gråsten, S.M., Pajari, A.M., Liukkonen, K.H., Karppinen, S. and Mykkänen, H.M., (2002). Fibers with different solubility characteristics alter similarly the metabolic activity of intestinal microbiota in rats fed cereal brans and inulin. *Nutrition Research* 22(12): 1435-1444.
- Griffin, B.T. and O'driscoll, C.M. (2006). A comparison of intestinal lymphatic transport and systemic bioavailability of saquinavir from three lipid-based formulations in the anaesthetised rat model. *Journal of pharmacy and pharmacology*, 58(7): 917-925.
- Gropper, S.S., Smith, J.L. and Groff, J.L. (2005). *Advanced nutrition and human metabolism*. Wadsworth, Belmont.
- Guéguen, L., dan Pointillart, A. (2000). The bioavailability of dietary calcium. *Journal of the American College of Nutrition*, 19(sup2): 119S-136S.
- Gupta, S., Hrishikeshvan, H.J. dan Sehajpal, P. K. (2010). *Spirulina* protects against Rosiglitazone induced osteoporosis in insulin resistance rats. *Diabetes Research and Clinical Practice*, 87: 38-43.
- Habib, M. A. B., Parvin, M., Huntington, T. C., dan Hasan, M. R. (2008). *A review on culture, production and use of spirulina as food for humans and feeds for domestic animals and fish*. Food and agriculture organization of the united nations.
- Halade, G.V. and Juvekar, A.R.(2006). Effect of *Spirulina Platensis* pretreatment on isoproterenol induced hyperlipidemia in rats. *Pharmacology online*,2: 243-251.
- Hayashi, T., Hayashi, K., Maeda, M. and Kojima, I. (1996). Calcium spirulan, an inhibitor of enveloped virus replication, from a blue-green alga *Spirulina platensis*. *Journal of Natural Products*, 59(1): 83-87.

- Heaney, R.P., Weaver, C.M. and Recker, R.R. (1988). Calcium absorbability from spinach. *The American journal of clinical nutrition*, 47(4): 707-709.
- Henningsson, A.M., I. M. E. Björck dan E.M.G.L. Nyman. (2002). Combinations of Indigestible Carbohydrates Affect Short-Chain Fatty Acid Formation in the Hindgut of Rats. *Journal Nutrition*. 132: 3098–3104
- Henrikson, R. 2000. *Earth Food Spirulina. Essential Fatty Acid and Phytonutrients*. Ronore Enterprises, Inc. California.
- Hijova, E. and Chmelarova, A. (2007). Short chain fatty acids and colonic health. *Bratislavské lekárske listy*, 108(8): 354.
- Hirahashi, T., Matsumoto, M., Hazeki, K., Saeki, Y., Ui, M. and Seya, T.(2002). Activation of the human innate immune system by *Spirulina*: augmentation of interferon production and NK cytotoxicity by oral administration of hot water extract of *Spirulina platensis*. *International Immunopharmacology*. 2(4): 423-434.
- Holloway, L., Moynihan, S., Abrams, S. A., Kent, K., Hsu, A. R., & Friedlander, A. L. (2007). Effects of oligofructose-enriched inulin on intestinal absorption of calcium and magnesium and bone turnover markers in postmenopausal women. *British Journal of Nutrition*. 97(02): 365-372.
- Hu Q. (2004). Environmental effects on cell composition. *Dalam: Richmond A (Ed). Handbook of Microalgal Culture: Biotechnology and Applied Science*, hal 83-93. Oxford: Blackwell Science Publishing.
- Huebner, J., Wehling, R.L., Parkhurst, A. and Hutkins, R.W. (2008). Effect of processing conditions on the prebiotic activity of commercial prebiotics. *International Dairy Journal*, 18(3): 287-293.
- Humm, H. J., and Wicks, S. R. (1980). *Introduction and guide to the marine blue-green algae*. John Wiley & Sons, Inc., New York. HAL 121-123.
- Hurrell, R. F. (1997). Bioavailability of iron. *European Journal of Clinical Nutrition*. 51(1): S4-S7
- Hutadilok-Towatana, N., Reanmongkol, W., Satitit, S., Panichayupakaranant, P. and Ritthisunthorn, P. (2008). A subchronic toxicity study of *Spirulina platensis*. *Food science and technology research*, 14(4): 351-358.
- Hutandilok-Towatana, N. W. Reanmongkol, P. Panichayupakaranant. (2010). Evaluation of the toxicity of *Arthrospira (Spirulina) platensis* extract. *Journal Applied Phycology* 22:599–605.
- Jiminez, C., Cossio, B.R. dan Niell, F.X. (2003). Relationship Between Physiochemical variables and productivity in open ponds for the production of *Spirulina*: A predictive model of algal yield. *Aquaculture*, 221(1-4): 331-345.
- Johansson, J., L. Virkki, H. Antilla, H. Esselstrom, P. Tuomainen, T. Sontag-Strohm. (2006). Hydrolysis of β -glucan. *Food Chemistry*. 97:71-79
- Johnson, P.E. and Shubert, L.E. (1986). Availability of iron to rats from spirulina, a blue-green alga. *Nutrition Research*, 6(1): 85-94.
- Keane, L.A., Potter, N.N. and Sherbon, J.W. (1988). Estimation of calcium status in selected food systems. *Journal of Food Science*, 53(4): 1111-1112.
- Kelly, B.J. dan Potter, N.N. (1990). Dialyzable Calcium from Milk Processed with Soluble Fiber-Containing Gums, Thickeners, and Cocoa Dialyzable Calcium

- from Milk Processed with Soluble Fiber-Containing Gums, Thickeners, and Cocoa. *Journal of Food Science*. 55(4): 1004-1007.
- Keputusan Menteri Kesehatan Republik Indonesia. Pedoman Pengendalian Osteoporosis. No. 1142/MENKES/SK/XII/2008. 4 Desember 2008. Jakarta.
- Kinsella, J.E. and Melachouris, N. (1976). Functional properties of proteins in foods: a survey. *Critical Reviews in Food Science & Nutrition*, 7(3); 219-280.
- Kleessen, B., Stoof, G., Proll, J., Schmiedl, D., Noack, J. and Blaut, M. (1997). Feeding resistant starch affects fecal and cecal microflora and short-chain fatty acids in rats. *Journal of animal science*, 75(9): 2453-2462.
- Koca, N., Karadeniz, F. dan Burdurlu, H.S. (2007). Effect of pH on chlorophyll degradation and colour loss in blanched green peas. *Food Chemistry*, 100(2): 609-615.
- Larasati, R., 2010. *Penambahan ekstrak Spirulina platensis pada pembuatan yogurt kaya anti oksidan*. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Latunde-Dada, G.O., and Neale, R.J. (1986). Review: availability of iron from foods. *International Journal of Food Science & Technology*, 21(3), pp.255-268.
- Lawlor, D.W. 1993. *Photosynthesis: Molecular, Physiological and Enviromental Processes*. Longman Scientific & Technical, England.
- Lee, J., Hayashi, T., Hayashi, K. dan Sankawa, U. (2000). Structural Analisis of Calcium Spirulan (Ca-SP)-Derived Oligosaccharides Using Electrospray Ionization Mass Spectrometry. *Journal Natural Product*, 63: 136-138
- Lee, J.B., Hayashi, T., Hayashi, K., Sankawa, U., Maeda, M., Nemoto, T. and Nakanishi, H. (1998). Further purification and structural analysis of calcium spirulan from *Spirulina platensis*. *Journal of natural products*, 61(9):1101-1104.
- Lee, J.B., Hou, X., Hayashi, K. and Hayashi, T. (2007). Effect of partial desulfation and oversulfation of sodium spirulan on the potency of anti-herpetic activities. *Carbohydrate polymers*, 69(4): 651-658.
- Lee, J.B., Srisomporn, P., Hayashi, K., Tanaka, T., Sankawa, U. and Hayashi, T. (2001). Effects of structural modification of calcium spirulan, a sulfated polysaccharide from *Spirulina platensis*, on antiviral activity. *Chemical and pharmaceutical bulletin*, 49(1): 108-110.
- Leema, J.M., Kirubakaran, R., Vinithkumar, N.V., Dheenan, P.S. and Karthikayulu, S. (2010). High value pigment production from *Arthrospira (Spirulina) platensis* cultured in seawater. *Bioresource Technology*, 101(23): 9221-9227.
- Lelana, I.Y.B., Ekantari, N., Husni, A. dan Nugraheni, P.S., 2010. *Pengembangan Pangan Fungsional Berbasis Komoditas Lokal Yang Diperkaya Spirulina platensis untuk Mendukung Ketahanan Pangan*. Laporan akhir RUSNAS. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Lelana, I.Y.B., Ekantari, N., Husni, A. dan Nugraheni, P.S., 2012. Pengembangan cookies spirulina sebagai alternatif pangan fungsional berbasis komoditas lokal untuk mendukung ketahanan pangan: Upaya mempertahankan kualitas cookies Spirulina. *Jurnal Ilmu Pengetahuan dan Teknologi Tepatguna Universitas Gadjah Mada* 1(2): 41-52.

- Lelana, I.Y.B., Ekantari, N., Nugraheni, P.S. dan Susanti, D.Y., 2011. *Optimalisasi Teknologi Produksi Cookies Yang Diperkaya Spirulina platensis Berbasis Komoditas Lokal Untuk Penguatan Industri Nasional*. Laporan akhir RISNAS. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Linder, M.C. 1991. *Nutritional Biochemistry and Metabolism: with clinical application*. Appleton and Lange, Simon and Schuster Business and Profesional Group. Elsevier. USA.
- Lodi, A., Binaghi, L., De Faveri, D., Carvalho, J.C.M., Converti, A., dan Del Borghi, M. (2005). Fed Batch mixotrophic cultivation of *Arthrospira* (*Spirulina*) *platensis* (*Cyanophyceae*) with carbon source feeding. *Annals of Microbiology*, 55 (3):181-185.
- Luccia, B. H., & Kunkel, M. E. (2002). In vitro availability of calcium from sources of cellulose, methylcellulose, and psyllium. *Food chemistry*. 77(2): 139-146.
- Macfarlane, G.T., Macfarlane, S. and Gibson, G.R. (1998). Validation of a three-stage compound continuous culture system for investigating the effect of retention time on the ecology and metabolism of bacteria in the human colon. *Microbial Ecology*, 35(2): 180-187.
- Madkour, F.F., Kamil, A.E.W. dan Nasr, H.S. (2012). Production and nutritive value of *Spirulina platensis* in reduced cost media. *The egyptian journal of aquatic research*, 38(1): 51-57.
- Makri, E., Papalamprou, E. dan Doxastakis, G. (2005). Study of functional properties of seed storage proteins from indigenous European legume crops (lupin, pea, broad bean) in admixture with polysaccharides. *Food Hydrocolloids*, 19(3): 583-594.
- Marek, R.W., Bazin, M.J. dan Hohn, P. (1987) Computer control of carbon-nitrogen ratio in *Spirulina platensis*. *Biotechnology and Bioengineering*, 29: 520–528.
- Markou, G., Chatzipavlidis, I. and Georgakakis, D. (2012). Effects of phosphorus concentration and light intensity on the biomass composition of *Arthrospira* (*Spirulina*) *platensis*. *World Journal of Microbiology and Biotechnology*, 28(8): 2661-2670.
- Marquez, F.J., Nishio, N., Nagai, S. and Sasaki, K. (1995). Enhancement of biomass and pigment production during growth of *Spirulina platensis* in mixotrophic culture. *Journal of Chemical Technology and Biotechnology*, 62(2): 159-164.
- Marquez, F.J., Sasaski, K., Kakizono, T, Nishio, N dan Nagai, S. (1993). Growth characteristic of *Spirulina platensis* in mixotropic and heterotrophic condition. *Journal Fermentation Bioengineering*. 76(5):408-410.
- Marsono, Y. 1993. *Complex carbohydrates and lipids in rice products-Effects on large bowel volatile fatty acids and plasma cholesterol in animals*. Thesis. Departemen of primary Health Care, School of Medicine. The Flienders University of South Australia. South Australia. Universitas Gadjah Mada, Yogyakarta.
- Marsono, Y. 2004. *Serat Pangan dalam Perspektif Ilmu Gizi*. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Marsono, Y., Wiyono, P., Z. Utama. 2005. *Indek glikemik produk olahan garut (Maranta arudinaceae Linn) dan uji sifat fungsionalnya pada model hewan*

- coba*. Laporan akhir RUSNAS Diversifikasi Pangan Pokok, Fakultas Teknologi Pertanian UGM Yogyakarta.
- McCarthy, J.T. dan R. Kumar. 2006. Divalent Cation Metabolism: Calcium. www.kidneyatlas.org. Diakses 22 Oktober 2010.
- Mcintosh, M. and Miller, C. (2001). A diet containing food rich in soluble and insoluble fiber improves glycemic control and reduces hyperlipidemia among patients with type 2 diabetes mellitus. *Nutrition Reviews*, 59(2): 52-55.
- Mikkelsen, L.L. dan B.B. Jensen. (2004). Effect of Fructo-Oligosaccharides and Transgalacto-Oligosaccharides on Microbial Populations and Microbial Activity In The Gastrointestinal Tract of Piglets Post-Weaning. *Animal Feed Science and Technology*. 117:107-119.
- Miller DD. 1996. Minerals. Dalam: Fennema OR. (ed). *Food Chemistry*. hal 617 – 649. Macel Dekker, Inc., New York.
- Miller, D.D., Schriker, B.R., Rasmussen, R.R. and Van Campen, D. (1981). An in vitro method for estimation of iron availability from meals. *The American Journal of Clinical Nutrition*, 34(10): 2248-2256.
- Montgomery, L.A.R.R.Y. and Macy, J.M. (1982). Characterization of rat cecum cellulolytic bacteria. *Applied and environmental microbiology*, 44(6): 1435-1443.
- Muchtadi,D., N.S. Palupi, dan M. Astawan. 1993. *Metabolisme Zat Gizi: Sumber dan Fungsi Kebutuhan bagi Tubuh Manusia*. Buku 2. Sinar Harapan, Jakarta.
- Muhilal, Jalal F, dan Hardinsyah. 1998. Angka Kecukupan Gizi yang Dianjurkan. Didalam: *Prosiding Widya Karya Pangan dan Gizi VI*. Jakarta: LIPI. Hlm. 95-962.
- Mujiati, 2010. *Pengaruh Suhu pengolahan terhadap kandungan β -karoten Minuman jelly Spirulina*. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Mustikaningrum, F. 2011. *Pengaruh Pratanak kacang Kapri (pisum sativum axiphium L) terhadap Kadar Serat Pangan dan pati Resisten Serta Sifat Hipoglikemiknya Pada Tikus Diabetik Induksi Alloksan*. Program Pasca Sarjana. UGM. Yogyakarta. Tesis.
- Nah, W.H., Koh, I.K., Ahn, H.S., Kim, M.J., Kang, H.G., Jun, J.H. dan Gye, M.C., (2012). Effect of *Spirulina maxima* on spermatogenesis and steroidogenesis in streptozotocin-induced type I diabetic male rats. *Food chemistry*, 134(1): 173-179.
- Nur, M.A., H. S. Rukmini dan H. Adijuwana. (1989). *Teknik Laboratorium untuk Bidang Biologi dan Kimia*. Pusat Antar Univrsitas Ilmu Hayat. IPB. Bogor.
- Nurhayu, (2014). *Pengaruh Pemberian Purified Diet Defisien Kalsium yang Disuplementasidengan Inulin Terhadap NeracaKalsium Tikus PutihSpraguedawley (Rattus Norvegicus)*. Skripsi. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.
- Nurjanah, Zulhamisyah, dan Kustiariyah. (2005). Kandungan mineral dan proksimat kerang darah (*Anadara granosa*) yang diambil dari Kabupaten Boalemo, Gorontalo. *Buletin Teknologi Hasil Perikanan* 8(2),15-24.
- O'dell, B.L. (1997). Mineral-ion interaction as assessed by bioavailability and ion channel function. Dalam: O'dell, B.L. and Sunde, R.A. (eds). *Handbook of*

- nutritionally essential mineral elements*. hal.641-659. Marcell Dekker. New York.
- Onyango, C., Henle, T., Ziems, A., Hofmann, T. dan Bley, T. (2004). Effect of extrusion variables on fermented maize–finger millet blend in the production of uji. *LWT-Food Science and Technology*, 37(4): 409-415.
- Pansu, D., Duflos C., Bellaton C., Bronner F. 1993. Solubility and Intestinal transit time limit calcium absorption in rats. *Journal Nutrition*. 123:1396-1404.
- Parada, J. and Aguilera, J.M. (2007). Food microstructure affects the bioavailability of several nutrients. *Journal of food science*, 72(2): R21-R32.
- Park, H.S., Jeon, B.J., Ahn, J. and Kwak, H.S. (2007). Effects of nanocalcium supplemented milk on bone calcium metabolism in ovariectomized rats. *Asian Australasian Journal Of Animal Sciences*, 20(8): 1266-1271
- Patwardhan, U.N., Pahuja, D.N. and Samuel, A.M. (2001). Calcium bioavailability: an in vivo assessment. *Nutrition Research*, 21(4); 667-675.
- Peiretti, P.G. and Meineri, G. (2008). Effects on growth performance, carcass characteristics, and the fat and meat fatty acid profile of rabbits fed diets with chia (*Salvia hispanica* L.) seed supplements. *Meat Science*, 80(4): 1116-1121.
- Peiretti, P.G. and Meineri, G. (2011). Effects of diets with increasing levels of *Spirulina platensis* on the carcass characteristics, meat quality and fatty acid composition of growing rabbits. *Livestock Science*, 140(1); 218-224.
- Pellegrino, L., De Noni, I. dan Resmini, P. (1995). Coupling of lactulose and furosine indices for quality evaluation of sterilized milk. *International Dairy Journal*, 5(7): 647-659.
- Planes, P., Rouanet, J.M., Laurent, C., Baccou, J.C., Besançon, P. dan Caporiccio, B. (2002). Magnesium bioavailability from magnesium-fortified spirulina in cultured human intestinal Caco-2 cells. *Food chemistry*, 77(2): 213-218.
- Pointillart, A., Colin, C., Lacroix, H.C. and Gueguen, L. (1995). Mineral bioavailability and bone mineral contents in pigs given calcium carbonate postprandially. *Bone*, 17(4): 357-362.
- Ponce-Canchihuamán, J.C., Pérez-Méndez, O., Hernández-Muñoz, R., Torres-Durán, P.V. and Juárez-Oropeza, M.A. (2010). Protective effects of *Spirulina maxima* on hyperlipidemia and oxidative-stress induced by lead acetate in the liver and kidney. *Lipids in health and disease*, 9(1): 1-7.
- Prabamukti, 2010. *Pengaruh penambahan Spirulina platensis dalam pembuatan cookies berbahan dasar tapioka terhadap kandungan protein dan penerimaan konsumen*. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Purwaningsih, S., Salamah, E., & Mirlina, N. (2011). Pengaruh pengolahan terhadap kandungan mineral keong matah merah (*Cerithidea obtusa*). Prosiding Pertemuan Ilmiah dan Seminar Nasional MPHPI. Bogor.
- Queenan, K.M., Stewart, M.L., Smith, K.N., Thomas, W., Fulcher, R.G. and Slavin, J.L. (2007). Concentrated oat β -glucan, a fermentable fiber, lowers serum cholesterol in hypercholesterolemic adults in a randomized controlled trial. *Nutrition Journal*, 6(1): 1-8.
- Rabe E, 1999. Effect of Processing on Dietary Fiber in Foods. *Dalam* S. Cho., L. Prosky., M Dreher (eds.). *Complex Carbohydrates in Foods*. Marcel Dekker. 395-410.

- Rao, B.N. and Prabhavathi, T. (1978). An in vitro method for predicting the bioavailability of iron from foods. *The American journal of clinical nutrition*, 31(1):169-175.
- Rasmussen, H. E., Martinez, I., Lee, J. Y., & Walter, J. (2009). Alteration of the gastrointestinal microbiota of mice by edible blue-green algae. *J App Microbiol*, 107(4), 1108-1118.
- Raupp, P., Poss, G., Von Kries, R. and Schmidt, E. (1997). Effect of a calcium and phosphorus-enriched formula on bone mineralization and bone growth in preterm infants after discharge from hospital. *Annals of nutrition and metabolism*, 41(6); 358-364.
- Reeves, P.G. (1997). Components of the AIN-93 diets as improvements in the AIN-76A diet. *The Journal of nutrition*, 127(5): 838S-841S.
- Reeves, P.G., Nielsen, F.H. and Fahey Jr, G.C. (1993). AIN-93 purified diets for laboratory rodents: final report of the American Institute of Nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *Journal Nutrition* 123(11): 1939-1951.
- Reykdal, O. and Lee, K. (1991). Soluble, dialyzable and ionic calcium in raw and processed skim milk, whole milk and spinach. *Journal of food science*, 56(3): 864-866.
- Richert, L., Golubic, S., Le Guédès, R., Ratiskol, J., Payri, C. dan Guezennec, J. (2005). Characterization of exopolysaccharides produced by cyanobacteria isolated from Polynesian microbial mats. *Current microbiology* 51(6):379-384.
- Richmond, A. 1988. *Spirulina*. Dalam: Borowitzka, M.A. dan L.J. Borowitzka. 1988. (ed.). *Microalgae Biotechnology*, hal 85-121. Cambridge University Press, England.
- Ringler DH, Dabich L. 1979. Haematology and Clinical Biochemistry. Dalam: Baker HJ, Lindsey JR, Weisbroth SH. (eds.). *The laboratory rats vol. 1*. Hal 105-121. Academic Press. London
- Roberfroid, M.B., (2005). Introducing inulin-type fructans. *British Journal of Nutrition*, 93(S1): S13-S25.
- Roig, M.J., Alegria, A., Barberá, R., Farré, R. dan Lagarda, M.J. (1999). Calcium bioavailability in human milk, cow milk and infant formulas—comparison between dialysis and solubility methods. *Food chemistry*, 65(3): 353-357.
- Rosen, C. J., dan Bouxsein, M. L. (2006). Mechanisms of disease: is osteoporosis the obesity of bone?. *Nature clinical practice Rheumatology*. 2(1): 35-43.
- Rudloff, S., & Lönnerdal, B. (1992). Solubility and digestibility of milk proteins in infant formulas exposed to different heat treatments. *Journal of pediatric gastroenterology and nutrition*, 15(1), 25-33.
- Sahota, O., (2000). Osteoporosis and the role of vitamin D and calcium-vitamin D deficiency, vitamin D insufficiency and vitamin D sufficiency. *Age and Ageing*. 29(4): 301-304.
- Salmean, G.G., L.F. Castillo, G.C. Cavallos. (2015) Nutritional and toxicological aspects of *Spirulina (Arthrospira)*. *Nutricion Hospitalaria* 32(1): 34-40.

- Samuels, R., Mani, U. V., Iyer, U. M., & Nayak, U. S. (2002). Hypcholesterolemic effect of *Spirulina* in patients with hyperlipidemic nephrotic syndrome. *Journal of medicinal food*, 5(2), 91-96.
- Sánchez, M., Bernal-Castillo, J., Rozo, C. and Rodríguez, I. (2003). *Spirulina (arthrospira)*: an edible microorganism: a review. *Universitas Scientiarum* 8(1):7-24.
- Sandgren, C.D. 1988. *Fresh Water Blue Green Algae Ecology*. Cambridge University Press, London.
- Santoso, J., Gunji, S., Yoshie-Stark, Y. and Suzuki, T. (2006). Mineral contents of Indonesian seaweeds and mineral solubility affected by basic cooking. *Food science and technology research*. 12(1): 59-66.
- Sassano, C.E.N., Gioielli, L.A., Ferreira, L.S., Rodrigues, M.S., Sato, S., Converti, A. dan Carvalho, J.C.M. (2010). Evaluation of the composition of continuously-cultivated *Arthrospira (Spirulina) platensis* using ammonium chloride as nitrogen source. *Biomass and Bioenergy*, 34(12): 1732-1738.
- Scagel, R.T., R.J. Bandoni, G.E. Rouse, W.B. Schofield, J.R. Stein, T.M. Taylor. 1984. *An evolutionary Survey of the Plant Kingdom*. Wadsworth Publ. Co., Belmont, California.
- Schiffrin, E.J., Brassart, D., Servin, A.L., Rochat, F. and Donnet-Hughes, A. (1997). Immune modulation of blood leukocytes in humans by lactic acid bacteria: criteria for strain selection. *The American journal of clinical nutrition*. 66(2): 515S-520S.
- Schneeman, B.O. (1999). Fiber, inulin and oligofructose: similarities and differences. *The Journal of nutrition*. 129(7): 1424S-1427s.
- Sediaoetama, A.D. 2000. *Ilmu Gizi (Untuk Mahasiswa dan Profesi di Indonesia)*. Jilid 2. Dian Rakyat, Jakarta.
- Seiquer, I., Delgado-Andrade, C., Haro, A. and Navarro, M.P. (2010). Assessing the effects of severe heat treatment of milk on calcium bioavailability: in vitro and in vivo studies. *Journal of dairy science*. 93(12): 5635-5643.
- Setyaningsih, I. and Saputra, A.T. dan Uju. (2011). Komposisi kimia dan kandungan pigmen *Spirulina fusiformis* pada umur panen yang berbeda dalam media pupuk. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 14(1): 63-69
- Sheikh, M.S., Santa Ana, C.A., Nicar, M.J., Schiller, L.R. and Fordtran, J.S. (1987). Gastrointestinal absorption of calcium from milk and calcium salts. *New England Journal of Medicine* 317(9): 532-536.
- Shekharam, K.M., Venkataraman, L.V. dan Salimath, P.V. (1987). Carbohydrate composition and characterization of two unusual sugars from the blue green alga *Spirulina platensis*. *Phytochemistry*, 26(8): 2267-2269.
- Shekharam, M.K., Venkataraman, L.V. dan Salimath, P.V. (1989). Structural Studies of a Glucan Isolated from Blue Green Alga *Spirulina platensis*. *Food Chemistry*. 31: 85-91
- Sibakov, J., Myllymäki, O., Suortti, T., Kaukovirta-Norja, A., Lehtinen, P. and Poutanen, K. (2013). Comparison of acid and enzymatic hydrolyses of oat bran β -glucan at low water content. *Food research international*. 52(1): 99-108.

- Singh, G., Kothari, R.M., Sharma, R.K. and Ramamurthy, V. (1995). Enhancement of *Spirulina* biomass productivity by a protein hydrolysate. *Applied Biochemistry and Biotechnology*. 50(3): 285-290.
- Singh, P., Singh, R., Jha, A., Rasane, P. and Gautam, A.K. (2015). Optimization of a process for high fibre and high protein biscuit. *Journal of food science and technology*. 52(3): 1394-1403.
- Sipos, P., Pierre, T. G. S., Tombacz, E., & Webb, J. (1995). Rod-like iron (III) oxyhydroxide particles in iron (III)-polysaccharide solutions. *Journal of inorganic biochemistry*, 58(2), 129-138.
- Sixabela, P.S.S., Chivandi, E., Badenhorst, M. and Erlwanger, K.H. (2011). The effects of dietary supplementation with *Spirulina platensis* in growing rats. *Asian Journal Animal Veterinary Advance*. 6: 609-617.
- Soekatri M, dan Kartono, D. 2004. Angka kecukupan mineral: kalsium, fosfor, magnesium, fluor. Di dalam: Di dalam: *Ketahanan Pangan dan Gizi di Era Otonomi Daerah dan Globalisasi. Prosiding Widya Karya Nasional Pangan dan Gizi VIII*; Jakarta, 17 – 19 Mei 2004. Jakarta: Lembaga Ilmu Pengetahuan Indonesia. hal 375 – 385
- Spiller, G.A. 2001. Definitions of Dietary Fiber In Dietary Fiber. *Dalam G.A. Spiller (Ed). Human Nutrition*. 3rd ed. Hal 9-10. CRC Press. Florida.
- Strickling, J.A., Harmon, D.L., Dawson, K.A. and Gross, K.L. (2000). Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations. *Animal Feed Science and Technology*. 86(3): 205-219
- Suarni. 2009. Produk makanan ringan (Flakes) berbasis jagung dan kacang hijau sebagai sumber protein untuk pernaikan gizi anak usia tumbuh. *Prosiding seminar nasional Serealia*. ISBN:978-979-8940-27-9
- Subagio, A. (2006). Characterization of hyacinth bean (*Lablab purpureus* (L.) sweet) seeds from Indonesia and their protein isolate. *Food chemistry*. 95(1): 65-70.
- Sudha, S.S., Karthic, R. and Naveen, J.R. (2011). Anti hyperlipidemic activity of *Spirulina platensis* in Triton X-100 induced hyperlipidemic rats. *Hygeia: J Drugs Med*. 3: 32-37.
- Suitor, C. W dan Crowley, M.F. (1984). *Nutrition Principles Application in Health Care*. 2nd edn. JB. Lippincoll company. Philadelphia. New York.
- Suminto. (2009). Penggunaan jenis media kultur teknis terhadap produksi dan kandungan nutrisi sel *Spirulina platensis*. *Jurnal Saintek Perikanan* 4(2):53-61.
- Tamtarini dan S. Yuwanti. (2005). Pengaruh penambahan koro-koroan terhadap sifat fisik dan sensorik flake ubi jalar. *Jurnal Teknologi Pertanian*. 6(3):187-192.
- Theed, S.T. dan Phillips, R.D. (1995). Changes of dietary fiber and starch composition of processed potato products during domestic cooking. *Food chemistry*. 52(3): 301-304.
- Tietze, H.W. 2004. *Spirulina. Micro Food Macro Blessing*. 4th ed. Harald W. Tietze Publishing. Australia
- Toba, Y., Takada, Y., Tanaka, M. and Aoe, S. (1999). Comparison of the effects of milk components and calcium source on calcium bioavailability in growing male rats. *Nutrition Research*. 19(3): 449-459.

- Torre, M., Rodriguez, A.R. and Saura-Calixto, F.(1995). Interactions of Fe (II), Ca (II) and Fe (III) with high dietary fibre materials: A physicochemical approach. *Food Chemistry*. 54(1): 23-31.
- Trilaksani, W., Setyaningsih, I. and Masluha, D. (2015). Formulation of Red Seaweed and *Spirulina platensis* Based Jelly Drinks. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 18(1): 74-82
- Tri-Panji, Suharyanto, Rakaya, E dan Hasim. 1995. Penggunaan serum lateks skim sebagai medium produksi protein sel tunggal oleh *Spirulina platensis*. *Menara Perkebunan*. 63 (3): 114-122.
- Trowell, H.1 (1976). Definition of dietary fiber and hypotheses that it is a protective factor in certain diseases. *The American journal of clinical nutrition* 29(4): 417-427.
- Urbano, G., Lopez-Jurado, M., Fernandez, M., Moreu, M.C., Porres-Foulquie, J., Frias, J. Dan Vidal-Valverde, C. (1999). Ca and P bioavailability of processed lentils as affected by dietary fiber and phytic acid content. *Nutrition research*, 19(1): 49-64.
- Urbano, M.G. and Goñi, I. (2002). Bioavailability of nutrients in rats fed on edible seaweeds, Nori (*Porphyra tenera*) and Wakame (*Undaria pinnatifida*), as a source of dietary fibre. *Food Chemistry*. 76(3): 281-286.
- Uslu, L. H., Işık, O., Sayın, S., Durmaz, Y., Göksan, T., & Gökpınar, Ş. (2009). The Effect of Temperature on Protein and Amino Acid Composition of *Spirulina platensis*. *Su Ürünleri Dergisi*, 26(2).**
- Utami, M.M.D. 2004. *Pengaruh Penggunaan Spirulina (Spirulina platensis) dalam pakan ternak terhadap perlemakan dan kadar kolesterol daging ayam broiler*. Program Pasca sarjana. UGM. Yogyakarta. Tesis.
- van den Heuvel, E.G., Muys, T., van Dokkum, W. dan Schaafsma, G. (1999). Oligofructose stimulates calcium absorption in adolescents. *The American journal of clinical nutrition*. 69(3): 544-548.
- Varga, L., Szigeti, J., Kovacs, R., Földes, T. dan Buti, S. (2002). Influence of a *Spirulina platensis* biomass on the microflora of fermented ABT milks during storage (R1). *Journal of dairy science*. 85(5): 1031-1038.
- Vasanthan, T., Gaosong, J., Yeung, J., dan Li, J. (2002). Dietary fiber profile of barley flour as affected by extrusion cooking. *Food Chem* 77(1): 35-40.
- Vasishta, 1984. *Botany for degree student algae*. S. Chand and Co, Ltd. Ram Nagar. New Delhi.
- Vonshak, A. 1984. Laboratory techniques for the cultivation of microalgae. *Dalam* Richmond, A. (Ed.). *Handbook of microalgal mass culture*. CRC Press, Inc. Boca Raton.
- Vonshak, A. 1997. *Spirulina: Growth, Physiology and Biochemistry*. *Dalam* Vonshak, A (Ed.). *Spirulina platensis (Arthrospira) Physiology, cell-biology and biotechnology*. Taylor and Francis. Great Britain.
- Wachtel-Galor, S, Wong, K.W. dan Benzie, I.F.F. (2008). The Effect of Cooking on Brassica vegetables. *Food Chemistry*. 110: 706-710
- Wakler A. dan C. H. Rolls, 1992. Solubility and Intestinal transit time limit calcium absorption in rats. *Journal Nutrition*. 123:1396-1404.
- Walstra, P. 2003. *Physical Chemistry of Foods*. Marcel-Dekker, Inc. New York.

- Wariyah, C. 2009. *Fortifikasi Kalsium Pada Beras, Kinetika penyerapan dan Bioavailabilitasnya*. Disertasi. Program Pasca Sarjana. UGM. Yogyakarta.
- Watson, S. J. 1996. Comparison Two Methods of In Vitro and In Vivo test for determination of Availability of Calcium from Calcium carbonate tablets. *Journal American College Nutrition*. 11:553-560.
- Watzke, H.J. (1998). Impact of processing on bioavailability examples of minerals in foods. *Trends in food science & technology*. 9(8): 320-327.
- Weaver, C.M. dan R.P. Heaney. 2007. Calcium. Di dalam: Shils EM, Olson JA, editor. *Modern Nutrition in Health and Diseases*. New York: Lippincott Williams and Wilkins. hlm 194-210.
- Widya Karya Nasional Pangan dan Gizi, 2012. Lembaga Ilmu Pengetahuan Indonesia. Jakarta.
- Winarno, F.G. 2008. *Kimia Pangan dan gizi*, Edisi Revisi. Pt. Gramedia Pustaka Utama. Jakarta
- Wolters, M.G., Schreuder, H.A.W., Van den Heuvel, G., Van Lonkhuijsen, H.J., Hermus, R.J. and Voragen, A.G.J. (1993). A continuous in vitro method for estimation of the bioavailability of minerals and trace elements in foods: application to breads varying in phytic acid content. *British Journal of Nutrition*. 69(3): 849-849.
- Wong, J.M., De Souza, R., Kendall, C.W., Emam, A. and Jenkins, D.J. (2006). Colonic health: fermentation and short chain fatty acids. *Journal of clinical gastroenterology*. 40(3): 235-243.
- Wood, P.J. (1990). Physicochemical properties and physiological effects of the (1→3)(1→4)-β-D-glucan from oats. In *New Developments in Dietary Fiber*: 119-127
- Wright, R. Scott, James W. Anderson, and Susan R. Bridges. "Propionate inhibits hepatocyte lipid synthesis." *Experimental Biology and Medicine* 195.1 (1990): 26-29.
- Wright, R.S., Anderson, J.W. and Bridges, S.R. (1990). Propionate inhibits hepatocyte lipid synthesis. *Experimental Biology and Medicine*. 195: 26-29.
- Yadav S, Sehgal S (2002) Effect of domestic processing and cooking methods on total, HCl extractable iron and in vitro availability of iron in spinach and amaranth leaves. *Nutr Health* 16(2):113–120
- Yadav, S.K. and Sehgal, S. (1999). Effect of domestic processing on total and extractable calcium and zinc content of Bathua (*Chenopodium album*) and Fenugreek (*Trigonella foenum graecum*) leaves. *Plant Foods for Human Nutrition*. 53(3): 255-263.
- Yoshie, Y., Suzuki, T. dan Clydesdale, F.M. (1997). Iron solubility from seafoods with added iron and organic acids under simulated gastrointestinal conditions. *Journal of food quality*. 20(3): 235-246.
- Yu, J., Ahmedna, M. dan Goktepe, I. (2007). Peanut protein concentrate: Production and functional properties as affected by processing. *Food Chemistry*. 103(1): 121-129.
- Yuanita, L. (2005). Pengaruh pH dan Lama Perebusan Kacang Panjang Terhadap Efisiensi Regenerasi Hb Rattus norvegicus dan Pengikatan Fe Oleh Serat Pangan. *Media Kedokteran Hewan*, 21(2), 69-72.

- Zanhi, N.K. dan Jideani, I.A. (2012). Physico-chemical and sensory qualities of soy and milk solids fortified low fat yoghurt. *African Journal of Agricultural Research*, 7(38): 5336-5343.
- Zoran, D.L., Turner, N.D., Taddeo, S.S., Chapkin, R.S. and Lupton, J.R. (1997). Wheat bran diet reduces tumor incidence in a rat model of colon cancer independent of effects on distal luminal butyrate concentrations. *The Journal of nutrition*. 127(11): 2217-2225.