SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

AACC Report, 2001. *The Definition of Dietary Fiber*. AACC Report. 46 (3). 112-126.

Adebowale, K.O. dan Lawal, O.S. (2004). Comparative study of the functional properties of bambarra groundnut (*Voandzeia subterranean*), jack bean (*Canavalia ensiformis*) and mucuna bean (*Mucuna pruriens*) flours. *Food Research International*, 37(4): 355-365.

Adeleke, R.O., Odedeji, J.O. (2010). Functional properties of wheat potato flour blends. *Pakistan Journal Nutrition*. 9 (6): 535-538

Aguero, J., Lora, J., Estrada, K., Concepcion, F., Nunez, A., Rodriguez, A. dan Pino, J.A. (2003). Volatile components of a commercial sample of the blue-green algae *Spirulina platensis. Journal Of Essential Oil Research*, 15(2): 114-117.

Agustini, T. W., Suzery, M., Sutrisnanto, D., & Ma'ruf, W. F. (2015). Comparative Study of Bioactive Substances Extracted from Fresh and Dried Spirulina sp. *Procedia Environmental Sciences*, *23*, 282-289.

Aiba, S dan Ogawa, T. 1977. Assesment of Growth yield of a blue green algae *Spirulina platensis* in axenic and continuous culture. *Journal Genetic Microbiology*. (102):179-182.

Allen LH. 1982. Calcium bioavailability and absorption: a review. *American Journal Clinical Nutrition.* 35:738-808.

Almatsier S. 2006. *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.

Angka S.I., dan Suhartono, T.S. 2000. *Bioteknologi Hasil Lau*t. Bogor. Pusat Kajian Sumber Daya Pesisir Lautan. Institut Pertanian Bogor. hal 49-56

Anonim. (2011). *Notice to US Food and Drug Administration that the use of Certified Organic Spirulina (Arthrospira platensis) is Generally Recognize as Safe*. E.I.D. Parry (India) Limited, Parry Nutraceuticals Division, Dare House. Chennai, India.

AOAC. (1995). *Official Method of Analysis*. *Association of Official Analytical Chemist*(AOAC). 16th Edition. Published by the Association of Official Analytical Chemist. Washington DC, USA.

Apriyantono A. Fardiaz D, Puspitasari N, Budiyanto S. 1989. *Analisis Pangan*. Bogor: IPB Press.

Arad, M. S. 1988. Production of sulfated polysaccharides from red unicellular algae. *Dalam* Stadler T, Mollion J, Verdus, MC, Kara-manos Y, Morvan H, Christiaen D (eds). *Algal Biotechnology*. Elsevier Applied Science, London, UK, pp. 65–87.

Arumsari, K., 2011. *Fortifikasi Spirulina platensis pada flake berbahan dasar campuran pati jagung dan pati garut.* Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

Asp, N. G., Johansson, C. G., Hallmer, H., dan Siljestroem, M. (1983). Rapid enzymic assay of insoluble and soluble dietary fiber. *Journal of Agricultural and Food Chemistry*, 31(3): 476-482.

Babadzhanov, A.S., Abdusamatova, N., Yusupova, F.M., Faizullaeva, N., Mezhlumyan, L.G. dan Malikova, M.K. (2004). Chemical composition of

UNIVERSITAS GADJAH MADA
SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Spirulina platensis cultivated in Uzbekistan. *Chemistry of Natural Compounds*, 40(3): 276-279.

Bailey, M. E., & Um, K. W. (1992). Maillard reaction products and lipid oxidation. In *ACS Symposium series-American Chemical Society (USA)*.

Belay, A. (2008). Spirulina (Arthrospira): Production and Quality Assurance. *Dalam*: Gershwin M. E and A. Belay (ed.). hal 1-26. *Spirulina in Human*. CRC Press.

Berdanier,C.D. 1998. *Advanced Nutrition Micronutrients*. CRC Press. Florida.

Bielecka, M., E. Biedrzycka dan A. Majkowska. 2002. Selection of Probiotics and Prebiotics For Symbiotics and Conformation of Their Effectiveness. *Food Research International*. 35:125-131.

Blackwood, A.D., Salter, J., Dettmar, P.W. and Chaplin, M.F. (2000). Dietary fibre, physicochemical properties and their relationship to health. *The journal of the Royal Society for the Promotion of Health*, *120*(4):242-247.

Boniface, J.J., Allbritton, N.L., Reay, P.A., Kantor, R.M., Stryer, L. and Davis, M.M., 1993. pH affects both the mechanism and the specificity of peptide binding to a class II major histocompatibility complex molecule. *Biochemistry*, *32*(44): 11761-11768.

Borowitzka, M.A. dan Borowitzka, L.J. (1988). *Micro-algal biotechnology*. Cambridge University Press.

Boskau, D dan Elmadfa, I. 1999. Frying of Food. Technomic Publishing Company, INC. Lancaster, Pennysylvnia, U.S.A.

Bosscher, D., M.V. Caillie-Bertrand dan H. Deelstra. 2001. Effects of thickening Agents, Based on Soluble Dietary Fiber, on the Availability of Calcium, Iron, and Zinc From Infant Formulas. *Nutrition* 17:614–618

Bosscher, D., Van Caillie-Bertrand, M., Van Cauwenbergh, R. and Deelstra, H., 2003. Availabilities of calcium, iron, and zinc from dairy infant formulas is affected by soluble dietary fibers and modified starch fractions. *Nutrition 19*(7): 641-645.

Bourquin, L.D., Titgemeyer, E.C., Fahey, G.C. and Garleb, K.A., 1993. Fermentation of dietary fibre by human colonic bacteria: disappearance of, short-chain fatty acid production from, and potential water-holding capacity of, various substrates. *Scandinavian journal of gastroenterology*, *28*(3): 249-255.

Boyer, J. and Liu, R., 2004. Apple phytochemicals and their health benefits. *Nutrition Journal*, *3*(1):1-15.

Bright-See, E., (1988). Dietary Fiber and Cancer. *Nutrition Today*, *23*(4): 4-10.

Brody, T. (1994). *Nutritional Biochemistry*. Academic Press. New York.

Bronner, F. 1993. Nutrient bioavailability, with special reference to calcium. *Journal Nutrition*.123: 797-802

Bronner, F dan Pansu, D. (1999). Nutritional aspects of calcium absorption. *The Journal of nutrition*. *129*(1): 9-12.

Brouns, K dan N.T. Vermeer. 2000. Contents of Zinc, Iron, Calcium and Their Absorption inhibitors in foods. *Journal of Food Composition and Analysis*. 18: 803-817

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Brown, A.D. dan Borowitzka, L.J. (1979). Halotolerance of Dunaliella. *Dalam*: Levandowsky, M., dan Huntner, S.H. (eds.), hal 139–190. *Biochemistry and Physiology of Protozoa*. Academic Press, New York.

Brum, G., L. McKane, G. Karp. 1997. *Biolog: Exploring Life*. 2nd . Ed.. New York.
MacMillan Publ. Co.Inc. John Wiley and Sons, Inc. New York.

Byrd-Bredbenner, C., Moe, G., Beshgetoor, D. and Berning, J. 2007. Wardlaw, Hampl & DiSilvestro. Perspective in Nutrition. 8th Ed, The McGraw Hill Companies.

Callegaro, M.G.K., Milbradt, B.G., Alves, E., Diettrich, T., Kemerich, D.M., Hausen, B.S., Duarte, F.A., Flores, E.M.M., Dressler, V.L. and Emanuelli, T. (2010). Effect of wheat bran and flaxseed on cadmium effects and retention in rats. *Human & experimental toxicology*, p.0960327110384526.

Caratù, G., Allegra, D., Bimonte, M., Schiattarella, G. G., D'Ambrosio, C., Scaloni, A., ... & Zambrano, N. (2007). Identification of the ligands of protein interaction domains through a functional approach. *Molecular & Cellular Proteomics*, *6*(2), 333-345.

Carcea, M., Sorto, M., Batello, C., Narducci, V., Aguzzi, A., Azzini, E., Fantauzzi, P., Finotti, E., Gabrielli, P., Galli, V. and Gambelli, L. (2015). Nutritional characterization of traditional and improved dihé, alimentary blue-green algae from the lake Chad region in Africa. *LWT-Food Science and Technology*, *62*(1):753-763.

Cashman, K. 2003. Prebiotics and Calcium Bioavailability. *Current Issues Intestinal Microbiology*. (2003) 4: 21-3

Cashman, K.D., 2002. Calcium intake, calcium bioavailability and bone health. *British Journal of Nutrition*, *87*(S2): S169-S177.

Chaiklahan, R., Chirasuwan, N., Triratana, P., Loha, V., Tia, S. dan Bunnag, B. (2013). Polysaccharide extraction from Spirulina sp. and its antioxidant capacity. *International journal of biological macromolecules*, 58: 73-78.

Chawla, R. and Patil, G.R. (2010). Soluble dietary fiber. *Comprehensive Reviews in Food Science and Food Safety*, *9*(2):178-196.

Chitra, U., Singh, U., & Rao, P. V. (1996). Phytic acid, in vitro protein digestibility, dietary fiber, and minerals of pulses as influenced by processing methods. *Plant Foods Human Nutrition*, *49*(4), 307-316.

Choi, G.G., Bae, M.S., Ahn, C.Y. dan Oh, H.M. (2008). Induction of axenic culture of Arthrospira (Spirulina) platensis based on antibiotic sensitivity of contaminating bacteria. *Biotechnology letters*, 30(1): 87-92.

Chronakis, I.S. (2001). Gelation of edible blue-green algae protein isolate (Spirulina platensis strain pacifica): thermal transitions, rheological properties, and molecular forces involved. *Journal of agricultural and food chemistry*, *49*(2): 888-898.

Ciferri, O. (1983). Spirulina, the edible microorganism. *Microbiological. Reviews*. 47: 551-578

Cilla, A., M.J. Lagarda. A. Alegria, B. de Ancos, M. P. Cano, Sanchez-Moreno, L. Plaza, R. Barbera. (2011). Effect of Processing and Food Matrix on Calcium and Phosporus bioavailability from milk-based fruit beverages in Caco-2 cells. *Food Research International*. 44: 3030-3038

UNIVERSITAS
GADJAH MADA
SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Cleary, L. J., Andersson, R., & Brennan, C. S. (2007). The behaviour and susceptibility to degradation of high and low molecular weight barley β-glucan in wheat bread during baking and in vitro digestion. *Food Chem*, *102*(3), 889-897.

Clydesdale, F.M., 1988. Mineral interactions in foods. *Dalam*: Bodwell CE, Erdman JW (eds.) *Nutrient Interactions* Marcel Dekker New York. (hal: 73-113).

Cohen, Z., 1997. The chemicals of Spirulina. *Dalam*: Vonshak, A. (ed). *Spirulina platensis (Arthrospira): Physiology, Cell-biology and Biotechnology*, hal 175-204. Taylor and Francis, London

Colin-Henrion, M., Mehinagic, E., Renard, C.M., Richomme, P. and Jourjon, F., (2009). From apple to applesauce: Processing effects on dietary fibres and cell wall polysaccharides. *Food Chemistry*, *117*(2); 254-260.

Pérez-Conesa, D., Periago, M. J., Ros, G., & López, G. (2005). Non-protein nitrogen in infant cereals affected by industrial processing. *Food chemistry*, *90*(4), 513-521.

Costa, J.A.V., Colla, L.M., Filho, P. D., Kabke, K. dan Weber, A. (2002). Modelling of Spirulina platensis growth in fresh water using response surface methodology. *World Journal Microbiology Biotechnology*, 18 (2002): 603–607

Coudray, C., Bellanger, J., Castiglia-Delavaud, C., Remesy, C., Vermorel, M. and Rayssignuier, Y. (1997). Effect of soluble or partly soluble dietary fibres supplementation on absorption and balance of calcium, magnesium, iron and zinc in healthy young men. *European Journal of Clinical Nutrition*, *51*(6): 375-380.

Cummings, J. H., & Macfarlane, G. T. (1997). Colonic microflora: nutrition and health. *Nutrition*, *13*(5), 476-478.

Cummings, J.H. and Bingham, S.A. (1986). Dietary fibre, fermentation and large bowel cancer. *Cancer surveys*, *6*(4): 601-621.

Cummings, J.H. and Macfarlane, G.T. (1997). Collaborative JPEN-Clinical Nutrition Scientific Publications Role of intestinal bacteria in nutrient metabolism. *Journal of Parenteral and Enteral Nutrition*, *21*(6): 357-365.

Cummings, J.H. and Macfarlane, G.T., 1991. The control and consequences of bacterial fermentation in the human colon. *Journal of Applied Bacteriology* *70*(6): 443-459.

Cummings, J.H. and Macfarlane, G.T., 1991. The control and consequences of bacterial fermentation in the human colon. *Journal of Applied Bacteriology*, *70*(6), pp.443-459.

Danesi, E., Navacchi, M., Takeuchi, K., Frata, M., Carlos, J. and Carvalho, M. (2010). Application of *Spirulina platensis* in protein enrichment of Manico based bakery products. *Journal Biotechnology*, 150: 311.Abstract.

Darmono, 1995. Logam dalam Sistim Biologis Makhluk Hidup. Penerbit Universitas Indonesia. Jakarta.

De La Fuente, M. A., OLano, A., Casal, V., & Juarez, M. (1999). Effects of high pressure and heat treatment on the mineral balance of goats' milk. *Journal of Dairy Research*, *66*(01), 65-72.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

De Marco, E.R., Steffolani, M.E., Martínez, C.S. and León, A.E. (2014). Effects of spirulina biomass on the technological and nutritional quality of bread wheat pasta. *LWT-Food Science and Technology*, *58*(1): 102-108.

Debon, S.J. and Tester, R.F. (2001). In vitro binding of calcium, iron and zinc by non-starch polysaccharides. *Food Chemistry*, *73*(4): 401-410.

Delgado-Andrade, C., Seiquer, I. and Navarro, M.P. (2006). Changes in calcium absorption and subsequent tissue distribution induced by Maillard reaction products: in vitro and in vivo assays. *Journal of the Science of Food and Agriculture*, *86*(2): 271-278.

Delgado-Andrade, C., Seiquer, I., Nieto, R. and Navarro, M.P. (2004). Effects of heated glucose–lysine and glucose–methionine model-systems on mineral solubility. *Food chemistry*, *87*(3): 329-337.

Departemen Kesehatan. 2009. Berdiri tegak bicara lantang kalahkan osteoporosis. http://www.depkes.go.id/article/view/404/berdiri-tegak-bicara-lantang-kalahkan-osteoporosis.html#sthash.GmClv2eh.dpuf

Devi, M.A. dan Venkataraman, L.V. (1984). Functional Properties of Protein Products of Mass Cultivated Blue-Green Alga Spirulina Platensia. *Journal of Food Science*, 49(1): 24-27.

Dewi, E.N., Amalia, U. and Mel, M. (2016). The Effect of Different Treatments to the Amino Acid Contents of Micro Algae Spirulina sp. *Aquatic Procedia, 7,* pp.59-65.

Dewi, M.K. (2010). *Pengaruh metode pemasakan terhadap kandungan mineral kerang hijau (Perna viridis.).* Fakultas Perikanan dan Ilmu Kelautan. IPB. Bogor. Skripsi.

Drago, S.R., Binaghi, M. and Valencia, M.E. (2005). Effect of gastric digestion pH on iron, zinc, and calcium dialyzability from preterm and term starting infant formulas. *Journal of food science 70*(2): S107-S112.

Dubois, M., Gilles, K. A., Hamilton, J. K., Rebers, P. dan Smith, F. (1956). Colorimetric method for determination of sugars and related substances. *Analytical chemistry*, 28(3): 350-356.

Duncan, S.H., Barcenilla, A., Stewart, C.S., Pryde, S.E. and Flint, H.J. (2002). Acetate utilization and butyryl coenzyme A (CoA): acetate-CoA transferase in butyrate-producing bacteria from the human large intestine. *Applied and Environmental Microbiology*, *68*(10): 5186-5190.

Ekantari, N. 2012. *Efek Pengolahan Panas Terhadap Perubahan Komponen Gizi dan Fungsional Spirulina platensis Untuk Pengembangan Produk Pangan Fungsional*. Laporan Penelitian. Hibah Dosen Muda. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

Ekholm, P., Virkki, L., Ylinen, M. and Johansson, L. (2003). The effect of phytic acid and some natural chelating agents on the solubility of mineral elements in oat bran. *Food Chemistry*, *80*(2): 165-170.

El-Desouki, N.I., Tabl, G.A., Abdel-Aziz, K.K., Salim, E.I. and Nazeeh, N. (2015). Improvement in beta-islets of Langerhans in alloxan-induced diabetic rats by erythropoietin and spirulina. *The Journal of Basic & Applied Zoology*, *71*: 20-31.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Falony, G., Vlachou, A., Verbrugghe, K. and De Vuyst, L. (2006). Cross-feeding between Bifidobacterium longum BB536 and acetate-converting, butyrate-producing colon bacteria during growth on oligofructose. *Applied and environmental microbiology*, *72*(12): 7835-7841.

Federer, W. T. (1991). *Statistics and Society: Data Collection and Interpretation*. 2nd. Marcell Dekker, pp 142.

Fellows, P.J. (2000). *Food processing technoogy*. 2nd ed. CRC Press. Boca-Raton

Friedman, M. (1996). Food browning and its prevention: an overview. *Journal of Agricultural and Food Chemistry*, *44*(3): 631-653.

Frolich, W. (1995). Bioavailability of micronutrients in a fibre-rich diet, especially related to minerals. *Eur J Clin Nutr.*

Frontela, C., Ros, G. and Martínez, C. (2011). Phytic acid content and "in vitro" iron, calcium and zinc bioavailability in bakery products: The effect of processing. *Journal of Cereal Science*, *54*(1): 173-179.

Gaman, P.M. and Sherrington, M. (1981). *Food Poisoning and It's Prevention*. The Science of Food Pergamon Press.Oxford

Göksan, T., ZEKERİYAOĞLU, A., & Ak, İ. (2007). The growth of Spirulina platensis in different culture systems under greenhouse condition. *Turkish Journal of Biology*, *31*(1), 47-52.

Gomez, K. A. dan Gomez, A.A. (1984). *Statistical procedures for agricultural research*. John Wiley & Sons.

Gråsten, S.M., Pajari, A.M., Liukkonen, K.H., Karppinen, S. and Mykkänen, H.M., (2002). Fibers with different solubility characteristics alter similarly the metabolic activity of intestinal microbiota in rats fed cereal brans and inulin. *Nutrition Research 22*(12): 1435-1444.

Griffin, B.T. and O'driscoll, C.M. (2006). A comparison of intestinal lymphatic transport and systemic bioavailability of saquinavir from three lipid-based formulations in the anaesthetised rat model. *Journal of pharmacy and pharmacology*, *58*(7): 917-925.

Gropper, S.S., Smith, J.L. and Groff, J.L. (2005). *Advanced nutrition and human metabolism*. Wadsworth, Belmont.

Guéguen, L., dan Pointillart, A. (2000). The bioavailability of dietary calcium. *Journal of the American College of Nutrition*, *19*(sup2): 119S-136S.

Gupta, S., Hrishikeshvan, H.J. dan Sehajpal, P. K. (2010). Spirulina protects againts Rosiglitazone induced osteoporosis in insulin resistance rats. *Diabetes Research and Clinical Practice*, 87: 38-43.

Habib, M. A. B., Parvin, M., Huntington, T. C., dan Hasan, M. R. (2008). *A review on culture, production and use of spirulina as food for humans and feeds for domestic animals and fish*. Food and agriculture organization of the united nations.

Halade, G.V. and Juvekar, A.R.(2006). Effect of Spirulina Platensis pretreatment on isoproterenol induced hyperlipidemia in rats. *Pharmacology online*,*2*: 243-251.

Hayashi, T., Hayashi, K., Maeda, M. and Kojima, I. (1996). Calcium spirulan, an inhibitor of enveloped virus replication, from a blue-green alga Spirulina platensis. *Journal of Natural Products*, *59*(1): 83-87.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Heaney, R.P., Weaver, C.M. and Recker, R.R. (1988). Calcium absorbability from spinach. *The American journal of clinical nutrition*, *47*(4): 707-709.

Henningsson, A.M., I. M. E. Bjo¨rck dan E.M.G.L. Nyman. (2002). Combinations of Indigestible Carbohydrates Affect Short-Chain Fatty Acid Formation in the Hindgut of Rats. *Journal Nutrition*. 132: 3098–3104

Henrikson, R. 2000. *Earth Food Spirulina. Essential Fatty Acid and Phytonutrients*. Ronore Enterprises, Inc. California.

Hijova, E. and Chmelarova, A. (2007). Short chain fatty acids and colonic health. *Bratislavské lekárske listy*, *108*(8): 354.

Hirahashi, T., Matsumoto, M., Hazeki, K., Saeki, Y., Ui, M. and Seya, T.(2002). Activation of the human innate immune system by Spirulina: augmentation of interferon production and NK cytotoxicity by oral administration of hot water extract of Spirulina platensis. *International Immunopharmacology*. *2*(4): 423-434.

Holloway, L., Moynihan, S., Abrams, S. A., Kent, K., Hsu, A. R., & Friedlander, A. L. (2007). Effects of oligofructose-enriched inulin on intestinal absorption of calcium and magnesium and bone turnover markers in postmenopausal women. *British Journal of Nutrition*. *97*(02): 365-372.

Hu Q. (2004). Environmental effects on cell composition. *Dalam*: Richmond A (Ed). *Handbook of Microalgal Culture: Biotechnology and Applied Science*, hal 83-93. Oxford: Blackwell Science Publishing.

Huebner, J., Wehling, R.L., Parkhurst, A. and Hutkins, R.W. (2008). Effect of processing conditions on the prebiotic activity of commercial prebiotics. *International Dairy Journal*, *18*(3): 287-293.

Humm, H. J., and Wicks, S. R. (1980). *Introduction and guide to the marine blue-green algae*. John Wiley & Sons, Inc., New York. HAL 121-123.

Hurrell, R. F. (1997). Bioavailability of iron. *European Journal of Clinical Nutrition*. *51*(1): S4-S7

Hutadilok-Towatana, N., Reanmongkol, W., Satitit, S., Panichayupakaranant, P. and Ritthisunthorn, P. (2008). A subchronic toxicity study of *Spirulina platensis*. *Food science and technology research*, *14*(4): 351-358.

Hutandilok-Towatana, N. W. Reanmongkol, P. Panichayupakaranant. (2010). Evaluation of the toxicity of *Arthrospira (Spirulina) platensis* extract. *Journal Applied Phycology* 22:599–605.

Jiminez, C., Cossio, B.R. dan Niell, F.X. (2003). Relationship Between Physiochemical variables and productivity in open ponds for the production of Spirulina: A predictive model of algal yield. *Aquaculture*, 221(1-4): 331-345.

Johansson, J., L. Virkki, H. Antilla, H. Esselstrom, P. Tuomainen, T. Sontag-Strohm. (2006). Hydrolisis of β-glucan. *Food Chemistry*. 97:71-79

Johnson, P.E. and Shubert, L.E. (1986). Availability of iron to rats from spirulina, a blue-green alga. *Nutrition Research*, *6*(1): 85-94.

Keane, L.A., Potter, N.N. and Sherbon, J.W. (1988). Estimation of calcium status in selected food systems. *Journal of Food Science*, *53*(4): 1111-1112.

Kelly, B.J. dan Potter, N.N. (1990). Dialyzable Calcium from Milk Processed with Soluble Fiber-Containing Gums, Thickeners, and Cocoa Dialyzable Calcium

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

from Milk Processed with Soluble Fiber-Containing Gums, Thickeners, and Cocoa. *Journal of Food Science*. 55(4): 1004-1007.

Keputusan Menteri Kesehatan Republik Indonesia. Pedoman Pengendalian Osteoporosis. No. 1142/MENKES/SK/XII/2008. 4 Desember 2008. Jakarta.

Kinsella, J.E. and Melachouris, N. (1976). Functional properties of proteins in foods: a survey. *Critical Reviews in Food Science & Nutrition*, *7*(3); 219-280.

Kleessen, B., Stoof, G., Proll, J., Schmiedl, D., Noack, J. and Blaut, M. (1997). Feeding resistant starch affects fecal and cecal microflora and short-chain fatty acids in rats. *Journal of animal science*, *75*(9): 2453-2462.

Koca, N., Karadeniz, F. dan Burdurlu, H.S. (2007). Effect of pH on chlorophyll degradation and colour loss in blanched green peas. *Food Chemistry*, 100(2): 609-615.

Larasati, R., 2010. *Penambahan ekstrak Spirulina platensis pada pembuatan yogurt kaya anti oksidan*. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

Latunde-Dada, G.O., and Neale, R.J. (1986). Review: availability of iron from foods. *International Journal of Food Science & Technology*, *21*(3), pp.255-268.

Lawlor, D.W. 1993. *Photosynthesis: Molecular, Physiological and Enviromental Processes*. Longman Scientific & Technical, England.

Lee, J., Hayashi, T., Hayashi, K. dan Sankawa, U. (2000). Structural Analisis of Calcium Spirulan (Ca-SP)-Derived Oligosaccharides Using Electrospray Ionization Mass Spectrometry. *Journal Natural Product*, 63: 136-138

Lee, J.B., Hayashi, T., Hayashi, K., Sankawa, U., Maeda, M., Nemoto, T. and Nakanishi, H. (1998). Further purification and structural analysis of calcium spirulan from Spirulina platensis. *Journal of natural products*, *61*(9):1101-1104.

Lee, J.B., Hou, X., Hayashi, K. and Hayashi, T. (2007). Effect of partial desulfation and oversulfation of sodium spirulan on the potency of anti-herpetic activities. *Carbohydrate polymers*, *69*(4): 651-658.

Lee, J.B., Srisomporn, P., Hayashi, K., Tanaka, T., Sankawa, U. and Hayashi, T. (2001). Effects of structural modification of calcium spirulan, a sulfated polysaccharide from Spirulina platensis, on antiviral activity. *Chemical and pharmaceutical bulletin*, *49*(1): 108-110.

Leema, J.M., Kirubagaran, R., Vinithkumar, N.V., Dheenan, P.S. and Karthikayulu, S. (2010). High value pigment production from *Arthrospira (Spirulina) platensis* cultured in seawater. *Bioresource Technology*, *101*(23): 9221-9227.

Lelana, I.Y.B., Ekantari, N., Husni, A. dan Nugraheni, P.S., 2010. *Pengembangan Pangan Fungsional Berbasis Komoditas Lokal Yang Diperkaya Spirulina platensis untuk Mendukung Ketahanan Pangan.* Laporan akhir RUSNAS. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

Lelana, I.Y.B., Ekantari, N., Husni, A. dan Nugraheni, P.S., 2012. Pengembangan cookies spirulina sebagai alternatif pangan fungsional berbasis komoditas lokal untuk mendukung ketahanan pangan: Upaya mempertahankan kualitas *cookies* Spirulina. *Jurnal Ilmu Pengetahuan dan Teknologi Tepatguna Universitas Gadjah Mada* 1(2): 41-52.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Lelana, I.Y.B., Ekantari, N., Nugraheni, P.S. dan Susanti, D.Y., 2011. *Optimalisasi Teknologi Produksi Cookies Yang Diperkaya Spirulina platensis Berbasis Komoditas Lokal Untuk Penguatan Industri Nasional*. Laporan akhir RISNAS. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

Linder, M.C. 1991. *Nutritional Biochemistry and Metabolism: with clinical aplication.* Appleton and Lange, Simon and Schuster Business and Profesional Group. Elsevier. USA.

Lodi, A., Binaghi, L., De Faveri, D., Carvalho, J.C.M., Converti, A., dan Del Borghi, M. (2005). Fed Batch mixotrophic cultivation of *Arthospira (Spirulina) platensis (Cyanophyceae)* with carbon source feeding. *Annals of Microbiology*, 55 (3):181-185.

Luccia, B. H., & Kunkel, M. E. (2002). In vitro availability of calcium from sources of cellulose, methylcellulose, and psyllium. *Food chemistry*. *77*(2): 139-146.

Macfarlane, G.T., Macfarlane, S. and Gibson, G.R. (1998). Validation of a three-stage compound continuous culture system for investigating the effect of retention time on the ecology and metabolism of bacteria in the human colon. *Microbial Ecology*, *35*(2): 180-187.

Madkour, F.F., Kamil, A.E.W. dan Nasr, H.S. (2012). Production and nutritive value of Spirulina platensis in reduced cost media. *The egyptian journal of aquatic research*, 38(1): 51-57.

Makri, E., Papalamprou, E. dan Doxastakis, G. (2005). Study of functional properties of seed storage proteins from indigenous European legume crops (lupin, pea, broad bean) in admixture with polysaccharides. *Food Hydrocolloids*, 19(3): 583-594.

Marek, R.W., Bazin, M.J. dan Hohn, P. (1987) Computer control of carbon-nitrogen ratio in Spirulina platensis. *Biotechnology and Bioengineering*, 29: 520–528.

Markou, G., Chatzipavlidis, I. and Georgakakis, D. (2012). Effects of phosphorus concentration and light intensity on the biomass composition of Arthrospira (Spirulina) platensis. *World Journal of Microbiology and Biotechnology*, *28*(8): 2661-2670.

Marquez, F.J., Nishio, N., Nagai, S. and Sasaki, K. (1995). Enhancement of biomass and pigment production during growth of Spirulina platensis in mixotrophic culture. *Journal of Chemical Technology and Biotechnology*, *62*(2): 159-164.

Marquez, F.J., Sasaski, K., Kakizono, T, Nishio, N dan Nagai, S. (1993). Growth characteristic of *Spirulina platensis* in mixotropic and heterotrophic condition. *Journal Fermentation Bioengineering*. 76(5):408-410.

Marsono, Y. 1993. *Complex carbohydrates and lipids in rice products-Effects on large bowel volatile fatty acids and plasma cholesterol in animals*. Thesis. Departemen of primary Health Care, School of Medicine. The Flienders University of South Australia. South Australia. Universitas Gadjah Mada, Yogyakarta.

Marsono, Y. 2004. *Serat Pangan dalam Perspektif Ilmu Gizi*. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Marsono, Y., Wiyono, P., Z. Utama. 2005. *Indek glikemik produk olahan garut (Maranta arudinaceae Linn) dan uji sifat fungsionalnya pada model hewan*

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

coba. Laporan akhir RUSNAS Diversifikasi Pangan Pokok, Fakultas Teknologi Pertanian UGM Yogyakarta.

McCarthy, J.T. dan R. Kumar. 2006. Divalent Cation Metabolism: Calcium. www.kidneyatlas.org. Diakses 22 Oktober 2010.

Mcintosh, M. and Miller, C. (2001). A diet containing food rich in soluble and insoluble fiber improves glycemic control and reduces hyperlipidemia among patients with type 2 diabetes mellitus. *Nutrition Reviews*, *59*(2): 52-55.

Mikkelsen, L.L. dan B.B. Jensen. (2004). Effect of Fructo-Oligosaccharides and Transgalacto-Oligosaccharides on Microbial Populations and Microbial Activity In The Gastrointestinal Tract of Piglets Post-Weaning. *Animal Feed Science and Technology*. 117:107-119.

Miller DD. 1996. Minerals. *Dalam*: Fennema OR. (ed). *Food Chemistry*. hal 617 – 649. Macel Dekker, Inc., New York.

Miller, D.D., Schricker, B.R., Rasmussen, R.R. and Van Campen, D. (1981). An in vitro method for estimation of iron availability from meals. *The American Journal of Clinical Nutrition*, *34*(10): 2248-2256.

Montgomery, L.A.R.R.Y. and Macy, J.M. (1982). Characterization of rat cecum cellulolytic bacteria. *Applied and environmental microbiology*, *44*(6): 1435-1443.

Muchtadi,D., N.S. Palupi, dan M. Astawan. 1993. *Metabolisme Zat Gizi: Sumber dan Fungsi Kebutuhan bagi Tubuh Manusia*. Buku 2. Sinar Harapan, Jakarta.

Muhilal, Jalal F, dan Hardinsyah. 1998. Angka Kecukupan Gizi yang Dianjurkan. Didalam: *Prosiding Widya Karya Pangan dan Gizi VI*. Jakarta: LIPI. Hlm. 95-962.

Mujiati, 2010. *Pengaruh Suhu pengolahan terhadap kandungan β-karoten Minuman jelly Spirulina.* Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

Mustikaningrum, F. 2011. *Pengaruh Pratanak kacang Kapri (pisum sativum axiphium L) terhadap Kadar Serat Pangan dan pati Resisten Serta Sifat Hipoglikemiknya Pada Tikus Diabetik Induksi Alloksan*. Program Pasca Sarjana. UGM. Yogyakarta. Tesis.

Nah, W.H., Koh, I.K., Ahn, H.S., Kim, M.J., Kang, H.G., Jun, J.H. dan Gye, M.C., (2012). Effect of Spirulina maxima on spermatogenesis and steroidogenesis in streptozotocin-induced type I diabetic male rats. *Food chemistry*, *134*(1): 173-179.

Nur, M.A., H. S. Rukmini dan H. Adijuwana. (1989). *Teknik Laboratorium untuk Bidang Biologi dan Kimia.* Pusat Antar Univrsitas Ilmu Hayat. IPB. Bogor.

Nurhayu, (2014). Pengaruh Pemberian Purified Diet Defisien Kalsium yang Disuplementasidengan Inulin Terhadap NeracaKalsium Tikus PutihSpraguedawley (*Rattus Norvegicus*). Skripsi. Fakultas Peternakan. Institut Pertanian Bogor. Bogor.

Nurjanah, Zulhamsyah, dan Kustiariyah. (2005). Kandungan mineral dan proksimat kerang darah (Anadara granosa) yang diambil dari Kabupaten Boalemo, Gorontalo. Buletin Teknologi Hasil Perikanan 8(2),15-24.

O'dell, B.L. (1997). Mineral-ion interaction as assessed by bioavailability and ion channel function. *Dalam:* O'dell, B.L. and Sunde, R.A. (eds). *Handbook of*

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

nutritionally essential mineral elements. hal.641-659. Marcell Dekker. New York.

Onyango, C., Henle, T., Ziems, A., Hofmann, T. dan Bley, T. (2004). Effect of extrusion variables on fermented maize–finger millet blend in the production of uji. *LWT-Food Science and Technology*, 37(4): 409-415.

Pansu, D., Duflos C., Bellaton C., Bronner F. 1993. Solubility and Intestinal transit time limit calcium absorption in rats. *Journal Nutrition*. 123:1396-1404.

Parada, J. and Aguilera, J.M. (2007). Food microstructure affects the bioavailability of several nutrients. *Journal of food science*, *72*(2): R21-R32.

Park, H.S., Jeon, B.J., Ahn, J. and Kwak, H.S. (2007). Effects of nanocalcium supplemented milk on bone calcium metabolism in ovariectomized rats. *Asian Australasian Journal Of Animal Sciences*, 20(8): 1266-1271

Patwardhan, U.N., Pahuja, D.N. and Samuel, A.M. (2001). Calcium bioavailability: an in vivo assessment. *Nutrition Research*, *21*(4); 667-675.

Peiretti, P.G. and Meineri, G. (2008). Effects on growth performance, carcass characteristics, and the fat and meat fatty acid profile of rabbits fed diets with chia (Salvia hispanica L.) seed supplements. *Meat Science*, *80*(4): 1116-1121.

Peiretti, P.G. and Meineri, G. (2011). Effects of diets with increasing levels of Spirulina platensis on the carcass characteristics, meat quality and fatty acid composition of growing rabbits. *Livestock Science*, *140*(1); 218-224.

Pellegrino, L., De Noni, I. dan Resmini, P. (1995). Coupling of lactulose and furosine indices for quality evaluation of sterilized milk. *International Dairy Journal*, *5*(7): 647-659.

Planes, P., Rouanet, J.M., Laurent, C., Baccou, J.C., Besançon, P. dan Caporiccio, B. (2002). Magnesium bioavailability from magnesium-fortified spirulina in cultured human intestinal Caco-2 cells. *Food chemistry*, 77(2): 213-218.

Pointillart, A., Colin, C., Lacroix, H.C. and Gueguen, L. (1995). Mineral bioavailability and bone mineral contents in pigs given calcium carbonate postprandially. *Bone*, *17*(4): 357-362.

Ponce-Canchihuamán, J.C., Pérez-Méndez, O., Hernández-Muñoz, R., Torres-Durán, P.V. and Juárez-Oropeza, M.A. (2010). Protective effects of Spirulina maxima on hyperlipidemia and oxidative-stress induced by lead acetate in the liver and kidney. *Lipids in health and disease*, *9*(1): 1-7.

Prabamukti, 2010. *Pengaruh penambahan Spirulina platensis dalam pembuatan cookies berbahan dasar tapioka terhadap kandungan protein dan penerimaan konsumen*. Skripsi. Fakultas Pertanian. Universitas Gadjah Mada. Yogyakarta.

Purwaningsih, S., Salamah, E., & Mirlina, N. (2011). Pengaruh pengolahan terhadap kandungan mineral keong matah merah (*Cerithidea obtusa*). Prosiding Pertemuan Ilmiah dan Seminar Nasional MPHPI. Bogor.

Queenan, K.M., Stewart, M.L., Smith, K.N., Thomas, W., Fulcher, R.G. and Slavin, J.L. (2007). Concentrated oat β-glucan, a fermentable fiber, lowers serum cholesterol in hypercholesterolemic adults in a randomized controlled trial. *Nutrition Journal*, *6*(1): 1-8.

Rabe E, 1999. Effect of Processing on Dietary Fiber in Foods. *Dalam* S. Cho., L. Prosky., M Dreher (eds.). *Complex Carbohydrates in Foods.* Marcel Dekker. 395-410.

UNIVERSITAS GADJAH MADA
SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Rao, B.N. and Prabhavathi, T. (1978). An in vitro method for predicting the bioavailability of iron from foods. *The American journal of clinical nutrition*, *31*(1):169-175.

Rasmussen, H. E., Martinez, I., Lee, J. Y., & Walter, J. (2009). Alteration of the gastrointestinal microbiota of mice by edible blue-green algae. *J App Microbiol*, *107*(4), 1108-1118.

Raupp, P., Poss, G., Von Kries, R. and Schmidt, E. (1997). Effect of a calcium and phosphorus-enriched formula on bone mineralization and bone growth in preterm infants after discharge from hospital. *Annals of nutrition and metabolism*, *41*(6); 358-364.

Reeves, P.G. (1997). Components of the AIN-93 diets as improvements in the AIN-76A diet. *The Journal of nutrition*, *127*(5): 838S-841S.

Reeves, P.G., Nielsen, F.H. and Fahey Jr, G.C. (1993). AIN-93 purified diets for laboratory rodents: final report of the American Institute of Nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *Journal Nutr*ition *123*(11): 1939-1951.

Reykdal, O. and Lee, K. (1991). Soluble, dialyzable and ionic calcium in raw and processed skim milk, whole milk and spinach. *Journal of food science*, *56*(3): 864-866.

Richert, L., Golubic, S., Le Guédès, R., Ratiskol, J., Payri, C. dan Guezennec, J. (2005). Characterization of exopolysaccharides produced by cyanobacteria isolated from Polynesian microbial mats. *Current microbiology 51*(6):379-384.

Richmond, A. 1988. Spirulina. *Dalam*: Borowitzka, M.A. dan L.J. Borowitzka. 1988. (ed.). *Microalgae Biotechnology*, hal 85-121. Cambridge University Press, England.

Ringler DH, Dabich L. 1979. Haematology and Clinical Biochemistry. *Dalam*: Baker HJ, Lindsey JR, Weisbroth SH. (eds.). The laboratory rats vol. 1. Hal 105-121. Academic Press. London

Roberfroid, M.B., (2005). Introducing inulin-type fructans. *British Journal of Nutrition*, *93*(S1): S13-S25.

Roig, M.J., Alegrıa, A., Barberá, R., Farré, R. dan Lagarda, M.J. (1999). Calcium bioavailability in human milk, cow milk and infant formulas—comparison between dialysis and solubility methods. *Food chemistry*, *65*(3): 353-357.

Rosen, C. J., dan Bouxsein, M. L. (2006). Mechanisms of disease: is osteoporosis the obesity of bone?. *Nature clinical practice Rheumatology*. *2*(1): 35-43.

Rudloff, S., & Lönnerdal, B. (1992). Solubility and digestibility of milk proteins in infant formulas exposed to different heat treatments. *Journal of pediatric gastroenterology and nutrition*, *15*(1), 25-33.

Sahota, O., (2000). Osteoporosis and the role of vitamin D and calcium-vitamin D deficiency, vitamin D insufficiency and vitamin D sufficiency. *Age and Ageing*. *29*(4): 301-304.

Salmean, G.G., L.F. Castillo, G.C. Cavallos. (2015) Nutritional and toxicological aspects of Spirulina (Arthrospira). *Nutricion Hospitalaria* 32(1): 34-40.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Samuels, R., Mani, U. V., Iyer, U. M., & Nayak, U. S. (2002). Hypocholesterolemic effect of Spirulina in patients with hyperlipidemic nephrotic syndrome. *Journal of medicinal food*, *5*(2), 91-96.

Sánchez, M., Bernal-Castillo, J., Rozo, C. and Rodríguez, I. (2003). Spirulina (arthrospira): an edible microorganism: a review. *Universitas Scientiarum 8*(1):7-24.

Sandgren, C.D. 1988. *Fresh Water Blue Green Algae Ecology*. Cambridge University Press, London.

Santoso, J., Gunji, S., Yoshie-Stark, Y. and Suzuki, T. (2006). Mineral contents of Indonesian seaweeds and mineral solubility affected by basic cooking. *Food science and technology research*. *12*(1): 59-66.

Sassano, C.E.N., Gioielli, L.A., Ferreira, L.S., Rodrigues, M.S., Sato, S., Converti, A. dan Carvalho, J.C.M. (2010). Evaluation of the composition of continuously-cultivated Arthrospira (Spirulina) platensis using ammonium chloride as nitrogen source. *Biomass and Bioenergy*, 34(12): 1732-1738.

Scagel, R.T., R.J. Bandoni, G.E. Rouse, W.B. Schofield, J.R. Stein, T.M. Taylor. 1984. *An evolutionary Survey of the Plant Kingdom*. Wadsworth Publ. Co., Belmont, California.

Schiffrin, E.J., Brassart, D., Servin, A.L., Rochat, F. and Donnet-Hughes, A. (1997). Immune modulation of blood leukocytes in humans by lactic acid bacteria: criteria for strain selection. *The American journal of clinical nutrition*. *66*(2): 515S-520S.

Schneeman, B.O. (1999). Fiber, inulin and oligofructose: similarities and differences. *The Journal of nutrition*. *129*(7): 1424S-1427s.

Sediaoetama, A.D. 2000. *Ilmu Gizi (Untuk Mahasiswa dan Profesi di Indonesia)*. Jilid 2. Dian Rakyat, Jakarta.

Seiquer, I., Delgado-Andrade, C., Haro, A. and Navarro, M.P. (2010). Assessing the effects of severe heat treatment of milk on calcium bioavailability: in vitro and in vivo studies. *Journal of dairy science*. *93*(12): 5635-5643.

Setyaningsih, I. and Saputra, A.T. dan Uju. (2011). Komposisi kimia dan kandungan pigmen Spirulina fusiformis pada umur panen yang berbeda dalam media pupuk. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 14(1): 63-69

Sheikh, M.S., Santa Ana, C.A., Nicar, M.J., Schiller, L.R. and Fordtran, J.S. (1987). Gastrointestinal absorption of calcium from milk and calcium salts. *New England Journal of Medicine 317*(9): 532-536.

Shekharam, K.M., Venkataraman, L.V. dan Salimath, P.V. (1987). Carbohydrate composition and characterization of two unusual sugars from the blue green alga *Spirulina platensis*. *Phytochemistry*, 26(8): 2267-2269.

Shekharam, M.K., Venkataraman, L.V. dan Salimath, P.V. (1989). Structural Studies of a Glucan Isolated from Blue Green Alga *Spirulina platensis*. *Food Chemistry*. 31: 85-91

Sibakov, J., Myllymäki, O., Suortti, T., Kaukovirta-Norja, A., Lehtinen, P. and Poutanen, K. (2013). Comparison of acid and enzymatic hydrolyses of oat bran β-glucan at low water content. *Food research international*. *52*(1): 99-108.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Singh, G., Kothari, R.M., Sharma, R.K. and Ramamurthy, V. (1995). Enhancement of Spirulina biomass productivity by a protein hydrolysate. *Applied Biochemistry and Biotechnology*. *50*(3): 285-290.

Singh, P., Singh, R., Jha, A., Rasane, P. and Gautam, A.K. (2015). Optimization of a process for high fibre and high protein biscuit. *Journal of food science and technology*. 52(3): 1394-1403.

Sipos, P., Pierre, T. G. S., Tombacz, E., & Webb, J. (1995). Rod-like iron (III) oxyhydroxide particles in iron (III)-polysaccharide solutions. *Journal of inorganic biochemistry*, *58*(2), 129-138.

Sixabela, P.S.S., Chivandi, E., Badenhorst, M. and Erlwanger, K.H. (2011). The effects of dietary supplementation with Spirulina platensis in growing rats. *Asian Journal Animal Veterany Advance*. 6: 609-617.

Soekatri M, dan Kartono, D. 2004. Angka kecukupan mineral: kalsium, fosfor, magnesium, fluor. Di dalam: Di dalam: *Ketahanan Pangan dan Gizi di Era Otonomi Daerah dan Globalisasi*. *Prosiding Widya Karya Nasional Pangan dan Gizi VIII*; Jakarta, 17 – 19 Mei 2004. Jakarta: Lembaga Ilmu Pengetahuan Indonesia. hal 375 – 385

Spiller, G.A. 2001. Definitions of Dietary Fiber In Dietary Fiber. *Dalam* G.A. Spiller (Ed). *Human Nutrition*. 3rd ed. Hal 9-10. CRC Press. Florida.

Strickling, J.A., Harmon, D.L., Dawson, K.A. and Gross, K.L. (2000). Evaluation of oligosaccharide addition to dog diets: influences on nutrient digestion and microbial populations. *Animal Feed Science and Technology*. *86*(3): 205-219

Suarni. 2009. Produk makanan ringan (Flakes) berbasis jagung dan kacang hijau sebagai sumber protein untuk pernaikan gizi anak usia tumbuh. *Prosiding seminar nasional Serealia.* ISBN:978-979-8940-27-9

Subagio, A. (2006). Characterization of hyacinth bean (Lablab purpureus (L.) sweet) seeds from Indonesia and their protein isolate. *Food chemistry*. 95(1): 65-70.

Sudha, S.S., Karthic, R. and Naveen, J.R. (2011). Anti hyperlipidemic activity of Spirulina platensis in Triton X-100 induced hyperlipidemic rats. *Hygeia: J Drugs Med*. *3*: 32-37.

Suitor , C. W dan Crowley, M.F. (1984). *Nutrition Principles Application in Health Care*. 2nd edn. JB. Lippincoll company. Philadelphia. New York.

Suminto. (2009). Penggunaan jenis media kultur teknis terhadap produksi dan kandungan nutrisi sel *Spirulina platensis. Jurnal Saintek Perikanan* 4(2):53-61.

Tamtarini dan S. Yuwanti. (2005). Pengaruh penambahan koro-koroan terhadap sifat fisik dan sensorik flake ubi jalar. *Jurnal Teknologi Pertanian*. 6(3):187-192.

Thed, S.T. dan Phillips, R.D. (1995). Changes of dietary fiber and starch composition of processed potato products during domestic cooking. *Food chemistry. 52*(3): 301-304.

Tietze, H.W. 2004. *Spirulina. Micro Food Macro Blessing*. 4th ed. Harald W. Tietze Publishing. Australia

Toba, Y., Takada, Y., Tanaka, M. and Aoe, S. (1999). Comparison of the effects of milk components and calcium source on calcium bioavailability in growing male rats. *Nutrition Research. 19*(3): 449-459.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Torre, M., Rodriguez, A.R. and Saura-Calixto, F.(1995). Interactions of Fe (II), Ca (II) and Fe (III) with high dietary fibre materials: A physicochemical approach. *Food Chemistry. 54*(1): 23-31.

Trilaksani, W., Setyaningsih, I. and Masluha, D. (2015). Formulation of Red Seaweed and Spirulina platensis Based Jelly Drinks. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 18(1): 74-82

Tri-Panji, Suharyanto, Rakaya, E dan Hasim. 1995. Penggunaan serum lateks skim sebagai medium produksi protein sel tunggal oleh *Spirulina platensis*. *Menara Perkebunan*. 63 (3): 114-122.

Trowell, H.1 (1976). Definition of dietary fiber and hypotheses that it is a protective factor in certain diseases. *The American journal of clinical nutrition 29*(4): 417-427.

Urbano, G., Lopez-Jurado, M., Fernandez, M., Moreu, M.C., Porres-Foulquie, J., Frias, J. Dan Vidal-Valverde, C. (1999). Ca and P bioavailability of processed lentils as affected by dietary fiber and phytic acid content. *Nutrition research, 19*(1): 49-64.

Urbano, M.G. and Goñi, I. (2002). Bioavailability of nutrients in rats fed on edible seaweeds, Nori (*Porphyra tenera*) and Wakame (*Undaria pinnatifida*), as a source of dietary fibre. *Food Chemistry*. *76*(3): 281-286.

Uslu, L. H., Işık, O., Sayın, S., Durmaz, Y., Göksan, T., & Gökpınar, Ş. (2009). The Effect of Temperature on Protein and Amino Acid Composition of Spirulina platensis. *Su Ürünleri Dergisi, 26*(2).

Utami, M.M.D. 2004. *Pengaruh Penggunaan Spirulina (Spirulina platensis) dalam pakan ternak terhadap perlemakan dan kadar kolesterol daging ayam broiler*. Program Pasca sarjana. UGM. Yogyakarta. Tesis.

van den Heuvel, E.G., Muys, T., van Dokkum, W. dan Schaafsma, G. (1999). Oligofructose stimulates calcium absorption in adolescents. *The American journal of clinical nutrition*. *69*(3): 544-548.

Varga, L., Szigeti, J., Kovacs, R., Földes, T. dan Buti, S. (2002). Influence of a Spirulina platensis biomass on the microflora of fermented ABT milks during storage (R1). *Journal of dairy science*. *85*(5): 1031-1038.

Vasanthan, T., Gaosong, J., Yeung, J., dan Li, J. (2002). Dietary fiber profile of barley flour as affected by extrusion cooking. *Food Chem 77*(1): 35-40.

Vasishta, 1984. *Botany for degree student algae*. S. Chand and Co, Ltd. Ram Nagar. New Delhi.

Vonshak, A. 1984. Laboratory techniques for the cultivation of microalgae. *Dalam* Ricmond, A. (Ed.). *Handbook of microalgal mass culture*. CRC Press, Inc. Boca Raton.

Vonshak, A. 1997. Spirulina: Growth, Physiology and Biochemistry. *Dalam* Vonshak, A (Ed.). *Spirulina platensis (Arthrospira) Physiology, cell-biology and biotechnology*. Taylor and Francis. Great Britain.

Wachtel-Galor, S, Wong, K.W. dan Benzie, I.F.F. (2008). The Effect of Cooking on Brassica vegetables. *Food Chemistry*. 110: 706-710

Wakler A. dan C. H. Rolls, 1992. Solubility and Intestinal transit time limit calcium absorption in rats. *Journal Nutrition*. 123:1396-1404.

Walstra, P. 2003. *Physical Chemistry of Foods*. Marcel-Dekker, Inc. New York.

SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA
PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wariyah, C. 2009. *Fortifikasi Kalsium Pada Beras, Kinetika penyerapan dan Bioavailabilitasnya.* Disertasi. Program Pasca Sarjana. UGM. Yogyakarta.

Watson, S. J. 1996. Comparison Two Methods of In Vitro and In Vivo test for determination of Availability of Calcium from Calcium carbonate tablets. *Journal American College Nutriton*. 11:553-560.

Watzke, H.J. (1998). Impact of processing on bioavailability examples of minerals in foods. *Trends in food science & technology*. *9*(8): 320-327.

Weaver, C.M. dan R.P. Heaney. 2007. Calcium. Di dalam: Shils EM, Olson JA, editor. *Modern Nutrition in Health and Diseases*. New York: Lippincott Williams and Wilkins. hlm 194-210.

Widya Karya Nasional Pangan dan Gizi, 2012. Lembaga Ilmu Pengetahuan Indonesia. Jakarta.

Winarno, F.G. 2008. *Kimia Pangan dan gizi,* Edisi Revisi. Pt. Gramedia Pustaka Utama. Jakarta

Wolters, M.G., Schreuder, H.A.W., Van den Heuvel, G., Van Lonkhuijsen, H.J., Hermus, R.J. and Voragen, A.G.J. (1993). A continuous in vitro method for estimation of the bioavailability of minerals and trace elements in foods: application to breads varying in phytic acid content. *British Journal of Nutrition*. *69*(3): 849-849.

Wong, J.M., De Souza, R., Kendall, C.W., Emam, A. and Jenkins, D.J. (2006). Colonic health: fermentation and short chain fatty acids. *Journal of clinical gastroenterology*. *40*(3): 235-243.

Wood, P.J. (1990). Physicochemical properties and physiological effects of the (1→ 3)(1→ 4)-β-D-glucan from oats. In *New Developments in Dietary Fiber*: 119-127

Wright, R. Scott, James W. Anderson, and Susan R. Bridges. "Propionate inhibits hepatocyte lipid synthesis." *Experimental Biology and Medicine* 195.1 (1990): 26-29.

Wright, R.S., Anderson, J.W. and Bridges, S.R. (1990). Propionate inhibits hepatocyte lipid synthesis. *Experimental Biology and Medicine*. *195*: 26-29.

Yadav S, Sehgal S (2002) Effect of domestic processing and cooking methods on total, HCl extractable iron and in vitro availability of iron in spinach and amaranth leaves. Nutr Health 16(2):113–120

Yadav, S.K. and Sehgal, S. (1999). Effect of domestic processing on total and extractable calcium and zinc content of Bathua (*Chenopodium album*) and Fenugreek (*Trigonella foenum graecum*) leaves. *Plant Foods for Human Nutrition*. *53*(3): 255-263.

Yoshie, Y., Suzuki, T. dan Clydesdale, F.M. (1997). Iron solubility from seafoods with added iron and organic acids under simulated gastrointestinal conditions. *Journal of food quality*. *20*(3): 235-246.

Yu, J., Ahmedna, M. dan Goktepe, I. (2007). Peanut protein concentrate: Production and functional properties as affected by processing. *Food Chemistry*. 103(1): 121-129.

Yuanita, L. (2005). Pengaruh pH dan Lama Perebusan Kacang Panjang Terhadap Efisiensi Regenerasi Hb Rattus norvegicus dan Pengikatan Fe Oleh Serat Pangan. *Media Kedokteran Hewan*, *21*(2), 69-72.

UNIVERSITAS
GADJAH MADA
SERAT PANGAN DAN KALSIUM Spirulina (Arthrospira) platensis: PERUBAHAN SIFAT FISIKO KIMIA SELAMA PENGOLAHAN DAN UJI BIOAVAILABILITAS In-Vivo PADA TIKUS SPRAGUE DAWLEY
NURFITRI EKANTARI, Prof. Dr. Ir. Y. Marsono, M.S.
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Zanhi, N.K. dan Jideani, I.A. (2012). Physico-chemical and sensory qualities of soy and milk solids fortified low fat yoghurt. *African Journal of Agricultural Research, 7*(38): 5336-5343.

Zoran, D.L., Turner, N.D., Taddeo, S.S., Chapkin, R.S. and Lupton, J.R. (1997). Wheat bran diet reduces tumor incidence in a rat model of colon cancer independent of effects on distal luminal butyrate concentrations. *The Journal of nutrition*. *127*(11): 2217-2225.