

References

- Amato, E., Salamone, I., Naso, S., Antonio Bottari, A., Gaeta, M., Blandino, A. (2013). Can Contrast Media Increase Organ Doses in CT Examinations? A Clinical Study. *AJR Am J Roentgenol.*200:1288–1293
- Anonymous_a. (2014). Foundation Parnu Hospital. Radiology Service. Parnu Haigla. Retrieved from http://www.ph.ee/clinics_services/radiology_service. [Accessed 25 April 2016]
- Anonymous_b. (2014). Food and Drug Administration [FDA]. Radiation-Emitting Products. What is Computed Tomography? .Available from <http://www.fda.gov/RadiatioEmittingProducts/RadiationEmittingProductsandProcedures/MedicalImaging/MedicalX-Rays/ucm115318.htm>. [Accessed 16 April 2016]
- Anonymous_c. (2005). University of Wisconsin System UW - Madison Safety Department.(2005). Radiation Safety for Radiation Workers. Chemical and Radiation Protection Safety. Madison, University of Wisconsin.
- Anonymous_d. (2007). Radiationanswer.Radiation Effects on the Egg and Sperm. Retrived from: <http://www.radiationanswers.org/radiation-and-me/radiation-reproduction/egg-sperm.html> .[Accessed 25 April 2016]
- Antonio, E. J., Poston ,T .M., Rathbone, B. A. (2010). Thermoluminescent Dosimeter Use for Environmental Surveillance at the Hanford Site. Washington, Pacific Northwest National Laboratory Richland.
- Aoyama,T., Koyama,S., Kawaura,C.(2004). Organ dose measurement in x-ray CT and other diagnostic radiology by using novel photodiode dosimeters installed in an anthropomorphic phantom. School of Health Sciences, Nagoya University, Daikominami, Higashi-ku, Nagoya 461-8673, Japan.
- Asere, A. M., Ajayi, I. R. (2015). Exposure to Ionizing Radiation and Radiological Implications: a review of ICRP, IAEA and UNSCEAR recommendations. *The Int J Coal Sci Technol. (IJES)*. (4) 29-33.
- Assmus, A. (1995) .Early History of X Rays .Retrieved from <http://www.slac.stanford.edu/pubs/beamline/25/2/25-2-assmus.pdf>. [Accessed 26 April 2016]
- Ay, M. R., Shahriari, M., Sarkar. S., Ghafarian, P. (2014). Measurement of organ dose in abdomen-pelvis CT exam as a function of mA, KV and scanner type by Monte Carlo method. *J. Radiat. Res.*4: 187-194.
- Baskar, R., Dai, J., Wenlong, N.,Yeo, R.,Yeoh, K. W.(2014). Biological response of cancer cells to radiation treatment. *Front Mol Biosci.* 1: 24.

- Boone, J. M., Hendee, W. R., McNitt-Gray, M. F., Seltzer, S. E. (2012). Radiation Exposure from CT Scans: How to Close Our Knowledge Gaps, Monitor and Safeguard Exposure—Proceedings and Recommendations of the Radiation Dose Summit, Sponsored by NIBIB, February 24–25, 2011. *Radiology*.265:544-554.
- Bronzino, S. D. (2000). Electronics world. Computed Tomography. retrieved from <http://elektroarsenal.net/computed-tomography.html>. [Accessed 26 April 2016]
- Canadian Nuclear Safety Commission [CNSC]. (2012). Introduction to Radiation. Retrived from: <http://nuclearsafety.gc.ca/eng/pdfs/Reading-Room/radiation/Introduction-to-Radiation-eng.pdf>. [Accessed 26 April 2016]
- Cardis, E., Kesminiene, A., Amoros, E. (2000). Genetic And Environmental Factors Influencing The Radiation Induced Cancer Risk .Unit of Radiation and Cancer, France Retrieved From: <https://ec.europa.eu/energy/sites/ener/files/documents/121.pdf>. [Accessed 29 April 2016]
- Cederquist, B. (2008). Evaluation of two thin CT dose profile detectors and a new way to perform QA in a CTDI head phantom. Department of Radiation Physics. Göteborg University Göteborg, Sweden. [Accessed 29 April 2016]
- Coursey, C. A., Donald, P. Frush, D. P. (2008). CT and Radiation: What Radiologists Should Know. *Appl Radiol*. 3:22-29.
- Cunningham, I. A., Judy, P. F.(2000). Computed Tomography Instrumentation and Reconstruction Principles. Retrieved from http://k-space.org/ymk/CT_ch062.pdf. [Accessed 29 April 2016]
- Desaintes, C., Kelly, G. N., Coiffard, K. (2002). Understanding the Effect of Radiation on Health. *J.Europa Eu*. Retrieved from https://ec.europa.eu/research/energy/pdf/radhealth_1.pdf.
- Desouky, O., Ding, N., Zhou, G. (2015). Targeted and non-Targeted Effects of Ionizing Radiation. *J Radiat Res Appl*.(8) 247–254.
- Einstein. A. J. (2013). Effects of Radiation Exposure From Cardiac Imaging: How Good Are the Data?. *J Am Coll Cardiol*. 6: 553–565.
- Fujii. K., Aoyama. T., Yamauchi-Kawaura.C., Koyama. S.,Yamauchi. M., Ko. S., Akahane. K., Nishizawa. K. Radiation dose evaluation in 64-slice CT examinations with adult and paediatric anthropomorphic phantoms. *Br J Radiol*. 82: 1010–101.
- Goodman. T. R. (2010). Ionizing Radiation Effects and Their Risk to Humans. Yale University School of Medicine, New Haven. Retrieved fro<http://www.imagewisely.org/imaging-modalities/computed-tomography/imaging-physicians/articles/ionizing-radiation-effects-and-their-risk-to-humans>. Accessed 25 July 2016]

- Grover. S. B., Kumar. J., Gupta. A., Khanna. L. (2002). Protection against radiation hazards : Regulatory bodies, safety norms, does limits and protection devices. *Indian J. Radiol. Imaging.*12:157-167.
- Grudzinski. S., Biol. D., Kuefner. M. A., Heckmann. M. B., Uder. M., Löbrich. M. (2009). Contrast Medium–enhanced Radiation Damage Caused by CT Examinations. *Radiology.*253:3
- Hall. E. J., Giaccia. A. J. (2006). Radiobiology for the Radiologist. Lippincott Williams & Wilkins. Philadelphia,USA.
- Han. W., Yu. K. N. (2009). Response of Cells to Ionizing Radiation. Department of Physics and Materials Sciences, City University of Hong Kong, Hong Kong.
- ICRP. (2006). Managing Patient Dose in Multi-Detector Computed Tomography (MDCT). Retrieved from : http://www.icrp.org/docs/icrp-mdct-for_web_cons_32_219_06.pdf.
- International Atomic Energy Agency [IAEA]. (2013). Radiation Protection of Patient. CT Optimization. Retrieved from https://rpop.iaea.org/RPOP/RPoP/Content/InformationFor/HealthProfessionals/1_Radiology/ComputedTomography/CTOptimization.htm.
- International Commission on Radiological Protection [ICRP] (1990). Recommendations of the International Commission on Radiological Protection. *Ann. ICRP.* (21)1-3.
- International Commission on Radiological Protection [ICRP] (2008). New ICRP recommendations. *J Radiol Prot.* (28) 161–168.
- International Commission on Radiological Protection [ICRP] (2011). Early and late effects of radiation in normal tissues and organs: threshold doses for tissue reactions and other non-cancer effects of radiation in a radiation protection context. P.128.
- International Commission on Radiological Protection [ICRP] (2013). Radiological Protection in Cardiology. Retrieved from http://radon-and-life.narod.ru/pub/ICRP_120.pdf.
- Izewska, J., Rajan, G. (2003). Review of Radiation Oncology Physics: A Handbook for Teachers and Students. Chapter 3. Radiation Dosimeters. P.77. . [Accessed 30 April 2016]
- Jaffe, T. A., Hoang, J. K., Yoshizumi, T. T., Toncheva, G., Lowry, C., Ravin, C. (2010). Radiation Dose for Routine Clinical Adult Brain CT: Variability on Different Scanners at One Institution. *Int J Med Ph.*195:433–438.
- Kalra, M. K., Mannudeep, K., Maher, M. M., Toth, T. L., Hamberg, L. M., Blake, M. A., Shepard, J., Sanjay Saini, S. (2004). Strategies for CT Radiation Dose Optimization. *Radiology.* 3:230.
- Leide-Svegborn, L.S. (2010). Radiation exposure of patients and personnel from a PET/CT procedure with 18F-FDG. *Rad Prot Dos.* (1-3):208-13.

- LeMire. S. D., Reinemann. D. J. (1996). Sample Size Calculations For Stray Voltage Milk Reduction Studies. The Society For Engineering in Agriculture, Food and Biological Systems. Phoenix, Arizona
- Lewis, M. (2005). Radiation dose issues in multi-slice CT scanning. Medicine and Healthcare Products Regulatory Agency. Retrieved from <http://www.impactscan.org/download/msctdose.pdf>.
- Mastora. S., (2009). Patient Dose in Common CT Examinations. Faculty of Medicine. University of Patras. Patras, Greece. . [Accessed 25 April 2016]
- Mayo. J. R., Aldrich. J., Müller. N. L. (2003). Radiation Exposure at Chest CT: A Statement of the Fleischner Society. *J. Radiol.* (228)15–21.
- Meistrich. M. L., Marvin. L. (2009). Male Gonadal Toxicity. *Pediatric Blood Cancer.* 53(2): 261–266.
- Michael. B. D., Pris. K. M., Folkard. M., Vojnovic. B., Brocklehurst. B., Munro. I. H., Hopkirk. A. (1994). Action Spectra For Single- And Double-Strand Break Induction In Plasmid DNA : studies using synchrotron radiation. *International Int J Radiat Biol.* 5: 569-572.
- Mirion Technologies. (2014). DMC 3000 personal electronic dosimeter. Retrieved from <https://mirion.app.box.com/s/4zz8p1chhd716qd2cvck>. [Accessed 25 April 2016]
- Morin. R. L., Seibert. J. A., Boone. J. M. (2014). Radiation Dose and Safety: Informatics Standards and Tools. *J Am Coll Radiol.* 11:1286-1297.
- Mosier-Boss. P. A., Szpak. S., Gordon. F. E., & Forsley. L. P. G., (2009). Mosby's medical dictionary. Elsevier :8th edition.
- Nachalon. Y., Shimon. I., Robenshtok. E., Hilly. O., Segal. K., Shvero. J., Benbassat. C., Popovtzer. A. (2016). Radiation-Induced Well-Differentiated Thyroid Cancer: Disease Characteristics and Survival . *Israel Med Assoc J.* 18: 90-91.
- Nachalon. Y., Hilly. O., Segal. K., Raveh. E., Hirsch. D., Robenshtok. E., Shimon. I., Nais. A. H. W. (1998). Introduction to Radiobiology. Second Edition. Baffins Lan, Chichester, west Sussex. p.236.
- National Aeronautics and Space Administration. (2014). Types of Radiation in Space. Retrieved from. http://www.nasa.gov/sites/default/files/np-2014-03-001-jscorion_radiation_handout.pdf.
- Nunes. A. T. C. (2011). Dose Optimization in CT, in Nuclear Medicine and in PET/CT Procedure, Department of Biomedical Engineering, Coimbra University, Lisbon , Portugal.
- Phillips. L. J., Gibbs. L. M., Goris. M. L., Segall. G. M., Denko. N. C., Arvin. A. M. (2015). Environmental Health and Safety, Stanford University, Stanford California.
- Picano. E., Vañó. E., Rehani. M. M., Cuocolo. A., Mont. L., Bodi. V., Bar. O., Maccia. C., Pierard. L., Sicari. R., Plein. S., Mahrholdt. H., Lancellotti. P., Knuuti. J., Heidbuche., H., Mario. C. D., Badano. L. P. (2014). The

- appropriate and justified use of medical radiation in cardiovascular imaging: a position document of the ESC Associations of Cardiovascular Imaging, Percutaneous Cardiovascular Interventions and Electrophysiology. *Eur Heart J*.394:665-672.
- Rados. (2010). RAD-60 Personal Alarm Dosimeter. Retrieved from: http://www.amale.com/PDF_files/rad60.pdf
- Rajan. G., Izewska. J. (2007). Radiation Oncology Physics: A Handbook For Teachers And Students. Chapter 4. Radiation Monitoring Instruments.P.85-86
- Rajiah. P., Halliburton. S. S., Scott. D., Flamm. S. D. (2012). Strategies for Dose Reduction in Cardiovascular Computed Tomography.*Applied Radiology*. (7-8):10-15.
- Romance. L. E. (2011). Computed Tomography for Technologist.University of Michigan Health Systems.Ann Arbor, Michigan. P.169-170.
- Russ. A., Burns. C., Tuler. S., and Taylor. O. (2006). Health Risks of Ionizing Radiation: An Overview of Epidemiological Studies, Community-Based Hazard Management, The George Perkins Marsh Institute, Clark University,USA.
- Safaa. B. I. Y., Suliman. I. I., (2011). Trends in examination frequency and collective effective doses from Computed Tomography (CT) procedures in Sudan. Sudan Academy of Sciences (SAS).Atomic Energy Council. Khartoum.Sudan.
- Sandborg. M., (1995). Computed Tomography:Physical principles and biohazards. Department of Radiation Physics. Faculty of Health Sciences. Linköping University, Sweden.
- Sgouros. G., Howell. R. W., Bolch, W. E., Fisher. D. R. (2009). MIRD commentary: proposed name for a dosimetry unit applicable to deterministic biological effects--the barensen (Bd). *J Nucl Med*. 50(3):485-7.
- Shahriari. M., Ay. M. R., Sarkar. S. Ghafarian. P. (2004). Measurement of organ dose in abdomen-pelvis CT exam as a function of mA, KV and scanner type by Monte Carlo method. *Iran. J. Radiat. Res. 4: 187-194*
- Sherer. M. A. S., Visconti. P. J., Ritenour. E. R. (2011).Radiation Protection in Medical Radiography.sixth edition. Jeanne Olson.USA.
- Shivapriya. N. (2004). The mA and kVp of radiation dose. Retrieved from: <http://www.auntminnie.com/index.aspx?sec=ser&sub=def&pag=dis&ItemID=62370>.
- Shrimpton. P. C. (2004). Assessment of Patient Dose in CT. Retrieved from: http://www.msct.eu/PDF_FILES/Appendix%20paediatric%20CT%20Dosimetry.pdf
- Sinnott. B., Ron. E., Schneider. A. B. (2010).Exposing the Thyroid to Radiation: A Review of Its Current Extent, Risks, and Implications. *Endocr Rev*. 5: 756–773.

- Svegborn. S. L. (2010). Radiation exposure of patients and personnel from a PET/CT procedure with 18F-FDG. *Radiat Prot Dosimy*.139:208-13.
- Taylor. A. M. R., Bridges. B. A. (2013). Human Radiosensitivity .Health Protection Agency,Radiation and enviromintal hazards.P.5.
- Todd, P. (2015). Oxygen in Space Radiation Biology. Retrieved from <https://three.jsc.nasa.gov/articles/Oxy-Enhancement-Ratio-Todd.pdf>.
- Yousif. A., Suliman. I. I. (2013).Quality Control of Some CT scanners in Khartoum State. Sudan Academy of Sciences (SAS). Atomic Energy Council. Khartoum.Sudan. Khartoum, Sudan.