



## DAFTAR PUSTAKA

- Adisarwanto, 2008. *Budidaya Kedelai Tropika*. Penebar Swadaya, Jakarta.
- Adisarwanto. 2005. *Kedelai*. Penebar Swadaya, Jakarta.
- Adriadi, A., Chairul dan Solfiyeni. 2012. Analisis vegetasi gulma pada perkebunan kelapa sawit (*Elais quineensis* Jacq.) di Kilangan, Muaro Bulian, Batang Hari. *Jurnal Biologi Universitas Andalas (J. Bio. UA.)*. Vol 1(2): 108-115.
- Aerts R, Boot RGA, van der Aart PJM. 1991. The relation between above- and belowground biomass allocation patterns and competitive ability. *Oecologia* 87:551–59.
- Aerts, R. 1999. Interspecific competition in natural plant communities: mechanisms, trade-offs and plant soil feedbacks. *Journal of Experimental Botany*. 50: 29-37.
- Aldrich, R.J. 1984. *Weed Crop-ecology : principles in weed management*. Breton Publisher North, Massachusetts. 465p.
- Aliotta, G. and Cafiero, G. 1999. Research on allelopathy in Italy. In Narwal, S.S. (ed.). *Allelopathy Update Volume 1 International Status*. Enfield: Science Publishers, Inc.
- Anbarasan, R. dan Prabhakaran, J. 2015. Allelopathic potential of weed speices *Ageratum conyzoides* L. and *Cleome viscosa* L. on germination and growth of *Sesamum indicum* L. *Kong. Res. J.* 2(2) : 114-117.
- Andrew, I.K.S., Storkey, J., Sparkes, D.L. 2014. A review of potential for competitive cereal cultivars as a tool in integrated weed management. *Weed Research*. 55: 239-248.
- Andrianto, T.T. dan Indarto, N. 2004. *Budidaya dan Analisis Usaha Tani Kedelai, Kacang Hijau, dan Kacang Panjang*. Absolut. Yogyakarta.
- Anwar, M.R., Liu, D.L., Farquharson, R., Macadam, I., Abadi, A., Finlayson, J., Wang, B., dan Ramilan, T. 2015. Climate change impacts on phenology and yields of five broadacre crops at four climatologically distinct locations in Australia. *Agricultural Systems*. 132: 133-144.
- Arjenaki, F.G., Jabbari, R., dan Morshedi, A. 2012. Evaluation of drought stress on relative water content, chlorophyll content and mineral elements of wheat (*Triticum aestivum* L.) varieties. *Intl J Agri Crop Sci*. 11: 726-729.
- Atmojo, S.W. 2003. *Peranan bahan organik terhadap kesuburan tanah dan upaya pengelolaannya*. Sebelas Maret University Press. Surakarta.
- Balitkabi. 2011. *Deskripsi Varietas Unggul Kacang-Kacangan Dan Umbi-Umbian*. Balai Penelitian Kacang-kacangan dan Umbi-umbian. Agro Inovasi : 171 hal.



- Balitkabi. 2012. Deskripsi Kedelai. [http://balitkabi.litbang.deptan.go.id/images/deskripsi\\_kedelai.pdf](http://balitkabi.litbang.deptan.go.id/images/deskripsi_kedelai.pdf). Diakses tanggal 8 Juni 2015.
- Ballare, C.L. dan Casal, J.J. 2000. Light signals perceived by crop and weed plants. *Field Crops Research* 67 : 149-160.
- Ballare, C. L., Scopel, A. L. dan Sánchez, R. A. 1997. Foraging for light: photosensory ecology and agricultural implications. *Plant cell environ.* 20: 820-825.
- Bertholdsson, N.O. 2011. Use of multivariate statistics to separate allelopathic and competitive factors influencing weed suppression ability in winter wheat. *Weed Research.* 51: 273-283.
- Blackshaw, R.E. 1994. Differential competitive ability of winter wheat cultivars against downy brome. *Agronomy Journal.* 86: 649-654.
- Brown, S. 1997. Estimating biomass and biomass change of tropical forests, A Primer. FAO Forestry Paper 134. Rome.
- Buckman, H. O. dan Brady, N. C. 1982. Ilmu tanah. Terjemahan Prof. Dr. Soegiman. Bhratara Karya Aksara. Jakarta.
- Budiasih. 2009. Respon tanaman padi gogo terhadap cekaman kekeringan. *Ganec Swara Edisi Khusus.* 3(3): 22-27.
- Burgueno, J. Crossa, J. Vargas, M. 2001. SAS program for graphing GE and GGE biplot. Biometrics and statistic unit. CIMMYT. INT. Mexico.
- Bussan, J.A., Orvin, C. B. James, H.O. & Klaus, J.P. 1997. Field evaluation of soybean (*Glycine max*) genotypes for weed competitiveness. *Weed Science.* 45: 31-37.
- Cahyono, B. 2007. Kedelai. CV. Aneka Ilmu. Semarang.
- Christensen, S. 1995. Weed suppression ability of spring barley varieties. *Weed Research.* 35: 241-247.
- Cousens, R.D. 2006. Weed competition and interference in cropping systems. Proceedings of the first international weed control congress, Melbourne, Australia.
- Danarti dan Najiyati, S. 1994. *Budidaya dan Analisa Usaha Tani.* Penebar Swadaya. Jakarta.
- Darmanti, S. 2015. Toleransi kedelai [*Glycine max* (L.) Merr. Cv. Grobogan] terhadap interferensi teki (*Cyperus rotundus* L.) pada kondisi cekaman kekeringan. Disertasi. Fakultas Biologi. Universitas Gadjah Mada.
- Dias, M.A.N., Pinto, T.L.F., Mondo, V.H.V., Cicero, S.M. dan Pedrini, L.G. 2011. Direct effects of soybean pod vigor on weed competition. *Revista Brasileira de Sementes.* 33(2): 346 – 351.



- Didon, U.M.E. & Hansson, M.I. 2002. Competition between six spring barley (*Hordeum vulgare ssp vulgare* L.) cultivars and two weed flora in relation to interception of photosynthetic active radiation. *Biological Agriculture & Horticulture*. 20: 257-274.
- Doorrenbos, V. dan Kassam A. 1979. Yield respons to water irrigation and drainage. Food and Agric. Org. Toronto. Canada.
- Dugje, I.Y., Omoigui, L.O., Ekeleme, F., Bandyopadhyay, R., Kumar, P.L. dan Kamara, A.Y. 2009. Farmers guide to soybean production in northern nigeria. international institute of tropical agriculture, Ibadan, Nigeria. pp.21.
- Efendi, R. 2009. Metode dan karakter seleksi toleransi genotipe jagung terhadap cekaman kekeringan. Tesis. FMIPA, Bogor.
- Fachruddin, L. 2000. Budidaya Kacang Kacangan. Kanisius. Yogyakarta.
- Fellows, G.H. dan Roeth, F.W. 1992. Shattercane (*Sorghum bicolor* L.) interference in soybean (*Glycine max* L.). *Weed Sci*. 40: 68-73.
- Fernandez, G.C.J. 1993. Effective selection criteria for assesing plant stress tolerance. pp. 257-270. In C.G. Kuo (Eds). adaptation of food crops to temperature and water stress. Proceedings of an International Symposium. Asian Vegetable Research and Development Center, Taiwan.
- Fischer, A., Ramirez, H.V., Lozano, J. 1997. Suppression of Junglerice (*Echinochloa colona* L.) link bu irrigated rice cultivars in Latin America. *Agron.J*. 89: 516-521.
- Gardner, F. P., R.B. Pearce, dan R.L. Mitchell. 1991. Fisiologi tanaman budidaya. Universitas Indonesia Press.
- Goldsworthy, P.R. dan Fisher, R.L. 1992. Fisiologi Tanaman Budidaya. Diterjemahkan oleh Tohari. Universitas Indonesia Press. Jakarta
- Gomez, K.A. dan A.A. Gomez. 1984. Statistical Procedures for Agricultural Research. P. 80.
- Gooding, M.J., Thompson, A.J & Davies, W.P. 1993. Interception of photosynthetically active radiation, competitive ability and yield of organically grown wheat varieties. In: E. White, P.S. Kettlewell, M.A. Parry & R.P. Ellis (eds.). *Physiology of Varieties Aspects of Applied Biology*. Association of Applied Biologists, Warwick, UK. 34: 355-362.
- Hairiah, K., Ekadinata, A., Sari, R. R., Rahayu, S. 2011. Petunjuk praktis Pengukuran cadangan karbon dari tingkat plot ke tingkat bentang lahan. Edisi ke 2. World Agroforestry Centre, ICRAF Southeast Asia and University of Brawijaya (UB), Malang, Indonesia.
- Handoko. 1995. Klimatologi dasar. Pustaka Jaya. Jakarta.



- Hansen, P.K., Kristensen, K. & Willas, J. 2008. A weed suppressive index for spring barley (*Hordeum vulgare*) varieties. *Weed Research*. 42: 225-236.
- Hartati, S. 1998. Pengaruh saat tanam dan populasi jagung terhadap pertumbuhan dan hasil tanaman dalam sistem tumpang gilir kedelai jagung. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Hendriyani, I. S. dan Setiari, N. 2009. Kandungan klorofil dan pertumbuhan kacang panjang (*Vigna sinensis*) pada tingkat penyediaan air yang berbeda. *J. Sains dan Mat.* 17(3): 145-150.
- Hidayat, P dan Fatichin. 2010. Penanda morfologi dan fisiologi kedelai toleran terhadap gulma teki (*Cyperus rotundus*). *Agrin*. Vol 14.
- Hidema, J., Makino, A., Kurita, Y., Mae, T., dan Ohjima, K. 1992. Changes in the level of chlorophyll and light-harvesting chlorophyl a/b protein of PS II in rice leaves agent under different irradiances from full expansion through senescense. *Plant Cell Physiol* 33:1209-1214.
- Hoad, S.P. Davies, D.H.K. & Topp, C.F.E. 2006. How to select varieties for organic farming: science and practice. *In*: C. Atkins, B. Ball, D.H.K. Davies, R. Rees, G. Russell, E.A. Stockdale, C.A. Watson, R. Walker & D. Younie (eds). *What Will Organic Farming Deliver? Aspects of Applied Biology*, Association of Applied Biologists, Warwick, UK. 79: 117-120.
- Holm, G. 1977. *The world's worst weeds*. Published for the east-west center by the University Press of Hawaii. Honolulu.
- Holm, L.G., Plucknett, D.L., Pancho, J.W. dan Herberger, J.P. 1977. *The world's worst weeds: distribution and biology*. Honolulu: University Press Hawaii. 609 p.
- Hosseini, S.Z., Firouzi, S., Aminpanah, H dan Sadeghnejhad, H.R. 2015. effect of tillage system on yield and weed populations of soybean (*Glycin Max L.*). *annals of the brazilian academy of sciences*. Online version ISSN 1678-2690.
- Hume, D. F., Shanmugasundaram, S., dan Beversdorf, W. D. 1985. Soybean (*Glycine max L.*). *In* Grain legume crops. Eds. R J Summerfield and E H Roberts. Collins Professional and Technical Books, London.pp.391-432.
- Inawati, L. 2000. Pengaruh jenis gulma terhadap pertumbuhan, pembentukan bintil akar dan produksi kedelai. Skripsi. Fakultas Pertanian IPB, Bogor. 34p.
- Indradewa, D. 2002. Gatra Agronomis dan Fisiologis Pengaruh Genangan Dalam Parit Pada Tanaman Kedelai. Disertasi. Program Pasca Sarjana Fakultas Pertanian UGM. Yogyakarta.
- Indradewa, D. 1997. Indeks luas daun kritik dan optimum pada tanaman kedelai yang diairi dengan cara genangan dalam parit. *Ilmu pertanian*. Vol 6 (1) : 55-60.



- Ipor, I.B. dan Price, C.E. 1992. Shading effects on growth and partitioning of plant biomass in *Paspalum conjugatum* Berg. *Biotropia*. 6: 55-65.
- Irwan A.W. 2006. Budidaya Tanaman Kedelai (*Glycine max* (L.) Merill). Fakultas Pertanian, Universitas Padjadjaran. Jatinangor. Hal : 19-26.
- Ismunadji, M. and Roechan, S. 1988. Hara Mineral Tanaman Padi. Padi I. Balai Penelitian dan Pengembangan Tanaman Pangan. Bogor. p.231-269.
- Jin, R., Wang, Y., Liu, R., Gou, J., dan Chan, Z. 2016. Physiological and metabolic changes of purslane (*Portulaca oleracea* L.) in response to drought, heat, and combined stresses. *Frontiers in Plant Science*. 6: 1-11.
- Kasim. H dan Djunainah. 1993. Deskripsi varietas unggul palawija, jagung, sorghum, kacang-kacangan dan umbi-umbian, 1918-1982. Puslitbangtan, Badan Litbang Pertanian. 55 hal.
- Kavitha, D., Prabhakaran, J., Arumugam, K. 2012. Phytotoxic effect of purple nutsedge (*Cyperus rotundus* L.) on germination and growth of finger millet (*Eleusine coracora* Gaertn.). *International journal of research in pharmaceutical and biomedical sciences*. 3(2):615-619.
- Kementrian Pertanian Republik Indonesia. 2015. Basis Data Statistik Pertanian Indonesia. <http://aplikasi.pertanian.go.id/bdsp/newkom.asp>. Diakses tanggal 10 Juni 2015.
- Khalil, M. 2003. Komponen hasil tanaman kedelai varietas kipas putih pada berbagai densitas dan pemupukan. *Jurnal Eugenia*. 9(3): 161-164.
- Lakitan, B. 2008. Dasar - dasar fisiologi tumbuhan. PT Raja Grafindo Persada. Jakarta
- Lamb, E.G., Shore, B.H. & Cahill, J.f. 2007. Water and nitrogen addition differentially impact plant competition in a native rough fescue grassland. *Plant Ecology*. 192: 21-33.
- Lati, R.N., Filin, S. dan Eizenberg, H. 2011. Temperature and radiation-based models for predicting spatial growth of purple nutsedge (*Cyperus rotundus*). *Weed Science*, 59(4): 476-482.
- Lehninger. 1978. Dasar-dasar biokimia. Erlangga. Jakarta.
- Lemaire, G dan Millard, P. 1999. Ecophysiological approach to modeling resource fluxes in competing plants. *Journal of experimental botany*, Vol.50, (15-28).
- Lemerle, D., Verbeek, B. Dan Orchard, B. 2001. Ranking The Ability of Wheat Varieties to Compete With *Lolium rigidum*. *Weed Research*, vol. 41, no.3, pp.197-209.
- Lemerle, D., Verbeek, B. Cousens, R.D. & Coombes, N.E. 1996. The potential for selecting wheat varieties strongly competitive against weeds. *Weed Research*. 36: 505-513.



- Levitt, J. 1980. Respon of Plants to Environmental Stress. 2nd Edition. Academic Press, Inc. New York. Vol. 2: p.607.
- Li, R., Guo, P., Baum, M., Grando, S. dan Ceccarelli, S. 2006. Evaluation of chlorophyll content and fluorescence parameters as indicators of drought tolerance in barley. *Agricultural Sciences in China*. 5(10): 751-757.
- Lopes, M.S., Araus, J.L., Vanheerden, P.D., dan Foyer, C.H. 2011. Enhancing drought tolerance in C4 crops. *J. Exp. Bot.* 62:3135–3153.
- Mahendra, F. 2009. Sistem agroforestri dan aplikasinya. Yogyakarta : Graha Ilmu.
- Mangoendidjodjo, W. 2003. Dasar-dasar pemuliaan tanaman. Yogyakarta.
- Manurung, J.P. dan E. Syam'un. 2003. Hubungan komponen hasil dengan hasil kedelai (*Glycine max* (L.) Merr.) yang ditanam pada lahan diolah ber-beda sistem dan berasosiasi dengan gulma. *J. Agrivigor* 3 (2):179-188.
- Manurung, R.M.H. 2002. Tantangan dan peluang pengembangan tanaman kacang-kacangan dan umbi-umbian. Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian, Malang. hlm.19-40.
- Marjenah. 1998. Pertumbuhan dan respon morfologi *Shorea pauciflora* dan *Shorea selanica* terhadap perbedaan intensitas cahaya. Laporan penelitian: Lembaga penelitian Universitas Mulawarman. Samarinda.
- Marvel, J.N., Beyrouy, C.A., dan Gbur, E.E. (1992). Response of soybean growth to root and canopy competition. *Crop science*, Vol.32 : 797-801.
- Mason, H., Goonewardene, L. & Spaner, D. 2008. Competitive traits and the stability of wheat cultivars in differing natural weed environments on the northern Canadian Prairies. *Journal of Agricultural Science*. 146: 21-33.
- Mercado, B.L. 1979. Introduction to weed science. Southeast Asian Regional Center for Graduate Study and Research in Agriculture (SEARCA), Laguna, Philippines. 292 p.
- Moenandir, J. 2010. Ilmu gulma. Cetakan I. Universitas brawijaya Press, Malang.
- Mohammadi, G.R. dan Amiri, F. 2011. Critical period of weed control in soybean (*Glycine max*) as influenced by starter fertilizer. *Aust J Crop Sci.* 5: 1350-1355.
- Munchow, R.C., Sinclair, T.R., Benneth, J.M. dan Hammond, L.C. 1986. Respon of leaf growth, leaf nitrogen and stomatal conductance on water deficit during vegetation growth of field growth soybean. *Crop. Sci.* 26:1190-1195.
- Munir, M. 1996. Tanah-tanah utama di Indonesia. PT Pustaka Jaya, Jakarta.
- Murphy, S.L., dan Smucker, A.J.M. 1995. Evaluation of video image analysis and line-intercept methods for measuring root systems of alfalfa and ryegrass. *Agron. J.* 87:865–868.



- Najiyati S dan Danarti. 1999. Palawija Budidaya dan Analisis Usaha Tani. Penebar Swadaya. Jakarta.
- Nangju, D. 1980. Effect of plant density, spatial arrangement and plant type on weed control in cowpea and soybean. weed and their control in the humid and subhumid tropics. Proceedings of a Conference at the International Institute of Tropical agriculture. 288-299.
- Ngawit dan Ketut, I. 1986. Uji Kemempnan Beberapa Jenis Herbisida Terhadap Gulma pada Pertanaman Kacang Tanah (*Arachis hypogaea* L.) dan Dampaknya Terhadap Penyakit Bercak Daun. Tesis. Fakultas Pertanian Universitas Mataram. Mataram.
- Nice, G.R., Buehring, N.W. dan Shaw, D.R. 2001. Sicklepod (*Senna obtusifolia*) response to shading, soybean (*Glycine max*) row spacing, and population in three management systems. *Weed Technology*. 15:155-162.
- Oerke, E.C. 2006. Crop losses to pests. *Journal of Agricultural Science*.144: 31-43.
- Ogg, A.G & Seefeldt, S.S. 1999. Characterizing traits that enhance the competitiveness of winter wheat (*Triticum aestivum*) against jointed goatgrass (*Aegilops cylindrica*). *Weed Science*. 47: 74-80.
- Page, E.R. dan Willenborg, C.J. 2013. Dynamics and management of crop-weed interference. *PS & C Prairie Soils & Crops Journal*. Vol.6: 24-32.
- Palupi, E.R. dan Dedywiryanto, Y. 2008. Kajian karakter toleransi cekaman kekeringan pada empat genotipe bibit kelapa sawit (*Elaeis guineensis* Jacq). *Bul Agron*. 36(1): 24-32.
- Pandya, N., Chouhan, G.S. dan Nepalia, V. 2005. Effect of varieties, crop geometries and weed management on nutrient uptake by soybean (*Glycine max*) and associated weeds. *Indian Journal of Agronomy*. 50(3): 218-220.
- Passioura, J.B. 2002. Environmental biology and crop improvement. *Func Plant Biol* 29: 537-546.
- Patterson, D.T. 1995. Effects of environmental stress on weed/crop interactions. *Weed science*, Vol.43(3) : 483-490).
- Patterson, D.T., Flint, E.P., dan Beyers, J.L. 1984. Effects of CO<sub>2</sub> enrichment on competition between a C4 weed and a C3 crop. *WeedSci*. 32 : 101-105.
- Pederson, P. 2004. Soybean growth and development. Publication PM-1945. Iowa State University Extention.
- Pedersen, P. dan Lauer, J.G. 2004. Soybean growth and development in various management systems and planting dates. *Crop Science*. 44: 508-515.
- Pereira, F.A.R., Bono, J.A.M., Neto, J.F.R., Silveira, D.S., Berselli, C. dan Carvalho, F.T. 2015. Periods of competition between weeds and soybean crop in Cerrado. *Afr. J. Agric. Res*. Vol. 10(37): pp. 3644-3649.



- Permadi, A.H. 1989. Asal-usul dan penyebaran kentang. Balai Penelitian Hortikultura, Lembang.
- Poehlman, J. M. dan Sleper, D. A. 1995. Beerding Field Crops. Pamina Publishing Corporation, New Delhi.
- Purwaningsih S. 2007. Kemampuan serapan karbondioksida pada tanaman hutan kota di kebun raya bogor. Skripsi. Bogor: Institut Pertanian Bogor.
- Purwanto dan Agustono, T. 2010. Kajian fisiologi tanaman kedelai pada kondisi cekaman kekeringan dan berbagai kepadatan gulma teki. *Agrosains*. 12(1): 24-28.
- Quayyum, H.A., Malik, A.U., Leach, D.M., dan Gottardo, C. 2000. Growth inhibitory effects of *Cyperus rotundus* on rice seedlings. *Journal of chemical ecology*. 26: 2221-2231.
- Radjit, B.S. dan Purwaningrahayu, R.D. 2007. Pengendalian gulma pada kedelai. Di dalam: Sumarno, Suyamto, A. Widjono, Hermanto, dan H. Kasim, (editor). *Kedelai: Teknik Produksi dan Pengembangan*. Pusat penelitian dan Pengembangan Tanaman Pangan. Badan Penelitian dan Pengembangan Pertanian. Bogor. Hlm. 281-295.
- Radosevich, S.R., Holt, J.S., dan Ghersa, C. 2007. Ecology of weeds and invasive plants: relationship to agriculture and natural resource management. New York: Wiley. 978-0-47016-894-3.
- Radosevich, S., Holt, J., dan Ghersa, C. 1997. Associations of weeds and crops. 2nd Ed. In: *Weed Ecology - implications for management*. New York: John Willey & Sons, p.163-214.
- Radosevich, S.R. dan Holt, J.S. 1984. *Weed ecology: Implications for vegetation management*. J. Wiley & Sons, New York.
- Reddy, K.N. 2002. Weed control and economic comparisons in soybean planting systems. *Journal of Sustainable Agriculture*. 21(2): 21–35.
- Reigosa, M.S., Gonzalezy, L., dan Soute, X.C. 2000. Allelopathy in forest ecosystems, allelopathy in ecological agricultural and forestry. *Proceedings III. International congress allelopathy in ecological agricultural and forestry*. Dhawad, India, 18 - 21 August, 1998.
- Rice, E.L. 1984. *Allelopath, 2nd Edn*. Academic press, New York.
- Rizal, A. 1997. Pengaruh ketersediaan air dan macam gulma terhadap pertumbuhan dan hasil tanaman kedelai. *Agrivet*. Vol 1 (1).
- Rukmana, R. dan Yuniarsih, Y. 1996. *Kedelai Budidaya dan Pascapanen*. Kanisius. Yogyakarta.
- Samonte, S.O.P.B, Wilson, L.T. McClung, A.M Medley, J.C. 2005. Targeting cultivar into rica growing environment using AMMI and SREG GGE biplot analysis. *Crop Sci*. 45: 2414-2424.



- Sastroutomo, S.S. 1990. Ekologi Gulma. Gramedia Pustaka Utama. Jakarta.
- Seavers, G. P. dan Wright, K. J. 2002. Crop canopy development and structure influence weed suppression. *Weed Research*. 39: 319-328.
- Seavers, G.P & Wright, K.J. 1997. Influence of crop growth habit and canopy development on weed suppression. *In: M.J. Gooding & P.R. Shewry (eds.). Optimising Cereal Inputs: Its Scientific Basis Aspects of Applied Biology. Association of Applied Biologists, Warwick, UK. 50: 361-366.*
- Sebayang, H.T. 2010. Ilmu gulma. Program pasca sarjana Universitas Brawijaya, Malang, p. 147.
- Setiawan, E. 2009. Kajian hubungan unsur iklim terhadap produktivitas cabe jamu (*Piper retrofractum* Vahl.) di Kabupaten Sumenep. *Agrivigor*. 2(1): 1-11.
- Silva, A.F.D., Galon, L. Aspiazu, I. Ferreira, E.A. Concenco, G. Junior, E.U.R. Rocha, P.R.R. 2013. Weed management in the soybean crop. *Intech*.
- Sirait, J. 2008. Leaf area, chlorophyll content, and relative growth rate of grass on different shading and fertilization. *JITV* 13(2): 109-116.
- Siswadi. 2006. Budidaya Tanaman Palawija. Citra Aji Parama. Yogyakarta.
- Sitompul, S.M dan Guritno, B. 1995. Analisis pertumbuhan tanaman. Yogyakarta: UGM Press.
- Sloane, R.J., Patterson, R.P. dan Wood, L.S. 1990. Field drought tolerance of soybean plant introduction. *Crop Sci*. 30(1):118-123.
- Smith, H. dan Whitelam, G. C. 1997. The shade avoidance syndrome: multiple responses mediated by multiple phytochromes. *Plant cell environ*. 20:840-844.
- Soegianto, A. 2012. Soybean (*Glycine max* (L.) Merr.) varieties selection for the trait of tolerant to nutsedge (*Cyperus rotundus* (L.)) weed competition. *J. Basic. Appl. Sci. Res*. 2(3): 2231-2242.
- Somaatmadja, S., Ismunadji, M., Sumarno., Syam, M., Manurung, S.O., dan Yuswadi . 1985. Kedelai. Badan Penelitian dan Pengembangan Pertanian. Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor.
- Stevanato, P., Trebbi, D., Bertaggia, M. 2011. Root traits and competitiveness against weeds in sugar beet. *International Sugar Journal*. 113: 497-501.
- Suardi, D. 2002. Perakaran padi dalam hubungannya dengan toleransi tanaman terhadap kekeringan dan hasil. *Jurnal Litbang Pertanian*. 21(3): 100-108.
- Sukman, Y. Dan Yakup. 1991. Gulma dan Teknik Pengendaliannya. Rajawali. Jakarta.



- Sumarno dan Hartono. 1983. Pedoman Bercocok Tanam Kedelai. Pusat Penelitian Tanaman Pangan, Bogor. 85 hal.
- Suprpto. 1989. Bertanam kedelai. Jakarta: Penebar Swadaya.
- Surip. 2004. Pengaruh pemberian pupuk urea dan gandasil B terhadap pertumbuhan dan produksi tanaman tomat (*Lycopersicum esculentum* Mill.). Skripsi. Fakultas Pertanian Universitas Lancang Kuning Pekanbaru. 33 hal.
- Surtinah. 2001. Pengujian konsentrasi gandasil b terhadap pertumbuhan dan produksi tomat ( *Lycopersicum esculentum* Mill. ). Fakultas Pertanian Jurusan Budidaya Pertanian Universitas Lancang Kuning Pekanbaru. 32 hal.
- Thomas dan Lasminingsih, M. 1994. Respons beberapa klon karet terhadap kekeringan. Buletin Perkaretan. 12(3): 1-4.
- Tjitrosoedirdjo, S., Utomo, H. dan Wiroatmodjo, J. 1984. Pengelolaan Gulma di Perkebunan. PT Gramedia, Jakarta.
- Toppo, A.R., Dewangan, D.K. dan Lakpale, R. 2012. Effect of integrated weed management practices on growth and productivity of soybean (*Glycine max* (L.) Merrill). International Journal of Forestry and Crop Improvement. 3(2) : 127-133.
- Torbert, H.A., Hoefft, R.O., Vanden Heuvel, R.M., dan Mulvaney, R.L. 1992. Effect of moisture regime on recovery and utilization of fertilizer N applied to corn. Commun. Soil Sci. Plant Anal. 23: 1409-1426.
- Touree, A., Rodenburg, J., Saito, K., Oikeh, S., Futakuchi, K., Gumedzoe, D. dan Huat, J. 2011. Cultivar and weeding effects on weeds and rice yields in a degraded upland environment of the coastal savanna. Weed Tech. 25: 322-329.
- Trenbath, B.R. 1976. Plant Interactions in Mixed Crop Communities. In : M. Stelly (Ed.) Multiple Cropping. Amer. Soc. Agron. Spec. Publ. 27 : 129-169.
- Van Acker, R.C., Swanton, C.J. dan Weise, S.F. 1993. The critical period of weed control in Soybean (*Glycine max* L.). Weed Science. 41: 194-200.
- Vandeleur, R.K & Gill, G.S. 2004. The impact of plant breeding on the grain yield and competitive ability of wheat in Australia. Australian Journal of Agricultural Research. 55: 855-861.
- Van der Mescht, A., de Ronde, J.A. dan Rossouw, F.T. 1999. Chlorophyll fluorescence and chlorophyll content as a measure of drought tolerance in potato. South African Journal of Science. 95: 407-412.
- Violle, C., Navas, M.L. Vile, D. 2007. Let the concept of trait be functional. Oikos. 116: 882-892.



- Vyas, M.D dan Jain, A.K. 2003. Effect of pre-and post-emergence herbicides on weed control and productivity of soybean (*Glycine max*). Indian J. Agron. 48(4):309-311.
- Vyas, M.D., Singh, S. dan Singh, P.P. 2000. Weed management in soybean (*Glycine max* Merrill). Annals of Plant Protection Sciences, 8(1): 76-78.
- Widyatama, C.E., Tohari, dan Rogomulyo, R. 2012. Periode kritis kedelai hitam (*Glycine max* (L.) Merrill) terhadap gulma. Vegetalika 1(1): 32-41.
- Widyawati A. 2008. *Bacillus* sp. Asal rhizosper kedelai yang berpotensi sebagai pemicu pertumbuhan tanaman dan biokontrol fungi patogen akar. Skripsi. Bogor: Institut Pertanian Bogor.
- Worthington, M., Reberg-Horton, C. Jordan, D & Murphy, J.P. 2013. A comparison of methods for evaluating the suppressive ability of winter wheat cultivars against Italian Ryegrass (*Lolium perenne*). Weed Science. 61: 491-499.
- Yan, W., Hunt, L.A., Sheng, Q. dan Szlavnicza, Z. 2000. Cultivar evaluation and mega-environment investigation based on the GGEbiplot. Crop Science 40: 597-605.
- Yoshida, S., 1981, fundamentals of rice crop science. International Rice Research Institute. Los Banos, Philippines.
- Yusrinawati, A., Kastano, D., dan Suyadi, M.W. 2006. Pengaruh pemberian beberapa macam pupuk daun terhadap pertumbuhan dan hasil tiga varietas kangkung darat (*Ipomea reptans*) di lahan pasir pantai. Prossiding Seminar Nasional Hasil Penelitian Pertanian. Fakultas Pertanian Universitas Gadjah Mada, Yogyakarta.
- Zerner, M.C., Gill, G.S & Vandeleur, R.K. 2008. Effect of height on the competitive ability of wheat with oats. Agronomy Journal. 100: 1729-1734.
- Zhao, D. 2006. Weed competitiveness and yielding ability of aerobic rice genotypes. PhD Thesis. Wageningen University. Dutch.
- Zimdahl, R.L. 2007. Fundamentals of weed science. Academic Press Elsevier, London.