

DAFTAR PUSTAKA

- Anomimus. 2010. Statistik Peternakan. Direktorat Jendral Peternakan. Departemen Pertanian, Republik Indonesia
- Anomimus. 2013. Fluitest Uric Acid. Analyticon® Biotechnologies AG. Lichtenfels
- Andrade-Montemayor, H., T.G. Gasca, and J. Kawas. 2009. Ruminal fermentation modification of protein and carbohydrate by means of roasted and estimation of microbial protein synthesis. R. Bras. Zootec. 38: 277-291.
- Astuti, M. 1980. Statistik. Bagian Pemuliaan Ternak Fakultas Peternakan UGM. Yogyakarta.
- Astuti, D. A. dan Wina, E.. 2002. Neraca protein dan ekskresi derivat purin di urin pada kambing peranakan etawah laktasi yang diberi pakan limbah Tempe. JITV 7: 162-165.
- Astuti, D.A. dan Sastradipradja. D. 1997. Relationship between ruminal protein synthesis with urinary allantoin excretion on ettawah goats. Proceeding Seminar AAAP. Makuhari-Tokyo, Japan.
- Bach, A., Calsamiglia, S. dan Dtern, M.D. 2005. Nitrogen metabolism in rumen. J. Dairy. Sci. 88:E9-E21.
- Cetinkaya, N., Yaman, S. dan Baber, N.H.O. 2006. The use of purine derivates/creatinin ratio in spot samples as an index of microbial protein supply in yerli kara crossbred cattle. J. Liv. Sci. 100: 91-98.
- Chen, X.B., Hovell, F.D., Ørskov, E.R. dan Brown, D.S., 1990. Excretion of purine derivatives by ruminants: effect of exogenous nucleic acid supply on purine derivative excretion by sheep. *British Journal of Nutrition* 63, 131 -142 131
- Chen, X.B., Chen, Y.K., Franklin, M.F. Ørskov, E.R. and Shand, W.J., 1992. The effect of feed intake and body weight on purine derivative excretion and microbial protein supply in sheep. J. Anim. Sci. 70:1534-1542.
- Chen, X.B., Gomes Jm. 1995. Estimation of Microbial protein supply to sheep and cattle based on urinary excretion of purine derivates and overview of technical detail. International feed resources unit. Rowett research institute, Bucsburn Aberdeen, UK. Occasional Publication, pp. 1-21.
- Chen, X.B., Mejia, A.T., Kyle, D.J., and Ørskov, E.R. 1995. Evaluation of the use of purine derivative:creatinine ratio in spot urine and plasma samples as an index of microbial protein supply in ruminants: studies in sheep. *Journal of Agricultural Science, Cambridge*. 125, 137-143.
- Chen dan Orskov. 2003. Research on urinary excretion of purine derivates in ruminants: past, present and future. Review. International feed resourcesunit. Macaulay land use research institute, Craigiebuckler Aberdeen, UK.

- Chizzotti, M.L., Filho, S.C.V., Valadarez, F.D.V., Chizzotti, F.H.M., Tedeschi, L.O. 2008. Determination of creatinin excretiom and evaluation spot urine sampling in Holstein cattle. *J.Liv.Sci.* 113: 218-225
- Csapo, Z.C.J., J. Schmidt, and T.G. Martin. 2001. Quantitative determination of protein of bacterial origin. *Trends in Analytical Chemistry.* 20: 42-48.
- Dughita, P. A. 2016. Kontribusi ekskresi basal purin terhadap total ekskresi derivat purin dalam urin domba ekor gemuk dan domba ekor tipis. Tesis. Fakultas Peternakan. UGM.
- Dewhurst, R. J., D. R. Davies, and R. J. Merry. 2000. Microbial protein supply from the rumen. *J. Anim. Feed Sci. Technol.* 85: 1-21
- FAO, IEA, 1997. Estimation of rumen microbial protein production from purine derivatives in urin. A laboratory manual. Viena, Austria
- Fujihara, T., Shem, M.N., Matsui, T. 2007. Urinary excretion of purine derivatives and plasma allantoin level in sheep and goats during fasting. *J. Anim. Sci.* 78: 129-134.
- George, S.K., M.T. Dipu, U.R. Mehra, A.K. Verma, and P. Singh. 2006. Influence of level feed intake on concentration of purine derivatives in urinary *spot samplings* and microbial nitrogen supply in crossbred bulls. *Asian-Aust. J. Anim. Sci.* 19: 1291-1297.
- George, S. K., Dipu, M. T., Vermam A. K., Singh, P. Dan Mehra, U.R. 2011. Species differnces in the concentration of purine derivatives and creatinine in spot urine samples. *JIVA.* 9:24-26.
- Ghasemi, S. Naserian, A. A., Valizadeh, R., Tahmasebi, A. M., Vakili, A. R., Behgar, M. 2012. Effects of pistachio by-product in replacement of lucerne hay on microbial protein synthesis and fermentative parameters in the rumen of sheep. *Anim. Prod.* 52: 1052-1057.
- Givens, D.I., E. Owen, R.F.E. Axford, and H.M. Omed. 2000. *Forage Evaluation in Ruminant Nutrition.* CABI Publishing.
- Gueorali, A., Elgass, Y., Balcells, J. 2004. Urinary excretion of purine derivatives and it's utilization as an index of microbial protein synthesis in the fore stomach of the camel. In: Makkar, H. P. S., Chen, X. B. Estimation of microbial protein supply in ruminants using urinary purine derivatives. IAEA. Kluwer academic pub, Vienna.
- Hardianto, Y.W. 2006. Penggemukan domba ekor tipis dengan pemberian pakan kulit ari kacang kedelai (ampas tempe) dan rumput lapang. Skripsi. Institut Pertanian Bogor.
- Harwanto. 2013. Pengaruh penambahan kayu manis (*cinnamomum burmanni* ness ex bl.) sebagai sumber sinamaldehyd dalam pakan terhadap produksi metan dan kinerja domba ekor tipis. Tesis. Fakultas Peternakan. UGM.
- Harwanto, Yusiati L. M., Utomo R., 2014. Cinnamon as source of cinnamaldehyde in growing thin tail sheep diets: performance and nutrient digestibility. *Prosiding AAAP* (505-508).

- Iriki, T., Funaba, M., Hatano, M., Abe, M. 1994. Plasma allantoin concentration and urinary purine derivatives to creatinine ratio are not sensitive estimator of microbial protein supply in calves. *Anim. Sci. Technol.* 65:822-825.
- Kertz, A.F., L.R. Prewitt, A.G. Lane, and J.R. Campbell. 1970. Effect of dietary intake on creatinine excretion and the creatinine-nitrogen ratio in bovine urine. *J Anim. Sci.* 30: 278-282.
- Makkar, H. P. S. 2004. Development, standardization and validation of nuclear based technologies for estimating microbial protein supply in ruminant livestock for improving productivity. In: Makkar, H. P. S., Chen, X. B. Estimation of microbial protein supply in ruminants using urinary purine derivatives. IAEA. Kluwer academic pub, Vienna.
- McDonald, P. R., A, Edwards, J.F.D. Greenhalgh dan C. A. Morgan. 2002. *Animal Nutrition 6th edition*. Longman scientific and Technical Co. John Wiley and Sons Inc, New York.
- Mo, F., Waang, Y. X., Xing, Z., Yang, Y. F., Chen, X. B. 2004. The effect of different levels of feed intake on the urinary excretion of purine derivatives in chinese yellow cattle. In: Makkar, H. P. S., Chen, X. B. Estimation of microbial protein supply in ruminants using urinary purine derivatives. IAEA. Kluwer academic pub, Vienna.
- Moscardini, S., Haddi, M.L., Stefanon, B., Sumsel, P. 1999. Measurement of purine derivatives in the urine of some ruminant species, Nuclear based technologies for estimating microbial protein supply in ruminant livestock, IAEA-TECDOC-1093, IAEA, Vienna, Austria.
- Mulyaningsih, T. 2006. Penampilan domba ekor tipis (*ovis aries*) jantan yang digemukkan dengan beberapa imbalan konsentrat dan rumput gajah (*pennisetum purpureum*). Skripsi. Fakultas Peternakan. IPB
- Mupangwa JF., Ngongoni N.T, Topps J.H, Acamovic T., Hamudikuwanda H., Ndlovu L.R. 2000. Dry matter intake, apparent digestibility and excretion of purine derivatives in sheep fed tropical legume hay. *Small Rumin Res.* 2000 Jun 1;36(3):261-268.
- Natsir, A. 2008. Rumen microbial protein supply as estimated from purine derivative excretion on sheep receiving faba beans (*Vicia faba*) as supplement delivered at different feeding frequencies. *JITV.* 113 (2): 103-108.
- Nelson, D.L. and M.M. Cox. 2008. *Lehninger Principles of Biochemistry*. 5th ed. Freeman Publishers. Wisconsin.
- Noor, R.R., Djajanegara A., Schuler L., 2001. Selection to improve birth and weaning weight of javanese fat tailed sheep. *Dummerstorf* 44 (2001) 6, 649-659
- Ojeda, I., Parra, O., Balcells, J., Belenguer, A. 2005. Urinary excretion of purine derivatives in *Bos indicus* x *Bos taurus* crossbred cattle. *British Journal of Nutrition* (2005), 93, 821-828.

- Orden, E. A., Yamaki, K., Orden, M. E. M., Abdulrazak, S. A., Ichimohe, T., Fujihara T. 2000. Effect of Leucaena and Gliricidia Supplementation on N Balance and Urinary Purine Derivative Excretion of Sheep Fed Ammonia Treated Rice Straw. *J. Anim. Sci.* 13: 27-30.
- Orskov, E. R. 1992. Protein Nutrition in Ruminants. Edisi ke-2. Harcourt Brace Jovanovich, Publishers, London.
- Ørskov, E. R. 2002. Trails and Trials in Livestock Research. Halcon Printing.
- Purwati, C.S., L.M. Yusiati, dan S.P.S. Budhi. 2013. Kontribusi ekskresi basal purin terhadap total ekskresi derivat purin dalam urin kambing Bligon dan Kejobong. *Buletin Peternakan.* 37(1): 6-11
- Poshiwa, X., Ngongoni, N. T., Manyuchi, B., Chakoma, C., Tigere, A. 2004. The effect of plane nutrition on the urinary purine derivative excretion in sheep and goats. In: Makkar, H. P. S., Chen, X. B. Estimation of microbial protein supply in ruminants using urinary purine derivatives. IAEA. Kluwer academic pub, Vienna.
- Putra, D. 2013. Nitrogen Balance pada Kambing Bligon dan Kejobong Jantan yang Diberi Pakan Tunggal Jerami Kacang Tanah. Skripsi Sarjana Peternakan. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.
- Ramos S., Tejido M.L., Martín ez M.E., Ran illa M.J., Saro C., Carro M.D . 2011. Comparison of direct and indirect methods for estimating microbial protein synthesis in sheep. In: Ranilla, M.J. (ed.), Carro M.D. (ed.), Ben Salem H. (ed.), Moran d-Fehr, P. (ed.). Challenging strategies to promote the sheep and goat sector in the current global context. Zaragoza : CIHEAM / CSIC / Universidad de León / FAO. p. 157-162.
- Rianto, E., Budiharto, M., Arifin., M. 2004. Proporsi daging, tulang dan lemak karkas domba ekor tipis jantan akibat pemberian ampas tahu dengan aras yang berbeda. Seminar nasional teknologi peternakan dan veteriner.
- Ruiz, D.R.Y., A.I.M. Garcia, A. Moumen, and E.M. Alcaide. 2004a. Ruminal fermentation and degradation patterns, protozoa population, and urinary purine derivatives excretion in goats and wethers fed diets based on olive leaves. *J. Anim. Sci.* 82: 3006-3014.
- Salman, M., Cetinkaya, N., Selcuk, Z., Cenc, B.. 2013. Thee effects of seasonal variation on the microbial-N flow to the small intestine and prediction of feed intake in grazing karayaka sheep. *KVFD.* 14 (4): 561-568
- Shingfield, K. J. dan Offer, N. W. 1998. Evaluation of spot urine sampling technique to asses urinary purine derivate excretion in lactating dairy cows. *Anim. Sci.* 66: 557-568
- Sodiq, A. Dan Tawfik, E.S., 2004. Productivity and Breeding Strategies of Sheep in Indonesia: A Review. *J. Agr. Sci.* 105: 71-82
- Thaksala S., Pahirana, K. K., Jayasuriya, M. C. N. 2004. Urinary excretion of purine derivates as an indicator of microbial protein supply in Sri lanka local zebu cattle and crossbreed milking cows. In: Makkar, H. P. S., Chen, X. B. Estimation of microbial protein supply in ruminants using urinary purine derivatives. IAEA. Kluwer academic pub, Vienna.

- Stangassinger, M., Chen, X.B., Lindberg, J.E., Giesecke, D. 1995. Metabolism of purines in relation to microbial production. In: Ruminant Physiology: Digestion, Metabolism, Growth and Reproduction. Proceedings of the Eighth International Symposium on Ruminant Physiology. (Ed. W.V. Engelhardt, S.Leonhard-Marek, G.Breves, D.Giesecke). Ferdinand Enke Verlag Stuttgart. pp.387-406
- Surra, J.C., J.A. Guanda, Balcells, J. and Castrillo, S. 1997. Effect of Post ruminal Fermentation on the Faecal and Urinary Excretion of Purines. *J. Anim. Sci* 65:383-390.
- Young, E. G. dan Conway, C. F. 1942. On thr estimation of allantoin by the Rimini-schryver reaction. *J. Biol. Chem* 142,839
- Yusiati, L. M. 2005. Pengembangan Metode Sintesis Protein Mikrobia Rumen Menggunakan Eksresi Derivat Purin Dalam Urin Berbagai Ternak Ruminansia Indonesia. Disertasi. Fakultas Peternakan UGM. Yogyakarta
- Yusiati, L. M., Bachruddin Z. B., Utomo R., Harwanto. 2014. The effect of cinnamon (*Cinnamomum Burmanni Ness ex Bl.*) as sourco of cinnamaldehyde in the sheep diet on nitrogen balance and rumen microbial supply. *Prosiding. AAAP*(489-492).