

DAFTAR PUSTAKA

- Alberts, B., Johnson, A., Lewis, J., Raff, M. Roberts, K., Walter, P., 2008, *Molecular Biology of The Cell*, Fifth edition, Garland Science, USA. Pp. 202-204.
- Ambarwati, E. dan Yudono, P., 2003, *Keragaan Stabilitas Hasil Bawang Merah*, Ilmu Pertanian Vol. 10 No. 2: 1-10.
- Amin, M. and Kapadnis, B.P., 2005, *Heat Stable Antimicrobial Activity of Allium ascalonicum Against Bacteria and Fungi*, Indian Journal of Experimental Biology Vol. 43: 751-754.
- Amin, M., Segatoleslami, S., and Hashemzadeh, M., 2009, *Antimycobacterial activity of Partial Purified Extract of Allium ascalonicum*, Jundishapur Journal of Microbiology 2 (4): 144-147.
- Anggarwulan, E., Etikawati, N., dan Setyawan, A.D., 1999, *Karyotipe Kromosom pada Tanaman Bawang Budidaya (Genus Allium; Familia Amaryllidaceae)*, BioSMART Vol. 1 No. 2: 13-19.
- Anggraeni, L., 2015, *Keragaman Sitologi Tanaman Artemisia cina Berg ex poljakov Hasil Perlakuan Kolkisina dan Zat Pengatur Tumbuh (2,4-Dichlorophenoxyacetic Acid dan Benzyladenine)*, Tesis, Program Pascasarjana Fakultas Pertanian UGM, Yogyakarta. Hal. 14-20.
- Arifin, N.S., Ozaki, Y., Okubo, H., 2000, *Genetic Diversity in Indonesian Shallot (Allium cepa var. ascalonicum) and Allium x wakegi Revealed by RAPD Markers and Origin of A. x wakegi Identified by RFLP Analyses of Amplified Chloroplast Genes*, Jurnal Euphytica 111: 23 – 31.
- Arisuryanti, T., Swastika, A.A.G.R., Mehan, R.S., Setiawan, S., Widyaningrum, L., dan Kurniawati, 2009, *Chromosome Variation in Local Red Shallot Cultivars*, Proceeding The First International Seminar on Science and Technology. Pp. 931-935.
- Asri, A.W., Sulistyaningsih, E., Murti, R.H., 2015, *Karakter Morfologi dan Sitologi Tanaman Bawang Daun (Allium fistulosum L.) Hasil Induksi Kolkisina pada Generasi Vegetatif Kedua*, Vegetalika Vol. 4 No. 1: 37 – 45.
- Bardakci, F., 2001, *Random Amplified Polymorphic DNA (RAPD) Markers*, Turk J. Biol 25: 185-196.
- Damayanti, S.D., Purwantoro, A., Sulistyaningsih, E., 2005, *Analisis Kariotip Beberapa Kultivar Aglonema*, Jurnal Agrosains Vol. 18 (4): 395 – 408.
- Goldsworthy, P.R. dan N.M. Fisher, 1984, *The physiology of tropical field crops*; Terjemahan Tohari, 1996. *Fisiologi tanaman budidaya tropik*, Cetakan kedua, Gadjah Mada University Press: Yogyakarta.
- Grosberg, R.K., Levitan, D.R., and Cameron, B.B., 1996, *Characterization of Genetic Structure and Genealogies Using RAPD-PCR Markers: A Random Primer for The Novice and Nervous*. Dalam *Molecular Zoology: Advances, Strategies, and Protocols*, Joan D.F and Stephen R.P. (Ed). Wiley-Liss, Inc. Pp. 71.

Heskiel, A, 2015, *Fertilitas dan Variabilitas Benih Botani Bawang Merah (Allium cepa L. Aggregatum group) (True Seed Shallot) Dataran Rendah*, Tesis: Universitas Gadjah Mada, Yogyakarta, Hal. 80.

<http://www.biolib.cz/>. Diakses pada tanggal 23 Juni 2015.

<http://www.ncbi.nlm.nih.gov/>. Diakses pada tanggal 23 Juni 2015.

<http://www.temanggungkab.info/info/detail/18/89/kledung.html>. Diakses pada tanggal 19 Juni 2016.

<http://www.uniprot.org>. Diakses pada tanggal 23 Juni 2015.

Jasmi, Sulistyaningsih, E., Indradewa, D., 2013, *Pengaruh Vernalisasi Umbi Terhadap Petumbuhan, Hasil, Dan Pembungaan Bawang Merah (Allium cepa L. Aggregatum group) Di Dataran Rendah*, Ilmu pertanian Vol. 16, No. 1: 42 – 57.

Laila, A., 2013, *Morphogenetic Variation of Shallot (Allium cepa L. Aggregatum Group) and Response to Fusarium oxysporum f. sp. cepae Under Biofertilizer Application*, Thesis, Faculty of Agriculture GMU: Yogyakarta. Pp. 16-21.

Leuzzi, M.S.P., de Almeida, F.S., Orsi, M.L., and Sodre, M.L.K., 2004, *Analysis by RAPD of The Genetic Structur of Astyanax altiparanae (Pisces, Characiformes) in Reservoir on The Paranapanema River, Brazil*, Genet. Mol. Biol. Vol. 27 No. 3.

Mahmoudabadi, A.Z. and Nasery, K.G., 2009, *Antifungal Activity of Shallot, Allium ascalonicum Linn. (Liliaceae), in vitro*, Journal of Medicinal Plants Research Vol. 3 (5): 450-453.

Maniruzzaman, Haque, M.E., Haque, M.M., Sayem, M.A, and Al-Amin, M., 2010, *Molecular Characterization of Onion (Allium cepa) Using RAPD Markers*, Bangladesh J. Agril. Res. 35 (2): 313-322.

Mukherjee, A., Sikdar, B., Ghosh, B., Banerjee, A., Ghosh, E., Bhattacharya, M., and Roy, S.C., 2013, *RAPD and ISSR Analysis of Some Economically Important Species, Varieties, and Cultivars of The Genus Allium (Alliaceae)*, Turkish Journal of Botany 37: 605-618.

Murniati, Yulia A.E., dan Silvina, F., 2008, *Peningkatan Produksi Bawang Merah dengan Agihan Cendawan Mikoriza Asbuskular dan Cu pada Lahan Gambut*, SAGU Vol. 7 No. 1: 19-25.

Oroian, R.G., Oroian, T.E., Carsai, C.T., Cosier, V., and Sasca, L., 2008, *RAPD Technique Used in Analyzing The Genetic Structure of Cyprinus Carpio Species – Galitian And Lausitz Varieties*, Lucrari Stiintifice Vol. 52: 444-449.

Owoyele, B.V., Alabi, O.T., Adebayo, J.O., Soladoye, A.O., Abioye, A.I.R., Jimoh, S.A., 2004, *Haematological Evaluation of Ethanolic Extract of Allium Ascalonicum in Male Albino Rats*, Fitoterapia Elsevier. Pp. 1-5.

Putrasamedja, S. dan Suwandi, 1996, *Bawang Merah di Indonesia*, Balai Penelitian Tanaman Sayuran: Bandung, Hal. 1 – 14.

- Rattanachaikunsopon, P. and Phumkhachorn, 2009, *Shallot (Allium ascalonicum L.) Oil: Diallyl Sulfide Content And Antimicrobial Activity Against Food-borne Pathogenic Bacteria*, African Journal of Microbiology Research Vol. 3(11): 747-750.
- Rukmini, S.A., 2015, *Karakter Morfologi dan Produksi Beberapa Varietas Bawang Merah di Dataran Tinggi*, Skripsi, Universitas Hasanuddin, Makassar. Pp. 1-10.
- Runtunuwu, D.S., Rogi, J.E.X., dan Palendeng, J.H., 2011, *Identifikasi Varietas Kentang "Superjohn" Berdasarkan Penanda RAPD (Random Amplified Polymorphic DNA)*, Eugenia Vol. 17, No. 1: 52-59.
- Rusono, N., Suanri, A., Candradijaya, A., Muharam, A., Martino, I., Tejaningsih, Hadi, P.U., Susilowati, S.H., Maulana, M., 2013, *Studi Pendahuluan Rencana Pembangunan Jangka Menengah Nasional (RPJMN) Bidang Pangan dan Pertanian 2015-2019*, Direktorat Pangan dan Pertanian Kementerian Perencanaan Pembangunan Nasional. Pp. 242-258.
- Scott, M.P., Haymes, K.M., and William, S.M., 1992, *Parentage Analysis Using RAPD PCR*. Nucleic Acids Research, Vol. 20, No. 20: 5493.
- Setiawati, W., Murtiningsih, R., Sopha, G.A., dan Handayani, T., 2007, *Petunjuk Teknis Budidaya Tanaman Sayuran*, Balai Penelitian Tanaman Sayuran, Pusat Penelitian dan Pengembangan Hortikultura, Badan Penelitian dan Pengembangan Pertanian, Bandung. Hal 1 – 5.
- Setyowati, M., Sulistyaningsih, E., Purwantoro, A., 2013, *Induksi Poliploid dengan Kolkisina pada Kultur Meristem Batang Bawang Wakegi*, Ilmu Pertanian Vol. 16 No. 1: 58 – 76.
- Shibata, F., Hizume, M., 2002, *The Identification and Analysis of The Sequences That Allow The Detection of Allium cepa Chromosomes by GISH in The Allodiploid A. wakegi*, Jurnal Chromosoma 111: 184 – 191.
- Shigyo, M., Tashiro, Y., Miyazaki, S., 1997, *Chromosomal Location of Glutamate Transaminase Gene Loci in Japanese Bunching Onion (Allium fistulosum L.) and Shallot (A. cepa L. Aggregatum group)*, Japanese Journal of Genetics 69: 417 – 424.
- Song, P., Kang, W., Peffley, E.B., 1997, *Chromosome Doubling of Allium fistulosum x A. cepa Interspecific F1 Hybrids Through Colchicine Treatment of Regenerating Callus*, Jurnal Euphytica 93: 257 – 262.
- Suavianti dan Ardiyanta, 2015, *Pengaruh Macam Pupuk Kandang dan Kerapatan Tanam Terhadap Pertumbuhan dan Kualitas Hasil Tanaman Bawang Merah (Allium ascalonicum L.) Biru Bantul Pada Lahan Pasir Pantai*, Jurnal Agro UPY Vol. V, No. 2: 78 – 92.
- Suhartini, S.R., 2012, *Struktur Kromosom*. www.scribd.com. Diakses pada 29 Juli 2015.
- Sulistyaningsih, E., 2004, *Fertilitas Tanaman Bawang Merah Doubled Haploid*, Ilmu Pertanian Vol. 11 No. 1: 1 – 6.

- Sulistyaningsih, E., Tashiro, Y., Shigyo, M., Isshiki, S., 1997, *Morphological and Cytological Characteristics of Haploid Shallot (Allium cepaL. Aggregatum group)*, Bulletin of the Faculty of Agriculture, Saga University, No. 82: 7 – 15.
- Sulistyaningsih, E., Yamashita, Ken-Ichiro, dan Tashiro, Y., 2002, *Genetic Characteristics of The Indonesian White Shallot*, Journal of The Japanese Society for Horticultural Science, Vol. 71, No. 4: 504-508.
- Sumner, A.T., 2003, *Chromosome: Organization and Function*, Blackwell Publishing, Pp. 194 – 198.
- Supartiatun, Eti, 1997, *Jumlah dan Morfologi Kromosom Beberapa Jenis Tanaman Bawang*, Skripsi, Universitas Diponegoro, Semarang. Hal. iii-14.
- Suprihati, D., Elimasni, E. Sabri, 2007, *Identifikasi Karyotipe Terung Belanda (Solanum betaceum Cav.) Kultivar Brastagi Sumatera Utara*, Jurnal Biologi Sumatera Utara 2 (1): 7 – 11.
- Suryo, 1995, *Sitogenetika*, Gajah Mada University Press: Yogyakarta. Hal. 56 – 72.
- Susantidiana, Wijaya, A., Lakitan, B., dan Surahman, M., 2009, *Identifikasi Beberapa Aksesori Jarak Pagar (Jatropha curcas L.) Melalui Analisis RAPD dan Morfologi*, J. Agron. Indonesia 37 (2): 167-173.
- Szulc, M., Zgorska, A., Ziembinska, A., 2012, *PCR-RAPD Optimization for Hospital Wastewater Genotoxic Influence Analysis on Allium cepa Root Meristem Cells*. Architecture Civil Engineering Environment No. 1: 79-86.
- Tashiro, Yousuke, 1984, *Genome Analysis of Allium wakegi Araki*, J. Japan Soc. Hort. Sci 52(4): 399-407.
- Wahyu, Y., Irawan, B., Muctaridi, 2005, *Studi Kemotaksonomi Kultivar Bawang Merah di Jawa Barat*, Poster ditampilkan pada Seminar Nasional PTTI di UPI Bandung.
- Wardani, W.N., Rabaniyah, R., Sulistyaningsih, E., 2012, *Pematahan Dormansi Umbi Bawang Merah (Allium cepaL. Kelompok Aggregatum) dengan Perendaman dalam Ethepon*, Jurnal Vegetalika Vol. 1 No. 2: 108 – 119.
- Wulandari, A., Purnomo, D., dan Supriyono, 2014, *Potensi Biji Botani Bawang Merah (True Shallot Seed) Sebagai Bahan Tanam Budidaya Bawang Merah di Indonesia*, El-Vivo Vol. 2 No. 1: 28-36.
- Yamazaki, H., Nishijima, T., Yamato, Y., Hamano, M., Koshioka, M. Miura, H., 1999, *Involvement of Absciscic Acid in Bulb Dormancy of Allium wakegi Araki. II. A Comparison Between Dormant and Nondormant Cultivars*, Plant Growth Regulation 29: 195 – 200.