

## DAFTAR PUSTAKA

- Appendini, P., and Hotchkiss, J. H., 2002, Review of antimicrobial food packaging, *Innov. Food Sci. Emerg. Technol.*, 3(2), 113–126.
- Aryaei, A., Jayatissa, A. H., and Jayasuriya, A. C., 2012, Nano and Micro Mechanical Properties of Uncross–linked and Cross–linked Chitosan Films. *J. Mech. Behav. Biomed. Mater.*, 5(1), 82–9.
- Aytac, Z., Ipek, S., Durgun, E., and Uyar, T., 2016, Encapsulation of Gallic Acid/Cyclodextrin Inclusion Complex in Electrospun Polylactic Acid Nano Fibers: Release Behavior and Antioxidant Activity of Gallic Acid, *Mater. Sci. Eng.*, 63, 231–239.
- Bernabé, P., Peniche, C., and Argüelles–Monal, W., 2005, Swelling Behavior of Chitosan/Pectin Polyelectrolyte Complex Membranes. Effect of Thermal Cross–linking, *Polym. Bull.*, 55(5), 367–375.
- Bigucci, F., Luppi, B., Cerchiara, T., Sorrenti, M., Bettinetti, G., Rodriguez, L., and Zecchi, V., 2008, Chitosan/Pectin Polyelectrolyte Complexes: Selection of Suitable Preparative Conditions for Colon–Specific Delivery of Vancomycin, *Eur. J. Pharm. Sci.*, 35(5), 435–41.
- Bourtoom, T., 2008, Edible Films and Coatings: Characteristics and Properties, *Int. Food Res. J.*, 15(3), 237–248.
- Chaudhary, H., and Kumar, V., 2014, Taguchi Design for Optimization and Development of Antibacterial Drug–Loaded PLGA Nanoparticles, *Int. J. Biol. Macromol.*, 64, 99–105.
- Chen, P. H., Kuo, T. Y., Kuo, J. Y., Tseng, Y. P., Wang, D. M., Lai, J. Y., and Hsieh, H. J., 2010, Novel Chitosan–Pectin Composite Membranes with Enhanced Strength, Hydrophilicity and Controllable Disintegration, *Carbohydr. Polym.*, 82(4), 1236–1242.
- Cheng, S. Y., Wang, B. J., and Weng, Y. M., 2015, Antioxidant and Antimicrobial Edible Zein/Chitosan Composite Films Fabricated by Incorporation of Phenolic Compounds and Dicarboxylic Acids, *LWT – Food Sci. Technol.*, 63(1), 115–121.
- Chuysinuan, P., Chimnoi, N., Techasakul, S., and Supaphol, P., 2009, Gallic Acid–Loaded Electrospun Poly (L–Lactic Acid) Fiber Mats and Their Release Characteristic, *Macromol. Chem. Phys.*, 814–822.
- Coimbra, P., Ferreira, P., de Sousa, H. C., Batista, P., Rodrigues, M. A., Correia, I. J., and Gil, M. H., 2011, Preparation and Chemical and Biological Characterization of A Pectin/Chitosan Polyelectrolyte Complex Scaffold for Possible Bone Tissue Engineering Applications, *Int. J. Biol. Macromol.*,

48(1), 112–8.

- Costa, P., and Sousa Lobo, J. M., 2001, Modeling and Comparison of Dissolution Profiles, *Eur. J. Pharm. Sci.*, 13(2), 123–133.
- Dopico–García, M. S., López–Vilariño, J. M., and González–Rodríguez, M. V., 2007, Antioxidant Content of and Migration from Commercial Polyethylene, Polypropylene, and Polyvinyl Chloride Packages, *J. Agric. Food Chem.*, 55(8), 3225–3231.
- Dorniani, D., Kura, A. U., Hussein–Al–Ali, S. H., Bin Hussein, M. Z., Fakurazi, S., Shaari, A. H., and Ahmad, Z., 2014, In Vitro Sustained Release Study of Gallic Acid Coated with Magnetite–PEG and Magnetite–PVA for Drug Delivery System, *Sci. World J.*, 2014.
- Gargiulo, N., Attianese, I., Buonocore, G. G., Caputo, D., Lavorgna, M., Mensitieri, G., and Lavorgna, M., 2013,  $\alpha$ –Tocopherol Release from Active Polymer Films Loaded with Functionalized SBA–15 Mesoporous Silica. *Microporous Mesoporous Mater.*, 167, 10–15.
- Gemili, S., Yemenicioğlu, A., and Altinkaya, S. A., 2010, Development of Antioxidant Food Packaging Materials with Controlled Release Properties, *J. Food Eng.*, 96(3), 325–332.
- Ghaffari, A., Navaee, K., Oskoui, M., Bayati, K., and Rafiee–Tehrani, M., 2007, Preparation and Characterization of Free Mixed–Film of Pectin/Chitosan/Eudragit RS Intended for Sigmoidal Drug Delivery, *Eur. J. Pharm. Biopharm.*, 67(1), 175–86.
- Gómez–Estaca, J., López–de–Dicastillo, C., Hernández–Muñoz, P., Catalá, R., and Gavara, R., 2014, Advances in Antioxidant Active Food Packaging, *Trends Food Sci. Technol.*, 35(1), 42–51.
- Granda–Restrepo, D. M., Soto–Valdez, H., Peralta, E., Troncoso–Rojas, R., Vallejo–Córdoba, B., Gámez–Meza, N., and Graciano–Verdugo, A. Z., 2009, Migration of  $\alpha$ –Tocopherol from An Active Multilayer Film into Whole Milk Powder, *Food Res. Int.*, 42(10), 1396–1402.
- Han, J., Guenier, A. S., Salmieri, S., and Lacroix, M., 2008, Alginate and Chitosan Functionalization for Micronutrient Encapsulation, *J. Agric. Food Chem.*, 56(7), 2528–2535.
- Higuchi, T., 1963, Mechanism of Sustained–Action Medication. Theoretical Analysis of Rate of Release of Solid Drugs Dispersed in Solid Matrices, *J. Pharm. Sci.*, 52, 1145–1149.
- Hudson, B. J. F. ed., 1990, *Food Antioxidant* 1<sup>st</sup> ed., Barking: Elsevier Science Publisher LTD.

- Kammoun, M., Haddar, M., Kallel, T. K., Dammak, M., and Sayari, A., 2013, Biological Properties and Biodegradation Studies of Chitosan Biofilms Plasticized with PEG and Glycerol, *Int. J. Biol. Macromol.*, 62, 433–8.
- Karamaæ, M., Kosińska, A., and Pegg, R. B., 2005, Comparison of Radical–Scavenging Activities for Selected Phenolic Acids, *Pol. J. Food Nutr. Sci.*, 14(2), 165–169.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., and Vyvyan, J. A., 2009, *Introduction to Spectroscopy* Fourth Edi., Boston: Cengage Learning.
- Li, J. H., Miao, J., Wu, J. L., Chen, S. F., and Zhang, Q. Q., 2014, Preparation and Characterization of Active Gelatin–Based Films Incorporated with Natural Antioxidants, *Food Hydrocoll.*, 37, 166–173.
- Li, Q., Zhou, J., and Zhang, L., 2009, Structure and Properties of the Nanocomposite Films of Chitosan Reinforced with Cellulose Whiskers, *J. Polym. Sci.: Part B: Polym. Physics.*, 47, 1069–1077.
- López de Dicastillo, C., Castro–López, M. del M., López–Vilariño, J. M., and González–Rodríguez, M. V., 2013, Immobilization of Green Tea Extract on Polypropylene Films to Control the Antioxidant Activity in Food Packaging, *Food Res. Int.*, 53(1), 522–528.
- López de Dicastillo, C., Nerín, C., Alfaro, P., Catalá, R., Gavara, R., and Hernández–Muñoz, P., 2011, Development of New Antioxidant Active Packaging Films Based on Ethylene Vinyl Alcohol Copolymer (EVOH) and Green Tea Extract, *J. Agric. Food Chem.*, 59(14), 7832–7840.
- López de Dicastillo, C., Rodríguez, F., Guarda, A., and Galotto, M. J., 2016, Antioxidant Films Based on Cross–linked Methyl Cellulose and Native Chilean Berry for Food Packaging Applications, *Carbohydr. Polym.*, 136, 1052–1060.
- Maciel, V. B. V., Yoshida, C. M. P., and Franco, T. T., 2015, Chitosan/Pectin Polyelectrolyte Complex as A pH Indicator, *Carbohydr. Polym.*, 132, 537–45.
- Marudova, M., Lang, S., Brownsey, G. J., and Ring, S. G., 2005, Pectin–Chitosan multilayer formation, *Carbohydr. Res.*, 340(13), 2144–2149.
- Mastromatteo, M., Mastromatteo, M., Conte, A., and Del Nobile, M. A., 2010, Advances in Controlled Release Devices for Food Packaging Applications, *Trends in Food Sci. Technol.*, 21(12), 591–598.
- Mishra, K., Ojha, H., and Chaudhury, N. K., 2012, Estimation of Antiradical Properties of Antioxidants Using DPPH Å Assay : A Critical Review and Results, *Food Chem.*, 130(4), 1036–1043.

- Molyneux, P., 2004, The Use of the Stable Free Radical Diphenylpicryl-Hydrazyl, (DPPH) for Estimating Antioxidant Activity, *50, J. Sci. Technol.*, 26(2) : 211–219.
- Murillo–Martínez, M. M., Pedroza–Islas, R., Lobato–Calleros, C., Martínez–Ferez, A., and Vernon–Carter, E. J., 2011, Designing W1/O/W2 Double Emulsions Stabilized by Protein–Polysaccharide Complexes for Producing Edible Films: Rheological, Mechanical and Water Vapour Properties, *Food Hydrocoll.*, 25(4), 577–585.
- Korsmeyer, R. W., Gurnyy, R., Doelker, E., Buri, P., and Peppas, N.A., 1983, Mechanism of Release from Porous Hydrophilic Polymers. *Int. J. Pharm.*, 15, 25.
- Neo, Y. P., Ray, S., Jin, J., Gizdavic–Nikolaidis, M., Nieuwoudt, M. K., Liu, D., and Quek, S. Y., 2013, Encapsulation of food grade antioxidant in Natural Biopolymer by Electrospinning Technique: A Physicochemical Study Based on Zein–Gallic Acid System, *Food Chem.*, 136(2), 1013–1021.
- Nerín, C., Tovar, L., and Salafranca, J., 2008, Behaviour of A New Antioxidant Active Film Versus Oxidizable Model Compounds, *J. Food Eng.*, 84(2), 313–320.
- Niki, E., 2010, Assessment of Antioxidant Capacity In Vitro and In Vivo, *Free Radic. Biol. Med.*, 49(4), 503–15.
- Ninan, N., Muthiah, M., Park, I.–K., Elain, A., Thomas, S., and Grohens, Y., 2013, Pectin/Carboxymethyl Cellulose/Microfibrillated Cellulose Composite Scaffolds for Tissue Engineering, *Carbohydr. Polym.*, 98(1), 877–85.
- Ou, B., Huang, D., Hampsch–Woodill, M., Flanagan, J. A., and Deemer, E. K., 2002, Analysis of antioxidant activities of common vegetables employing oxygen radical absorbance capacity, (ORAC) and Ferric Reducing Antioxidant Power, (FRAP) Assays: A Comparative Study, *J. Agric. Food Chem.*, 50(11), 3122–3128.
- Pasanphan, W., Buettner, G. R., and Chirachanchai, S., 2010, Chitosan Gallate as A Novel Potential Polysaccharide Antioxidant: An EPR Study, *Carbohydr. Res.*, 345(1), 132–40.
- Pereira de Abreu, D. A., Losada, P. P., Maroto, J., and Cruz, J. M., 2010, Evaluation of the Effectiveness of A New Active Packaging Film Containing Natural Antioxidants (from Barley Husks) that Retard Lipid Damage in Frozen Atlantic Salmon (*Salmo salar* L), *Food Res. Int.*, 43(5), 1277–1282.
- Pereira, V. A., de Arruda, I. N. Q., and Stefani, R., 2015, Active chitosan/PVA Films with Anthocyanins from Brassica oleraceae, (Red Cabbage) as Time–Temperature Indicators for Application in Intelligent Food Packaging, *Food Hydrocoll.*, 43, 180–188.

- Piermaria, J., Bosch, A., Pinotti, A., Yantorno, O., Garcia, M. A., and Abraham, A. G., 2011, Kefiran Films Plasticized with Sugars and Polyols: Water Vapor Barrier and Mechanical Properties in Relation to Their Microstructure Analyzed by ATR/FT-IR Spectroscopy, *Food Hydrocoll.*, 25(5), 1261–1269.
- Rabiei, M., Sabahi, H., and Rezayan, A. H., 2016, Gallic Acid-Loaded Montmorillonite Nanostructure as A New Controlled Release System, *Appl. Clay Sci.*, 119, 236–242.
- Rashidova, S. S., Milusheva, R. Y., Semenova, L. N., Mukhamedjanova, M. Y., Voropaeva, N. L., Vasilyeva, S., and Ruban, I. N., 2004, Characteristics of Interactions in the Pectin-Chitosan System, *Chromatogr. Res. Int.*, (11), 779–782.
- Recillas, M., Silva, L. L., Peniche, C., Goycoolea, F. M., Rinaudo, M., Román, J. S., and Argüelles-Monal, W. M., 2011, Thermo and pH-Responsive Polyelectrolyte Complex Membranes from Chitosan-g-N-Isopropylacrylamide and Pectin, *Carbohydr. Polym.*, 86(3), 1336–1343.
- Ritger, P. L., and Peppas, N. A., 1987, A Simple Equation for Description of Solute Release II. Fickian and Anomalous Release from Swellable Devices, *J. Controlled Release*, 5(1), 37–42.
- Robert, P., García, P., Reyes, N., Chávez, J., and Santos, J., 2012, Acetylated Starch and Inulin as Encapsulating Agents of Gallic Acid and Their Release Behaviour in A Hydrophilic System, *Food Chem.*, 134(1), 1–8.
- Sanches-Silva, A., Costa, D., Albuquerque, T. G., Buonocore, G. G., Ramos, F., Castilho, M. C., and Costa, H. S., 2014, Trends in the Use of Natural Antioxidants in Active Food Packaging: A Review, *Food Additives and Contaminants, Part A*, 31, 374–95.
- Schreiber, S. B., 2012, Chitosan-Gallic Acid Films as Multifunctional Food Packaging, *Thesis*, University of Tennessee, Knoxville.
- Schreiber, S. B., Bozell, J. J., Hayes, D. G., and Zivanovic, S., 2013, Introduction of Primary Antioxidant Activity to Chitosan for Application as A Multifunctional Food Packaging Material, *Food Hydrocoll.*, 33(2), 207–214.
- Smitha, B., Sridhar, S., and Khan, A. A., 2005, Chitosan-Sodium Alginate Polyion Complexes as Fuel Cell Membranes, *Eur. Polym. J.*, 41(8), 1859–1866.
- Sothornvit, R., and Krochta, J. M., 2001, Plasticizer Effect on Mechanical Properties of  $\beta$ -lactoglobulin Films, *J. Food Eng.*, 50(3), 149–155.
- Sun, X., Wang, Z., Kadouh, H., and Zhou, K., 2014, The Antimicrobial, Mechanical, Physical and Structural Properties of Chitosan-Gallic Acid Films, *LWT – Food Sci. Technol.*, 57(1), 83–89.

- Sun, Y., Liu, Y., Li, Y., Lv, M., Li, P., Xu, H., and Wang, L., 2011, Preparation and Characterization of Novel Curdlan/Chitosan Blending Membranes for Antibacterial Applications, *Carbohydr. Polym.*, 84(3), 952–959.
- Tripathi, S., Mehrotra, G. K., and Dutta, P. K., 2010, Preparation and Physicochemical Evaluation of Chitosan/Poly(Vinyl Alcohol)/Pectin Ternary Film for Food Packaging Applications, *Carbohydr. Polym.*, 79(3), 711–716.
- Vimaladevi, S., Panda, S. K., Xavier, K. A. M., and Bindu, J., 2015, Packaging Performance of Organic Acid Incorporated Chitosan Films on Dried Anchovy, *Stolephorus indicus*, *Carbohydr. Polym.*, 127, 189–94.
- Wessling, C., Nielsen, T., and Giacín, J. R., 2001, Antioxidant Ability of BHT– and  $\alpha$ –tocopherol Impregnated LDPE Film in Packaging of Oatmeal, *J. Sci. Food Agric.*, 81(2), 194–201.
- Xie, M., Hu, B., Wang, Y., and Zeng, X., 2014, Grafting of Gallic Acid onto Chitosan Enhances Antioxidant Activities, *J. Sci. Food Agric.*, 62, 9128–9136.