

DAFTAR PUSTAKA

- Abdel-Ghani, N., T., and El-Chaghaby, G., A., 2014, Biosorption for Metal Ions Removal from Aqueous Solutions: A Review of Recent Studies, *Int. J. Latest. Res. Sci. Technol.*, 3(1), 24-42.
- Adamson, A., W., and Gast, A., P., 1997, *Physical Chemistry of Surfaces*, 6th Ed., John Wiley and Sons, New York.
- Affandi, S., Setyawan, H., Winardi, S., Purwanto, A., and Balgis, R., 2009, A Facile Method for Production of High-Purity Silica Xerogels from Bagasse Ash, *Adv. Powd. Tech.*, 20, 468-472.
- Alyosef, H.A., Schneider, D., Wassersleben, S., Roggendorf, H., Weiß, M., Eilert, A., Denecke, R., Hartmann, I., and Enke, D., 2015, Meso/Macroporous Silica from Miscanthus, Cereal Remnant Pellets, and Wheat Straw, *ACS Sustainable Chem. Eng.*, 3, 2012–2021.
- Bagheri, M., Younesi, H., Hajati, S., and Borghei, S., M., 2015, Application of Chitosan-Citric Acid Nanoparticles for Removal of Chromium(VI), *Int. J. Biol. Macromol.*, 80, 431-444.
- Barrera-Diaz, C., E., Lugo-Lugo, V., and Bilyeu, B., 2012, A Review of Chemical, Electrochemical and Biological Methods for Aqueous Cr(VI) Reduction, *J. Hazard. Mater.*, 223, 1-12.
- Bielicka, A., Bojanowska, I., and Wiśniewski, A., 2005, Two Faces of Chromium-Pollutant and Bioelement, *Polish J. Environ. Stud.*, 14 (1), 5–10.
- Brinker, C.J., and Scherer, W.J. 1990, *Sol-Gel Science: The Physics and Chemistry of Sol-Gel Processing*, Academic Press, San Diego.
- Budnyak, T., Tertykh, V., Yanovska, 2014, Chitosan Immobilized on Silica Surface for Wastewater Treatment, *Mater. Sci.*, 20(2), 177-182.
- Budnyak, T., M., Pylypchuk, I., V., Tertykh, V., A., Yanovska, E., S., and Kolodynska, D., 2015, Synthesis and Adsorption Properties of Chitosan-Silica Nanocomposite Prepared by Sol-Gel Method, *Nanoscale Res. Lett.*, 10(87), 1-10.
- Buhani, Narsito, Nuryono, and Kunarti, E. S., 2009, Amino and Mercapto-Silica Hybrid for Cd(II) Adsorption in Aqueous Solution, *Indones. J. Chem.*, 9, 170-176.
- Chaulia, P., K., and Das, R., 2008, Process Parameter Optimization for Fly Ash by Taguchi Method, *Mat. Res.*, 11, 159-164.

- Chakraverty, A., and Kaleemullah, S., 1991, Conversion of Rice Husk into Amorphous Silica and Combustible Gas, *Energy Convers. Mgmt*, 32(6), 565-570.
- Chandrasekhar, S., Satyanarayana, K.G., Pramada, P.N., Raghavan, P., and Gupta, T.N., 2003, Review Processing, Properties and Applications of Reactive Silica from Rice Husk—An Overview, *J. Mater. Sci.*, 38, 3159 – 3168.
- Chandrasekhar, S., Pramada, P.N., and Majeed, J., 2006, Effect of Calcination Temperature and Heating Rate on The Optical Properties and Reactivity of Rice Husk Ash, *J. Mater. Sci.*, 41, 7926-7933.
- Chung, J., Chun, J., Lee, J., Lee, S., H., Lee, Y., J., and Hong, S., W., 2012, Sorption of Pb(II) and Cu(II) onto Multi-Amine Grafted Mesoporous Silica Embedded with Nanomagnetite: Effects of Steric Factors, *J. Hazard. Mater.*, 239–240, 183–191.
- Dash, S., Mishra S., Patel, S., and Mishra, B., K., 2008, Organically Modified Silica: Synthesis and Applications due to Its Surface Interaction with Organic Molecules, *Adv. Colloid Interface Sci.*, 140, 77–94.
- Deng, Y., Wang, C., Hu, J., Yang, W., and Fu, S., 2005, Investigation of Formation of Silica-Coated Magnetite Nanoparticles via Sol-Gel Approach. *Colloid Surf. A*, 262, 87-93.
- Dhal, B., Thatoi, H., N., Das, N.,N., and Pandey, B.,D.,2013, Chemical and Microbial Remediation of Hexavalent Chromium from Contaminated Soil and Mining/Metallurgical Solid Waste: A Review, *J. Hazard. Mater.*, 250–251, 272– 291.
- Dorcheh, A., S., and Abbasi, M., H., 2008, Silica Aerogel; Synthesis, Properties and Characterization, *J. Mater. Process. Technol.*, 199, 10-26.
- Durdureanu-Angheluta, A., Pinteala, M., and Simionescu, 2012, Tailored and Functionalized Magnetite Particles for Biomedical and Industrial Application, *Mater. Sci. Technol.*, 149–178.
- El-Reash, Y., G., A., Otto, M., Kenawy, I., M., and Ouf, A., M., 2011, Adsorption of Cr(VI) and As(V) Ions by Modified Magnetic Chitosan Chelating Resin, *Int. J. Biol. Macromol.*, 49, 513– 522.
- Faizul, C., P., Abdullah, C., and Fazlul, B., 2013, Extraction of Silica from Palm Ashvia Citric Acid Leaching Treatment. *Adv. Environ. Biol.*, 7(12), 3690-3695.
- Fan, L., Luo, C., Lv, Z., Lu, F., and Qiu, H., 2011, Preparation of Magnetic Modified Chitosan and Adsorption of Zn²⁺ from Aqueous Solutions, *Colloids Surf. B.*, 88, 574–81.

- Fan, F., L., Qin, Z., Bai, J., Rong, A., D., Fan, F., Y., Tian, W., Wu, X., L., Wang, Y., and Zhao, L., 2012, Rapid Removal of Uranium from Aqueous Solutions using Magnetic Fe₃O₄@SiO₂ Composite Particles, *J. Environ. Radioact.*, 106, 40-46.
- Faraji, M., Yamini, Y., and Rezaee, M., 2010, Magnetic Nanoparticles: Synthesis, Stabilization, Functionalization, Characterization, and Applications, *J. Iran. Chem. Soc.*, 7, 1-37.
- Foletto, E., L., Gratieri, E., Oliveira, L., H., and Jahn, S., L., 2006, Conversion of Rice Husk Ash into Soluble Sodium Silicate, *Mat. Res.*, 9, 335-338.
- Gadd G., M., 2009, Biosorption: Critical Review of Scientific Rationale, Environmental Importance and Significance for Pollution Treatment, *J. Chem. Technol. Biotechnol.*, 84, 13-28.
- Gandhi, M., R., and Meenakshi, S., 2012, Preparation and Characterization of La(III) Encapsulated Silica Gel/Chitosan Composite and Its Metal Uptake Studies, *J. Hazard. Mater.*, 203-204, 29-37.
- Girginova, P., Daniel-da-Silva, A., Lopes, C., Figueria, P., Otero, M., Amaral, V., Ferreira, E., and Trindade, T., 2010, Silica Coated Magnetite Particles for Magnetic Removal of Hg²⁺ from Water, *J. Colloid Interf. Sci.*, 345, 234-240.
- Ho, Y., S., 2004, Citation Review of Lagergren Kinetic Rate Equation on Adsorption Reactions, *Scientometrics*, 59(1), 171-177.
- Ho, Y., S., and McKay, G., 1999, Pseudo-second Order Model for Sorption Processes, *Process Biochem.*, 34, 451-465.
- Hong, R., Y., Li, J., H., Zhang, S., Z., Li, H., Z., Zheng, Y., Ding, J., M., and Wei, D., G., 2009, Preparation and Characterization of Silica-Coated Fe₃O₄ Nanoparticles Used as Precursor of Ferrofluids, *App. Surf. Sci.*, 255, 3485-3492.
- Huang, G., Zhang, H., Shi, J., X., and Langrish, T., A., G., 2009, Adsorption of Chromium(VI) from Aqueous Solution using Cross-Linked Magnetic Chitosan Beads, *Ind. Eng. Chem. Res.*, 48, 2626-2651.
- Hu, J., Chen, G., and Lo, I., M., C., 2005, Removal and Recovery of Cr(VI) from Wastewater by Maghemite Nanoparticles, *Water Res.*, 39, 4528-4536.
- Hu, X., J., Wang, J., S., Liu, Y., G., Li, X., Zeng, G., M., Bao, Z., L., Zeng, X., X., Chen, A., W., and Long, F., 2011, Adsorption of Chromium(VI) by Ethylenediamine-Modified Cross-Linked Magnetic Chitosan Resin: Isotherms, Kinetics and Thermodynamics, *J. Hazard. Mater.*, 185, 306-314.

- Iler, R.K., 1979, *Silica gels and powders*, In: Iler, R.K. (Ed.), *The Chemistry of Silica*, Wiley, New York, 462-599.
- Jal, P., K., Patel, and Mishra, B., K., 2004, Chemical Modification of Silica Surface by Immobilization of Functional Groups for Extractive Concentration of Metal Ions, *Talanta*, 62, 1005-1028.
- Jiang, W., Pelaez, M., Dionysiou D., D., Entezari, M., H., Tsoutsou, D., and O'Shea, K., 2013, Chromium(VI) Removal by Maghemite Nanoparticles, *Chem. Eng. J.*, 222, 527-533.
- Kalapathy, U., Proctor, A., and Shultz, J., 2000, A Simple Method for Production of Pure Silica from Rice Hull Ash, *Biores. Tech.*, 73, 257-262.
- Kraus, A., Jainae, K., Unob, F., and Sukpirom, N., 2009, Synthesis of MPTS Modified Cobalt Ferrite Nanoparticles and Their Adsorption Properties in Relation to Au(III), *J. Colloid Interf. Sci.*, 338, 359-365
- Kyzas, G., Z., and Deliyanni, E., A., 2013, Mercury(II) Removal with Modified Magnetic Chitosan Adsorbents, *Molecules*, 18, 6193-6214.
- Lei, Z., Pang, X., Li, N., Lin, L., and Li, Y., 2009, A Novel Two-Step Modifying Process for Preparation of Chitosan-Coated Fe₃O₄/SiO₂ Microspheres, *J. Mater. Process. Technol.*, 209, 3218-3225.
- Li, L., Fan, L., Sun, M., Qiu, H., Li, X., and Duan, H., 2013, Adsorbent for Chromium Removal Based on Graphene Oxide Functionalized with Magnetic Cyclodextrin-Chitosan, *Colloids Surf. B: Biointerfaces*, 76-83.
- Li, Y., Jin, Z. and Li, T., 2012, A Novel and Simple Method to Synthesize SiO₂-Coated Fe Nanocomposites with Enhanced Cr(VI) Removal under Various Experimental Conditions, *Desalination*, 288, 118-125.
- Li, Y., S., Church, J., S., Woodhead, A., L., and Moussa, F., 2010, Preparation and Characterization of Silica Coated Iron Oxide Magnetic Nano-Particles. *Spectrochim Acta A*, 76, 484-489.
- Liou, T.H., 2004, Preparation and Characterization of Nano-Structured Silica from Rice Husk, *Mater. Sci. Eng.*, A364, 313-323.
- Manahan, S. E., 2003, *Toxicological Chemistry and Biochemistry*, 3th Ed., Lewis Publisher, New York.
- Nuryono, N., Rosiati, N., M., Rusdiarso, B., Sakti, S., C., W., and Tanak, S., 2014, Coating of Magnetite with Mercapto Modified Rice Hull Ash Silica in A One-Pot Process, *SpringerPlus*, 3, 515, 1-12.
- Okoronkwo, E., A., Imoisili, P., E., and Olusunle, O., 2013, Extraction and Characterization of Amorphous Silica from Corn Cob Ash by Sol-Gel Method, *Chem. Mater. Res.*, 3(4), 68-74.

- Oscik, J., 1982, *Adsorption*, John Wiley, Chichester.
- Owlad, M., Aroua, M., K., Daud, W., A., and Baroutian, S., 2009, Removal of Hexavalent Chromium-Contaminated Water and Wastewater: A Review. *Water, Air, Soil Pollut.*, 200, 59-77.
- Palmer, C., and Puls, R., 1994, Natural Attenuation of Hexavalent Chromium in Ground Water and Soils, EPA/540/S-94/505, U.S.
- Patil, R., Dongre, R., and Meshram J., Preparation of Silica Powder from Rice Husk, *IOSR J. Appl. Chem.*, 27, 26-29.
- Qiu, H., Lv, L., Pan, B., C., Zhang, Q., J., Zhang, W., M., and Zhang, Q., X., 2009, Critical review in adsorption kinetic models, *J. Zhejiang. Univ. Sci. A.*, 10(6), 716-724.
- Rungrodnimitchai, S., Phokhanusai, W., and Sungkhaho, N., 2009, Preparation of Silica Gel from Rice Husk Ash using Microwave Heating, *J. Met. Mater. Miner.*, 19(2), 45-50.
- Ren, Y., Abbood, H., A., He, F., Peng, H., and Huang, K., 2013, Magnetic EDTA-Modified Chitosan/SiO₂/Fe₃O₄ Adsorbent: Preparation, Characterization, and Application in Heavy Metal Adsorption, *Chem. Eng. J.*, 226, 300-311.
- Saha, B., and Orvig, C., 2010, Biosorbent for Hexavalent Chromium Elimination from Industrial and Municipal Effluents. *Coord. Chem. Rev.*, 254, 2959-2972.
- Setyawan, H., Fajaroh, F., Widiyastuti, W., Winardi, S., Lenggono, I. W., and Mufti, N., 2012, One-Step Synthesis of Silica-Coated Magnetite Nanoparticles by Electrooxidation of Iron in Sodium Silicate Solution, *J. Nanopart. Res.*, 14, 1-9.
- Shakir, A.A., and Mohammed, A.A., 2013, Manufacturing of Bricks in The Past, in The Present and in The Future: A State of The Art Review. *Int. J. Adv. in Appl. Sci.*, 2(3), 145-156.
- Shim, J., Velmurugan, P., and Oh, B., T., 2015, Extraction and Physical Characterization of Amorphous Silica Made from Corn Cob Ash at Variable pH Conditions via Sol Gel Processing. *J. Ind. Eng. Chem.*, 30, 240-253.
- Smitha, S., Shajesh, P., Mukundan, P., and Warriar, K., G., K., 2008, Sol-Gel Synthesis of Biocompatible Silica-Chitosan Hybrids and Hydrophobic Coating, *J. Mater. Res.*, 28(8), 2053-2060.
- Sriyanti, Taslimah, Nuryono, dan Narsito, 2005, Sintesis Bahan Hibrida Amino-Silika Dari Abu Sekam Padi Melalui Proses Sol-Gel, *Jurnal Kimia Sains dan Aplikasi*, 8(1), 1-10.

- Sun, X., Yang, L., Li, Q., Zhao, J., Li, X., Wang, X., and Liu, H., 2014, Amino-Functionalized Magnetic Cellulose Nanocomposite as Adsorbent for Removal of Cr(VI): Synthesis and Adsorption Studies, *Chem. Eng. J.*, 241, 175–183.
- Tan, X., C., Tian, Y., X., Cai, P., X., and Zou, X., Y., 2005, Glucose Biosensor Based on Glucose Oxidase Immobilized in Sol–Gel Chitosan/Silica Hybrid Composite Film on Prussian Blue Modified Glass Carbon Electrode, *Anal. Bioanal. Chem.*, 381, 500–507.
- Taguchi, G., Chowdhury, S., and Wu, Y., 2005, *Taguchi's Quality Engineering Handbook*, Hoboken, NJ: John Wiley & Sons.
- Thuadajj, N., and Nuntiya, A., 2008, Preparation of Nanosilica Powder from Rice Husk Ash by Precipitation Method, *Chiang Mai J. Sci.*, 35(1), 206–211.
- Thinh, N., N., Hanh, P., T., B., Ha, L., T., T., Anh, L., N., Hoang, T., V., Hoang, V., D., Dang, L., H., Khoi, N., V., and Lam, T., D., 2013, Magnetic Chitosan Nanoparticles for Removal of Cr(VI) from Aqueous Solution, *Mater. Sci. Eng.*, C 33, 1214–1218.
- Tokman, N., Akman, S., and Ozcan, M., 2003, Solid-Phase Extraction of Bismuth, Lead and Nickel from Seawater using Silica Gel Modified with 3-Aminopropyltriethoxysilane Filled in A Syringe Prior to Their Determination by Graphite Furnace Atomic Absorption Spectrometry, *Talanta*, 59, 201–205.
- Umeda, J., and Kondoh, K., 2008, High-Purity Amorphous Silica Originated in Rice Husks via Carboxylic Acid Leaching Process, *J. Mater. Sci.*, 43, 7084–7090.
- Udoeyo, F., F., Inyang, H., Young, D., T., and Oparadu, E., E., 2006, Potential of Wood Waste Ash as an Additive in Concrete, *J. Mater. Civ. Eng.*, 18(4), 605–611.
- Velmurugan, P., Shim, J., Lee, K., J., Cho, M., Lim, S., S., Seo, S., K., Cho, K., M., Bang, K., S., and Oh, B., T., 2015, Extraction, Characterization, and Catalytic Potential of Amorphous Silica from Corn Cobs by Sol-Gel Method. *J. Ind. Eng. Chem.*, 29, 298–303.
- Viswanathan, N., and Meenakshi, S., 2010, Selective Fluoride Adsorption by A Hydrotalcite/Chitosan Composite, *Appl. Clay Sci.*, 48, 607–611.
- Wang, S.F., Shen, L., and Zhang, W., D., 2005, Preparation and Mechanical Properties of Chitosan/Carbon Nanotubes Composites, *Biomacromolecules*, 6, 3067–3072.
- Wang, J., Zheng, A., Shao, Y., Liu, J., Xu, Z., and Zhu, D., 2010, Amino-Functionalized Fe₃O₄@SiO₂ Core-Shell Magnetic Nanomaterial as A Novel

- Adsorbent for Aqueous Heavy Metals Removal, *J. Colloid Interf. Sci.*, 349, 293-299.
- Wu, W., He, Q., and Jiang, C., 2008, Magnetic Iron Oxide Nanoparticles: Synthesis and Surface Functionalization Strategies, *Nanoscale. Res. Lett.*, 3, 397-415.
- Zhang, L., 2013, Production of Bricks from Waste Materials – A Review, *Const. Build. Mater.*, 47, 643–655.
- Zhao, X., L., Shi, Y., L., Cai, Y., Q., and Mou, S., F., 2008, Cetyltrimethylammonium Bromide-Coated Magnetic Nanoparticles for The Preconcentration of Phenolic Compounds from Environmental Water Samples, *Environ. Sci. Technol.*, 42, 1201-1206.
- Zhao, X., Shi, Y., Wang, T., Cai, Y., and Jiang, G., 2008, Preparation of Silica-Magnetite Nanoparticle Mixed Hemimicelle Sorbents for Extraction of Several Typical Phenolic Compounds from Environmental Water Samples, *J. Chromatogr. A*, 1188, 140-147.
- Zhao, Y., Yang, S., Ding, D., Chen, J., Yang, Y., Lei, Z., Feng, C., and Zhang, Z., 2013, Effective Adsorption of Cr (VI) From Aqueous Solution using Natural Akadama Clay, *J. Colloid Interf. Sci.*, 395, 198-204.
- Zhou, L., Jin, J., Liu, Z., Liang, X., and Shang, C., 2011, Adsorption of Acid Dyes from Aqueous Solutions by The Ethylenediamine-Modified Magnetic Chitosan Nanoparticles, *J. Hazard. Mater.*, 185:1045–52.
- Zulti, F., Dahlan, K., and Sugita, P., 2012, Adsorption of Waste Metal Cr(VI) with Composite Membranes (Chitosan-Silica Rice Husks). *Makara J. Sci.*, 16(3), 163-168.