

## DAFTAR PUSTAKA

- Ardhani, R., Susilowati, R., Ana, I. D., 2015. Functional Recovery of Axonal Injury Induced by Gelatin-Hydrogel Film and PRP: An Initial Study in Rats. *J. Biomed. Sci. Eng.*, 8(03): 160-169.
- Barbaro, N. M., 2006. Traumatic Peripheral Nerve Lesions. In: G. M. Doherty & L. W. Way (Eds.) *Current Surgical Diagnosis & Treatment* 12<sup>th</sup> ed. Lange Medical Books/McGraw-Hill, New York.
- Belkas, J. S., Shoichet, M. S., Midha, R., 2004. Peripheral Nerve Regeneration through Guidance Tubes. *Neurol. Res.*, 26(2): 151-160.
- Blesch, A., Tuszynski, M., 2009. Neurotrophic Factor Therapy: NGF, BDNF and NT-3. In: Squire, L. R. (Ed.) *Encyclopedia of Neuroscience*. Elsevier Academic Press, Boston.
- Burnouf, T., Goubran, H. A., Chen, T.-M., Ou, K.-L., El-Ekiaby, M., Radosevic, M., 2013. Blood-derived Biomaterials and Platelet Growth Factors in Regenerative Medicine. *Blood Rev.*, 27(2): 77-89.
- Carroll, S. L., 2009. Wallerian Degeneration In: L. R. Squire (Ed.) *Encyclopedia of Neuroscience*. Elsevier Academic Press, Boston.
- Chen, Y.-S., Chang, J.-Y., Cheng, C.-Y., Tsai, F.-J., Yao, C.-H., Liu, B.-S., 2005. An *In vivo* Evaluation of a Biodegradable Genipin-cross-linked Gelatin Peripheral Nerve Guide Conduit Material. *Biomaterials*, 26(18): 3911-3918.
- Cho, H. H., Jang, S., Lee, S. C., Jeong, H. S., Park, J. S., Han, J. Y., Lee, K. H., Cho, Y. B., 2010. Effect of Neural-induced Mesenchymal Stem Cells and Platelet-rich Plasma on Facial Nerve Regeneration in an Acute Nerve Injury Model. *Laryngoscope*, 120(5): 907-913.
- Cobianchi, S., de Cruz, J., Navarro, X., 2014. Assessment of Sensory Thresholds and Nociceptive Fiber Growth after Sciatic Nerve Injury Reveals The Differential Contribution of Collateral Reinnervation and Nerve Regeneration to Neuropathic Pain. *Exp. Neurol.*, 255: 1-11.
- Cunha, C., Panseri, S., Antonini, S., 2011. Emerging Nanotechnology Approaches in Tissue Engineering for Peripheral Nerve Regeneration. *Nanomedicine*, 7(1): 50-59.
- Donolf, R. B., 1995. Nerve Regeneration : Basic and Applied Aspects. *Crit. Rev. Oral Biol. Med.*, 6(1): 18-24.
- Dyer, C. A., 2002. The Structure and Function of Myelin: From Inert Membrane to Perfusion Pump. *Neurochem. Res.*, 27(11): 1279-1292.

- Elgazzar, R. F., Mutabagani, M. A., Abdelaal, S. E., Sadakah, A. A., 2008. Platelet Rich Plasma may Enhance Peripheral Nerve Regeneration After Cyanoacrylate Reanastomosis: A Controlled Blind Study on Rats. *Int. J. Oral Maxillofac. Surg.*, 37(8): 748-755.
- Emel, E., Ergün, S. S., Kotan, D., Gürsoy, E. B., Parman, Y., Zengin, A., Nurten, A., 2011. Effects of Insulin-like Growth Factor-I and Platelet-rich Plasma on Sciatic Nerve Crush Injury in a Rat Model: Laboratory Investigation. *J. Neurosurg.*, 114(2): 522-528.
- Eng, C. M., Smallwood, L. H., Rainiero, M. P., Lahey, M., Ward, S. R., Lieber, R. L., 2008. Scaling of Muscle Architecture and Fiber Types in the Rat Hindlimb. *J. Exp. Biol.*, 211(14): 2336-2345.
- Eroschenko, V. P., 2008. *diFiore's Atlas of Histology with Functional Correlations*, Lippincott Williams & Wilkins, Philadelphia.
- Farrag, T. Y., Lehar, M., Verhaegen, P., Carson, K. A., Byrne, P. J., 2007. Effect of Platelet-rich Plasma and Fibrin Sealant on Facial Nerve Regeneration in a Rat Model. *Laryngoscope*, 117(1): 157-165.
- Federer, W. T., 1977. Sampling, Blocking, and Model Considerations for Split Plot and Split Block Designs. *Biom. J.*, 19(3): 181-200.
- Fine, E. G., Valentini, R. F., Aebischer, P., 2000. Nerve Regeneration. In: R. Lanza, R. Langer & J. P. Vacanti (Eds.) *Principles of Tissue Engineering*. 2<sup>nd</sup> ed. Elsevier Science Academic press, San Diego.
- Giannessi, E., Coli, A., Stornelli, M. R., Miragliotta, V., Pirone, A., Lenzi, C., Burchielli, S., Vozzi, G., De Maria, C., Giorgetti, M., 2014. An Autologously Generated Platelet-rich Plasma Suturable Membrane may Enhance Peripheral Nerve Regeneration after Neurotomy in an Acute Injury Model of Sciatic Nerve Neurotmesis. *J. Reconstr. Microsurg.*, 30(9): 617-626.
- Gumieiro, E. H., Abrahão, M., Jahn, R. S., Segretto, H., Alves, M. T. d. S., Nannmark, U., Granström, G., Dib, L. L., 2010. Platelet-rich Plasma in Bone Repair of Irradiated Tibiae of Wistar rats. *Acta Cir. Bras.*, 25(3): 257-263.
- Gustafson, K. J., Grinberg, Y., Joseph, S., Triolo, R. J., 2012. Human Distal Sciatic Nerve Fascicular Anatomy: Implications for Ankle Control Using Nerve-cuff Electrodes. *J. Rehabil. Res. Dev.*, 49: 309-321.
- Haraguchi, T., Okada, K., Tabata, Y., Maniwa, Y., Hayashi, Y., Okita, Y., 2007. Controlled Release of Basic Fibroblast Growth Factor From Gelatin Hydrogel Sheet Improves Structural and Physiological Properties of Vein Graft in Rat. *Arterioscler. Thromb. Vasc. Biol.*, 27(3): 548-555.
- Hebel, R. Stromberg, M. W., 1986. *Anatomy and Embryology of The Laboratory Rat*. BioMed Verlag.

- Hunt, H. R., 1924. *A Laboratory Manual of The Anatomy of The Rat*, The Macmillan Company, New York.
- Ide, C., 1996. Peripheral Nerve Regeneration. *Neurosci. Res.*, 25(2): 101-121.
- Institute for Health Metrics and Evaluation, 2013. *The Global Burden of Disease: Generating Evidence, Guiding Policy*. IHME, Seattle.
- Kementerian Kesehatan Republik Indonesia, 2014. *Risikedas Dalam Angka Indonesia*, Badan Penelitian dan Pengembangan Kesehatan, Jakarta.
- Junqueira, L. C., Carneiro, J., 2005. *Basic Histology: Text and Atlas*, McGraw Hill, New York.
- Komobuchi, H., Hato, N., Teraoka, M., Wakisaka, H., Takahashi, H., Gyo, K., Tabata, Y., Yamamoto, M., 2010. Basic Fibroblast Growth Factor Combined with Biodegradable Hydrogel Promotes Healing of Facial Nerve after Compression Injury: an Experimental Study. *Acta. Otolaryngol.*, 130(1): 173-178.
- Kuffler, D. P., 2015. Platelet-Rich Plasma Promotes Axon Regeneration, Wound Healing, and Pain Reduction: Fact or Fiction. *Mol. Neurobiol.*, 52(2): 990-1014.
- Lichtenfels, M., Colomé, L., Sebben, A. D., Braga-Silva, J., 2013. Effect of Platelet Rich Plasma and Platelet Rich Fibrin on Sciatic Nerve Regeneration in a Rat Model. *Microsurgery*, 33(5): 383-390.
- Liu, B.-S., Yao, C.-H., Hsu, S.-H., Yeh, T.-S., Chen, Y.-S., Kao, S.-T., 2004. A Novel Use of Genipin-fixed Gelatin as Extracellular Matrix for Peripheral Nerve Regeneration. *J. Biomater. Appl.*, 19(1): 21-34.
- Martins, R. S., Siqueira, M. G., Silva, C. F. d., Plese, J. P. P., 2006. Correlation Between Parameters of Electrophysiological, Histomorphometric and Sciatic Functional Index Evaluations after Rat Sciatic Nerve Repair. *Arq. Neuropsiquiatr.*, 64(3B): 750-756.
- Marx, R. E., 2001. Platelet-rich Plasma (PRP): What Is PRP and What Is Not PRP? *Implant Dent.*, 10(4): 225-228.
- Mazzucco, L., Balbo, V., Cattana, E., Borzini, P., 2008. Platelet-rich Plasma and Platelet Gel Preparation Using Plateltex®. *Vox Sang.*, 94(3): 202-208.
- McGuinness, H., 2012. *Anatomy & Physiology: Therapy Basics*, Hodder Education, London.
- Mescher, A. L., 2013. *Junqueira's Basic Histology: Text & Atlas*. McGraw-Hill Medical, New York.

- Messori, M. R., Nagata, M. J. H., Furlaneto, F. A. C., Dornelles, R. C. M., Bomfim, S. R. M., Deliberador, T. M., Garcia, V. G., Bosco, A. F., 2011. A Standardized Research Protocol for Platelet-rich Plasma (PRP) Preparation in Rats. *RSBO*, 8(3): 299-304.
- Navarro, X., Vivó, M., Valero-Cabré, A., 2007. Neural Plasticity After Peripheral Nerve Injury and Regeneration. *Prog. Neurobiol.*, 82(4): 163-201.
- Nolte, J., 2007. *Elsevier's Integrated Neuroscience*, Mosby/Elsevier, Philadelphia.
- Ozeki, M., Tabata, Y., 2005. *In vivo* Degradability of Hydrogels Prepared from Different Gelatins by Various Cross-linking Methods. *J. Biomater. Sci., Polymer Ed.*, 16(5): 549-561.
- Pieri, F., Lucarelli, E., Corinaldesi, G., Iezzi, G., Piattelli, A., Giardino, R., Bassi, M., Donati, D., Marchetti, C., 2008. Mesenchymal Stem Cells and Platelet-rich Plasma Enhance Bone Formation in Sinus Grafting: a Histomorphometric Study in Minipigs. *J. Clin. Periodontol.*, 35(6): 539-546.
- Piskin, A., Kaplan, S., Aktaş, A., Ayyildiz, M., Raimondo, S., Aliç, T., Bozkurt, H. H., Geuna, S., 2009. Platelet Gel Does Not Improve Peripheral Nerve Regeneration: An Electrophysiological, Stereological, and Electron Microscopic Study. *Microsurgery*, 29(2): 144-153.
- Roussy, Y., Bertrand Duchesne, M. P., Gagnon, G., 2007. Activation of Human Platelet-rich Plasmas: Effect on Growth Factors Release, Cell Division and *In vivo* Bone Formation. *Clin. Oral Impl. Res.*, 18(5): 639-648.
- Sariguney, Y., Yavuzer, R., Elmas, C., Yenicesu, I., Bolay, H., Atabay, K., 2008. Effect of Platelet-rich Plasma on Peripheral Nerve Regeneration. *J Reconstr. Microsurg.*, 24(3): 159-167.
- Schmidt, C. E., Leach, J. B., 2003. Neural Tissue Engineering: Strategies for Repair and Regeneration. *Annu. Rev. Biomed. Eng.*, 5(1): 293-347.
- Shirosaki, Y., Lopes, M., Santos, J., Tsuru, K., Hayakawa, S., Osaka, A., Mauricio, A., Geuna, S., 2009. Nerve Regeneration Guided by Chitosan Hybrid Membranes. *Proceeding of the 9<sup>th</sup> Asian BioCeramic Symposium*. 8-11 December 2009, Nagoya.
- Smit, X., 2006. *Struggle at the Site of Nerve Injury: a rat sciatic nerve study on fundamental problems of peripheral nerve injury*. Erasmus MC University Medical Center, Rotterdam.
- Standring, S., Ellis, H., Healy, J., Johnson, D., Williams, A., 2004. *Gray's Anatomy: The Anatomical Basis of Medicine and Surgery*, Churchill Livingstone, London.

- Subramanian, A., Krishnan, U. M., Sethuraman, S., 2009. Development of Biomaterial Scaffold for Nerve Tissue Engineering: Biomaterial Mediated Neural Regeneration. *J. Biomed. Sci.* , 16(1): 108.
- Tabata, Y., 2006. Potential of Drug Delivery Technology in Tissue Regeneration Therapy. *JHTB* 15(3): 73-81.
- Tabata, Y., 2009. Biomaterial Technology for Tissue Engineering Applications. *J. R. Soc. Interface*, 6:S311-S324.
- Tortora, G., Derrickson, B., 2006. *Principles of Anatomy and Physiology*, Wiley, New Jersey.
- Udina, E., Ceballos, D., Verdú, E., Gold, B. G., Navarro, X., 2002. Bimodal dose-dependence of FK506 on The Rate of Axonal Regeneration in Mouse Peripheral Nerve. *Muscle Nerve*, 26(3): 348-355.
- Ueda, H., Rashid, M. H., 2003. Molecular Mechanisms of Neuropathic pain. *Drug News Perspect.*, 16(9): 605.
- Varejão, A. S., Meek, M. F., Ferreira, A. J., Patrício, J. A., Cabrita, A. M., 2001. Functional Evaluation of Peripheral Nerve Regeneration in the Rat: Walking Track Analysis. *J. Neurosci. Methods*, 108(1): 1-9.
- Widerberg, A., Bergman, S., Danielsen, N., Lundborg, G., Dahlin, L., 1997. Nerve Injury Induced by Vibration: Prevention of The Effect of a Conditioning Lesion by D600, a Ca<sup>2+</sup> Channel Blocker. *J. Occup. Environ. Med.*, 54(5): 312-315.
- Yamamoto, M., Tabata, Y., 2006. Tissue Engineering by Modulated Gene Delivery. *Adv. Drug Deliv. Rev.*, 58(4): 535-554.
- Young, P. A., Young, P. H., Tolbert, D. L., 2008. *Basic Clinical Neuroscience*, Lippincott Williams & Wilkins, Maryland, USA.
- Zhang, J. Y., Luo, X. G., Xian, C. J., Liu, Z. H., Zhou, X. F., 2000. Endogenous BDNF is Required for Myelination and Regeneration of Injured Sciatic Nerve in Rodents. *Eur. J. Neurosci.*, 12(12): 4171-4180.