

## DAFTAR PUSTAKA

- Alonso, L., E. P. Cuesta, and S. E. Gilliland. 2003. Production of free conjugated linoleic acid by *Lactobacillus acidophilus* and *Lactobacillus casei* of human intestinal origin. *J. Dairy Sci.*, 86 (6):1941–6.
- Aluko, R. E. 2012. Bioactive Lipids. P. 23–36 in *Functional Food and Nutraceuticals*, Food Science Text Series.
- Axelsson, L. 2004. Lactic Acid Bacteria: Classification and Physiology. P. 1–67 in *Lactic Acid Bacteria: Microbiology and Functional Aspects*, Marcel Dekker, Inc, New York.
- Bassaganya-riera, J., M. Viladomiu, M. Pedragosa, C. De Simone, A. Carbo, R. Shaykhutdinov, C. Jobin, J. C. Arthur, B. A. Corl, H. Vogel, and R. Hontecillas. 2012. Probiotic Bacteria Produce Conjugated Linoleic Acid Locally in the Gut That Targets Macrophage PPAR $\gamma$  to Suppress Colitis. *Regul. Mech. Probiotic Bact.*, 7 (2):1–8.
- Bauman, D., J. Perfield, M. de Veth, and Lock. 2003. New perspectives on lipid digestion and metabolism in ruminants. *Proc. Cornell Nutr. Conf.*, :175–189.
- Belury, M. A. 2002. Inhibition of Carcinogenesis by Conjugated Linoleic Acid: Potential Mechanisms of Action. *J. Nutr.*, 132 (10):2995–2998.
- Benjamin, S., and F. Spener. 2009. Conjugated linoleic acids as functional food: an insight into their health benefits. *Nutr. Metab. (Lond)*, 6:36.
- Bhattacharya, A., J. Banu, M. Rahman, J. Causey, and G. Fernandes. 2006. Biological effects of conjugated linoleic acids in health and disease. *J. Nutr. Biochem.*, 17 (12):789–810.
- Chandan, R. C. 2006. *Manufacturing Yogurt and Fermented Milks*. Blackwell Publishing Company, United State of America.
- Chen, H., B. Yang, S. Gu, B. Zhang, Q. Xu, Q. Ye, Y. Song, Y. Q. Chen, H. Zhang, and W. Chen. 2012. Purification and characterization of a linoleate isomerase from *Lactobacillus plantarum* ZS2058. *African J. Biotechnol.*, 11 (20):4579–4587.
- Chen, P., Q. Zhang, H. Dang, X. Liu, F. Tian, J. Zhao, Y. Chen, H. Zhang, and W. Chen. 2014. Antidiabetic effect of *Lactobacillus casei* CCFM0412 on mice with type 2 diabetes induced by a high-fat diet and streptozotocin. *Nutrition*, 30 (9):1061–1068.

- Chin, S. F., W. Liu, J. M. Storkson, Y. L. Ha, and M. W. Pariza. 1992. Dietary sources of conjugated dienoic isomers of linoleic acid, a newly recognized class of anticarcinogens. *J. Food Compos. Anal.*, 5 (3):185–197.
- Commane, D., R. Hughes, C. Shortt, and I. Rowland. 2005. The potential mechanisms involved in the anti-carcinogenic action of probiotics. *Mutat. Res.*, 591 (1-2):276–89.
- Cook, M. E., C. C. Miller, Y. Park, and M. Pariza. 1993. Immune modulation by altered nutrient metabolism: nutritional control of immune-induced growth depression. *Poult. Sci.*, 72 (9):1301 – 1305.
- Deng, M. D., A. D. Grund, K. J. Schneider, K. M. Langley, S. L. Wassink, S. S. Peng, and R. A. Rosson. 2007. Linoleic acid isomerase from *Propionibacterium acnes*: purification, characterization, molecular cloning, and heterologous expression. *Appl. Biochem. Biotechnol.*, 143 (3):199–211.
- Dhiman, T. R., G. R. Anand, L. D. Satter, and M. W. Pariza. 1999. Conjugated linoleic acid content of milk from cows fed different diets. *J. Dairy Sci.*, 82 (10):2146–2156.
- Dhiman, T. R., S.-H. Nam, and A. L. Ure. 2005. Factors Affecting Conjugated Linoleic Acid Content in Milk and Meat. *Food Sci. Nutr.*, 45 (6):463–482.
- Dong, L., J. Cao, Y. J. Wang, and H. J. Wang. 2007. Cloning and Sequencing of Conjugated Linoleic Acid Isomerase Gene of *Lactobacillus acidophilus* AS1.1854. *J. Henan Univ. Technol.*,
- Elo, S., and E. Tal. 1991. Attachment of *Lactobacillus casei* strain GG to human colon carcinoma cell line Caco-2: comparison with other dairy strains. *Lett. Appl. Microbiol.*, 13:154–156.
- Farmani, J., M. Safari, F. Roohvand, and S. H. Razavi. 2010. Conjugated linoleic acid-producing enzymes: A bioinformatics study. *Eur. J. Lipid Sci. Technol.*, 112:1088–1100.
- Fooks, L. J., and G. R. Gibson. 2002. Probiotics as modulators of the gut flora. *Br. J. Nutr.*, 88:S39–S49.
- Fritsche, J., and H. Steinhart. 1998. Amounts of conjugated linoleic acid (CLA) in German foods and evaluation of daily intake. *Eur. Food Res. Technol.*, 206:77–82.
- Fuller, R. 1989. Probiotics in man and animals. *J. Appl. Bacteriol.*, 66 (5):365–378.

- Goldin, B. R., and S. L. Gorbach. 1984. The effect of milk and lactobacillus feeding on human intestinal bacterial enzyme activity. *Am. J. Clin. Nutr.*, 39 (5):756–61.
- Goldin, B. R., L. J. Gualtieri, and R. P. Moore. 1996. The effect of *lactobacillus* GG on the initiation and promotion of DMH-induced intestinal tumors in the rat. *Nutr Cancer*, 25 (2):197–204.
- Gorissen, L., K. Raes, S. Weckx, D. Dannenberger, F. Leroy, and L. De Vuyst. 2010. Production of conjugated linoleic acid and conjugated linolenic acid isomers by *Bifidobacterium* species. *Appl Microbiol Biotechnol*, 87:2257–2266.
- Gorissen, L., S. Weckx, B. Vlaeminck, K. Raes, L. De Vuyst, S. De Smet, and F. Leroy. 2011. Linoleate isomerase activity occurs in lactic acid bacteria strains and is affected by pH and temperature: Linoleate isomerase in lactic acid bacteria. *J. Appl. Microbiol.*, 111 (3):593–606.
- Ha, Y. L., N. K. Grimm, and M. W. Pariza. 1987. Anticarcinogens from fried ground beef: heat-altered derivatives of linoleic acid. *Carcinogenesis*, 8 (12):1881–1887.
- Hammes, W. P., and R. F. Vogel. 1995. *The Genus Lactobacillus In: The Lactic Acid Bacteria*. B.J.B. Woo. Chapman and Hall, London, UK. 19-54 p.
- Harfoot, C., and G. Hazlewood. 1997. Lipid metabolism in the rumen. P. 382–426 in *The rumen microbial ecosystem*, Chapman & Hall, London, UK.
- Havenaar, R., B. Ten Brink, and J. H. J. Huis In't Veld. 1992. Selection of strains for probiotic use. P. 151–170 in *Probiotics: The Scientific Basis*, R. Fuller (ed.). Chapman & Hall, London, UK.
- Heimbach, J. T. 2012. *Generally Recognized as Safe (GRAS) Determination for the Use of Lactobacillus casei Strain Shirota As a Food Ingredient*. Yakults Honsha Co., Ltd.
- Hori, T., J. Kiyoshima, K. N. Shida, and H. Yasui. 2001. Effect of Intranasal Administration of. *Clin. Diagn. Lab. Immunol.*, 8 (3):593–597.
- Houseknecht, K. L., J. P. Vanden Heuvel, S. Y. Moya-Camarena, C. P. Portocarrero, L. W. Peck, K. P. Nickel, and M. A. Belury. 1998. Dietary conjugated linoleic acid normalizes impaired glucose tolerance in the Zucker diabetic fatty fa/fa rat. *Biochem. Biophys. Res. Commun.*, 244 (3):678–682.

- Ip, C., S. F. Chin, J. A. Scimeca, and M. W. Pariza. 1991. Mammary Cancer Prevention by Conjugated Dienoic Derivative of Linoleic Acid Mammary Cancer Prevention by Conjugated Dienoic Derivative of Linoleic Acid. *Cancer Res.*, 51:6118–6124.
- Ip, C., M. Singh, H. J. Thompson, and J. a Scimeca. 1994. Conjugated linoleic acid suppresses mammary carcinogenesis and proliferative activity of the mammary gland in the rat. *Cancer Res.*, 54 (5):1212–1215.
- Jiang, J., L. Björck, and R. Fondén. 1998. Production of conjugated linoleic acid by dairy starter cultures. *J. Appl. Microbiol.*, 85 (1):95–102.
- Kennedy, A., K. Martinez, S. Schmidt, S. Mandrup, K. LaPoint, and M. McIntosh. 2010. Antiobesity mechanisms of action of conjugated linoleic acid. *J. Nutr. Biochem.*, 21 (3):171–179.
- Kepler, C. R., K. P. Hirons, and S. B. Tove. 1966. Intermediates and Products of the Biohydrogenation of Linoleic Acid by Intermediates of Linoleic and Products of the Biohydrogenation Acid by *Butyrivibrio fibrisolvens*. *J. Biol. Chem.*, 241 (6):1350–1354.
- Khanal, R. C., and K. C. Olson. 2004. Factors affecting conjugated linoleic acid (CLA) content in milk, meat, and egg: a review. *Pakistan J. Nutr.*, 3 (2):82–98.
- Kishino, S. 2005. Production of conjugated fatty acids by lactic acid bacteria. Kyoto University. 355-364 p.
- Kishino, S., J. Ogawa, A. Ando, T. Iwashita, T. Fujita, H. Kawashima, and S. Shimizu. 2003. Structural analysis of Conjugated Linoleic Acid Produced by *Lactobacillus plantarum* and Factors Affecting Isomer Production. *Biosci. Biotechnol. Biochem.*, 67 (1):179–182.
- Kishino, S., J. Ogawa, Y. Omura, K. Matsumura, and S. Shimizu. 2002. Conjugated Linoleic Acid Production from Linoleic Acid by Lactic Acid Bacteria. *J. AOCS*, 79 (2):159–163.
- Kishino, S., S. B. Park, M. Takeuchi, K. Yokozeki, S. Shimizu, and J. Ogawa. 2011. Novel multi-component enzyme machinery in lactic acid bacteria catalyzing C=C double bond migration useful for conjugated fatty acid synthesis. *Biochem. Biophys. Res. Commun.*, 416 (1-2):188–193.
- Kishino, S., M. Takeuchi, S. B. Park, A. Hirata, N. Kitamura, J. Kunisawa, H. Kiyono, R. Iwamoto, Y. Isobe, M. Arita, H. Arai, K. Ueda, J. Shima, S. Takahashi, K. Yokozeki, S. Shimizu, and J. Ogawa. 2013. Polyunsaturated fatty acid saturation by gut lactic acid bacteria affecting host lipid composition. *Proc. Natl. Acad. Sci.*, 110 (44):17808–17813.

- Lee, K. N., D. Kritchevsky, and M. W. Pariza. 1994. Conjugated linoleic acid and atherosclerosis in rabbits. *Atherosclerosis*, 108 (1):19–25.
- Lee, Y. K., and S. Salminen. 2009. *Handbook of Probiotics and Prebiotics*. 2<sup>nd</sup> ed. New Jersey: John Wiley and Sons.
- Lin, H., T. D. Boylston, M. J. Chang, L. O. Luedecke, and T. D. Shultz. 1995. Survey of the conjugated linoleic acid contents of dairy products. *J. Dairy Sci.*, 78 (11):2358–2365.
- Lin, T. Y. 2006. Conjugated linoleic acid production by cells and enzyme extract of *Lactobacillus delbrueckii* ssp. *bulgaricus* with additions of different fatty acids. *Food Chem.*, 94 (1):437–441.
- Lin, T. Y., C. W. Lin, and Y. J. Wang. 2003. Production of conjugated linoleic acid by enzyme extract of *Lactobacillus acidophilus* CCRC 14079. *Food Chem.*, 83 (1):27–31.
- Lin, T. Y., C.-W. Lin, and C.-H. Lee. 1999. Conjugated linoleic acid concentration as affected by lactic cultures and added linoleic acid. *Food Chem.*, 67 (1):1–5.
- Liu, P., S. Shen, H. Ruan, Q. Zhou, L. Ma, and G. He. 2011. Production of conjugated linoleic acids by *Lactobacillus plantarum* strains isolated from naturally fermented Chinese pickles. *J. Zhejiang Univ. Sci. B*, 12 (11):923–930.
- Luo, X., L. Zhang, H. Li, S. Zhang, Y. Jiao, S. Wang, C. Xue, and R. Fan. 2013. Comparison of enzymatic activity of two linoleic acid isomerases expressed in *E. coli*. *Mol. Biol. Rep.*, 40 (10):5913–5919.
- Macouzet, M., B. H. Lee, and N. Robert. 2010a. Genetic and structural comparison of linoleate isomerases from selected food-grade bacteria: Linoleate isomerases from food-grade bacteria. *J. Appl. Microbiol.*, 109 (6):2128–2134.
- Macouzet, M., B. H. Lee, and N. Robert. 2009. Production of conjugated linoleic acid by probiotic *Lactobacillus acidophilus* La-5. 106:1886–1891.
- Macouzet, M., N. Robert, and B. H. Lee. 2010b. Genetic and functional aspects of linoleate isomerase in *Lactobacillus acidophilus*. *Appl. Microbiol. Biotechnol.*, 87 (5):1737–1742.
- Margolles, A., B. Mayo, and P. Ruas-Madiedo. 2009. In Handbook of Probiotics and Prebiotics. P. 4–24 in *In Handbook of Probiotics and Prebiotics*, John Wiley & Sons Inc. Hoboken.

- Matsuzaki, T., R. Yamazaki, S. Hashimoto, and T. Yokokura. 1997. Antidiabetic Effects of an Oral Administration *Lactobacillus casei* in a Non-Insulin-Dependent Mellitus (NIDDM) Model using KK-A<sup>y</sup> Mice of Diabetes. *Endocr. J.*, 44 (3):357–365.
- Moon, H. S., H. G. Lee, C. S. Chung, Y. J. Choi, and C. S. Cho. 2008. Physico-chemical modifications of conjugated linoleic acid for ruminal protection and oxidative stability. *Nutr. Metab. (Lond.)*, 5:16.
- Van Nieuwenhove, C. P., R. Oliszewski, S. N. González, and a. B. Pérez Chaia. 2007. Conjugated linoleic acid conversion by dairy bacteria cultured in MRS broth and buffalo milk. *Lett. Appl. Microbiol.*, 44 (5):467–474.
- Ogawa, J., S. Kishino, A. Ando, S. Sugimoto, K. Mihara, and S. Shimizu. 2005. Production of Conjugated Fatty Acids by Lactic Acid Bacteria. *J. Biosci. Bioeng.*, 100 (2):355–364.
- Park, S. J., K.-A. Park, C.-W. Park, W.-S. Park, J.-O. Kim, and Y.-L. Ha. 1996. Purification and Amino Acid Sequence of the Linoleate Isomerase Produced from *Butyrivibrio fibrisolvens* A-38. *J. Food Sci. Nutr.*, 1 (2):244–251.
- Park, Y. 2009. Conjugated linoleic acid (CLA): Good or bad trans fat? *J. Food Compos. Anal.*, 22:4–12.
- Park, Y., K. J. Albright, W. Liu, J. M. Storkson, M. E. Cook, and M. W. Pariza. 2004. Effect of conjugated linoleic acid on body composition in Mice. *Lipids*, 32 (8).
- Parker, R. B. 1974. Probiotics, the other half of the antibiotic story. *Anim. Nutr. Heal.*, 29:4–8.
- Parodi, P. W. 1994. Conjugated Linoleic Acid : an Anticarcinogenic Fatty Acid Present in Milk Fat. *Aust. J. Dairy Technol.*, 49 (2):93–97.
- Peng, S. S., M. De Deng, A. D. Grund, and R. a. Rosson. 2007. Purification and characterization of a membrane-bound linoleic acid isomerase from *Clostridium sporogenes*. *Enzyme Microb. Technol.*, 40 (4):831–839.
- Perdigon, B. Y. G., and S. Alvarez. 1991. Immunoadjuvant activity of oral *Lactobacillus casei* : influence of dose on the secretory immune response and protective capacity in intestinal infections. *J. Dairy Res.*, 58:485–496.
- Del Piano, M., L. Morelli, G. P. Strozzi, S. Allesina, M. Barba, F. Deidda, P. Lorenzini, M. Ballaré, F. Montino, M. Orsello, M. Sartori, E. Garelo, S. Carmagnola, M. Pagliarulo, and L. Capurso. 2006. Probiotics: from research to consumer. *Dig. Liver Dis.*, 38:248–255.

- Rao, C. V., M. E. Sanders, C. Indranie, B. Simi, and B. S. Reddy. 1999. Prevention of colonic preneoplastic lesions by the probiotic *Lactobacillus acidophilus* NCFMTM in F344 rats. *Int. J. Oncol.*, 14 (5):939–944.
- Reid, G., M. E. Sanders, H. R. Gaskins, G. R. Gibson, A. Mercenier, R. Rastall, M. Roberfroid, I. Rowland, C. Cherbut, and T. R. Klaenhammer. 2003. New scientific paradigms for probiotics and prebiotics. *J. Clin. Gastroenterol.*, 37 (2):105–118.
- Roman-Nunez, M. 2005. Production of Conjugated Linoleic Acid by *Lactobacillus reuteri*. Oklahoma State University.
- Rosberg-Cody, E., A. Liavonchanka, C. Göbe, R. P. Ross, O. O’Sullivan, G. F. Fitzgerald, I. Feussner, and C. Stanton. 2011. Myosin-cross-reactive antigen (MCRA) protein from *Bifidobacterium breveis* a FAD-dependent fatty acid hydratase which has a function in stress protection. *BMC Biochem.*, 12 (9):1471–2091.
- Ross, R. P., S. Mills, C. Hill, G. F. Fitzgerald, and C. Stanton. 2010. Specific metabolite production by gut microbiota as a basis for probiotic function. *Int. Dairy J.*, 20 (4):269–276.
- Rowland, I. R., C. J. Rumney, J. T. Coutts, and L. C. Lievens. 1998. Effect of *Bifidobacterium longum* and inulin on gut bacterial metabolism and carcinogen-induced aberrant crypt foci in rats. *Carcinogenesis*, 19 (2):281–285.
- Shah, N. P. 2007. Functional cultures and health benefits. *Int. Dairy J.*, 17 (11):1262–1277.
- Shantha, N. C., L. N. Ram, J. O’leary, C. L. Hicks, and E. A. Decker. 1995. Conjugated Linoleic Acid Concentrations in Dairy Products as Affected by Processing and Storage. *J. Food Sci.*, 60 (4):695–697.
- Silva, R. R., L. B. O. Rodrigues, M. de M. Lisboa, M. M. S. Pereira, and S. O. S. O. de Souza. 2014. Conjugated Linoleic Acid (CLA): A Review. *Int. J. Appl. Sci. Technol.*, 4 (2).
- Soccol, C. R., L. P. D. S. Vandenberghe, M. R. Spier, A. B. P. Medeiros, C. T. Yamaguishi, J. De Dea Lindner, A. Pandey, and V. Thomaz-Soccol. 2010. The potential of probiotics: A review. *Food Technol. Biotechnol.*, 48 (4):413–434.
- Steinhart, C. 1996. Conjugated linoleic acid—the good news about animal fat. *J. Chem. Edu.*, 73 (12):A302–A303.
- Steinhart, H., R. Rickert, and K. Winkler. 2003. Identification and analysis of conjugated linoleic acid isomers (CLA). *Eur. J. Med. Res.*, 8 (8):370–2.

- Takeuchi, M., S. Kishino, S. B. Park, N. Kitamura, and J. Ogawa. 2015. Characterization of hydroxy fatty acid dehydrogenase involved in polyunsaturated fatty acid saturation metabolism in *Lactobacillus plantarum* AKU 1009a. *J. Mol. Catal. B Enzym.*, 117:7–12.
- Takeuchi, M., S. Kishino, K. Tanabe, A. Hirata, S. Park, and S. Shimizu. 2013. Hydroxy fatty acid production by *Pediococcus sp* . *Eur. J. Lipid Sci. Technol.*, 115:386–393.
- Volkov, A., A. Liavonchanka, T. Fiedler, and C. Goebel. 2010. Myosin Cross-reactive Antigen of *Streptococcus pyogenes* M49 Encodes a Fatty Acid Double Bond Hydratase That Plays a Role in Oleic Acid Detoxification and Bacterial Virulence. *J. Biol. Chem.*, 285 (14):10353–10361.
- Widodo, N. S. Anindita, T. T. Taufiq, and T. D. Wahyuningsih. 2014. Evaluation of Two *Lactobacillus* Strains as Probiotics with Emphasis in Utilizing Prebiotic Inulin as Energy Source. *Int. Res. J. Microbiol.*, 5 (3):33–40.
- Widodo, T. T. Taufiq, E. Aryati, A. Kurniawati, and W. Asmara. 2012. Human Origin *Lactobacillus casei* Isolated from Indonesian Infants Demonstrating Potential Characteristics as Probiotics in vitro. *Indones. J. Biotechnol.*, 17 (1):79–89.
- Yang, B., H. Chen, Y. Song, and H. Z. Á. W. Chen. 2013. Myosin-cross-reactive antigens from four different lactic acid bacteria are fatty acid hydratases. *Biotechnol. Lett*, 8:75–81.
- Yang, X. 1997. Isolation Identification and Characterization of its Linoleic Isomerase from *Lactobacillus reuteri*. University of Wisconsin-Madison.
- Zhao, W., Y. Li, and P. Gao. 2011. Validation of reference genes for real-time quantitative PCR studies in gene expression levels of *Lactobacillus casei* Zhang. *J Ind Microbiol Biotechnol*, :1279–1286.