

## DAFTAR PUSTAKA

- Abboud, M., Youssel, S., Podlecki, J., and Habchi, R., 2015, Superparamagnetic Fe<sub>3</sub>O<sub>4</sub> Nanoparticles, Synthesis and Surface Modification, *Mater. Sci. Semicond. Process*, 39, 641-648.
- Alvarez, P.M., Jaramillo, J., Lopez-Pinero, F., and Plucinski, P.K., 2010, Preparation and Characterization of Magnetic TiO<sub>2</sub> Nanoparticles and their Utilization for Degradation of Emerging Pollutants in Water, *Appl. Catal. B: Environ.*, 100, 338-345.
- Ansari, M.O., Khan, M.M., Ansari, S.A., and Cho, M.H., 2015, Electrically Conductive Polyaniline Sensitized Defective-TiO<sub>2</sub> for Improved Visible Light Photocatalytic and Photoelectrochemical Performance: A Synergistic Effect, *New J. Chem*, 39, 8381-8388.
- Atsuya, T., Mutsuo, S., 1997, *The Synthesis of a Photocatalyst Containing Ferromagnetic Metal Particles Dispersed in a Semiconducting Metal Matrix*, U.S. Patent, 703550.
- Beydoun, D., Amal, R., Low, G.K.C., and McEvoy, S., 2000, Novel Photocatalyst: Titania-Coated Magnetite. Activity and Photodissolution, *J. Phys. Chem. B.*, 104, 4387-4396.
- Castillo, R.R.V., Gracia, M.E.R., Mendoza, R.N., Ruiz, M.G., and Cortez-Lorenzo, F.A., 2013, Crystallographic Study of TiO<sub>2</sub> Obtained by Different Synthesis Methods, *Sci. Res.*, 1, 30-37.
- Chabungbam, S., Loh, G.C., Sahariah, M.B., Pal, A.R., and Pandey, R., 2016, Atomic Level Understanding of Site-Specific Interaction in Polyaniline/TiO<sub>2</sub> Composite, *Chem. Phys. Lett.*, 645, 144-149.
- Cheng, J.P., Ma, R., Chen, X., Shi, D., Liu, F., and Zhang, X.B., 2011, Effect of Ferric Ion on The Morphology and Size of Magnetite Nanocrystals Synthesized by Ultrasonic Irradiation, *Cryst. Res. Technol.*, 46, 723-730.
- Cheng, J.P., Ma, R., Li, M., Wu, J.S., Liu, F., and Zhang, X.B., 2012, Anatase Nanocrystals Coating on Silica-coated Magnetite: Role of Polyacrylic Acid Treatment and Its Photocatalytic Properties, *Chem. Eng. J.*, 210, 80-86.
- Chen, D., and Ray, K.A., 2001, Removal of Toxic Metal Ion from Waste by Semiconductor Photocatalysis, *Chem. Eng. Sci.*, 56, 1561-1570.

- Coronado, J.M., Fresno, F., and Hernandez-Alonso, M.D., 2013, *Design of Advanced Photocatalytic Material for Energy and Environmental Application*, Springer, New York.
- Cotton, F.A., Wilkinson, G., Murillo, A.C., and Bochmann, M., 1999, *Advanced Inorganic Chemistry*, 6<sup>th</sup> ed., John Willey and Sons Inc., Van Couver.
- Cristante, V.M., Araujo, A.B., Jorge, S.M.A., Florentino, A.O., Valente, J.P.S., and Padilha, P.M., 2006, Enhanced Photocatalytic Reduction of Hg(II) in Aqueous Medium by 2-Aminothiazole-Modified TiO<sub>2</sub> particles, *J. Braz. Chem. Soc.*, 17, 453-457.
- Fahlman, 2007, *Material Chemistry*, Springer, New York.
- Farimani, M.H.R., Shahtahmasebi, N., Roknabadi, M.R., Ghows, N., and Kazemi, A., 2014, Study of Structural and Magnetic Properties of Superparamagnetic Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub> Core-shell Nanocomposites Synthesized with Hydrophilic Citrate-modified Fe<sub>3</sub>O<sub>4</sub> Seeds via a Sol-gel Approach, *Physica E*, 53, 207-216.
- Gobara, H., El-Salamony, R., Mohamed, D., Mishrif, M., Moustafa, Y., and Gendy, T., 2014, Use of SiO<sub>2</sub>-TiO<sub>2</sub> Nanocomposite as Photocatalyst for the Removal of Trichlorophenol: A Kinetic Study and Numerical Evaluation, *Chem. and Mat. Res.*, 6(6), 63-82.
- Gramatyka, P., Nowosielski, R., and Sakiewicz, P., 2007, Recycling of Waste Electrical and Electronic Equipment, *JAMME*, 20, 535-538.
- Grieken, R.V., Aguado, J., María-José, M.L., and Marugán, J., 2005, Photocatalytic Gold Recovery from Spent Cyanide Plating Bath Solution, *Gold Bull.*, 38(4), 180-187.
- Hatimah, H., Wahyuni, E.T., Aprilita, N.H., 2009, Kajian Pengaruh Ion Cd(II) terhadap Efektivitas Fotoreduksi Ion Cu(II) yang Terkatalisis oleh TiO<sub>2</sub>, *Prosiding Seminar Nasional Penelitian, Pendidikan, dan Penerapan MIPA*, 16 Mei 2009, Yogyakarta.
- Ho, Y.S., 2004, Citation Review of Lagergren Kinetic Rate Equation on Adsorption Reactions, *Scientometrics*, 59(1), 171-177.
- Ho, Y.S., 2006, Review of Second-Order Models for Adsorption System, *J. Hazard. Mater.*, 164, 399-408.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *J. Chem. Rev.*, 95, 69-95.

- Hong, Y.R., Li, H.J., Zhang, Z.S., Li, Z.H., and Zheng, Y., 2009, Preparation and Characterization of Silica-Coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles used as Precursor of Ferrofluids, *Appl. Surf. Sci.*, 255, 3485-3492.
- Hou, X., Tian, Y., Zhang, X., Dou, S., Pan, L., Wang, W., Li, Y., and Zhao, J., 2015, Preparation and Characterization of Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub>/Bi<sub>2</sub>MoO<sub>6</sub> Composite as Magnetically Separable Photocatalyst, *J. Alloys Compd.*, 638, 214-220.
- Houshiar, M., Zebhi, F., Razi, Z.J., Alidoust, A., and Askari, Z., 2014, Synthesis of Cobalt Ferrite (CoFe<sub>2</sub>O<sub>4</sub>) Nanoparticles using Combustion, Coprecipitation, and Precipitation Methods; A Comparison Study of Size, Structural, and Magnetic Properties, *J. Magn. Magn. Mater.*, 371, 43-48.
- Huang, X., Wang, G., Yang, M., Guo, W., and Gao, H., 2011, Synthesis of Polyaniline-Modified Fe<sub>3</sub>O<sub>4</sub>/SiO<sub>2</sub>/TiO<sub>2</sub> Composite Microspheres and their Photocatalytic Application, *Mat. Lett.*, 65, 2887-2890.
- Jachinto, G.V.M., Brolo, A.G., Corio, P., Suarez, P.A.Z., and Rubim, J.C., 2009, Structural Investigation of MFe<sub>2</sub>O<sub>4</sub> (M=Fe, Co) Magnetic Fluids, *J. Phys. Chem.*, 113, 7684-7691.
- Kirillov, V.L., Balaev, D.A., Semenov, S.V., Shaikhutdinov, K.A., 2014, Size Control in the Formation of Magnetite Nanoparticles in the Presence of Citrate Ions, *Mat. Chem. Phys.*, 145, 75-81.
- Kurniawan, C., 2008, Studi tentang Sifat Luminisensi Nanopartikel (Ca<sub>x</sub>Sr<sub>1-x</sub>) TiO<sub>3</sub>:RE (RE = Pr<sub>3+</sub>, Eu<sub>3+</sub>, dan Tb<sub>3+</sub>) yang Dipreparasi dengan Metode Sonikimia, *Tesis*, Jurusan Kimia ITB, Bandung.
- Lee, D.J., 1994, *Concise Inorganic Chemistry*, 4<sup>th</sup> ed., Chapman & Hall: London.
- Liao, G., Chen, S., Quan, X., Zhang, Y., and Zhao, H., 2011, Remarkable Improvement of Visible Light Photocatalysis with PANI Modified Core-shell Mesoporous TiO<sub>2</sub> Microspheres, *Appl. Catal. B: Environ.*, 102, 126-131.
- Li, X., Jiang, G., He, G., Zheng, W., Tan, Y., and Xiao, W., 2014, Preparation of Porous PPy-TiO<sub>2</sub> Composites: Improved Visible Light Photoactivity and the Mechanism, *Chem. Eng. J.*, 236, 480-489.
- Mascolo, M.C., Pei, Y., and Ring, T.A., 2013, Room Temperature Co-Precipitation Synthesis of Magnetite Nanoparticles in a Large pH Window with Different Bases, *Materials*, 6, 5549-5567.

- Masid, S., Tayade, R., and Rao, N.N., 2015, Efficient Visible Light Active Polyaniline/TiO<sub>2</sub> Nanocomposite Photocatalyst for Degradation of Reactive Blue 4, *Photon J.*, 119, 190-203.
- Milazzo, G., Caroli, S., and Sharma, V.K., 1978, *Tables of Standard Electrode Potentials*, Wiley, Chichester.
- Mital, G.S., and Manoj, T., 2011, A Review of TiO<sub>2</sub> Nanoparticles, *Chin. Sci. Bull.*, 56, 1639-1657.
- Mohaputra, P., Samantaray, S.K., and Parida, K., 2005, Photocatalytic Reduction of Hexavalent Chromium in Aqueous Solution Over Sulphate Modified Titania, *J. Photochem. Photobiol. A Chem.*, 170, 189-194.
- Nakata, K., and Fujishima, A., 2012, TiO<sub>2</sub> Photocatalysis: Design and Applications, *J. Photochem. Photobiol. C: Photochem. Rev.*, 13, 169-189.
- Olad, A., Behboudi, S., and Entezami, A.A., 2012, Preparation, Characterization and Photocatalytic Activity of TiO<sub>2</sub>/Polyaniline Core-Shell Nanocomposite, *Bull. Mater. Sci.*, 35, 801-809.
- Paclawski, K., and Fitzner, K., 2004, Kinetics of Gold(III) Chloride Complex Reduction Using Sulfur(IV), *Metall. Mater. Trans. B*, 35B, 1071-1085.
- Parajuli, D., Kawakita, H., Inoue, K., and Kajiyama, K., 2007, Persimmon Peel Gel for Selective Recovery of Gold, *Hydrometallurgy*, 87, 133-139.
- Park, H. and Choi, W., 2006, Visible-light-sensitized Production of Hydrogen using Perfluorosulfonate Polymer-Coated TiO<sub>2</sub> Nanoparticles: an Alternative Approach to Sensitizer Anchoring, *Langmuir*, 22, 2906-2911.
- Pauzan, M., Kato, T., Iwata, S., dan Suharyadi, E., 2013, Pengaruh Ukuran Butir dan Struktur Kristal terhadap Sifat Kemagnetan pada Nanopartikel Magnetit (Fe<sub>3</sub>O<sub>4</sub>), *Prosiding Pertemuan Ilmiah XXVII*, Solo, ISSN: 0853-0823.
- Qiu, R., Zhang, D., Diao, Z., Huang, X., He, C., Morel, J-L., and Xiong, Y., 2012, Visible Light Induced Photocatalytic Reduction of Cr(VI) Over Polymer-Sensitized TiO<sub>2</sub> and Its Synergism with Phenol Oxidation, *Water Research*, 46, 2299-2306.
- Radoicic, M., Saponjic, Z., Jankovic, I.A., Ciric-Marjanovic, G., Ahrenkiel, S.P., and Comor, M.I., 2013, Improvements to the Photocatalytic Efficiency of Polyaniline Modified TiO<sub>2</sub> Nanoparticles, *Appl. Catal. B: Environ.*, 136-137, 133-139.

- Rajendran, V., and Vijayalakshmi, R., 2012, Synthesis and Characterization of Nano-TiO<sub>2</sub> via Different Methods, *Arch. Appl. Sci. Res.*, 4(2), 1183-1190.
- Razak, S., Nawati, M.A., and Haitam, K., 2014, Fabrication, Characterization and Application of a Reusable Immobilized TiO<sub>2</sub>-PANI Photocatalyst Plate for the Removal of Reactive Red 4 Dye, *Appl. Surf. Sci.*, 319, 90-98.
- Ren, W., Ai, Z., Jia, F., Zhang, L., and Zou, Z., 2007, Low Temperature Preparation and Visible Light Photocatalytic Activity of Mesoporous Carbon Doped Crystalline TiO<sub>2</sub>, *J. Appl. Catal. Env.*, 69(3), 138-144.
- Shoubin, X., Long, J., Haigang, Y., Yuanqing, S., and Yi, D., 2011, Structure and Photocatalytic Activity of Polythiophen/TiO<sub>2</sub> Composite Particles Prepared by Photoinduced Polymerization, *Chin. J. Catal.*, 32, 536-545.
- Shrivastava, V.S., 2012, Photocatalytic Degradation of Methylene Blue Dye and Chromium Metal from Wastewater using Nanocrystalline TiO<sub>2</sub> Semiconductor, *Arch. Appl. Sci. Res.*, 4(3), 1244-1254.
- Stejskal, J., 2002, Polyaniline. Preparation of A Conducting Polymer (IUPAC Technical Report), *Pure Appl. Chem.*, 74(2), 857-867.
- Wahyuni, E.T., Aprilita, N.H., Hatimah, H., Wulandari, A.M., dan Mudasar, M., 2015, Removal of Toxic Metal Ions in Water by Photocatalytic Method, *Am. Chem. Sci. J.*, 5(2), 194-201.
- Wahyuni, E.T., Kuncaka, A., Sutarno, S., 2015, Application of Photocatalytic Reduction Method with TiO<sub>2</sub> for Gold Recovery, *Am. J. Appl. Chem.*, 3(6), 207-211.
- Wang, N., Zhu, L., Deng, K., She, Y., Yu, Y., and Tang, H., 2010, Visible Light Photocatalytic Reduction of Cr(VI) on TiO<sub>2</sub> in situ Modified with Small Molecular Weight Organic Acids, *Appl. Catal. B: Environ.*, 95, 400-407.
- Wojnicki, M., Tokarski, T., and Wolek, P., 2013, Kinetic Study of the Photoelectrochemical Gold Recovery from Diluted Chloride Solutions, *Arch. Metal. Mater.*, 58, 709-716.
- Yang, J-K., and Lee, S-M., 2006, Removal of Cr(VI) and Humic Acid by using TiO<sub>2</sub> Photocatalysis, *Chemosphere*, 63, 1677-1684.
- Yilmaz, F., 2007, Polyaniline: Synthesis, Characterization, Solution Properties and Composites, *Thesis*, Polymer Sciences and Technology, Middle East Technical University.



- Yoon, K.Y., Xue, Z., Fei, Y., Lee, J.H., Cheng, V., Bagaria, H.G., Huh, C., Bryant, S.L., Kong, S.D., Ngo, V.W., Rahmani, A-R., Ahmadian, M., Ellison, C.J., and Johnston, K.P., 2016, Control of Magnetite Primary Particle Size in Aqueous Dispersions of Nanoclusters for High Magnetic Susceptibilities, *J. Colloid Interface Sci.*, 462, 359-367.
- Zhang, H., Zong, R., Zhao, J., and Zhu, Y., 2008, Dramatic Visible Photocatalytic Degradation Performances Due to Synergetic Effect of TiO<sub>2</sub> with PANI, *Environ. Sci. Technol.*, 42, 3803-3807.
- Zagorny, M., Bykov, I., Melnyk, A., Lobunets, T., Zhygotsky, A., Pozniy, A., Shirokov, A., and Ragulya, A., 2014, Surface Structure, Spectroscopic and Photocatalytic Activity Study of Polyaniline/TiO<sub>2</sub> Nanocomposites, *J. Chem. Chem. Eng.*, 8, 118-127.