

DAFTAR PUSTAKA

- Bast, Jr. R. C., Hennessy, B., Mills, G. B. 2009. The Biology of Ovarian Cancer: New Opportunities for Translation. *Nat Rev Cancer*. 9: 415–428.
- Batagov, A. O., & Kurochkin, I. V. 2013. Exosome Secreted by Human Cells Transport Largely mRNA Fragments that are Enriched in the 3'-Untranslated Region. *Biology Direct*. 8:12
- Beach, A., Zhang, H. G., Ratajczak, M. Z., Kakar, S. S. 2014. Exosomes : An Overview of Biogenesis, Composition and Role in Ovarian Cancer. *Journal of Ovarian Research*. 7: 14.
- Bhatt, A. N., Mathur, R., Farooque, A., Verma, A., Dwarakanath, B. S. 2010. Cancer Biomarkers-Current Perspectives. Review Article. *Indian J Med Res*. 129-149.
- Bullock, M. D., Pickard, K. M., Nielsen, B. S., Sayan, A. E., Jenei, V., Mellone, M., Mitter, R., Primrose, J. N., Thomas, G. J., Packham, G. K., Mirenzami, A. H. 2013. Pleiotropic Actions of miR-21 Highlight the Critical Role of Deregulated Stromal microRNAs During Colorectal Cancer Progression. *Cell Death and Disease*. 4: 684.
- Cai, X., Hagedorn, C.H., Cullen, B.R. 2004. Human microRNAs are Processed from Capped, Polyadenylated Transcripts that can also Function as mRNAs. *RNA*. 10: 1957–1966.
- Calin, G. A., Sevignani, C., Dumitru, C. D., Hyslop, T, Noch, E., Yendamuri, S., Shimizu, M., Rattan, S., Bullrich, F., Negrini, M., Croce, C. M. 2004. Human microRNA Genes are Frequently Located at Fragile Sites and Genomic Regions Involved in Cancers. *Proc Natl Acad Sci*. 101(9): 2999–3004.
- Cannistra, S. A. 2004. Cancer of The Ovary. *N Engl J Med*. 351: 2519–2529.
- Chen, X., Ba, Y., Ma, L. et al. 2008. Characterization of microRNAs in Serum: A Novel Class of Biomarkers for Diagnosis of Cancer and Other Diseases. *Cell Res*. 18: 997–1006
- Chao, A., Lai, C. H., Chen, H. C., Lin, C. Y., Tsai, C. L., Tang, Y. H., Huang, H. J., Lin, C. T., Chen, M. Y., Huang, K. G., Chou, H. H., Chang, T. C., Chen, S. J., Wang, T. H. 2014. Serum microRNA in Clear Cell Carcinoma of the Ovary. *Taiwanese Journal of Obstetric & Gynecology*. 53: 536-541.

- Cho, K. R., Shih, L. M. 2009. Ovarian cancer. National Institutes of Health. *Annu Rev Pathol.* 4: 287–313.
- Cui, J., Joanna, B., Eldredge, Xu, Y., Puett, D. 2011. MicroRNA Expression and Regulation in Human Ovarianm Carcinoma Cells by Luteinizing Hormone. *Plos One.* 6(7): e21730.
- Dahlan, M. S. 2010. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, Edisi 3. Salemba Medika : Jakarta
- Dileva, G., & Croce, C.M. 2013. The Role of microRNAs in the Tumorigenesis of Ovarian Cancer. *Front Oncol.* 3: 153.
- Eastlack, S. C., & Alahari, S. K. 2015. microRNA and Breast Cancer: Understanding Pathogenesisi Improving Management. Review. *Non-Coding RNA.* 1(1): 17-43.
- El-Hefnawy, T., Raja, S., Kelly, L., et al. 2004. Characterization of amplifiable, circulating RNA in Plasma and Its Potential as a Tool for Cancer Diagnostics. *Clin Chem.* 50: 564–73.
- Fujita, S., Ito, T., Mizutani, T., Minoguchi, S., Yamamichi, N., Sakurai, K., Iba, H. 2008. miR-21 Gene Expression Triggered by AP-1 is Sustained Through a Double-Negative Feedback Mechanism. *J Mol Biol.* 378: 492–504.
- Furuya, M. 2012. Ovarian Cancer Stroma: Pathophysiology and the Roles in Cancer Development. Review. *Cancer.* 4: 701-724.
- Girolimetti, G., Perrone, A. M., Santini, D., Barbieri, E., Guerra, F., Ferrari, S., Zamagni, C., Iaco, P. D., Gasparre, G., Turchetti, D. 2014. BRCA-Associated Ovarian Cancer: from Molecular Genetics to Risk Management. Review Article. *Biomed Research International.* 1-11.
- Graeff, P. de., Crijns, A. P. G., Hoor, K. A. T., Klip, H. G., Hollema, H., Oien, K., Bartlett, J. M., Wisman, G. B. A., Bock, G. H, de., Vrie, E. G. E, de., Jong, S, de., Zee, A. G. J. van der. 2008. The ErbB Signallig Pathway: Protein Expression and Prognostic Value in Epithelil Ovarian Cancer. *British Journal of Cancer.* 99: 341-349.
- Han, L., Yue, X., Zhou, X., Lan, F. M., You, G., Zhang, W., Zhang, K.L., Zhang, C. Z., Cheng, J. Q., Yu, S. Z., Pu, P. Y., Jiang, T., Kang, C. S. 2012. MicroRNA 21 Expression is Regulatd by Putative STAT3/STAT3 Pathway and Promotes Glioma Cell Invasion by Direct Targeting RECK. *CNS Nourosience & Therapeutics.* 18: 573-583.

- Hannafon, B. N., & Ding, W. Q. 2013. Intercellular Communication by Exosome-Derived microRNAs in Cancer. *Review. Int. J. Mol. Sci.* 14: 14240-14269.
- He, C., Lv, X., Hua, G., Lele, S. M., Remmenga, S., Dong, J., Davis, J. S., Wang, C. 2015. YAP form Autocrine Loops with ERBB Pathway to Regulate Ovarian Cancer Initiation and Progression. *Oncogen.* 34(50): 6040-6054.
- He, L., Wang, H.Y., Zhang, L., Huang, L., Li, J.D., Xiong, Y., Zhang, M. Y., Jia, W. H., Yun, J. P., Luo, R. Z., Zheng, M. 2014. Prognostic Significance of Low Dicer Expression Regulated by Mir-130a in Cervical Cancer. *Cell Death and Disease.* 5: e1205; doi:10.1038/cddis.
- Hirata, H., Ueno, K., Shahryari, V., Deng, G., Tanaka, Y., Tabatabai, Z.L., Hinoda, Y., Dahiya, R. 2013. MicroRNA-182-5p Promotes Cell Invasion and Proliferation by Down Regulating FOXF2, RECK and MTSS1 Genes in Human Prostate Cancer. *Plos One.* 8(1): 1-12.
- Hirata, Y., Murai, N., Yanaihara, N., Saito, M., Saito, M., Urashima, M., Murakami, Y., Matsufuji, S., Okamoto, A. 2014. MicroRNA-21 is a Candidate Driver Gene for 17q23-25 Amplification in Ovarian Clear Cell Carcinoma. *BMC Cancer.* 14: 799.
- Hong, F., Li, Y., Xu, Y., Zhu, L. 2013. Prognostic Significance of Serum microRNA-221 Expression in Human Epithelial Ovarian Cancer. *Journal of International Medical Research.* 41(1): 64-71.
- Iorio, M. V., Visone, R., Di Leva, G., Donati, V., Petrocca, F., Casalini, P., Taccioli, C., Volinia, S., Liu, C. G., Alder, H. 2007. MicroRNA Signatures in Human Ovarian Cancer. *Cancer research.* 67(18): 8699-8707.
- Jacobs, I. J., dan Menon, U. 2004. Progress and Challenges in Screening for Early Detection of Ovarian Cancer. *Molecular & Cellular Proteomics.* 3(4): 355-366.
- Joung, J.G., Kim, D., Lee, S. Y., Kang, H. J., Kim, J. H. 2014. Integrated Analysis of Microrna-Target Interactions with Clinical Outcomes for Cancers. *BMC Medical Genomics.* 7 (1): S10.
- Kang, H. G., Kim, H. S., Kim, K. J., Oh, J. H., Lee, M. R., Seol, S. M., Han, I. 2007. RECK Expression in Osteocarcinoma: Correlation with Matrix Metalloproteinases Activaton and Tumor Invasiveness. *Journal of Orthopaedic Research.*

- Kim, Y. W., Kim, E. Y., Jeon, D., Liu, J. L., Kim, H. S., Choi, J. W., Ahn, W. S. 2014. Differential MicroRNA Expression Signatures and Cell Type-Specific Association with Taxol Resistance in Ovarian Cancer Cells. *Drug Design, Development and Therapy*. 8: 293–314.
- Kimura, T., Okada, A., Yatabe, T., Masashi, O., Toyama, Y., Noda, M., Okada, Y. 2010. RECK Is Up-Regulated and Involved in Chondrocyte Cloning in Human Osteoarthritic Cartilage. *The American Journal of Pathology*. 176 (6): 2858-2866.
- Kinose, Y., Sawada, K., Nakamura, K., Kimura, T. 2014. The Role of MicroRNAs in Ovarian Cancer. *BioMed Research International*.
- Kosaka, N., Iguchi, H., Ochiya, T. 2010. Circulating microRNA in Body Fluid New Potential Biomarker for Cancer Diagnosis and Prognosis. *Review article. Cancer sci*. 101(10): 2087-2092.
- Koutsaki. M., Demetrios. A., Spandidos. B., Zaravinos. A. 2014. Epithelial–Mesenchymal Transition-Associated miRNAs in Ovarian Carcinoma with Highlight on the miR-200 Family: Prognostic Value and Prospective Role in Ovarian Cancer Therapeutics. *Cancer Letters*. 351: 173–181.
- Krichevsky, A. M., & Gabriely, G. 2009. miR-21: a Small Multi-Faceted RNA. *J Cell Mol Med*. 13(1): 39–53.
- Kundarto, W., Setyarini, I. I., Kartika, A. I., Trirahmanto, A., Haryana, S. M. 2015. Ekspresi miRNA 21 pada Kanker Ovarium dalam Upaya Pengembangan Biomarker untuk Perbaikan Diagnosis. *Risbin Iptekdok*.
- Livak, K. J., Schmittgen, T. D. 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2^{-ΔΔCT} Method. *Journal of Methods*. 25: 402–408.
- Mo, Meng-Hsuan., Chen, L., Fu, Y., Wang, W., Fu. S. W. 2012. Cell-Free Circulating miRNA Biomarkers in Cancer. *(J) of Cancer*. 3: 432-448.
- Muller, L., Hong, C. S., Stolz, D. B., Watkins, S. C., Whiteside, T. 2014. Isolation of Biologically-Active Exosomes from Human Plasma. *J Immunol Methods*. 411: 55–65.
- Nam, E. J., Yoon, H., Kim, S. W., Kim, H., Kim, Y. T., Kim, J. H., Kim, J. W., Kim, S. 2008. MicroRNA Expression Profiles in Serous Ovarian Carcinoma. *Clin Cancer Res*. 14 (9): 2690-2695.
- Okamoto, T., Mandai, M., Matsumura, N., Yamaguchi, K., Kondoh, H., Amano Y., Baba, T., Hamanishi, J., Abiko, K., Kosaka, K., Murphy, S. K., Mori, S., Konishi, I. 2013. Hepatocyte Nuclear Factor-1 β (HNF-1 β) Promotes

Glucose Uptake and Glycolytic Activity in Ovarian Clear Cell Carcinoma. *Molecular Carcinogenesis*.

- Pink, R. C., Samuel, P., Massa, D., Caley, D. P., Brooks, S. A., Carter, D. R. F. 2015. The Passenger Strand miR-21-3p Plays a Role in Mediating Cisplatin Resistance in Ovarian Cancer Cells. *Gynecologic Oncology*. 137: 143-151.
- Qu, H., Xu, W., Huang, Y., Yang, S. 2011. Circulating miRNAs: Promising Biomarkers of Human Cancer. *Asian Pacific Journal of Cancer Prevention*. 12: 1117-1125.
- Resnick, K. E., Alder, H., Hagan, J. P., Richardson, D. L., Croce, C. M., Cohn, D. E. 2009. The Detection of Differentially Expressed microRNAs from the Serum of Ovarian Cancer Patients Using a Novel Real-Time PCR Platform. *Gynecol Oncol*. 112: 55-59.
- Schaefer, A., Jung, M., Miller, K., Lein, M., Kristiansen, G., Erbersdoblers, A., Jung, K. 2010. Suitable Reference Genes for Relative Quantification of miRNA Expression in Prostate Cancer. *Journal of Experimental and Molecular Medicine*. 42 (11): 749-758.
- Schilder, R. J., Schink, J. C., Teng, N., Werner, T. L. 2011. Epithelial Ovarian Cancer. *Journal of the National Comprehensive Cancer Network*. 9 (1): 82-113.
- Shapira, Oswald, M., Lovecchio, J., Khalili, H., Menzin, A., Whyte, J., Santos, L. D., Liang, S., Bhuiya, T., Keogh, M., Mason, C., Sultan, K., Budman, D., Gregersen, P. K., Lee, A. T. 2013. Circulating Biomarkers for Detection of Ovarian Cancer and Predicting Cancer Outcomes. *British Journal of Cancer*. 110 : 976-983.
- Siddesha, J. M., Valente, A. J., Yoshida, T., Sakamuri, S. S. V. P., Delafontaine, P., Iba, H., Noda, M., Chandrasekar, B. 2014. Docosahexaenoic Acid Reverses Angiotensin II-Induced RECK Suppression and Cardiac Fibroblast Migration. *Cell Signal*. 26 (5): 933-941.
- Suryawanshi, S., Vlad, A. M., Lin, H. M., Smaldone, G.M., Laskey, R., Lee, M. J., Lin, Y., Donnellan, N., Pate, M.K., Lee, T., Mansuria, S., Esshaev, E., Budi, R., Edwards, R. P., Huang, X. 2013. Plasma MicroRNAs as Novel Biomarkers for Endometriosis and Endometriosis-Associated Ovarian Cancer. *American Association for Cancer Research*.
- Takahashi, Chiaki, Sheng, Z., Thomas, P., Horan., Kitayama, H., Maki, M., Hitomi, K., Kitaura, Y. 1998. Regulation of Matrix Metalloproteinase-9 and Inhibition of Tumor Invasion by the Membrane-Anchored

Glycoprotein RECK. *Proceedings of the National Academy of Sciences*. 95 (22): 13221–13226. doi:10.1073/pnas.95.22.13221.

- Taylor, D. D., Gercel-Taylor, C. 2008. MicroRNA Signatures of Tumor-Derived Exosomes as Diagnostic Biomarkers of Ovarian Cancer. *Gynecol Oncol*. 110: 13–21.
- Vargas, I. M. E., Valiyeva, F., Mejia, P. E. V. 2014. Upregulation of miR-21 in Cisplatin Resistant Ovarian Cancer Via JNK-1/c-Jun Pathway. *Plos One*. 9 (5).
- Vecchione, A., Belletti, B., Lovat, F., Volinia, S., Chiappetta, G., Giglio, S., Sonogo, M., Cirombella, R., Onesti, F.C., Pellegrini, P., Califano, D., Pignata, S., Losito, S., Canzonieri, V., Sorio, R., Alder, H., Wernicke, D., Stoppacciaro, A., Baldassarre, G., Croce, C.M. 2013. A microRNA Signature Defines Chemoresistance in Ovarian Cancer Through Modulation of Angiogenesis. *PNAS*. 110 (24): 9845-9850.
- Wang, P., Zhuang, L., Zhang, J., et al. 2014. The Serum miR-21 Level Serves as a Predictor for the Chemosensitivity of Advanced Pancreatic Cancer and miR-21 Expression Confers Chemoresistance by Targeting FasL. *Mol Oncol*. pii: S1574- 7891(12)00109-3.
- Xie, Z., Cao, L., Zhang, J. 2013. MiR-21 Modulates Paclitaxel Sensitivity and Hypoxia-Inducible Factor-1 α Expression in Human Ovarian Cancer Cells. *Oncology Letters*. 6: 795-800.
- Xu, Y. Z., Xi, Q. H., Ge, W. L., Zhang, X. Q. 2013. Identification of Serum microRNA-21 as a Biomarker for Early Detection and Prognostic in Human Epithelial Ovarian Cancer. *Asian Pacific J Cancer Prev*. 14 (2): 1057-1060.
- Yeh, H. H., Tseng, Y. F., Hsu, Y. C., Lan, S. H., Wu, S. Y., Raghavaraju, G., Cheng, D. E., Lee, Y. R., Chang, T. Y., Chow, N. H., Hung, W. C., Liu, H. S. 2015. Ras Induces Experimental Lung Metastasis Through Up-Regulation of RbAp46 to Suppress RECK Promoter Activity. *BMC Cancer*. 15: 172-186.
- Yu, Z., Kastenmu, G, Hel, Y., Belcredi, P., Mo, G., Mendes, J., Wah, S., Ceglarek, U., Dahmen, N., Rokisch, H., Xie, Y., et al. 2014. Differences between Human Plasma and Serum Metabolite Profiles. *PlosOne*. 6 (7): e21230.
- Zaman, M. S., Maher, D. M., Jaggi, M., Chauha, C. 2012. Current Status and Implication of microRNA in Ovarian Cancer Diagnosis and Therapy. *Journal of ovarian research*. 5-44.

Zernecke, A., Bidzhekov, K., Noels, H., et al. 2009. Delivery of microRNA-126 by Apoptotic Bodies Induces CXCL12-Dependent Vascular Protection. *Sci Signal.* 2: ra81.

Zhang, B., Wang, Q., Pan, X. 2007. MicroRNAs and Their Regulatory Roles in Animals and Plants. *J. Cell Physiol.* 210: 279–289.

Zhao, Y., Srivastava, D.A. 2007. Developmental View of microRNA Function. *Trends Biochem Sci.* 32: 189-97.