

## Daftar Pustaka

- Alhamda, S., & Sriani, Y. (2015). *Buku Ajar Ilmu Kesehatan Masyarakat*. Padang: Politeknik Kesehatan Padang.
- Al-Hazzaa, H. M., Bahussain, N. A., Al-Sobayel, H., Qahwaji, D. M., & Musaiker, A. O. (2012). Lifestyle factors associated with overweight and obesity among Saudi adolescents. *BMC Public Health*, *12*(354).
- Almatsier, S. (2010). *Prinsip Dasar Ilmu Gizi* (IV). Jakarta: PT Gramedia Pustaka Utama.
- Al-Nuaim, A. A., Al-Nakeeb, Y., Lyons, M., Al-Hazzaa, H. M., Nevill, A., Collins, P., & Duncan, M. J. (2012). The prevalence of physical activity and sedentary behaviours relative to obesity among adolescents from Al-ahsa, Saudi Arabia: Rural versus urban variations. *Journal of Nutrition and Metabolism*, *2012*.
- Anic, G. ., Titus-Ernstoff, L., & Newcomb, P. . (2010). Sleep Duration and Obesity in Older Australian Adults. *Sleep Medical*, *11*, 447–451.
- Anies. (2006). *Waspada Ancaman Penyakit Tidak Menular: Solusi Pencegahan dari Aspek Perilaku dan Lingkungan*. Jakarta: PT Elex Media Komputindo.
- Arundhana, A. I. (2013). *Pola Perilaku Sedentari Merupakan Faktor Risiko Kejadian Obesitas Pada Anak Sekolah Dasar di Kota Yogyakarta dan Kabupaten Bantul*. Universitas Gadjah Mada.
- Bagudai, S., Nanda, P., & Kodidala, S. R. (2014). Prevalence of Obesity & Hypertension in Adolescent School Going Children of Berhampur, Odisha, India. *International Journal of Physiotherapy and Research*, *2*(6), 777–780.
- Baradero, M., Dayrit, M. W., & Siswadi, Y. (2005). *Klien Gangguan Kardiovaskular*. Jakarta: EGC.
- Barlow, S. E., Dietz, W. H., & Expert Committee. (2007). Expert Committee Recommendations Regarding the Prevention, Assessment, and Treatment of Child and Adolescent Overweight and Obesity: Summary Report. *Pediatrics*, *120*(Supplement), S164–S192.
- Beccuti, G., & Pannain, S. (2013). Sleep and Obesity. *Journal Clinical Nutrition Metabolism Care*, *14*(4), 402–412.
- Behrman, R., Kliegman, R., & Arvin, A. (2000). *Ilmu Kesehatan Anak*. (S. Wahab, Ed.) (1st ed.). Jakarta: EGC.
- Besson, H., Brage, S., Jakes, R. W., Ekelund, U., & Wareham, N. J. (2010). Estimating physical activity energy expenditure, sedentary time, and physical activity intensity by self-report in adults. *American Journal Clinical Nutrition*, *91*(1), 106–114.



Beunza, J. J., Martínez-González, M. A., Ebrahim, S., Bes-Rastrollo, M., Núñez, J., Martínez, J. A., & Alonso, A. (2007). Sedentary behaviors and the risk of incident hypertension: the SUN Cohort. *American Journal of Hypertension*, 20 (11), 1156–62.

Blair, S. N., & Church, T. S. (2004). The fitness, obesity, and health equation: is physical activity the common denominator? *The Journal of American Medical Association*, 292(10), 1232–1234.

Bolinder, G., & Faire, U. de. (1998). Ambulatory 24-h blood pressure monitoring in healthy, middle-aged smokeless tobacco users, smokers, and nontobacco users. *American Journal of Hypertension*, 11(10), 1153–1163.

Brown, J. E., Isaacs, J., Krinke, B., Lechtenberg, E., Murtaugh, M. A., Sharbaugh, C., ... H.Wooldridge, N. (2011). *Nutrition Through the Life Cycle* (4th ed.). Wadsworth.

Burke, V., Beilin, L. J., Durkin, K., Stritzke, W. G. K., Houghton, S., & Cameron, C. A. (2006). Television, computer use, physical activity, diet and fatness in Australian adolescents. *International Journal of Pediatric Obesity*, 1(4).

Cameron, A. J., Welborn, T. A., Zimmet, P. Z., Dunstan, D. W., Owen, N., & Salmon, J. (2003). Overweight and Obesity in Australia: The 1999-2000 Australian Diabetes, Obesity and Lifestyle Study. *MJA*, 178, 427–432.

CDC. (2008). 2008 Physical Activity Guidelines for Americans - Fact Sheet for Health Professionals on Guidelines for Children and Adolescents. U.S Department of Health and Human Service.

CDC. (2011). Unhealthy Sleep-Related Behaviors.

CDC. (2015). High Blood Pressure.

Chaput, J. P., Lambert, M., & Gray-Donald, K. (2011). Short Sleep Duration Is Independently Associated With Overweight and Obesity in Quebec Children. *Canadian Journal of Public Health*.

Charney, P. (2008). Water, Electrolytes and Acid Base Balance. In *Krause's Food and Nutrition Therapy* (12th ed., pp. 150–151). Canada: Saunders Elsevier.

Chen, C., Asakawa, A., Fujimiya, M., Lee, S., & Inui, A. (2009). Ghrelin Gene Products and the Regulation of Food Intake and Gut Motility. *Pharmacological Reviews*, 61(4), 430–481.

Chen, M.-Y., Wang, E. K., & Jeng, Y.-J. (2006). Adequate sleep among adolescents is positively associated with health status and health-related behaviors. *Biomed Central (BMC) Public Health*, 6, 59.

Costanzi, C. B., Halpern, R., Rech, R. R., Bergmann, M. L. D. a., Alli, L. R., & Mattos, A. P. De. (2009). Associated Factors in High Blood Pressure Among School Children in a Middle Size City, Southern Brazil. *Jornal de Pediatria*, 85(4), 335–340.



- Crespo, C. J., Smith, E., Troiano, R. P., Bartlett, S. J., Macera, C. A., & Andersen, R. E. (2001). Television Watching, Energy Intake and Obesity in US Children. *JAMA Pediatric, 155*(3), 360–365.
- Dahl, R. E., & Lewin, D. S. (2002). Pathways to adolescent health sleep regulation and behavior. *Journal Adolescent Health, 31*(6), 175–184.
- Daniels, S. R., Arnett, D. K., Eckel, R. H., Gidding, S. S., Hayman, L. L., Kumanyika, S., ... Williams, C. L. (2005). Overweight in Children and Adolescent. *American Heart Association Journal, 111*(15).
- Davy, K. P., & Hall, J. E. (2004). Obesity and Hypertension: two epidemics or one. *American Journal of Physiology, 286*(5), 803–813.
- Delf, M. ., & Manning, R. T. (1996). *Major Diagnosis Fisik*. (A. Dhrarma, Ed.) (VI). Jakarta: EGC.
- Dencker, M., Thorsson, O., Karlsson, M., Linden, C., Wollmer, P., & Andersen, L. (2008). Daily physical activity related to aerobic fitness and body fat in an urban sample of children. *Scandinavian Journal of Medicine in Sport, 18*(6), 728–735.
- Destiany, V. (2012). Asupan tinggi natrium dan lama menonton tv sebagai faktor risiko hipertensi obesitik pada remaja awal. *Journal of Nutrition College, 1–23*.
- Dulloo, a G., Jacquet, J., Solinas, G., Montani, J.-P., & Schutz, Y. (2010). Body composition phenotypes in pathways to obesity and the metabolic syndrome. *International Journal of Obesity, 34 Suppl 2*(S2), S4-17.
- Dupuy, M., Godeau, E., Vignes, C., & Ahluwalia, N. (2011). Socio-demographic and lifestyle factors associated with overweight in a representative sample of 11-15 year olds in France: results from the WHO-Collaborative Health Behaviour in School-aged Children (HBSC) cross-sectional study. *BMC Public Health, 11*(1), 442.
- Dyer, A. R., Cutter, G. R., Liu, Ki., Armstrong, M. A., Friedman, G. D., Hughes, G. H., ... Manolio, T. (1990). Alcohol intake and blood pressure in young adults: The CARDIA study. *Journal of Clinical Epidemiology, 43*(1), 1–13.
- Efendi, F., & Makhfudli. (2009). *Keperawatan Komunitas: Teori dan Praktik dalam Keperawatan*. (Nursalam, Ed.). Jakarta: Salemba Medika.
- Eisenmann, J. C., Bartee, R. T., Smith, D. T., Welk, G. J., & Fu, Q. (2008). Combined influence of physical activity and television viewing on the risk of overweight in US youth. *International Journal of Obesity (2005), 32*(4), 613–618.
- Farooqi, I., Jebb, S., & Langmack, G. (2004). Effects of recombinant leptin therapy in a child with congenital leptin deficiency, 879–884.
- Fasting, M. H., Nilsen, T. I. L., Holmen, T. L., & Vik, T. (2008). Life style related to blood pressure and body weight in adolescence: Cross sectional data from the Young-HUNT study, Norway. *BMC Public Health, 8*.



- Francis, L. A., Lee, Y., Birch, L. L., Lori, A., Lee, Y., & Leann, L. (2003). Parental Weight Status and Girls' Television Viewing, Snacking, and Body Mass Indexes. *Obesity Research, 11*(1), 143–151.
- Francischetti, E. A., & Genelhu, V. A. (2007). Obesity-hypertension: an ongoing pandemic. *International Journal of Clinical Practice, 61*(2), 269–280.
- Fukuda, S., Takeshita, T., & Marimoto, K. (2001). Obesity and Lifestyle. *Asian Medical Journal, 44*, 97–102.
- Gangwisch, J. E., Heymsfield, S. B., Boden-albala, B., Buijs, R. M., Kreier, F., Pickering, T. G., ... Malaspina, D. (2006). Short Sleep Duration as a Risk Factor for Hypertension Analyses of the First National Health and Nutrition Examination Survey. *American Heart Association Journal, 47*, 833–839.
- Garaulet, M., Ortega, F. ., & Ruiz, J. . (2011). Short Sleep duration is associated with increased obesity markers in European adolescents. *International Journal of Obesity, 35*, 1308–1317.
- Gidding, S. S., Dennison, B. A., Birch, L. L., Daniels, S. R., Gilman, M. W., Lichtenstein, A. H., ... Horn, L. Van. (2005). Dietary Recommendations for Children and Adolescents A Guide for Practitioners Consensus Statement From the American Heart Association Endorsed by the American Academy of Pediatrics, *112*, 2061–2075.
- Gottlieb, D. J., Redline, S., Nieto, F. J., Baldwin, C. M., Newman, A. B., & Resnick, H. E. (2006). Association of Usual Sleep Duration With Hypertension: The Sleep Heart Health Study. *SLEEP, 29*(8), 1009–1014.
- Grandner, M. A., & Kripke, D. F. (2013). Self-reported Sleep Complaints With Long and Short Sleep: A Nationally Representative Sample. *Psychosom Medical, 66*(2), 239–241.
- Gualillo, O., Lago, F., Gomez-Reino, J., Casanueva, F. F., & Dieguez, C. (2003). Ghrelin a widespread hormone: insight into molecular and cellular regulation of its expression and mechanism of action. *FEBS Letters, 552*(2–3), 105–109.
- Gunawan, L. (2001). *Hipertensi*. Yogyakarta: Kanisius.
- Guo, X., Zheng, L., Li, Y., Yu, S., Liu, S., Zhou, X., ... Sun, Y. (2011). Association Between Sleep Duration and Hypertension Among Chinese Children and Adolescent. *Clinical Cardiology, 34*(12), 774–781.
- Guyton, A., & Hall, J. (1997). *Buku Ajar Fisiologi Kedokteran*. (I. Setiawan, L. K. A. Tengadi, & A. Santoso, Eds.). Jakarta: EGC.
- Guyton, C. ., & Hall, J. . (1997). *Buku Ajar Fisiologi Kedokteran* (9th ed.). Jakarta: EGC.
- Haines, J., Neumark-sztainer, D., Wall, M., Story, M., & Personal, M. S. (2007). Personal, Behavioral, and Environmental Risk and Protective Factors for Adolescent Overweight. *Obesity, 15*(11).



- Hardy, L., Diaz, P. E., King, L., Cosgrove, C., & Bauman, A. (2010). SPANS - NSW Schools Physical Activity and Nutrition Survey, 1–22. diakses from [http://www.health.nsw.gov.au/pubs/2011/pdf/spans\\_2010\\_summary.pdf](http://www.health.nsw.gov.au/pubs/2011/pdf/spans_2010_summary.pdf)
- Hasdianah, Siyoto, H. S., & Peristyowati, Y. (2013). *Gizi, Pemantapan Gizi, Diet dan Obesitas*. Yogyakarta: Nuha Medika.
- Haynes, W. G. (2005). Role of Leptin in Obesity-Related Hypertension. *Experimental Physiology*, 90, 683–688.
- Heird, W. C. (2002). Parental feeding behavior and children's fat mass. *American Journal Clinical Nutrition*, 75(2), 451.
- Hidayat, A. (2006). *Pengantar Kebutuhan Dasar Tubuh Manusia*. Jakarta: Salemba Medika.
- Hidayat, A. A. A. (2008). *Pengantar Ilmu Kesehatan Anak untuk Pendidikan Kebidanan* (1st ed.). Jakarta: Salemba Medika.
- Hidayati, S., Irawan, R., & Hidayat, B. (2009). *Obesitas Pada Anak*. Surabaya: Divisi Nutrisi dan Penyakit Metabolik, Ilmu Kesehatan Anak, Fakultas Kedokteran Unair.
- Huriyati, E. (2004). *Aktivitas Fisik pada Remaja SLTP di Kota Yogyakarta dan Kabupaten Bantul serta Hubungannya dengan Kejadian Obesitas*. Universitas Gadjah Mada.
- Indra, M. R. (2006). Dasar Genetik Obesitas Viseral. *Jurnal Kedokteran Brawijaya*, 22(4), 10–17.
- Izzo, J. L., Levy, D., Black, H. R., Izzo, J. L., Levy, D., & Black, H. R. (2000). Importance of Systolic Blood Pressure in Older Americans, 35, 1021–1024.
- Janssen, I., & Leblanc, A. (2010). Systematic Review of the Health Benefits of Physical Activity and Fitness in School-Aged Children and Youth. *International Journal of Behavioral Nutrition and Physical Activity*, 7(40), 183–219.
- Kasjono, H. S., & Yasril. (2009). *Teknik Sampling Untuk Penelitian Kesehatan*. Yogyakarta: Graha Ilmu.
- Kemenkes RI. (2007). INASH MENYOKONG PENUH PENANGGULANGAN HIPERTENSI. Retrieved from <http://www.depkes.go.id/article/print/896/inash-menyokong-penuh-penangulangan-hipertensi.html>
- Kemenkes RI. (2010). *Riset Kesehatan Dasar*. Jakarta.
- Kemenkes RI. (2013). *Riset Kesehatan Dasar*. Jakarta.
- Khader, Y., Irshaidat, O., Khasawneh, M., & Amarin, Z. (2009). Overweight and Obesity Among School children in Jordan : Prevalence and Associated Factor. *Maternal Child Health Journal*, 13(3), 424–431.
- Kopelman, P. G. (2000). Obesity as a medical problem. *NATURE*, 404(April), 635–643.



- Kotian, M. S., Kumar, S. G., & Kotian, S. S. (2010). Prevalence and determinants of overweight and obesity among adolescent school children of South Karnataka, India. *Indian Journal of Community Medicine*, 35(1), 176–178.
- Kreuser, F., K., K.-H., A., G., U., K.-R., Kreuser, F., Kromeyer-Hauschild, K., ... U., K.-R. (2013). “Obese equals Lazy?” analysis of the association between weight status and physical activity in children. *Journal of Obesity*, 2013.
- Kusumah, I. (2007). *Panduan Diet Ala Rasulullah*. Jakarta: Qultum Media.
- Lahti-Koski, M., Pietinen, P., Heliövaara, M., & Vartiainen, E. (2002). Association of Body Mass Index and Obesity with Physical Activity, Food Choice, Alcohol Intake, Smoking in the 1982-1997 FINRISK Studies. *American Journal Clinical Nutrition*, 75, 809–817.
- Lamerz, A., Kuepper-Nybelen, J., Wehle, C., Bruning, N., Trost-Brinkhues, G., Brenner, H., ... Herpertz-Dahlman, B. (2005). Social Class, Parental Education and Obesity Prevalence in a Study of Six -year-old Children in Germany. *International Journal of Obesity*, 29, 373–380.
- Landsberg, L., Aronne, L. J., Beilin, L. J., Burke, V., Igel, L. I., Lloyd-Jones, D., & Sowers, J. (2013). Obesity-related hypertension: Pathogenesis, cardiovascular risk, and treatment—a position paper of the the obesity society and the American society of hypertension. *Obesity*, 21(1), 8–24.
- Lilyasari, O. (2007). Hipertensi Dengan Obesitas : Adakah Peran Endotelin-1 ? *Jurnal Kardiologi Indonesia*, 28(6), 460–475.
- Liou, Y. M., Liou, T.-H., & Chang, L.-C. (2010). Obesity among adolescent: sedentary leisure time and sleeping as determinants. *Journal of Advanced Nursing*, 66(6), 1246–1256.
- Liu, Y.-J., Xu, F.-H., Shen, H., Liu, Y.-Z., Deng, H.-Y., Zhao, L.-J., ... Deng, H.-W. (2004). A Follow-Up Linkage Study for Quantitative Trait Loci Contributing to Obesity-Related Phenotypes. *The Journal of Clinical Endocrinology & Metabolism*, 89(2), 875–882.
- Lobstein, T., Baur, L., & Uauy, R. (2004). Obesity in children and young people: A crisis in public health. Report to the World Health Organization by the International Obesity TaskForce. *Obesity Reviews*, 5(1), 4–104.
- Lu, X., Shi, P., Luo, C.-Y., Zhou, Y.-F., Yu, H.-T., Guo, C.-Y., & Wu, F. (2013). Prevalence of hypertension in overweight and obese children from a large school-based population in Shanghai, China. *Biomed Central (BMC) Public Health*, 13, 24.
- Maffeis, C., Talamini, G., & Tato, L. (1998). Influence of diet , physical activity and parents ’ obesity on children ’ s adiposity : a four-year longitudinal study. *International Journal of Obesity*, 22, 758–764.
- Marfuah, D. (2013). *Durasi dan Kualitas Tidur Hubungannya dengan Obesitas Pada Anak Sekolah Dasar Di Kota Yogyakarta dan Kabupaten Bantul*. Universitas Gadjah Mada.



- Martinez-Gomez, D., Tucker, J., Heelan, K. A., Welk, G. J., & Eisenmann, J. C. (2009). Association Between Sedentary Behavior and Pressure in Young Children. *Pediatric Adolescent Medical*, 163(8), 724–730.
- Martorell, R., Khan, L. K., Hughes, M. L., & Grummer-strawn, L. M. (1998). Obesity in Latin American Women and Children. *Journal of Nutrition*, (128), 1464–1473.
- Mazor Aronovitch, K., Lotan, D., Modan-moses, D., Fradkin, A., & Pinhas-hamiel, O. (2014). Blood Pressure in Obese and Overweight Children and Adolescents. *IMAJ*, (3), 157–161.
- Melkevik, O., Torsheim, T., Iannotti, R. J., & Wold, B. (2009). Is spending time in screen-based sedentary behaviors associated with less physical activity: a cross national investigation. *International Journal of Behavioral Nutrition and Physical Activity*, 7(46).
- Mendoza, J. A., Zimmerman, F. J., & Christakis, D. A. (2007). Television viewing, computer use, obesity, and adiposity in US preschool children. *International Journal of Behavioral Nutrition and Physical Activity*, 4(44).
- Mirmiran, P., Kazemzadeh, R. S., & Farahani, S. J. (2010). Childhood Obesity in the Middle East. *Eastern Mediterranean Health Journal*, 16(9), 1109–1017.
- Monasta, L., GD, B., Cattaneo, A., Lutje, V., Ronfani, L., Lenthe, F. Van, & Brug, J. (2010). Etiology and Pathophysiology Early - Life Determinant of Overweight and Obesity: A Review of Systematic. *Obesity Reviews*, (10), 695–708.
- Moraes, A. C. F. De, Carvalho, H. B., Siani, A., Barba, G., Veidebaum, T., Tornaritis, M., ... Moreno, L. A. (2015). Incidence of high blood pressure in children—Effects of physical activity and sedentary behaviors: The IDEFICS study: High blood pressure, lifestyle and children. *International Journal of Cardiology*, 180, 165–170.
- Moraes, A. C. F. de, Fernandez, J. M., Carvalho, H. B., Meirhaeghe, A., Dallongeville, J., Kafatos, A., ... Moreno, L. A. (2014). Physical Activity Modifies the Associations between Genetic Variants and Blood Pressure in European Adolescents. *The Journal of Pediatrics*, 165(6), 1276–1277.
- Mota, J., Ribeiro, J., Santos, M. P., & Gomes, H. (2006). Obesity, Physical Activity, Computer Use, and TV Viewing in Portuguese Adolescents. *Pediatric Exercise Science*, 17, 113–121.
- National Institutes of Health. (2010). Physical Activity and Weight Control. *National Institute of Diabetes and Digestive and Kidney Diseases*, 2–4.
- Newnham, J. P., Cmfm, F., Moss, T. J. M., Nitsos, I., Sloboda, D. M., & Challis, J. R. G. (2002). Original article Nutrition and the early origins of adult disease. *Asia Pacific Journal Clinical Nutrition*, 11, 537–542.
- Nugraha, G. I. (2009). Etiologi dan Patofisiologi Obesitas. In R. R. Soegih & K. K. Wiramihardja (Eds.), *Obesitas Permasalahan dan Terapi Praktis* (I, p. 10). Jakarta: Sagung Seto.



- Ogden, C. L., Carroll, M. D., Kit, B. K., & Flegal, K. M. (2014). Prevalence of childhood and adult obesity in the United States, 2011-2012. *JAMA: The Journal of the American Medical Association*, 311(8), 806–14.
- Potter, P. ., & Perry, A. . (2005). *Buku Ajar Fundamental Keperawatan: Konsep, Proses dan Praktik*. 2004: EGC.
- Purushotham, D. R., Siddalingappa, H., Girish, G. N., Narayanappa, D., Sunil, B., & Rajanish, K. V. (2014). Study of blood pressure in overweight and obese school children between 5-15 years of age. *International Journal of Research in Health Sciences*, 2(2), 438–443.
- Rahajeng, E., & Tuminah, S. (2009). Prevalensi Hipertensi dan Determinannya di Indonesia. *Majalah Kedokteran Indonesia*, 59(12), 581–587.
- Rahmouni, K., Morgan, D. A., Morgan, G. M., Allin L, Ma., & Haynes, W. G. (2005). Role of Selective Leptin Resistance in Diet-included Obesity Hypertension. *Diabetes*, 54(7), 2012–2018.
- Reilly, J. J., Armstrong, J., Dorosty, A. R., Emmett, P. M., Ness, A., Rogers, I., ... Sherriff, A. (2005). Early life risk factors for obesity in childhood: cohort study. *British Medical Journal*, 330, 1357.
- Rey-Lopez, J., Vicente-Rodriguez, G., Biosca, M., & Moreno, L. A. (2008). Sedentary behaviour and obesity development in children and adolescents. *Nutrition, Metabolism & Cardiovascular Diseases*, 18(3), 242–351.
- Rodriguez, G., & Moreno, L. A. (2006). Is dietary intake able to explain differences in body fatness in children and adolescents? *Nutrition, Metabolism & Cardiovascular Diseases*, 16(4), 294–301.
- Rosner, B., Prineas, R., Daniels, S. R., & Loggie, J. (2000). Blood Pressure Differences between Blacks and Whites in Relation to Body Size among US Children and Adolescents, 151(10), 1007–1019.
- Safitrie, A., & Ardani, M. H. (2013). *PROSIDING KONFRENSI NASIONAL PPNI JATENG 2013 : Studi Komparatif Kualitas Tidur Perawat Shift dan Non Shift di Unit Rawat Inap dan Unit Rawat Jalan*. Semarang.
- Saing, J. H. (2005). Hipertensi pada Remaja. *Sari Pediatri*, 6(4), 159–165.
- Salvodri, M., Santrop, J. M., Garg, A. X., Truong, J., Suri, R., Mahmud, F., ... Clarck, W. F. (2008). Elevated Blood Pressure in Relation to Overweight and Obesity Among Children in a Rural Canadian Community. *Pediatrics*, 122(4).
- Sandjaja, & Sudikno. (2005). Prevalensi Gizi Lebih dan Obesitas Penduduk Dewasa di Indonesia. *Jurnal Gizi Indonesia*, (31), 1–7.



- Shi, Z., Taylor, A. W., Gill, T. K., Tuckerman, J., Adams, R., & Martin, J. (2010). Short sleep duration and obesity among Australian children. *Biomed Central (BMC) Public Health*, *10*(1), 609.
- Singh, M., Drake, C., Roehrs, T., Hudgel, D., & Roth, T. (2005). The association between obesity and short sleep duration: a population-based study. *J Clin Sleep Med*, *1*(4), 357–363.
- Snell, E. K., Adam, E. K., & Duncan, G. J. (2007). Sleep and the body mass index and overweight status of children and adolescents. *Child Development*, *78*(1), 309–323.
- Snyder, E. E., Walts, B., Pe, L., Chagnon, Y. C., Weisnagel, S. J., Rankinen, T., ... John, S. (2004). The Human Obesity Gene Map The Human Obesity Gene Map: The 2003 Update. *Obesity Research*, *12*(3), 369–439.
- Soekirman. (2000). *Ilmu Gizi dan Aplikasinya: Untuk Keluarga dan Masyarakat*. Jakarta: Depdiknas.
- Sorof, J., & Daniels, S. (2002). Obesity Hypertension in Children: A Problem of Epidemic Proportions. *Hypertension*, *40*(4), 441–447.
- Soudarssananne, M. B., Karthigeyan, M., Stephen, S., & Sahai, A. (2006). Key predictors of high blood pressure and hypertension among adolescents; a simple prescription for prevention. *Indian Journal of Community Medicine*, *31*(3).
- Spiegel, K., Tasali, E., Penev, P., & Cauter, E. Van. (2004). Brief communication: Sleep curtailment in healthy young men is associated with decreased leptin levels, elevated ghrelin levels, and increased hunger and appetite. *Annals of Internal Medicine*, *141*(11), 846–850.
- Steinbeck, K. S. (2004). Insulin resistance syndrome in children and adolescents: clinical meaning and indication for action. *International Journal of Obesity and Related Metabolic Disorders: Journal of the International Association for the Study of Obesity*, *28*(7), 829–32.
- Stenvinkel, P. (2000). Leptin and Blood Pressure. Is There a link? *Nephrology Dialysis Transplantation*, *15*(8).
- Suandi, I. (2004). Obesitas pada Remaja. In *Tumbuh Kembang Remaja dan Permasalahannya*. Yogyakarta: Sagung Seto.
- Sudargo, T., LM, H. F., Rosiyani, F., & Kusmayanti, N. A. (2014). *Pola Makan dan Obesitas*. Yogyakarta: Gadjah Mada University Press.
- Sunarti, E. (2004). *Mengasuh dengan Hati*. Jakarta: PT Elex Media Komputindo.
- Supartha, M., Suarta, I. K., Bagus, I., & Winaya, A. (2009). Hipertensi pada Anak. *Majalah Kedokteran Indonesia*, *59*(5), 221–230.



Syahrini, E. N., Susanto, H. S., & Udiyono, A. (2012). Erlyna Nur Syahrini Alumnus Fakultas Kesehatan Masyarakat UNDIP © 2012. *JURNAL KESEHATAN MASYARAKAT*, 1(2), 315–325.

Syarif, & Rusli, D. (2003). Childhood Obesity: Evaluation and Management Obesity. *National Obesity Symposium II*, 123–139.

Taheri, S. (2006). The link between short sleep duration and obesity: we should recommend more sleep to prevent obesity. *Sleep and Obesity*, 91(11), 881–884.

Taheri, S., Lin, L., Austin, D., Young, T., & Mignot, E. (2004). Short Sleep Duration Is Associated with Reduced Leptin, Elevated Ghrelin, and Increased Body Mass Index. *PLoS Medicine*, 1(3), e62.

Tammelin, T., Ekelund, U., Remes, J., & Nayha, S. (2007). Physical activity and sedentary behaviors among Finish Youth. *Medicine and Science in Sports and Exercise*, 39(7), 1067–1074.

Tanaka, Heizo, & Kokuba, Y. (2005). Epidemiology of Obesity in Japan. *JAMA: The Journal of the American Medical Association*, 48, 34–41.

Torrance, B., Mcguire, K. A., Lewanczuk, R., & Mcgavock, J. (2007). Overweight, physical activity and high blood pressure in children: a review of the literature. *Vascular Health and Risk Management*, 3(1), 139–149.

Tremblay, M. (2012). Letter to the Editor: Standardized use of the terms “sedentary” and “sedentary behaviours.” *Appl. Physiol. Nutr. Metab*, 542(February), 540–542.

U.S Department Of Health and Human Services. FOURTH REPORT ON Diagnosis, Evaluation, and Treatment of High Blood Pressure in Children and Adolescents (2005).

Umboh, A., Kasie, J., & Edwin, J. (2007). Hubungan Antara Resistensi Insulin dan Tekanan Darah pada Anak Obese. *Sari Pediatri*, 8(4), 289–293.

Vandelanotte, C., Sugiyama, T., Gardiner, P., & Owen, N. (2009). Association of Leisure-Time Internet and Computer Use With Overweight and Obesity, Physical Activity and Sedentary Behaviours. *Journal of Medical*, 11(3).

Wahyu, G. G. (2009). *Obesitas Anak* (yogyakarta). Yogyakarta: PT Bentang Pustaka.

Wang, Y., & Lobstein, T. (2006). Worldwide trends in childhood overweight and obesity. *International Journal of Pediatric Obesity*, 1(1), 11–25.

Wasserman, L., MS, & NASM-CPT. (2009). Fructose is a “Simple” Sugar. *Body Basic*.

WHO. (2000). *Obesity: Preventing and Managing the Global Epidemic* (WHO technical). Geneva: World Health Organization.

WHO. (2007). Growth reference 5-19 years.



WHO. (2014). Obesity. Retrieved April 7, 2015, from <http://www.wpro.who.int/mediacentre/factsheets/obesity/en/>

WHO. (2015). Raised Blood Pressure. Retrieved August 5, 2015, from [http://www.who.int/gho/ncd/risk\\_factors/blood\\_pressure\\_prevalence](http://www.who.int/gho/ncd/risk_factors/blood_pressure_prevalence)

Wong, S. L., & Leatherdale, S. T. (2009). Association Between Sedentary Behavior , Physical Activity , and Obesity : Inactivity Among Active Kids. *Preventing Chronic Diseases*, 6(1).

Yogiantoro. (2006). Hipertensi Esensial. dalam *Buku Ajar Ilmu Penyakit Dalam*. Jakarta: FK UI.