

DAFTAR PUSTAKA

- Achmad, T.H. (2004). Biomolecular mechanism of antioxidant activity on aging process: The new paradigm in the role and life care of active aging People, Procceding Simposium on Geriatri, Bandung.
- Angka, S.L dan Suhartono, M.T. (2000). Bioteknologi hasil laut. Pusat Kajian Sumberdaya Pesisir dan Lautan. Institut Pertanian Bogor, Bogor.
- Anonim. (1999). Definition of metabolic syndrome in definition, diagnosis and classification of diabetes mellitus. Geneva, World Helth Organization, Departement of Noncommunicable Disease Suveillance.
- Anonim. (2005). Official Methods of Analysis of Association of Official Analytical Chemests. AOAC, Inc. Arlington, Virginia.
- Anonim. (2008). Daftar Komposisi Bahan Makanan. Bharata. Jakarta.
- Anonim. (2012). Statistik Konsumsi Pangan tahun 2012. Pusat Data dan Sistim Informasi Pertanian. Sekretariat Jenderal Kementerian Pertanian RI.
- Anonim. (2013). Konsumsi Rata-rata per Kapita Setahun Beberapa Bahan Makanan di Indonesia, 2009-2013. <http://www.deptan.go.id/Indikator/tabe-15b-konsumsi-rata.pdf>. [18 Februari 2014].
- Anonim. (2015). Infodatin Pusat Data dan Informasi Kementrian Kesehatan RI. ISSN 2442-7659.
- Anonim. (2016). Global report on diabetes. WHO library cataloguing-in-publication data.
- Apriyantono, A. 2002. Pengaruh Pengolahan Terhadap Nilai Gizi dan Keamanan Pangan. Makalah ini disampaikan pada Seminar Online Kharisma ke-2, dengan Tema: Menjadi Ratu Dapur Profesional: Mengawal kesehatan keluarga melalui pemilihan dan pengolahan pangan yang tepat' Dunia Maya, 16-22 Desember 2002.
- Anwer, T. (2014). Melatonin ameliorates hyperinsulinemia, glucose intolerance and insulin resistance in STZ-Nicotinamide induced type 2 diabetic rats. International Journal of Pharmacy and Pharmaceutical Sciences, 6, 2: 133-136.

- Asp, N.G., Johansson, C.G., Hallmer, H. and Siljestrom, M. (1983). Rapid enzymatic assay of insoluble and soluble dietary fiber. *J Agric Food Chem* 31:476-482.
- Astawan, M. dan T. Wresdiyati. 2004. Diet sehat dengan makanan berserat. Tiga Serangkai Pustaka Mandiri. Solo
- Astawan, M. dan Widowati, S. (2005). Evaluasi mutu gizi dan indeks glikemik ubi jalar sebagai dasar pengembangan pangan fungsional. Laporan Hasil Penelitian Rusnas Diversifikasi Pangan Pokok. Institut Pertanian Bogor.
- Astawan, M. dan Wresdiyati, T. (2006). Diet sehat dengan makanan berserat. Tiga Serangkai Pustaka Mandiri. Solo.
- Banerjee, M. and Vats, P. (2014). Reactive metabolites and antioxidant gene polymorphisms in Type 2 diabetes mellitus. *Journal Redox Biology*, 2: 170–177.
- Baynes J.W. (1991) Role of oxidative stress in development of complications in diabetes. *Diabetes* 40, 405-412.
- Brennan, C.S. (2005). Dietary fibre, glycaemic response and diabetes. *Mol. Nutr. Food Rev.*, Vol. 49 (7): 716.
- Brouns, F., Bjorck, I., Frayn, K.N., Gibbs, A.L., Lang, V., Slama, G. and Wolever T.M.S. (2005). Glycaemic index methodology. *Nutrition Research Review*. Vol.18: 145-171.
- Chaplin, M. F. (2004). Carbohydrate analysis in encyclopedia of molecular cell biology and molecular medicine, R.A. Meyers (Ed.) Wiley -VCH, Weinheim, Vol. 2 pp. 243-275.
- Chen, C.C, Liu IM. Release of acetylcholine by Hon-Chi to raise insulin secretion in Wistar rats. *Neuroscience letter*. 2006; 117-21
- Chunk, H.S. and Shin, J.C. (2007). Characterization of antioxidant alkaloids and phenolic acids from anthocyanin-pigmented rice (*Oryza sativa* cv. Heugjinjubyeo). *Food Chemistry Journal*. 104:1670-1677.
- Close, D. C. and Christopher, L.B. (2003). The Ecophysiology of foliar anthocyanin. *Botanical Review* 69(2):149-161.
- Coffman, W.R. and Herrera, R.M. (1980). Hybridization of crop plants in rice. American Society of Agronomy Crop Science. S. Segoe Road. Madison. 511-522.

- Damardjati, D.S, dan Purwani, E.Y. (1991). Mutu beras. Dalam Padi-Buku 3. Balai Penelitian dan Pengembangan Pertanian, Pusat Penelitian dan Pengembangan Pertanian, Pusat Penelitian dan Pengembangan Tanaman Pangan, Bogor.
- Delzenne, N.M., Cani, P.D., Neyrinck, A. (2007). Modulation of glucagon like peptide-1 and energy metabolism by fruktooligosakarida and oligofruktose: experimental data. *Journal of Nutrition*. 137:2547S-51S.
- deMan, J.M. (1997). *Principles of Food Chemistry*, diterjemahkan oleh Kosasih Padmawinata. ITB, Bandung.
- Denardin, C.C., Walter, M., da Silva, L.P., Souto, G.D. and Fagundes, C.A. (2007). Effect of amylose content of rice varieties on glycemic metabolism and biological responses in rats. *Food Chemistry*. 105, 1474–1479.
- Dreher, M.L. (1987). *Handbook of Dietary Fiber*. Marcell Dekker, Inc. New York and Basel.
- Esteghamati, A, Eskandari, D, Mirmiranpour, H, Noshad, S, Mousavizadeh, Mostafa, Hedayati, M, Nakhjavani, M. 2012. Effects of metformin on markers of oxidative stress and antioxidant reserve in patients with newly diagnosed type 2 diabetes: A randomized clinical trial. *Clinical Nutrition xxx*, 1-7
- Febrianti, A., Dwiyantri, G., Siswaningsih, W. 2014. Pengaruh Suhu dan Lama Pemanasan Terhadap Aktivitas Antioksidan dan Total antosianin minuman sari ubi jalar ungu (*Ipomoea batatas L.*). *Jurnal sains dan teknologi kimia*. 5(2), 85-95.
- Fellows, P.J. (2000). *Food processing technology: principles and practice*, 2nd Ed. United States of America: Woodhead Publishing Limited and CRC Press LLC.
- Foster-Powel K.F, Holt, S.H.A. and Miller, J.C.B. (2002). International table of GI and glycemic load values . *American Journal of Clinical Nutrition*, 76 : 5-56.
- Fredriksson, H., Silverio J., Andersson R., Eliasson A.C. and Aman P. (1997). The influence of amylose and amylopectin characteristic on gelatinization and retrogradation properties of different starches. *Carbohydrate Polymer* 35:119-134.
- Galuh, A., Aprilia P, F., Kohartono, G., Novia, J., Widyawati, P.S., Suteja, A.M., dan Suseno, T.I.P. (2013). Perbedaan kandungan senyawa bioaktif dan aktivitas antioksidan tepung beras organik varietas lokal (putih varietas

cianjur, merah varietas Saodah, dan beras hitam varietas Jawa). *Prosiding Seminar Nasional: Menggagas Kebangkitan Komoditas Unggulan Lokal Pertanian dan Kelautan, Fakultas Pertanian Universtas Trunojoyo Madura*: 801-809.

Gandhi, G.R., Ignacimuthu, S. and Paulraj, M.G. (2011). Solanum torvum swartz. fruit containing phenolic compounds shows antidiabetic and antioxidant effects in streptozotocin induced diabetic rats. *Journal Food and Chemical Toxicology*, 49: 2725–2733.

Gellar, L., and Nansel, T.R. (2009). High and low glycemic index mixed meals and blood glucose in youth with type 2 diabetes or impaired glucose tolerance. *Journal of Pediatrics*, 154:455-458.

Gibney, M., Ian, A., Helen, M. (2003). *Nutrition and Metabolism*. Blackwell Publishing, United Kingdom.

Glauber, H.S., Rische, N., and Karnieli, E. (2014). Introduction to personalized medicine in diabetes mellitus. *Rambam Maimonides Medical Journal*. 5(1): e0002.

Hardoko. 2006. Pengaruh konsumsi kappa-karagenan terhadap glukosa darah tikus wistar jantan (*Ratus norvegicus*) Diabetes. *Jurnal Teknologi dan Industri Pangan*. Vol.XVII(1).

Harini, S., R., Roekistiningsih, & Rahmi, Y. (2010). Perbedaan Nilai Indeks Glikemik Beras Hitam (*Oryza sativa L. Indica*), Beras Merah (*Oryza nivara*), dan Beras Putih (*Oryza sativa*). Program Studi Ilmu Gizi FKUB, Malang.

Haryadi. (2006). *Teknologi Pengolahan Beras*. UGM Press. Yogyakarta.

Ho, E. and Bray, T.M. (1999). Antioxidants, NFKB activation and diabetogenesis. *Proceeding of The Society for Experimental Biology and Medicine*, 222: 205-213.

Hu, P., Zhao, H., Duan, Z., Linlin, Z., & Wu, D. (2004). Starch digestibility and the estimated glycemic score of different types of rice differing in amylose contents. *Journal of Cereal Science*, 40: 231–237.

Imam, M.U., Musa, S.N.A., Azmi, N.H. dan Ismail, M. (2012). Effects of white rice, brown rice and germinated brown rice on antioxidant status of type 2 diabetic rats. *Int. J. Mol. Sci.* 13(10): 12952-12969.

Inaguma, T., Han, J. and Isoda, H. (2011). Improvement of insulin resistance by Cyanidin 3-glucoside, anthocyanin from black beans through the up-

regulation of GLUT4 gene expression. BMC Proceedings 22nd European Society for Animal Cell Technology (ESACT) Meeting on Cell Based Technologies. Volume 5 supplement 8.

Indrasari, S.D. dan Adnyana. (2006). Preferensi konsumen terhadap beras merah sebagai sumber pangan fungsional. *Iptek Tanaman Pangan* Vol. 2(2).

Indrasari, S.D. (2011). Mengenal indeks glikemik beras. Balai Besar Penelitian Tanaman Padi, Subang.

Irawan, M.A. (2007). Glukosa dan Metabolisme Energi. *Jurnal Polton Sports Science & Performance Lab*, 1 (6): 1-5.

Jeong, S. M., Kim, S.Y., Kim., D. R., Jo, S.C., Nam, K.C., Ahm, D.U. and Lee, S.C. (2004). Effect of heat treatment on the antioxidant activity of extracts from citrus peels. *J-Agric. Food Chem.* 52 : 3389-3393.

Juliano, B.O. (1972). The rice caryopsis and its composition. dalam Houston, D.F (ed). *Rice chemistry and technology*. American Association of Chemists, Inc..St. Paul. Minnesona, pp.

Kaneda, I., Kubo, F. and Sakurai, H. (2006). Antioxidative compounds in the extracts of black rice brans. *Journal of Health Science*, 52(5) 495–511.

Kaneto, H., Kajimoto, Y., Miyagawa, J, Matsuoka, T., Fujitani, Y.U.,Mayahara, Y., Hanafusa, T., Matsuzawa, Y., Yamasak ,Y. And Hori, M. (1999). Beneficial effects f antioxidants in diabetes possible protection of pancreatic b-cells against glucose toxicity. *Diabetes* ;48:2398–406.

Kano, M., Takayanagi, T., Harada, K., Makino, K. and Ishikawa, F. (2005). Antioxidative activity of anthocyanins from purple sweet potato, *Ipomoera batatas* cultivar Ayamurasaki. *Biosci Biotechnol. Biochem.* 69(5): 979-988.

Kozuka, C., Yabiku, K., Takayama, C., Matsushita, M. and Shimabukuro, M. (2013). Natural food science based novel approach toward prevention and treatment of obesity and type 2 diabetes: recent studies on brown rice and γ -oryzanol. *Obes Res Clin Pract.*7(3):165-72.

Kristanti, D. (2015). Perbandingan efek diet beras merah (*Mandel handayani*) dan beras putih (IR64) *precooked* pada kadar glukosa darah, Antioksidan darah, profil mikrobiota, dan *short chain Fatty acids* (scfa) digesta tikus wistar hiperglikemia. Tesis. Program Studi Ilmu Dan Teknologi Pangan Fakultas Teknologi Pertanian, Universitas Gadjah Mada Yogyakarta

- Lai, M.W.K., Lee, Y., Chan, C.S., Sung, I.K., Wong, W.K., Wong, K.W., Yip, T.P. and Siu, S.C. (2014). Effect of low glycaemic index diet on blood glucose in chinese type 2 diabetic patients: randomized controlled trial. *posters diabetes research and clinical practice*, 106S1: S69.
- Lawrence, S.G., Musthafa, Z. and Seweang, A. (2000). Radikal bebas sebagai prediktor aterosklerosis pada tikus wistar diabetes melitus. *Jurnal Cermin Dunia Kedokteran*. 127: 32-33.
- Lee, D.W. and Kevin, S. G. (2002). Why leaves turn red: pigments called anthocyanins probably protect leaves from light damage by direct shielding and by scavenging free radicals. *American Sci*. 90(8):1-6.
- Lehninger, A.L. (1982). *Principles of Biochemistry*. Erlangga. Jakarta.
- Mansjoer, A., Triyanti, K., Savitri, R., Wardhani, W.I., dan Setiowulan, W. (2000). *Kapita Selekta Kedokteran*. Edisi ketiga. Media Aesculapius, Jakarta.
- Marsono, Y., dan Topping, D.L. (1993). Complex carbohydrates in Australian rice products-influence of microwave cooking and food processing. *Journal Food Science and Technology, LWT* 26: 364-370.
- Marsono, Y. (2004). *Serat Pangan dalam Perspektif Ilmu Gizi*. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Teknologi Pertanian UGM, Yogyakarta.
- Marsono, Y., Wiyono, P dan Zaki, U, (2013). Indeks Glikemik dan Sifat Hipoglikemik Pangan Fungsional untuk Penderita Diabetes, Berbasis Tepung Garut. Dalam Marliyati SA dan Hardiensyah (eds) *Prosiding C. Simposium Penelitian Terkini Pangan dan Gizi Bidang Inovasi Produk, Mutu dan Keamanan Pangan*. PERGIZI PANGAN INDONESIA, Jakarta. 1-11.
- Martínez, M.O., Díaz, P.O., Whitney, K., Bello-Pérez, L.A. and Simsek, S. (2011). Effect of the cooking on physicochemical and starch digestibility properties of two varieties of common bean (*Phaseolus vulgaris* L.) grown under different water regimes. *Food Chemistry* 129 : 358–365.
- Matsui, T., Ueda, T., Oki, T., Sugita, K., Terahara, N., and Matsumoto, K. (2001). α -glucosidase inhibitory action of natural acylated anthocyanins. 1. Survey of Natural Pigments with Potent Inhibitory Activity. *Journal Agricultural and Food Chemistry*., 49: 1948-1951.
- Matsui, T., Ebuchi, S., Kobayashi, M., Fukui, K., Sugita, K., Terahara, N. and Matsumoto, K. (2002). Anti-hyperglycemic Effect of Diacylated Anthocyanin Derived from Ipomoea batatas Cultivar Ayamurasaki Can Be

- Achieved through the α -Glucosidase Inhibitory Action. *Journal Agric.Food Chem.*, 50: 7244-7248.
- Maulida, D. dan Estiasih, T. (2014). Efek hipoglikemik polisakarida larut air umbi gadung (*Dioscorea Hispida*) dan alginat : kajian pustaka. *Jurnal Pangan dan Agroindustri* Vol.2(3),136-140.
- Mayes, P.A., (2003). Biosintesa Asam Lemak. *Dalam: Murray, R.K., Granner, D.K., Mayes, P.A., & Rodwell, V.W. Biokimia Harper*. Edisi 25. Jakarta: EGC, 222 – 22.
- Muchtadi. D., Palupi, N.S, dan Astawan, M. (1992). Petunjuk Laboratorium Metode Kimia Biokimia dan Biologi dalam Evaluasi Nilai Gizi Pangan Olahan. Bogor : Departemen Pendidikan dan Kebudayaan, Direktorat Jenderal Pendidikan Tinggi, Pusat Antar Universitas, Institut Pertanian Bogor.
- Murray, R.K., Granner, D.K., Mayes, P.A., Rodwell, V.W., (2009). *Biokimia Harper* 27th ed. Jakarta : EGC pp 119-79.
- Nam, S.H., Choi, S.P., Kang, M.Y., Koh, H.J., Kozukue, N. and Mendel, F. (2006). Antioxidative activities of bran extracts from twenty one pigmented rice cultivars. *Food Chemistry* 4: 613–620.
- Nishimune, T., Yakushiji T., Sumimoto, T., Taguchi, S., Konishi, Y., Nakahara, S., Ichikawa, T. and Kunita, N. (1991). Glycemic response and fiber content of some food. *Am J Clin Nutr.*, Vol.74 (1): 96-100.
- Pietta, P.G. 2000. Reviews: Flavonoids as antioxidants. *J Nat Prod* 63:1035-1042.
- Pokorny, J., Yanishlieva, N. and Gordon, M. (2001). *Antioxidants in food*. Cambridge, CRC Press. England.
- Poncomulyo, T. (2006). *Budidaya dan pengolahan rumput laut*. Agro Media Pustaka, Jakarta.
- Prakash A. (2001). *Antioxidant Activity*, Medallion Laboratories Analytical Progress, Vol. 19 (2).
- Pramitasari, R. (2014). Potensi antioksidatif minuman fungsional berbasis beras hitam (*Oryza Sativa L. Indica*) dan kedelai hitam (*Glycine Max L. Merr.*) untuk lansia penyandang diabetes mellitus tipe 2. *Tesis*. Sekolah Pascasarjana UGM, Yogyakarta.
- Prior, R. L., G. Cao, A. Martin, E. Sofic, J. McEwen, C. O'Brien, N. Lischner, M. Ehlenfeldt, W. Kalt, G. Krewer, dan C. M. Mainland. 1998. *Antioxidant*

Capacity As Influenced by Total Phenolic and Anthocyanin Content, Maturity, and Variety of Vaccinium species. *J. Agric. Food Chem* 46: 2686-2693.

Qi Sun, Donna Spiegelman, Rob M. van Dam, Michelle D. Holmes,; Vasanti S. Malik., Walter C. Willett, , ; Frank B. Hu, 2010. White Rice, Brown Rice, And Risk Of Type 2 Diabetes In US Men And Women FREE. *JAMA Internal Medicine, Arch Intern Med.* ;170(11):961-969

Ragnhild, A.L., Asp, N.L., Alexsen, M. and Ruben, A. (2004). Glicemic index : relevance for health, dietary recomendation and nutritional labeling. *Scandinavian Journal of Nutrition* 482:84-94.

Rahayu, L., R. Damayanti and T. Wikanta, (2006). Gambaran histopatologi pankreas tikus hiperglikemia setelah mengkonsumsi k-karagenan dan i-karagenan. *Journal Ilmu Kefarmasian Indonesia*, 4: 96-101.

Rahimi, R., Nikfar, S., Larijani, B., and Abdollahi, M. (2005). A review on the role of antioxidants in the management of diabetes and its complications. *Biomed Pharmacother.* 59(7):365-73.

Rajguru, N.R., Burgos, D.R., Gealy, C.H., Sneller. and Mc D. Stewar, J. (2002). Genetic diversity of red rice in arkansas. In *rice research studies*. Arkansas Agricultural Experiment Station, Fayetteville, Arkansas 72701. 99–104.

Reeves, P.G., Nielsen, F.H. and Fahey Jr, G.C. (1993). AIN-93 purified diets for laboratory rodents: Final report of the American Institute of Nutrition and ad hoc writing committee on the reformulation of the AIN-76A diet. *Journal Nutr.* 123:1939-1951.

Rice-Evans, C., Miller, N. J. and Paganga, G. (1997). Antioxidant properties of phenolic compounds. *Trends in Plant Science*, 2, 152–159.

Rimbawan, dan Nurbayani, R. (2013). Nilai indeks glikemik produk olahan gembili (*Dioscorea Esculenta*). *Jurnal Gizi dan Pangan*, 8(2): 145-150.

Rimbawan dan Siagian, A. (2004). Indeks gikemik pangan. Penebar Swadaya, Jakarta.

Rohman, A. dan Riyanto, S. (2005). Daya antioksidan ekstrak etanol daun kemuning (*Murraya paniculata* (I) Jack) Secara In Vitro. *Majalah Farmasi Indonesia*. 16 (3). 136 - 140.

- Sacks, D.B., Carbohydrates, In Tietz Fundam (2001). Fundamentals of Clinical Chemistry, Eds Burtis C.A, Ashwood E.R, 5th Edition, W.B. Saunders Company, USA:427-461
- Sancho, R.A.S. and Pastore, G. M. (2012). Evaluation of the effects of anthocyanins in type 2 diabetes. *Journal Food Research International*, 46: 378–386 .
- Santoso A. (2011). Serat pangan (dietary fiber) dan manfaatnya bagi kesehatan. Magistra No. 75.
- Sardesai, V. M. 2003. Introduction of Clinical Nutrition. 2nd ed. Marcel Dekker Inc. New York.
- Sasaki, R., Nishimura, N., Hoshino, H., Isa, Y., Kadowaki, M., Ichi, T., Tanaka, A., Nishiumi, S., Fukuda, I., Ashida, H., Horio, F. and Tsuda, T. (2007). Cyanidin 3-glucoside ameliorates hyperglycemia and insulin sensitivity due to downregulation of retinol binding protein 4 expression in diabetic mice. *Biochem Pharmacol*, 3;74(11):1619-27.
- Setyaningsih D., Anton A., Maya PS. 2010. Analisis Sensori untuk Industri Pangan dan Agro.
- Siregar, S.B. (1994). *Ransum Ternak Ruminansia*. Penebar Swadaya, Jakarta.
- Smith, D.C., Habito, R., Barnett, M. and Collier, G.R., 1996. Dietary guar gum improves insulin sensitivity in Streptozotocininduced diabetics rats. *Journal of Nutrition*. 127: 359-364.
- Sompong, R., Siebenhandl-Ehn, S., Linsberger-Martin, G. and Berghofer, E. (2011). Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *Food Chemistry* 124, 132–140.
- Sudarmadji, S., Haryono, B. dan Suhardi. (1997). Analisa Bahan Makan dan Pertanian. Liberty, Yogyakarta.
- Suardi, D. (2005). Potensi beras merah untuk peningkatan mutu pangan. *Jurnal Penelitian dan Pengembangan Pertanian (Indonesian Agricultural Research and Development Journal* 24(3) : 93-100.
- Sugiarto, A. (1987). Rumput Laut (Algae): Manfaat, Potensi dan Usaha Budidayanya. P3O-LIPI, Jakarta. 8 pp.

- Suryaningrum, T.D., Murtini, J.T. dan Erlina, M.D. (1991). Sifat Fisiko-kimia Karagenan dan Beberapa Lokasi Budidaya Rumput Laut di Indonesia. Sub Balai Penelitian Perikanan Laut Slipi. 75–76.
- Taguchi, Y. (1985). *Experimental Animals*. Tokyo: Clea Japan, Inc.
- Tiwari, A.K., and Rao, J.M. (2002). Diabetes mellitus and multiple therapeutic approaches of phytochemicals: Present status and future prospect. *Current Science* 83(1) ; 30-38.
- Tjokroprawiro, A. (1999). *Diabetes Mellitus, klasifikasi, diagnosis dan terapi*. Edisi 3. Gramedia, Jakarta. 1–16.
- Tungland, B.C. and Meyer, D. (2002). Nondigestible oligo-and polysaccharides (dietary fiber) : their physiology and role in human health and food. *Comprehensive Rev Food Sci Food Safety*, 3 : 90-109.
- Usov, A. I. (1998). Structural analysis of red seaweed galactans of agar and carrageenan. groups. *Food Hydrocolloids*, 12, 301–308.
- Van de Velde, F., Knutsen, S.H., Usov, A.I., Romella, H.S. and Cerezo, A.S. (2002), 1H and 13 C High Resolution NMR Spectroscopy of carrageenans: Application in Research and Industry, *Trend in Food Science and Technology*, 13, 73-92.
- Viswanathan, M., Donna, S., Vasudevan, S., Rajagopal, G., Biling, H., Kallingal, P., Mohan, A.R., Nicole, W., Kokila, A., Vasanti, M., Sabitha, R., Ramya, B, M., Kumar, H.J., Frank B, H., Walter, W., and Kamala, K. 2014. Effect of brown rice, white rice, and brown rice with legumes on blood glucose and insulin responses in overweight asian indians: A Randomized Controlled Trial. *Diabetes Technology & Therapeutics*. Vol. 16, No. 5: 317-325
- Waspadji, S., Suyono, S., Sukardji, K. dan Moenarko, R. (2003). *Indeks Glikemik Berbagai Makanan Indonesia Hasil Penelitian*. Jakarta : Balai Penerbit FKUI.
- Widowati, L. (2003). Pengaruh ekstrak biji *trigonella foenum-graecum l.* terhadap kadar gula darah, glutathion dan gambaran kerusakan sel- β pankreas pada tikus NIDDM. F-MIPA Universitas Indonesia, Program Studi Kefarmasian. 20–21, 66–73.
- Widowati, S., Astawan, M., Muchtadi, D. dan Wresdiyati, T. (2007). Pemanfaatan ekstrak teh hijau (*Camellia sinensis O. Kuntze*) dalam pengembangan beras pratanak fungsional. *Prosiding Seminar Nasional PATPI*.

- Widowati, S., Nurjanah, R. dan Amrinola, W. (2010). Proses pembuatan dan karakterisasi nasi sorgum instan. Prosiding Pekan Serealia Nasional, ISBN : 978-979-8940-29-3.
- Wikanta, T., Damayanti, R. Dan Rahayu, L. (2008). Pengaruh pemberian k-Karagenan dan i-karagenan terhadap penurunan kadar glukosa darah tikus hiperlipidemia. Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan Vol. 3 No. 2.
- Willet, W., Manson, J, and Liu, S. (2002). Glycemic index, glycemic load and risk of type 2 diabetes. American Journal Clinical Nutrition. 76(1):274S-280S.
- Winarti S., Ulya dan Dhini A. (2008). Ekstraksi dan stabilitas warna ubi jalar ungu (*Ipomoea Batatas L.*) sebagai pewarna alami. Jurnal Teknik Kimia, Vol.3 (1).
- Winarno, F.G. (1997). Kimia Pangan dan Gizi. Gramedia Pustaka Utama, Jakarta.
- Yangthong, M., Nongporn, H.T. and Phromkunthong, W. (2009). Antioxidant activities of four edible seaweeds from the southern coast of Thailand. Plant Foods Human Nutrition. 64 : 218-223.
- Yao, Y., Sang, W., Zhou, M. and Ren, G. (2010). Antioxidant and r-glucosidase inhibitory activity of colored grains in China. Journal of Agricultural and Food Chemistry. 58: 770–774.
- Yawadio, R., Tanimori, S. and Morita, N. (2007). Identification of phenolic compounds isolated from pigmented rices and their aldose reductase inhibitory activities. Food Chemistry 101, 1616-1625.
- Zhang C., Liu, S., Solomon, C.G., and Hu, F.B. (2006). Dietary fiber intake, dietary glycemic load, and the risk for gestational diabetes mellitus. Diabetes Care. 29(10):2223-30.
- Zhang, G., Malik, V.S., Pan, A., Kumar, S., Holmes, M.D., Spiegelman, D., Lin, X. and Hu, F.B. (2010). Substituting brown rice for white rice to lower diabetes risk: A focus-group study in Chinese adults. Journal of American Dietetic Association. 110:1216-1221.