

## DAFTAR PUSTAKA

- Adams, H.P. et al., 2007. Guidelines for the early management of adults with ischemic stroke: a guideline from the American Heart Association/American Stroke Association Stroke Council, Clinical Cardiology Council, Cardiovascular Radiology and Intervention Council, and the Atherosclerosis Risk Reduction Specialist Council. *Stroke; a journal of cerebral circulation*, 38(5), pp.1655–711. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/17431204> [Accessed October 4, 2012].
- American Academy of Neurology. 2013. Chapter 1: The Neurologic Examination – The Mental Status Examination. Available at [www.aan.com](http://www.aan.com).
- American Heart Association, 2008. *Heart Disease and Stroke Statistics*, Dallas.
- Anderson, D. et al., 2012. Diagnosis and Initial Treatment of Ischemic Stroke. *Institute for Clinical System Improvement*.
- Baldwin, K., 2010. Acute Ischaemic Stroke Update from Pharmacotherapy. *J Medscape*, 30 (5), pp.493–514.
- Banks JL, Marotta CA. 2007. Outcomes validity and reliability of the modified Rankin scale: implications for stroke clinical trials: a literature review and synthesis. *Stroke*. 2007; 38:1091–1096.
- Barnes, R., Lawton, L. & Briggs, D., 1994. Clinical Benchmarking improves clinical paths: Experience with coronary artery bypass grafting. *Joint Comm. J. Quality Improvements*, 20(5), pp.267–276.
- Berthier, ML. 2005. Post Stroke. Review Article.
- Bhatnagar, P. et al., 2010. The incidence of all stroke and stroke subtype in the United Kingdom, 1985 to 2008: a systematic review. *BMC public health*, 10, p.539. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2944372&tool=pmcentrez&rendertype=abstract>.
- Casas JP, Bautista LE, Smeeth L, Sharma P, Hingorani AD. 2005. Homocysteine and stroke: evidence on a causal link from Mendelian randomisation. *Lancet* 2005; 365: 224–32.
- CAST (Chinese Acute Stroke Trial) Collaboration Group., 1997. CAST: randomized placebo-controlled trial of early aspirin use in 20,000 patients with acute ischemic stroke. *Lancet* 1997; 349:1641–1649.

- Cheah, J., 2000. Development and implementation of a clinical pathway programme in an acute care general hospital in Singapore. , 12(5), pp.403–412.
- Chobanian, A. v et al., 2003. Seventh report of The Joint National Committee on Prevention , Detection , Evaluation , and Treatment of High Blood Pressure. *Hypertension*, 42(6), p.1206.
- Demaerschalk, B.M. et al., 2005. US Cost Burden of Ischemic Stroke : *The American Journal of Managed Care*, 16(7), pp.525–534.
- Diana FA, et al. 2013. The role of clinical pathway on the outcomes of ischemic stroke patients at Bethesda Hospital Yogyakarta. *J Med Sci* Volume 45, No.2, June 2013: 61-70.
- Dong H, Pi F, Ding Z, Chen W, Pang S. (2015). Efficacy of Supplementation with B Vitamins for Stroke Prevention: A Network Meta-Analysis of Randomized Controlled Trials. *PLoS ONE* 10(9): e0137533. doi:10.1371/journal.pone.0137533.
- Duncan, PW. et al., 2000. Outcome measures in acute stroke trials: a systematic review and some recommendations to improve practice. *Stroke*. 2000; 31:1429-1438.
- Evers, S. et al., 2004. International Comparison of Stroke Cost Studies. *Stroke* 35, 5, pp.1209–1215.
- Flores, SC. et al., 2011. Ischemic Stroke in Emergency Medicine. Medscape reference drugs, disease & procedure. Jul 2011. Available at <http://emedicine.medscape.com/article/1916852-overview>.
- Gioldasis, G. et al., 2008. In-hospital direct cost of acute ischemic and hemorrhagic stroke in Greece. *Acta Neurologica Scandinavica*, 118(5), pp.268–274.
- Goldstein, L., 2006. Primary Prevention of Ischemic Stroke. *Stroke*, 37, pp.1583–1633.
- Gusev, E. et al., 2003. Stroke Epidemiology in Russia. *Consilium Medicum, Demonstrative medicine journal for practicing doctors*, pp.5–7.
- Hauser, S., 2006. *Harrison's Neurology in Clinical Medicine* 2nd ed., United States of America: McGraw-Hill Companies.

- Hayes, J., Vogel, B. & Reker, D.M., 2008. Factors Associated with VHA costs of care for first 12 month stroke. *Journal of Rehabilitation Research & Development*, 45(9), pp.1375–1384.
- Janssen, H. & Bernhardt, J., 2010. An Enriched Environment Improves Sensorimotor Function Post-Ischaemic Stroke. *Neurorehabilitation and Neural Repair*, 24 (9), pp.802–813.
- Kaplan HI, Sadock BJ. 2000. Neuropsychiatric aspect of cerebrovascular disease and tumor. Inside: Comprehensive textbook of Neuropsychiatry Vol. 17th ed. Baltimore: William&Wilkins; 2000.p.187-94.
- Kelompok Studi Stroke, 2011. Guideline Stroke. *Perhimpunan Dokter Spesialis Saraf Indonesia PERDOSSI*.
- Kirshner. 2009. Post Stroke Aphasia.
- Kusumaningtyas T, et al. 2013. Dampak Pemberlakuan Clinical Pathway Terhadap Kualitas Pelayanan Stroke Di RS Bethesda Yogyakarta. MMR Ilmu Kesehatan Masyarakat. Fakultas Kedokteran UGM. Yogyakarta.
- Leonardi BJ, Bath PMW, Phillips SJ, Sandercock PAG. 2002. Blood pressure and clinical outcomes in the international stroke trial. *Stroke*. 2002; 33:1315–1320.
- Lin, Y.-K. et al., 2011. Cost-effectiveness of clinical pathway in coronary artery bypass surgery. *Journal of medical systems*, 35(2), pp.203–13. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/20703569>.
- Lloyd-Jones, D. et al., 2010. Heart disease and stroke statistics--2010 update: a report from the American Heart Association. *Circulation*, 121(7), pp.e46–e215. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/20019324>.
- Miah T, Hoque A, Khan R. 2009. The Glasgow coma scale following acute stroke and in-hospital outcome: an observational study. *J Medicine*. 2009;10(1):11–4.
- Misbach, J., 1999. *Stroke, Aspek Diagnostik, Pathofisiologi, dan Manajemen*. BP FK Universitas Indonesia : Jakarta.
- Morrison, C.A. et al., 2009. Use of a trauma service clinical pathway to improve patient outcomes for retained traumatic hemothorax. *World journal of surgery*, 33(9), pp.1851–6. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/19629582>.

- National Clinical Effectiveness Committee., 2015. Standards for Clinical Practice Guidance. Available at: <http://www.health.gov.ie/patient-safety/ncec>. An Roinn Slainte. Departement of Health. Ireland.
- National Kidney Foundation, Clinical Practice Guidelines for Chronic Kidney Disease.
- Panella, M, Marchisio, S & Stanislao, F.D.I., 2003. Reducing clinical variations with clinical pathways: do pathways work? *International Journal for Quality in Health Care*, 15(6), pp.509–521.
- Panella, Massimiliano et al., 2012. A cluster randomized trial to assess the effect of clinical pathways for patients with stroke: results of the clinical pathways for effective and appropriate care study. *BMC Medicine*, 10(1), p.71. Available at: <http://www.biomedcentral.com/1741-7015/10/71>.
- Patel, N. et al., 2012. Simple and reliable determination of the modified rankin scale in neurosurgical and neurological patients: The mRS-9Q. *Neurosurgery*.
- Patel, R.A. & White, C.J., 2011. Acute ischemic stroke treatment: State of the art. *Vascular medicine (London, England)*, 16(1), pp.19–28. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/20965957> [Accessed October 19, 2012].
- Peltola, M. et al., 2012. Patient Classification And Hospital Costs Of Care For Stroke In 10 European Countries. *Centre for Health and Social Economics*, 21, pp.129–140.
- Pinzon, R & Asanti, L. (2010). *Awas stroke*. Yogyakarta: Penerbit Andi.
- Pinzon, R. et al., 2009. Peran Clinical Pathway dalam Memperbaiki Proses Pelayanan Stroke. *Majalah Kedokteran Damianus*, Vol.8 No.2, pp.79–82.
- Price SA, & Wilson LM. 2006. *Patofisiologi: Konsep Klinis Proses-Proses Penyakit*. Edisi 6. (Terj. dari *Pathophysiology Concepts of Disease Process*, Brahm U). Jakarta : EGC.
- Rachmawati, 2009. *Penghitungan Cost of Treatment Infark Miokard Akut Berdasarkan Clinical Pathway di Rumah Sakit Pertamina Jaya*. Gadjah Mada University : Yogyakarta.
- Rankin J. Cerebral vascular accidents in patients over the age of 60. II. Prognosis. *Scott Med J*. 1957;2:200–215.

- Riswardani, et al., 2013. Pengaruh Fasilitas, Biaya Dan Promosi Terhadap Kepuasan Pasien Rawat Inap. *Jurnal Ekonomi Manajemen Sumber Daya* Vol. 14, No. 2, Desember 2013. Solo Karanganyar.
- Rosnagel, K. et al., 2005. Medical resource use and costs of health care after acute stroke in Germany. *European journal of neurology: the official journal of the European Federation of Neurological Societies*, 12(11), pp.862–8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/16241975>.
- Rotter, T. et al., 2008. A systematic review and meta-analysis of the effects of clinical pathways on length of stay, hospital costs and patient outcomes. *BMC health services research*, 8, p.265. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2632661&tool=pmcentrez&rendertype=abstract> [Accessed October 19, 2012].
- Roymeke, Tobias, Stummer, Harald., 2012. Clinical Pathways as Instruments for Risk and Cost Management in Hospitals - A Discussion Paper. *Global Journal of Health Science*, Vol. 4, No. 2, pp. 50-59.
- Sare GM, Ali Myzoon, ShuaibAshfaq, Bath PMW. 2013. Relationship Between Hyperacute Blood Pressure and Outcome After Ischemic Stroke: Data From the VISTA Collaboration. *Stroke* 2009; 40:2098-2103. American Heart Association. Downloaded from <http://stroke.ahajournals.org/> at VA MED CTR BOISE on June 30, 2016.
- So, J. et al., 2008. Reduction of hospital stay and cost after the implementation of a clinical pathway for radical gastrectomy for gastric cancer. *International and Japanese Gastric Cancer Association*, 11, pp.81–85.
- Wei, J.W. et al., 2010. Variations and determinants of hospital costs for acute stroke in China. *PloS one*, 5(9). Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=2946911&tool=pmcentrez&rendertype=abstract> [Accessed October 20, 2012].
- Weimar, C. et al., 2002. Assessment of Functioning and Disability after Ischemic Stroke. <http://stroke.ahajournals.org/2053> at VA MED CTR BOISE. *Stroke*. 2002; 33:2053-2059.
- WHO, 2005. World Health Organization Fact sheet – Stroke. [www.who.int/mediacentre/factsheets](http://www.who.int/mediacentre/factsheets).
- WHO, 2012a. Diabetes mellitus: World diabetes Day Programme.
- WHO, 2012b. WHO Stroke: Cerebrovascular accident. Available at: [http://www.who.int/topics/cerebrovascular\\_accident/en/](http://www.who.int/topics/cerebrovascular_accident/en/).

WHO, 2012c. World Health Organization: Cardiovascular Disease.

Wijdicks EF, Bamlet WR, Maramattom BV, Manno EM, McClelland IR. 2005. Validation of a new coma scale: The FOUR score. *Annals of neurology* 2005; 58: 585- 93.

Wiranto, M. et al., 2013. Analisis Kepuasan Pasien Pada Instalasi Rawat Inap Di Rumah Sakit Umum Daerah Lanto Dg. Pasewang Kabupaten Jeneponto. Fakultas Kesehatan Masyarakat Universitas Hasanuddin. Palembang.

Wong, C. et al., 2000. Development, dissemination, implementation and evaluation of a clinical pathway for oxygen therapy. *CMAJ: Canadian Medical Association journal = journal de l'Association medicale canadienne*, 162(1), pp.29–33. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1232226&tool=pmcentrez&rendertype=abstract>.

World Heart Federation, 2010. Report of Stroke in Developing Countries. *World Congress of Cardiology*.