



BIBLIOGRAPHY

- Actor, J.K. and Ampel, N.M., 2009. Hypersensitivity: T Lymphocyte-mediated (Type IV). In *Encyclopedia of Life Sciences (ELS)*. Chichester: John Wiley & Sons, Ltd.
- Ahmed, M., Akter, M.S. and Eun, J.-B., 2010. Peeling, drying temperatures, and sulphite-treatment affect physicochemical properties and nutritional quality of sweet potato flour. *Food Chemistry*, 121, pp.112–18.
- Akdis, C.A. and Agache, I., 2014. *Global Atlas of Allergy*. European Academy of Allergy and Clinical Immunology.
- Alberts, B., Bray, D., Lewis, J., Raff, M., Roberts, K., Watson, J.D. and Grimstone, A.V., 2002. B Cells and Antibodies. In Alberts, B., Bray, D., Lewis, J., Raff, M., Roberts, K., Watson, J.D. and Grimstone, A.V. *Molecular Biology of the Cell*. 4th ed. New York: Garland Science.
- Anastassiades, M., Lehotay, S.J., Štajnbaher, D. and Schenck, F.J., 2003. Fast and easy multiresidue method employing acetonitrile extraction/partitioning and “dispersive solid-phase extraction” for the determination of pesticide residues in produce. *Journal of AOAC international* , 86(2), pp.412-31.
- Anli, R.E., Vural, N. and Kizilet, E., 2012. An Alternative Method for the Determination of Some of the Antioxidant Phenolics in Varietal Turkish Red Wines. *Journal of the Institute of Brewing*, 114(3), pp.239-45.
- Anthoney, S.T. and Omwenga, J., 2014. Analysis of phytochemical composition of white and purple sweet potato (*Ipomoea batatas* [L.] Lam) root. *Indian Journal of Advances in Plant Research (IJAPR)*, 1(3), pp.19-22.
- Asada, T. and Tamura, H., 2012. Isolation of Bilberry Anthocyanidin 3-Glycosides Bearing ortho-Dihydroxyl Groups on the B Ring by Forming an Aluminum Complex and Their Antioxidant Activity. *Journal of agricultural and food chemistry*, 60, p.10634–10640.
- Austin, D.F., 1988. The taxonomy, evolution and genetic diversity of sweet potatoes and related wild species. In *Exploration, maintenance, and utilization of sweetpotato genetic resources*. Lima, Peru: International Potato Center. pp.27-60.
- Battisti, V., Maders, L., Bagatini, M., Santos, K.S.R., Maldonado, P., Brulé, A., Araújo Mdo, C., Schetinger, M. and Morsch, V., 2008. Measurement of oxidative stress and antioxidant status in acute lymphoblastic leukemia patients. *Clinical Biochemistry*, 41, pp.511-18.



- Bovell-Benjamin, A.C., 2007. Sweet potato: a review of its past, present, and future role in human nutrition. *Advances in Food and Nutrition Research*, 52, pp.1-59.
- Bradding, P. and Saito, H., 2013. Biology of Mast Cells and Their Mediators. In J. Adkinson, N. Franklin, B.S. Bochner, A.W. Burks, W.W. Busse, S.T. Holgate, R.F.L. Jr and R.E. O'Hehir., eds. *Middletons's allergy principles and practice*. Elsevier.
- Branum, A.M. and Lukacs, S.L., 2009. Food Allergy Among Children in the United States. *American Academy of Pediatrics*, 124(6), pp.1549-55.
- Brosnan, B., Coffey, A., Arendt, E.K. and Furey., A., 2014. The QuEChERS approach in a novel application for the identification of antifungal compounds produced by lactic acid bacteria cultures. *Talanta*, 129, pp.364-373.
- Cevallos-Casals, B.A. and Cisneros-Zevallos, L., 2002. Bioactive and functional properties of purple sweetpotato (*Ipomoea batatas* (L.) Lam). *Acta Horticulturae* , 583, pp.195-203.
- Chen, S.-S., Gong, J., Liu, F.-T. and Mohammed, U., 2000. Naturally occurring polyphenolic antioxidants modulate IgE-mediated mast cell activation. *Immunology*, 100(4), pp.471-80.
- Chirumbolo, S., 2014. Dietary assumption of plant polyphenols and prevention of allergy. *Current pharmaceutical design*, 20(6), pp.811-39.
- Choi, J.H., Choi, C.Y., Lee, K.J., Hwang, Y.P., Chung, Y.C. and Jeong, H.G., 2009. Hepatoprotective effects of an anthocyanin fraction from purple-fleshed sweet potato against acetaminophen-induced liver damage in mice. *Journal of Medicinal Food*, 12(2), pp.320-26.
- Chu, Y., Chang, C. and Hsu, H., 2002. Flavonoid content of several vegetables and their antioxidant activity. *Journal of the Science of Food and Agriculture* , 80(5), pp.561-66.
- Contreras-Guzman, E. and Strong, F., 1982. Determination of tocopherols (Vitamin E) by reduction of cupric ion. *JAOAC*, 65, pp.1215-22.
- Coombs, R.R.A. and Gell, P.G.H., 1968. Classification of allergic reactions responsible for clinical hypersensitivity and disease. In R.R.A. Coombs and P.G.H.. Gell, eds. *Clinical Aspects of Immunology*. 2nd ed. Oxford: Blackwell Science Publication. pp. 575–596.
- Cuppett, S., Schnepf, M. and Hall, C., 1997. Natural Antioxidant - Are They a Reality? In F. Shahidi, ed. *Natural Antioxidants: Chemistry, Health Effects, and Applications*. Champaign: The American Oil Chemists Society.



Dalal, I., Binson, I., Reifen, R., Amitai, Z., Shohat, T., Rahmani, S. and Somekh, E., 2002.

Food allergy is a matter of geography after all: sesame as a major cause of severe IgE-mediated food allergic reactions among infants and young children in Israel.. *Allergy*, 57(4), pp.362-365.

Delgado-Zamarreño, M.M., Pérez-Martín, L., Bustamante-Rangel, M. and & Carabias-Martínez, R., 2012. A modified QuEChERS method as sample treatment before the determination of isoflavones in foods by ultra-performance liquid chromatography-triple quadrupole mass spectrometry. *Talanta*, 100, pp.320–28.

Denham, T. (2013). Ancient and historic dispersals of sweet potato in Oceania. *Proceedings of the National Academy of Sciences of the United States of America*, 110(6), 1982–1983.

DFID, 2006. *Working with farmers to control sweet potato virus disease in East Africa*. [Online] Available at: <http://teca.fao.org/technology/working-farmers-control-sweet-potato-virus-disease-east-africa> [Accessed 20 February 2016].

Dousa, T.P. and Code, C.F., 1974. Effect of Histamine and Its Methyl Derivatives on Cyclic AMP Metabolism in Gastric Mucosa and Its Blockade by an H₂ Receptor Antagonist. *Journal of Clinical Investigation*, 53(1), pp.334-37.

Duke, W.W., 1934. Soy bean as a possible important source of allergy. *Journal of Allergy*, 5(3), pp.300-02.

Dykewicz, M.S., Fineman, S., Skoner, D.P., Nicklas, R., Lee, R., Blessing-Moore, J., Li, J.T., Bernstein, I.L., Berger, W. and Spector, S., 1998. Diagnosis and management of rhinitis: complete guidelines of the Joint Task Force on Practice Parameters in Allergy, Asthma and Immunology. *Annals of Allergy, Asthma & Immunology*, 81(5), pp.478-518.

Eggleton, P., 2013. Hypersensitivity: Immune Complex Mediated (Type III). *Els*, pp.1-11.

Ezell, B.D. and Wilcox., M.S., 1048. Effect of variety and storage on carotene and total carotenoid pigments in sweet potatoes. *Journal of Food Science* , 13(3), pp.203-12.

FAO, 2015. *Statistical Databases*. [Online] Food and Agriculture Organization : Food and Agriculture Organization of the United Nations Available at: http://faostat3.fao.org/download/Q/*/E [Accessed 11 February 2016].

Formica, J. and Regelson, W., 1995. Review of the biology of quercetin and related bioflavonoids. *Food Chemistry and Toxicology*, 33, pp.1061-80.



- Fu, Z., Tu, Z., Zhang, L., Wang, H., Wen, Q. and Huang, T., 2016. Antioxidant Activities and Polyphenols of Sweet Potato (*Ipomoea batatas* L.) Leaves Extracted with Solvent of Various Polarities.. *Food Bioscience*, 15, pp.11-18.
- Funk, C.D., 2001. Prostaglandins and Leukotrienes: Advances in Eicosanoid Biology. *Science*, 294, pp.1871-75.
- Furuta, S., Suda, I., Nishibam, Y. and Yamakawa, O., 1998. High tert-butylperoxyl radical scavenging activities of sweet potato cultivars with purple flesh. *Food Science and Technology International, Tokyo*, 4(1), pp.33-35.
- Gennaro, A.D. and Haeggström, J.Z., 2012. The Leukotrienes: Immune-Modulating Lipid Mediators of Disease. In *Advances in Immunology*. Elsevier
- Ghosh, D. and Konishi, T., 2007. Anthocyanins and anthocyanin-rich extracts: role in diabetes and eye function. *Asia Pacific Journal of Clinical and Nutrition*, 16(2), pp.200-08.
- Gordon, J.R. and Galli, S.J., 1991. Release of Both Preformed and Newly Synthesized Tumor Necrosis Factor α (TNF- α Y)/Cachectin by Mouse Mast Cells Stimulated via the FCERI. A Mechanism for the Sustained Action of Mast Cell-derived TNF- α during IgE-dependent Biological Responses. *J.Exp. Med*, 174(1), pp.103-07.
- Gross, S., Guo, Z., Levi, R., Bailey, W. and Chenouda, A., 1984. Release of histamine by sympathetic nerve stimulation in the guinea pig heart and modulation of adrenergic responses. A physiological role for cardiac histamine?. *Circ Res*, 54(5), pp.516-26.
- Hagenimana, V., K'osambo, L.M. and Carey, E.E., 1998. Potential of sweetpotato reducing vitamin A deficiency in Africa. CIP Program Report 1997-98.
- Hagiwara, A., Yoshino, H., Ichihara, T., Kawabe, M., Tamano, S., Aoki, H., Koda, T., Nakamura, M., Imaida, K., Ito, N. and Shirai, T., 2002. Prevention by natural food anthocyanins, purple sweet potato color and red cabbage color, of 2-amino-1-methyl-6-phenylimidazo[4,5- b]pyridine (PhIP)-associated colorectal carcinogenesis in rats initiated with 1,2- dimethylhydrazine. *The Journal of Toxicological Science*, 27(1), pp.57-68.
- Hamid, A.A., Aiyelaagbe, O.O., Usman, L.A., Ameen, O.M. and Lawal, A., 2010. 2010. Antioxidants: Its Medicinal and Pharmacological Applications.. *African Journal of Pure and Applied Chemistry*, 4(8), pp.142-51.
- Harris, G.K., Gupta, A., Nines, R.G., Kresty, L.A., Habib, S.G., Frankel, W.L., LaPerle, K., Gallaher, D.D., Schwartz, S.J. and Stoner, G.D., 2001. Effects of lyophilized black raspberries on azoxymethane-induced colon cancer and 8-



hydroxy-2'-deoxyguanosine levels in the Fischer 344 rat.. *Nutrition and cancer*, 40(2), pp.125-33.

Hart, D. and Scott, K.J., 1995. Development and evaluation of an HPLC method for the analysis of carotenoids in foods and measurement of the carotenoid content of vegetables and fruits commonly consumed in the UK. *Food Chemistry*, 54, pp.101-11.

Haskell, M.J., Jamil, K.M., Hassan, F., Peerson, J.M., Hossain, M.I., Fuchs, G.J. and Brown, K.H., 2004. Daily consumption of Indian spinach (*Basella alba*) or sweet potatoes has a positive effect on total-body vitamin A stores in Bangladeshi men. *The American Journal of clinical nutrition*, 80(3), pp.705-14.

Hawry, M.A., Hawry, A. and Soczewiński, E., 2002. Application of Normal- and Reversed-Phase 2D TLC on a Cyanopropyl-Bonded Polar Stationary Phase for Separation of Phenolic Compounds from the Flowers of *Sambucus nigra* L. *Journal of Planar Chromatography*, 15, pp.4-10.

Hayase, F. and Kato, H., 1984. Antioxidative Components of Sweet Potatoes. *Journal of Nutritional Science and Vitaminology*, 30(1), pp.37-46.

Hemmer, W., Focke, M., Wantke, E., JÄGER, S., Götz, M. and Jarisch, R., 1997. Oilseed rape pollen is a potentially relevant allergen. *Clinical and Experimental Allergy*, 27(2), pp.156-61.

Holland, B., Unwin, I.D. and Buss, D.H., 1991. Vegetables, herbs and spices. In *The Fifth Supplement to McCance and Widdowson's the Composition of Foods*'. 4th ed. Cambridge: Royal Society of Chemistry.

Horiuchi, M. and Seyama, Y., 2008. Improvement of the Antiinflammatory and Antiallergic Activity of *Bidens pilosa* L. var. *radiata* SCHERFF Treated with Enzyme (Cellulosine). *Journal of Health Science*, 54(3), pp.294-301.

Horton, D., 1988. *Underground crops: long-term trends in production of roots and tubers*. Morrilton: Winrock International.

Hossen, M.A., Inoue, Y., Shinmei, Y., Minami, K., Fujii, Y. and Kamei, C., 2006. Caffeic acid inhibits compound 48/80-induced allergic symptoms in mice. *Biol. Pharm. Bull.*, 29, pp.64-66.

Hsu, F. and Boyce, J., 2013. Biology of mast cells and their mediators. In N. Adkinson, B. Bochner, W. Burks, W. Busse, S. Holgate, R. Lemanske and F. Simons, eds. *Middleton's Allergy: Principles and Practice*. 8th. Elsevier.

Huang, J.C. and Sun, M., 2000. Genetic diversity and relationships of sweetpotato and its wild relatives in *Ipomoea* series Batatas (Convolvulaceae) as revealed by



inter-simple sequence repeat (ISSR) and restriction analysis of chloroplast DNA. *Theoretical and Applied Genetics*, 100(7), pp.1050-60.

Hulshof, P.J.M., Xu, C., Bovenkamp, P.v.d., Muhilal and West, C.E., 1997. Application of a Validated Method for the Determination of Provitamin A Carotenoids in Indonesian Foods of Different Maturity and Origin. *Journal of Agricultural and Food Chemistry* , 45(4), pp.1174-79.

Ishizaka, K., Ishizaka, T. and Hornbrook, M., 1966. Physicochemical properties of reaginic antibody. IV. Presence of a unique immunoglobulin as a carrier of reaginic activity. *J Immunol* 1966; 97. *Journal of Immunology*, 97, pp.75-85.

Islam, M.S., Yoshimoto, M., Terahara, N. and Yamakawa, O., 2002. Anthocyanin Compositions in Sweetpotato (*Ipomoea batatas* L.) Leaves. *Bioscience, Biotechnology, and Biochemistry*, 66(11), pp.2483-86.

Islam, S.M., Yoshimoto, M. and Yamakawa, O., 2003. Distribution and Physiological Functions of Caffeoylquinic Acid Derivatives in Leaves of Sweetpotato Genotypes. *Food chemistry and technology*, 68(1), pp.111-16.

Jackson, K.D., Howie, L.D. and Akinbami, L.J., 2013. Trends in allergic conditions among children: United States, 1997-2011. *NCHS data brief*, 121, pp.1-8.

Janeway, C., Travers, P., Walport, M. and Shlomchik, M., 2001. *Immunobiology*. 5th ed. London: Garland Science.

Janeway, C.A., Travers, P., Walport, M. and Shlomchik, M.J., 2001. The production of IgE. In *Immunobiology: The Immune System in Health and Disease. 5th edition.* New York: Garland Science.

Janeway, C.A., Travers, P., Walport, M. and Shlomchik, M.J., 2001. The production of IgE. In *Immunobiology: The Immune System in Health and Disease. 5th edition..* New York: Garland Science.

Jawi, I.M., Suprapta, D.N. and Sutirtayasa, I.W., 2007. Efek Antioksidan Ekstrak Umbi Ubi Jalar Ungu (*Ipomoia Batatas* L) Terhadap Hati Setelah Aktifitas Fisik Maksimal dengan Melihat Kadar AST dan ALT Darah pada Mencit. *Dexa Media*, 20(3).

Johansson, S., Bieber, T., Dahl, R., Friedmann, P.S., Lanier, B.Q., Lockey, R.F. and Williams, H.C., 2004. Revised nomenclature for allergy for global use: Report of the Nomenclature Review Committee of the World Allergy Organization, October 2003. *J. Allergy Clin. Immunol.*, 113(15), pp.832–836.

Joseph, J.A., Arendash, G., Gordon, M., Diamond, D., Shukitt-Hale, B., Morgan, D. and Denisova, N.A., 2003. Blueberry supplementation enhances signaling and



prevents behavioral deficits in an Alzheimer disease model. *Nutritional neuroscience*, 6(3), pp.153-62.

Juckmeta, T., Thongdeying, P. and Itharat, A., 2014. Inhibitory Effect on β -Hexosaminidase Release from RBL-2H3 Cells of Extracts and Some Pure Constituents of Benchalokawichian, a Thai Herbal Remedy, Used for Allergic Disorders. *Evidence-Based Complementary and Alternative Medicine*, 2014.

Junaedi, I., 2014. *Prevalensi Rinitis Alergi Pada Mahasiswa Fakultas Kedokteran Universitas Sumatera Utara Pada Tahun Ajaran 2014/2015*. Master thesis. Universitas Sumatera Utara, Medan.

Jung, J.K., Lee, S.U., Kozukue, N., Levin, C.E. and Friedman, M., 2011. Distribution of phenolic compounds and antioxidative activities in parts of sweet potato (*Ipomoea batata* L.) plants and in home processed roots. *Journal of Food Composition and Analysis*, 24(1), pp.29-37.

Juríková, T., Mlček, J., Sochor, J. and Hegedűsová, A., 2015. Polyphenols and their Mechanism of Action in Allergic Immune Response. *Global Journal of Allergy*, 1(2), pp.037-39.

Kano, M., Takayanagi, T., Harada, K., Makino, K. and Ishikawa, F., 2005. Antioxidative Activity of Anthocyanins from Purple Sweet Potato, *Ipomoera batatas* Cultivar Ayamurasaki. *Bioscience, Biotechnology, and Biochemistry*, 69(5), pp.979-88.

Karageorgou, E.G. and Samanidou, V.F., 2011. Development and validation according to European Union Decision 2002/657/EC of an HPLC-DAD method for milk multi-residue analysis of penicillins and amphenicols based on dispersive extraction by QuEChERS in MSPD format. *Journal of Separation Science*, 24(15), pp.1893–901.

Kearney, J., 2010. Food consumption trends and drivers. *Philosophical Transactions of the Royal Society of London B: Biological Sciences*, 365(1154), pp.2793-807.

Kemal, N.-N., Karim, A., Asmawati and Seniwati, 2013. Analisis Kandungan β -karoten dan Vitamin C dari Berbagai Varietas umbi jalar (*Ipomoea batatas*). *Indonesia Chimica Acta*, pp.1-5.

Kerr, R.O., Cardamone, J., Dalmasso, A.P. and Kaplan, M.E., 1972. Two mechanisms of erythrocyte destruction in penicillin-induced hemolytic anemia. *The New England Journal of Medicine*, 287(26), pp.1322-25.

Keswani, M.H., Vartak, A.M., Patil, A. and Davies, J.W.L., 1990. Histological and bacteriological studies of burn wounds treated with boiled potato peel dressings. *Burns*, 16(2), pp.137-43.



- Kiple, K.F. and Ornelas, K.C., 2000. *The Cambridge world history of food*. New York: Cambridge University Press.
- Konczak-Islam, I., Yoshimoto, M., Hou, D.-X., Terahara, N. and Yamakawa, O., 2003. Potential chemopreventive properties of anthocyanin-rich aqueous extracts from in vitro produced tissue of sweetpotato (*Ipomoea batatas* L.). *Journal of agricultural and food chemistry*, 51(20), pp.5916-22.
- Kurata, R., Adachi, M., Yamakawa, O. and Yoshimoto, M., 2007. Growth suppression of human cancer cells by polyphenolics from sweetpotato (*Ipomoea batatas* L.) leaves. *Journal of Agriculture and Food Chemistry*, 55(1), pp.185-90.
- Kusano, S. and Abe, H., 2000. Antidiabetic activity of white skinned sweet potato (*Ipomoea batatas* L.) in obese Zucker fatty rats. *Biological and pharmaceutical bulletin*, 23(1), pp.23-26.
- Kvasnička, F., Čopíková, J., Ševčík, R., Krátká, J., Syntytsia, A. and Voldřich, M., 20-8. Determination of phenolic acids by capillary zone electrophoresis and HPLC. *Central European Journal of Chemistry*, 6(3), pp.410-18.
- Kwak, C.S., Lee, K.J., Chang, J.H., Park, J.H., Cho, J.H., Park, J.H., Kim, K.M. and Lee, M.S., 2013. In vitro Antioxidant, Anti-allergic and Anti-inflammatory Effects of Ethanol Extracts from Korean Sweet Potato Leaves and Stalks. *Journal of the Korean Society of Food Science and Nutrition*, 42(3), pp.369-77.
- Lala, G., Malik, M., Zhao, C., He, J., Kwon, Y., Giusti, M.M. and Magnuson, B.A., 2006. Anthocyanin-rich extracts inhibit multiple biomarkers of colon cancer in rats.. *Nutrition and cancer*, 54(1), pp.84-93.
- Larché, M., Akdis, C.A. and Valenta, R., 2006. Immunological mechanisms of allergen-specific immunotherapy. *Nature Reviews Immunology*, 6, pp.761-71.
- Lee, J.H., Ko, N.Y., Kim, N.W., Mun, S.H., Kim, J.W. and Her, E.e.a., 2007. Meliae cortex extract exhibits anti-allergic activity through the inhibition of Syk kinase in mast cells. *Toxicology and Applied Pharmacology*, 220, pp.227-34.
- Lehotay, S.J., Son, K.A., Kwon, H., Koesukwiwat, U., Fu, W., Mastovska, K., Hoh, E. and Leepipatpiboon, N., 2010. Comparison of QuEChERS sample preparation methods for the analysis of pesticide residues in fruits and vegetables. *Journal of Chromatography A*, 1217(16), pp.2548-2560.
- Lim, S., Xu, J., Kim, J., Chen, T., Su, X., Standard, J., Carey, E., Griffin, a., Herndon, B., Katz, B., Tomich, J. and Wang, W., 2013. Role of anthocyanin-enriched purple-fleshed sweet potato p40 in colorectal cancer prevention. *Molecular nutrition & food research*, 57(11), pp.1908-17.



- Loebenstein, G. and Thottappil, G., 2009. *The sweetpotato*. Springer Science & Business Media.
- Ludvik, B.H., Mahdjoobian, K., Waldhaeusl, W., Hofer, A., Prager, R., Kautzky-Willer, A. and Pacini, G., 2002. The effect of Ipomoea batatas (Caiapo) on glucose metabolism and serum cholesterol in patients with type 2 diabetes: a randomized study. *Diabetes Care*, 25(1), pp.239-40.
- MAFF, 2014. <http://www.maff.go.jp>. [Online] MAFF Available at: http://www.maff.go.jp/e/tokei/kikaku/nenji_e/89nenji/index.html [Accessed 03 September 2016].
- Mandal, S., Chakraborty, D. and Dey, S., 2010. Phenolic acids act as signaling molecules in plant-microbe symbioses. *Plant Signal Behaviour*, 5, pp.359-68.
- Marquardt, D.L. and Wasserman, S.I., 1983. Modulation of rat serosal mast cell biochemistry by in vivo dexamethasone administration. *Journal of Immunology*, 131(2), pp.934-39.
- Matsuda, H., Morikawa, T., Ueda, K., Managi, H. and Yoshikawa, M., 2002. tructural requirement of flavonoids for inhibition of antigen-induced degranulation, TNF- and IL-4 production from RBL-2H3 cells. *Bioorganic and Medicinal Chemistry*, 10, pp.3123-28.
- Matsuda, H., Tewtrakul, S., Morikawa, T., Nakamura, A. and Yoshikawa, M., 2004. Anti-allergic principles from Thai zedoary: structural requirements of curcuminoids for inhibition of degranulation and effect on the release of TNF- α and IL-4 in RBL-2H3 cells.. *Bioorganic & medicinal chemistry*, 12(22), pp.5891-98.
- Matsui, T., Ueda, T., Oki, T., Sugita, K., Terahara, N. and Matsumoto, K., 2001. Alpha Glucosidase inhibitory action of natural acylated anthocyanins. 2. alpha-Glucosidase inhibition by isolated acylated anthocyanins. *Journal of Agricultural and Food Chemistry*, 49(4), pp.1952-56.
- Matsuoka, T., 2000. Prostaglandin D2~as a Mediator of Allergic Asthma. *Science*, 287(5460), pp.2013-17. Available at: <http://dx.doi.org/10.1126/science.287.5460.2013>.
- Mbaeyi-Nwaoha, I.E. and Emejulu, V.N., 2013. Evaluation of Phytochemical Composition and Antimicrobial Activity of Sweet Potato (*Ipomoea batatas*) Leaf. *Pakistan Journal of Nutrition* , 12(6), pp.575-86.
- McKay, D.L. and Blumberg., J.B., 2007. Cranberries (*Vaccinium macro- carpon*) and cardiovascular disease risk factors. *Nutrition reviews*, 65(11), pp.490-502.



- Mondy, N.I. and Gosselin, B., 2006. Effect of Peeling on Total Phenols, Total Glycoalkaloids, Discoloration and Flavor of Cooked Potatoes. *Journal of Food Science*, 53(3), pp.756-59.
- Montilla, E.C., Hillebrand, S. and Winterhalter, P., 2011. Anthocyanins in purple sweet potato (*Ipomoea batatas* L.) varieties. *Fruit, Vegetable and Cereal Science and Biotechnology*, 5(2), pp.19-23.
- Montilla, E.C., Hillebrand, S., Butschbach, D., Baldermann, S., Watanabe, N. and Winterhalter, A.P., 2010. Preparative Isolation of Anthocyanins from Japanese Purple Sweet Potato (*Ipomoea batatas* L.) Varieties by High-Speed Countercurrent Chromatography. *Journal of agricultural and food chemistry*, 58, pp.9899–904.
- Nadraja, I., 2010. *Prevalensi gejala rinitis alergi di kalangan mahasiswa fakultas kedokteran universitas sumatera utara angkatan 2007-2009*. Undergraduate thesis. Medan: Universitas Sumatera Utara.
- Nakatani, K., Atsumi, M., Arakawa, T., Oosawa, K., Shimura, S., Nakahata, N. and Ohizumi, Y., 2002. Inhibitions of histamine release and prostaglandin E2 synthesis by mangosteen, a Thai medicinal plant. *Biological and Pharmaceutical Bulletin*, 25, pp.1137-41.
- Nathan, R.A., Meltzer, E.O., Seiner, J.C. and Storms, W., 1997. Prevalence of allergic rhinitis in the United States. *Journal of allergy and clinical immunology*, 99(6), pp.S808--S814.
- Ng, L.Y., Ang, Y.K., Khoo, H.E. and Yim, H.S., 2012. Influence of Different Extraction Parameters on Antioxidant Properties of *Carica papaya* Peel and Seed. *Research Journal of Phytochemistry*, 6(3), pp.61-74.
- Nimse, S.B. and Pal, D., 2015. Free radicals, natural antioxidants, and their reaction mechanisms. *Royal Society of Chemistry*, 5, pp.27986-8006.
- Oki, T., Masuda, M., Furuta, S., Nishiba, Y., Terahara, N. and Suda, I., 2002. Involvement of anthocyanins and other phenolic compounds in radical-scavenging activity of purple-fleshed sweet potato cultivars. *Journal of Food Science*, 67(5), pp.1752-56.
- Oki, T., Masuda, M., Furuta, S., Nishiba, Y., Terahara, N. and Suda, I., 2002. Involvement of anthocyanins and other phenolic compounds in radical-scavenging activity of purple-fleshed sweet potato cultivars. *Journal of Food Science*, 67, pp.1752-56.
- Ory, L.R. and Angelo, A.J.S., 1997. Enzymes in Food and Beverages Processing. In *ACS Symposium Series*. USA.



- Padda, M.S. and Picha, D.H., 2008. Phenolic composition and antioxidant capacity of different heat-processed forms of sweetpotato cv. 'Beauregard'. *Journal of food science and technology*, 43, pp.1404-09.
- Padda, M.S. and Picha, D.H., 2008. Quantification of phenolic acids and antioxidant activity in sweetpotato genotypes. *Scientia Horticulturae*, 119, pp.17-20.
- Padda, M.S., 2006. *Phenolic Composition And Antioxidant Activity Of Minimally Processed Sweet Potatoes*. Dissertation. Louisiana State University.
- Panda, V., Sonkamble, M. and Patil, S., 2011. Wound healing activity of Ipomoea batatas tubers (sweet potato). *Functional Foods in Health and Disease*, 1(10), pp.403-15.
- Platts-Mills, AE, T. and Chapman, M.D., 1987. Dust mites: immunology, allergic disease, and environmental control. *Journal of Allergy and Clinical Immunology*, 80(6), pp.755-75.
- Pokorny, J., Yanishlieva, N. and Gordon, M.H., 2001. *Antioxidants in Food: Practical Applications*. CRC Press.
- Pons, L., Chery, C., Romano, A., Namour, F., Artesani, M.C. and Gueant, J.L., 2002. The 18 kDa peanut oleosin is a candidate allergen for IgE-mediated reactions to peanuts. *Allergy*, 57, pp.88-93.
- Poudel, P.R., Tamura, H., Kataoka, I. and Mochioka, R., 2008. Phenolic compounds and antioxidant activities of skins and seeds of five wild grapes and two hybrids native to Japan. *Journal of Food Composition and Analysis*, 21(8), pp.622-25.
- Prakash, A., 2001. Antioxidant Activity. *Med Lab Anal Prog*, 19(2), pp.1-6.
- Pratt, D.E., Pietro, C.D., Poter, W.L. and Giffee, J.W., 1982. Phenolic antioxidants of soy protein hydrolyzates.. *Journal of Food Science*, 47, pp.24-25..
- Quest Diagnostics Health Trends, 2011. *The largest study of allergy testing in the United States*. [Online] Available at: http://www.questdiagnostics.com/dms/Documents/Other/2011_QD_Allergy_Report.pdf [Accessed 23 October 2015].
- Rabah, I.O., Hou, d.-X., Komine, S.-I. and Fujii, M., 2004. Potential chemopreventive properties of extract from baked sweet potato (*Ipomoea batatas* Lam. Cv. Koganesengan). *Journal of Agricultural and Food Chemistry*, 52(23), pp.7152-57.
- Reyes, L.F., Miller, J.C. and Cisneros-Zevallos, L., 2005. Antioxidant capacity, anthocyanins and total phenolics in purple-and red-fleshed potato (*Solanum tuberosum* L.) genotypes. *American journal of potato research*, 82(4), pp.271-77.



- Rona, R.J., Keil, T., Summers, C., Gislason, D., Zuidmeer, L., Sodergren, E. and Madsen, C., 2007. The prevalence of food allergy: A meta-analysis. *J. Allergy Clin. Immunol.*, 120(3), pp.638-46.
- Rudkin, G.O. and Nelson, J.M., 1947. Chlorogenic acid and respiration in sweetpotato. *Journal of the American Chemical Society*, 69(6), pp.1470-75.
- Salawu, S.O., Udi, E., Akindahunsi, A.A., Boligon, A.A. and Athayde, M.L., 2015. Antioxidant potential, phenolic profile and nutrient composition of flesh and peels from Nigerian white and purple skinned sweet potato (*Ipomea batatas* L.). *Asian Journal of Plant Science and Research*, 5(5), pp.14-23.
- Salvaggio, J. and Aukrust, L., 1981. Mold-induced asthma. *Journal of Allergy and Clinical Immunology*, 68(5), pp.327-346.
- Sato, A., Shinozaki, N. and Tamura, H., 2014. Secoiridoid Type of Antiallergic Substances in Olive Waste Materials of Three Japanese Varieties of *Olea europaea*. *Journal of Agricultural and food chemistry*, 62(31), pp.7787- 7795.
- Sato, A., Yamagami, A. and Tamura, H., 2012. Suppression of Degranulation of RBL-2H3 Cells by Means of Flavonoids in Natural Plants. *Chiang Mai University Journal of Natural Sciences*, 11(1), pp.343-49.
- Scalbert, A., Manach, C., Morand, C., Rémésy, C. and Jiménez, L., 2005. Dietary polyphenols and the prevention of diseases. *Critical Reviews in Food Science and Nutrition*, 45(4), pp.287-306.
- Schroeder, J.T., 2013. Biology of Basophils. In J. Adkinson, N. Franklin, B.S. Bochner, A.W. Burks, W.W. Busse, S.T. Holgate, R.F.L. Jr and R.E. O'Hehir., eds. *Middletons's allergy principles and practice*. elsevier. pp.252-64.
- Schwartz, L.B. and Austen, K.F., 1980. Enzymes of the mast cell granule. *Kournal of Investigative Dermatology*, 74(5), pp.349-53.
- Schwartz, L.B., Austen, K.F. and Wasserman, S.I., 1979. Immunologic Release of β -Hexosaminidase and β -Glucuronidase from Purified Rat Serosal Mast Cells1. *The Journal of Immunology*, 123(4), pp.1445-50.
- Sendra, J.M., Enrique Sentandreu and Navarro, J.L., 2006. Reduction kinetics of the free stable radical 2,2-diphenyl-1-picrylhydrazyl (DPPH \bullet) for determination of the antiradical activity of citrus juices. *European Food Research and Technology*, 223, pp.615-24.
- Shier, D., Butler, J. and Lewis, R., 2009. *The lymphatic system and immunity*. McGraw-Hill Higher Education.
- Shimoda, H., Tanaka, J., Yamada, E., Morikawa, T., Kasajima, N. and Yoshikawa, M., 2006. Anti type I allergic property of Japanese butterbur extract and its mast



cell degranulation inhibitory ingredients. *Journal of agricultural and food chemistry*, 54(8), pp.2915-20.

Smith, P.H. and Ownby, D.R., 2009. CONTENTS Clinical Significance of Immunoglobulin E. In *Middletons's allergy principles and practice*. Elsevier. pp.1108-19.

Son, S. and Lewis, B.A., 2002. Free radical scavenging and antioxidative activity of caffeic acid amide and ester analogues: structure-activity relationship. *Journal of agricultural and food chemistry*, 50(3), pp.468-72.

Soto, E.O. and Pecht, 1988. A monoclonal-antibody that inhibits secretion from rat basophilic leukemia-cells and binds to a novel membrane component. *The Journal of Immunology*, 141(12), pp.4324-32.

Steed, L.E. and Truong, V.-D., 2008. Anthocyanin Content, Antioxidant Activity, and Selected Physical Properties of Flowable Purple-Fleshed Sweetpotato Purees. *Journal of food science*, 73(5), pp.S215--S221.

Steenbock, H., 1919. White corn vs. yellow corn and a probable relation between the fat-soluble vitamin and yellow plant pigments. *Science*, 50, pp.352-53.

Steinke, J.W., Rosenwasser, L.J. and Borish, L., 2013. Cytokines in Allergic Inflammation. In N.F. Adkinson Jr, B.S. Bochner, A.W. Burks, W.W. Busse, S.T. Holgate, R.F. Lemanske Jr, R.E. O'Hehir and e. al, eds. *Middletons's allergy principles and practice*. Elsevier.

Stone, K.D., Prussin, C. and Metcalfe, D.D., 2010. IgE, mast cells, basophils, and eosinophils. *Journal of Allergy and Clinical Immunology*, 125(2), pp.S73--S80. Available at: <http://dx.doi.org/10.1016/j.jaci.2009.11.017>.

Suda, I., Oki, T., Masuda, M., Kobayashi, M., Nishiba, Y. and Furuta, S., 2003. Physiological functionality of purple-fleshed sweet potatoes containing anthocyanins and their utilization in foods. *J. Agric. Res. Quart.*, 37, pp.167-173.

Suzuki, H. and Kou, K., 1983. Direct and indirect effects of histamine on the smooth muscle cells of the guinea-pig main pulmonary artery.. *Plfugers Arch*, 399(1), pp.46-53.

Teow, C.C., Truong, V.-D., McFeeters, R.F., Thompson, R.L., Pecota, K.V. and Yencho, G.C., 2007. Antioxidant activities, phenolic and \$\beta\$-carotene contents of sweet potato genotypes with varying flesh colours. *Food Chemistry*, 103(3), pp.829-38. Available at: <http://dx.doi.org/10.1016/j.foodchem.2006.09.033>.



- Terahara, N., Oki, T., Matsui, T., Fukui, K., Sugita, K., Matsumoto, K. and Suda, I., 1995. Simultaneous determination of major anthocyanins in purple sweet potato. *Nippon Shokuhin Kagaku Kogaku Kaishi*, 54, p.2007.
- Trache, A., Trzeciakowski, J.P., Gardiner, L., Sun, Z., Muthuchamy, M., Guo, M., Yuan, S.Y. and Meininger, G.A., 2005. Histamine Effects on Endothelial Cell Fibronectin Interaction Studied by Atomic Force Microscopy. *Biophysical Journal*, 89(4), pp.2888-98.
- Truong, V.-D., Deighton, N., Thompson, R.T., McFeeters, R.F., Dean, L.O., Pecota, K.V. and Yencho, G.C., 2009. Characterization of anthocyanins and anthocyanidins in purple-fleshed sweetpotatoes by HPLC-DAD/ESI-MS/MS. *Journal of agricultural and food chemistry*, 58(1), pp.404-10.
- Truong, V.-D., McFeeters, R.F., Thompson, R.T., Dean, L.L. and Shofran, B., 2007. Phenolic acid content and composition in leaves and roots of common commercial sweetpotato (*Ipomea batatas* L.) cultivars in the United States. *Journal of Food Science*, 72(6), pp.C343--C349.
- Urisu, A., Ando, H., Morita, Y., Wada, E., Yasaki, T., Yamada, K. and K. Komada, S.T.M.G.T.W., 1997. Allergenic activity of heated and ovomucoid-depleted egg white. *J. Allergy Clin. Immunol*, pp.171-76.
- Venter, C., Pereira, B., Voigt, K., Grundy, J., Clayton, C.B., Higgins, B. and Dean, T., 2008. Prevalence and cumulative incidence of food hypersensitivity in the first 3 years of life. *Allergy*, 63(3), pp.354-59.
- Villanueva, M.R., 1977. New outlook in nutrition: the sweet potato. *VISCA review*, pp.5-7.
- Voehringer, D., 2013. Protective and pathological roles of mast cells and basophils. *Nature Reviews Immunology*, 13, pp.362-75.
- Von Pirquet, C., 1906. Allergie, Muenchener Medizinische Wochenschrift. 53, pp.1457-58.
- Walter Jr, W.M. and Schadel, W.E., 1981. Distribution of phenols in "Jewel" sweet potato [*Ipomoea batatas* (L.) Lam.] roots. *Journal of Agricultural and Food Chemistry*, 29(5), pp.904-06.
- Wang, L.-S. and Stoner, G.D., 2008. Anthocyanins and their role in cancer prevention. *Cancer letters*, 269(2), pp.281-290.
- Wolfreys, K. and Oliveira, D.B.G., 1997. Alterations in intracellular reactive oxygen species generation and redox potential modulate mast cell function. *European Journal of Immunology*, 27(1), pp.297-306.



- Wong, G.W.K., Leung, T.F. and Ko, F.W.S., 2013. Changing prevalence of allergic diseases in the Asia-pacific region. *Allergy, asthma \& immunology research*, 5(5), pp.251-57.
- Woolfe, J.A., 1991. *Sweet Potato: An Untapped Food Resource*. Cambridge: Cambridge University Press.
- Yamashita, K., Suzuki, Y., Matsui, T., Yoshimaru, T., Yamaki, M., Suzuki-Karasaki, M., Hayakawa, S. and Shimizu, K., 2000. Epigallocatechin gallate inhibits histamine release from rat basophilic leukemia (RBL-2H3) cells: role of tyrosine phosphorylation pathway. *Biochemical and Biophysical Research Communications*, 274(3), pp.603-08.
- Yano, S., Terai, M., Shimizu, K.L., Futagami, Y., Horie, S., Tsuchiya, S., Ikegami, F., Sekine, T., Takamoto, K., Saito, K., Ueno, K. and Watanabe, K., 2000. Antiallergic Activity of Curcuma longa (II): Features of inhibitory actions on histamine release from mast cells." *生薬學雑誌*, 54(6), pp.325-239.
- Yen, D., 1974. *The Sweet Potato in Oceania: An Essay in Ethnobotany*. Honolulu, Hawaii: Bishop Museum Press.
- Yen, D.E., 1982. Sweet potato in historical perspective. In RL Villareal, T.G., ed. *Sweet potato: proceedings of the first international symposium*. Shanhua, Taiwan, 1982. Asian Vegetable Research and Development Center.
- Yoshikawa, M., Matsuda, H. and Morikawa, T., 2004. Anti-allergic agent obtained from Alpinia galanga and method production thereof. *Japanese Kokai Tokkyo Koho*, 9.
- Yoshimoto, M., Okuno, S., Yamaguchi, M. and Yamakawa, O., 2001. Antimutagenicity of deacylated anthocyanins in purple-fleshed sweet potato. *Bioscience, Biotechnology, and Biochemistry*, 65(7), pp.1652- 1655.
- Yoshimoto, M., Okuno, S., Yoshinaga, M., Yamakawa, O., Yamaguchi, M. and Yamada, J., 1999. Antimutagenicity of sweetpotato (*Ipomoea batatas*) roots. *Bioscience, Biotechnology, and Biochemistry*, 63(36), pp.537-41.
- Zhang, D., Cervantes, J., Huamán, Z., Carey, E. and Ghislain, M., 2000. Assessing genetic diversity of sweet potato (*Ipomoea batatas* (L.) Lam.) cultivars from tropical America using AFLP. *Genetic Resources and Crop Evolution*, 47(6), pp.659-65.
- Zhu, F., Asada, T., Sato, A., Koi, Y., Nishiwaki, H. and Tamura, H., 2014. Rosmarinic Acid Extract for Antioxidant, Antiallergic, and α -Glucosidase Inhibitory Activities, Isolated by Supramolecular Technique and Solvent Extraction from Perilla Leaves. *Journal of agricultural and food chemistry*, 62, p.885-892.



Zhu, F., Cai, Y.-Z., Yang, X., Ke, J. and Corke, H., 2010. Anthocyanins, hydroxycinnamic acid derivatives, and antioxidant activity in roots of different Chinese purple-fleshed sweetpotato genotypes. *Journal of agricultural and food chemistry*, 58(13), pp.7588-96.

Zuraida, N., 2003. Sweet potato as an alternative food supplement during rice shortage. *Jurnal Litbang Pertanian*, 22(4), pp.150-55.