

DAFTAR PUSTAKA

- Abdel-Halim, E. S.; Alanazi, H. H., dan Al-Deyab, S. S.. 2015. Utilization of Olive Tree Branch Cellulose in Synthesis of Hydroxypropyl Carboxymethyl Cellulose. *Carbohydrate Polymers*. 127: 24-34.
- Abdel-Halim, E.S dan Al-Deyab, S.S. 2011. Utilization of Hydroxypropyl Cellulose for Green and Efficient Synthesis of Silver Nanoparticles. *Carbohydrate Polymers*. 86: 1615– 1622.
- Aji, B.K. dan F. Kurniawan. 2012. Pemanfaatan Serbuk Biji Salak (*Salacca zalacca*) sebagai Adsorben Cr (VI) dengan Metode Batch dan Kolom. *Jurnal Sains POMITS*. 1 (1): 1-6.
- Anggrahini, S.; Gumawang, A. dan Basuki, G. 2014. Pembuatan Minuman Kopi Biji Salak: Kajian Pengaruh Cara Pengeringan, Jenis Biji Salak dan Blending Terhadap Sifat Sensoris, Kimia, Fisika dan Aktivitas Antioksidan. Laporan Penelitian Unggulan Daerah (RUD) Kabupaten Sleman, DIY.
- Anonim. 1990. *Official Methods of Analysis, 15th Edn.* Association Of Official Analytical Chemists, Washington D.C.
- Anonim. 2007. *European Patent Specification for Low Substituted Hydroxypropyl Cellulose*. European Patent Office. Paris.
- Anonim. 2009. Draft Asean Standard for *Salacca* ' , in 5th Meeting of the *Task Force on the ASEAN Standard for Horticultural Produce*, 14–16 April. Puerto Princesa City, Palawan, Philippines.
- Anonim. 2016. Basis Data Statistik Produksi Nasional Hortikultura Salak: Kementerian Pertanian. www.pertanian.go.id. Diakses pada 11 Februari 2016 pukul 8.26 WIB.
- Aralas, S.; Mohamed, M. dan Bakar, M.F.A. 2009. Antioxidant Properties of Selected Salak (*Salacca zalacca*) Varieties in Sabah, Malaysia. *Nutrition Food Science*. 39: 243 – 250.
- Astuti, P. 2013. Kopi Nikmat Khas Tapanuli, Terbuat dari Biji Salak. <http://life.viva.co.id/news/read/459165.kopi-nikmat-khas-tapanuli-terbuat-dari-biji-salak>. Diakses pada 11 Agustus 2016.

- Aurelia, C. 2016. Pengaruh Konsentrasi Sodium Hidroksida dan Sodium Hipoklorit Terhadap Sifat Fisik dan Kimia Selulosa dari Kulit Koro Pedang Putih (*Canavalia ensiformis* (L.) (DC)). Skripsi. Fakultas Teknologi Pertanian, Universitas Gadjah Mada. Yogyakarta.
- Aqualon Co. 1987. *HPC Physical and Chemical Properties*. Klucel, Wilmington.
- Bhadani, S.N. dan Gray, D.G. 1983. Cellulose-Based Liquid Crystalline Polymers, Esters of (Hydroxypropyl) Cellulose: *Molecular Crystals and Liquid Crystals*. 99 (1): 29-38.
- Bhatt, N.; Gupta, P.K. dan Naithani, S. 2011. Hydroxypropyl Cellulose from Cellulose Isolated from *Lantana camara* with Respect to DS and Rheological Behavior. *Carbohydrate Polymers*. 86 : 1519– 1524.
- Browning, B.L. 1967. *Methods of Wood Chemistry*. Vol II. Interscience Publishers a Division of John Wiley and Sons. New York, USA
- Cash, M.J. dan Caputo, S.J. 2010. Cellulose Derivatives. Dalam: Imeson, A. *Food Stabilisers, Thickeners and Gelling Agents*. Blackwell Publishing Ltd, United Kingdom.
- Chau, C. F.; Cheung, K. dan Wong, Y. S. 1997. Functional Properties of Protein Concentrates from Three Chinese Indigenous Legume Seeds. *Journal of Agricultural Food Chemistry*. 45(7): 2500-2503.
- Chauhan, G. S., Lal, H. dan Mahajan, S. 2004. Synthesis, Characterization, and Swelling Responses of Poly(*N*-Isopropylacrylamide)- and Hydroxypropyl Cellulose-Based Environmentally Sensitive Biphasic Hydrogels. *Journal of Applied Polymer Science*. 91: 479–488.
- Chesson, A. 1981. Effects of Sodium Hydroxide on Cereal Straws in Relation to the Enhanced Degradation of Structural Polysaccharides by Rumen Microorganisms. *Journal Science Food Agriculture*. 32: 745-758.
- Dani, V.R. 1995. *Organic Spectroscopy*. Tata McGraw-Hill Publishing Company Limited. New Delhi, India.
- Durgin, A.G. 1957. The Alkaline Process. Dalam: Calkin, J.B. dan G.S. Withman. *Modern Pulp Paper Making*. 3rd ed. Reinhold Publishing Corp., New York, USA.

- Fathoni, F. 2014. Studi Potensi Biji Salak (*Salacca edulis* Reinw) Sebagai Sumber Alternatif Monosakarida dengan Cara Hidrolisis Menggunakan Asam. Skripsi. Fakultas Teknologi Pertanian. Universitas Gadjah Mada, Yogyakarta.
- Federer, W.T. 1974. *Experiment Design Theory and Application*. Oxford and IBH Publishing Co., New Delhi.
- Fengel, D. dan Wegener, G. 1995. *Kayu: Kimia, Ultrastruktur, Reaksi - Reaksi*. Diterjemahkan oleh Hardjono Sastrohamidjoyo. Cetakan I, Gadjah Mada University Press, Yogyakarta.
- Filho, G. R.; De Assuncao, R. M. N.; Viera, J. G.; Meireles, C. D. S.; Cerquera, D. A.; Barud, H. D. S.; Ribeno, S. J. L. dan Messaddeq, Y. (2007). Characterization of Methycellulose Produced from Sugar Cane Baggase Cellulose: Crystallinity and Thermal Properties. *Polymer Degradation and Stability*. 92: 205-210.
- Haruenkit, R.; Poovarodom, S.; Leontowicz, H. dan Leontowicz, M. 2007. Comparative Study of Health Properties and Nutritional Value of Durian, Mangosteen and Snake Fruit: Experiments In Vitro and In Vivo. *Journal Agriculture Food Chemistry*. 55: 5842 – 5849.
- Hutomo, G.S. 2012. Sintesis dan Karakterisasi Turunan Selulosa dari *Pod Husk* Kakao (*Theobrome cacao* L.). Disertasi. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Hutomo, G.S.; Marseno, D.W.; Anggrahini, S. dan Supriyanto. 2012. Ekstraksi Selulosa dari *Pod Husk* Kakao Menggunakan Sodium Hidroksida. *Agritech*. 32 (3): 223-229
- Johar, N.; Ahmad, I. dan Dufresne, A. 2012. Extraction, Preparation and Characterization of Cellulose Fibres and Nanocrystals from Rice Husk. *Industrial Crops and Products*. 37: 93– 99
- Johnson, D.P. 1969. Spectrophotometric Determination of the Hydroxypropyl Group in Starch Ethers. *Journal Analytical Chemistry*. 41(6): 859
- Klemm, D.; Philipp, B.; Heinze, T.; Heinze, U. dan Wagenknecht, W. 1998. *Comprehensive Cellulose Chemistry Volume I: Fundamentals and Analytical Methods*. Wiley, Weinheim.
- Kueh, H. O. 2003. *Indigenous fruits of Sarawak*. Sarawak Forest Department, Sarawak, Lee Ming Press Sdn Bhd.

- Lestari, R. dan Ebert, G. 2002. Salak (*Salacca zalacca* (Gaertner.) Voss.) The snakefruit from Indonesia Preliminary Results of an Ecophysiological Study, in conference on *International Research on Food Security Natural Resource Management and Rural Development*, Deutcher Tropentag, 9–11 October. Witzenhausen, Germany.
- Lestari, R.; Huyskens-Keil, S. dan Ebert, G. 2003. Physiological Changes of Salak Fruit (*Salacca zalacca* (Gaertn.) Voss) During Maturation and Ripening. *Deutscher Tropentag*, October 8-10, 2003. Gottingen.
- Lestari, R.; Huyskens-Keil, S. dan Ebert, G. 2013. Physiological Changes of Salak Fruit (*Salacca zalacca* (Gaertn.)Voss) During Maturation and Ripening. *Journal of Food Research*. 2 (1): 204-216.
- Leong, L.P dan Shui, G. 2002. An Investigation of Antioxidant Capacity of Fruit in Singapore Markets. *Food Chemistry*. 76: 69 – 75.
- Lima, M.M.S dan Borsali, R. 2004. Rod-like Cellulose Microcrystal: Structure, Properties and Applications. *Macromolecular Rapid Communication*. 25: 771–787.
- Lii, K.; Henrikson, G. dan Gellerstedt. G. 2007. Lignin Depolymerization and Repolymerization and Its Critical Role for Delignification of Aspen Wood by Steam Explosion. *Bioresource Technology*. 98: 3061-3068.
- Lin, S.; Fuji, M. dan Huo, D. 2008. Molecular Mechanism of Apoptosis Induced Schizandrae Derived Lignans in Human Leukemic HL-60 Cells. *Food Chemistry Toxicology*. 46: 590 – 597.
- López-Velázquez, D.; Hernández-Sosaa,A.R. dan Pérezb, E. 2015. Effect Of The Degree Of Substitution In The Transition Temperatures Andhydrophobicity Of Hydroxypropyl Cellulose Esters. *Carbohydrate Polymers*. 125: 224–231.
- Lorenzo, C.A.; Amoza, J.L.G.; Pachecho, R.M.; Souto, C. and Concheiro, A. 2000. Interactions Between Hydroxypropylcelluloses And Vapour/Liquid Water. *European Journal of Pharmaceutics and Biopharmaceutics*. 50: 307-318.
- Malamataris, S.; Karidas,T dan Goidas, P. 1994. Effect Of Particle Size And Sorbed Moisture on The Compression Behaviour Of Some Hydroxypropyl Methylcellulose (HPMC) Polymers. *International Journal of Pharmaceutics*. 103: 205-215.

- Malamataris, S. dan Karidas, T. Effect Of Particle Size And Sorbed Moisture On The Tensile Strength Of Some Tableted Hydroxypropyl Methylcellulose (HPMC) Polymers. *International Journal of Pharmaceutics*. 104 : 115-123.
- Marseno, D.W.; Haryanti, P.; Adiseno, B. dan Haryadi. 2014. Syntesis and Characterization of Hydroxypropylcellulose for Oil Palm Empty Fruit Bunches (*Elaeis guineensis* Jacq). *Indonesian Food and Nutrition Progress*. 13 (1): 24-30.
- Montgomery, D. C. 1991. *Design and Analysis of Experiments Third Edition*. John Wiley and Sons, New York.
- Mosier, N.; Wyman, C.; Dale, B.; Elander, R.; Lee, Y. dan Holtzapple, M. 2005. Features of Promising Technologies for Pretreatment of Lignocellulosic Biomass. *Bioresource Technology*, 96 (6): 673-686.
- Murray, J.C.F. 2009. Cellulosics. Dalam: Phillips, G.O dan Williams, P.A. *Handbook of Hydrocolloids Second edition*. CRC Press, New York, Washington DC.
- Nuringtyas, T. R. 2010. *Karbohidrat*. Gadjah Mada University Press, Yogyakarta.
- Oramahi, H. A. 2008. *Teori dan Aplikasi Penggunaan RSM (Response Surface Methodology)*. Ardana media, Yogyakarta.
- Matin, H.R.H.; Shariatmadari, F. dan Torshi, M.A.K. 2013. Various Physico chemical Properties of Dietary Fiber Sources of Poultry Diets. *Journal Agriculture Crop Science*. 6 (18): 1239-1245.
- Mezdoura, S.; Lepinea, A; Erazo-Majewicz, P.; Ducept, F. dan Michona, C. 2008. Oil/Water Surface Rheological Properties Of Hydroxypropyl Cellulose (HPC) Alone And Mixed With Lecithin: Contribution To Emulsion Stability. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*. 331: 76–83.
- Pratama, N R. 2009. Activity of Antihyperglycemic Exocarp and Mesocarp Extract from Snake Fruit CV. ‘Bongkok’ (in Indonesian). Tesis. Fakultas MIPA, Institut Pertanian Bogor , Bogor, Indonesia.
- Pomeranz, Y. dan Meloan, C. E. 1999. *Food Analysis Theory and Practice. 3ed.* Chapman and Hall, U. S. A.
- Pushpamalar, V.; Langford, S. J.; Ahmad, M. dan Lim, Y. Y. 2006. Optimization of Reaction Conditions for Preparing Carboxymethyl Cellulose from Sago Waste. *Carbohydrate Polymers*. 64: 312-318.

- Rosell, C. M.; Santos, E. dan Collas, C. 2009. Psysico-chemical Properties of Commercial Fibers from Different Sources A Comparative Approach. *Food Research International*. 42: 176-184.
- Sakaguchi, H.; Hatakeyama, K.; Kobayasi, S. and Esaka, K. 2002. Hydrogenation Characteristic Of The Proton Conducting Oxide-Hydrogen Storage Alloy Composite. *Materials Research Bulletin*. 37: 1547 - 1556
- Salmen, L.; Akerholm, M. dan Hintershoisser, B. 2005. Two-Dimensional Fourier Transform Infrared Spectroscopy Applied to Cellulose and Paper. Dalam: Dumitriu, S. *Structural Diversity and Functional Versatility*. Second Edition. Marcel Dekker, New York, USA.
- Setiyoko, A. 2016. Sintesis dan Karakterisasi Carboxymethyl cellulose (CMC) dari Biji Salak (*Salacca edulis* Reinw) Pondoh Super. Tesis. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Sharma, R.; Varshney, V.K.; Chauhan, G.S.; Naithani, S. dan Soni, P.L. 2009. Hydroxypropylation of Cellulose Isolated from Bamboo (*Dendrocalamus strictus*) with Respect to Hydroxypropoxyl Content and Rheological Behavior of the Hydroxypropyl Cellulose. *Journal of Applied Polymer Science*. 113: 2450–2455.
- Shieh, C.J.; Philip, E.; Koehler, P.E. dan Akoh, C.C. 1996. Optimization of Sucrose Polyesten Synthesis Using Response Surface Methodology. *Journal Food Science*. 61: 97-100.
- Silverstein, R.M. dan Webster, F.X. 2002. *Spectrometric Identification of Organic Compounds*. John Wiley and Sons. New York, USA.
- Sjostrom, E. 1981. *Wood Chemistry: Fundamentals and Application*. Academic Press, New York
- Sjostrom, E. 1993. *Wood Chemistry Fundamentals and Applications. Second Edition*. Academic Press Inc. San Diego. California.
- Sjostrom, E. 1995. *Kimia Kayu Dasar-Dasar dan Penggunaan*. Ed. 2. Gadjah Mada University Press, Yogyakarta.
- Sjostrom, E dan Alen, R. 1999. *Analytical Methods in Wood Chemistry, Pulping and Papermaking*. Springer-Verlay. Berlin, Heidelberg. Newyork.

- Sood, A. dan Gupta, M. 2015. Extraction Process Optimization For Bioactive Compounds In Pomegranate Peel. *Food Bioscience*. 12: 100-106
- Sosrodihardjo, S. 1986. Physical and Chemical Development of Salak Pondoh (in Indonesian). *Buletin Penelitian Hortikultura*. 13(2): 54-62.
- Suhardi. 1995. Changes in Sugar and Starch Contents of Salak Pondoh During Fruit Maturation (in Indonesian). *Agritech*. 10(123): 10-13
- Sun, R.C. dan Sun, X.F. 2000. Fractional And Structural Characterization Of Hemicelluloses Isolated By Alkali And Alkaline Peroxide From Barley Straw. *Carbohydrate Polymers*. 49: 415-423.
- Sun, X.F.; Sun, R.C.; Su, Y. dan Sun, J.X. 2004. Comparative Study of Crude and Purified Cellulose from Wheat Straw. *Journal Agriculture Food Chemistry*. 52: 839-847.
- Sundar, S.K. 2014. Cellulose Extraction Via Acid Digester and Alkaline Digester from Empty Fruit Bunch (EFB) and Banana Trunk. Thesis. Faculty of Chemical and Natural Resources Engineering. University Malaysia. Pahang.
- Supriyadi, S. S. M.; Yoshida, K.; Muto, T.; Fujita, A. dan Watanabe, N. 2002. Changes in The Volatile Compounds and in The Chemical and Physical Properties of Snake Fruit (*Salacca edulis* Reinw.) CV Pondoh during Maturation. *Journal Agriculture Food Chemistry*. 50: 7627-7633.
- Surh, Y. J.; Hurh, Y.J.; Kang, J.Y.; Lee, E.; Su, G.K. dan Lee, J. 1999. Resveratrol Antioxidant Present in Red Wine Induces Apoptosis in Human Promyelocytic Leukemia (HL-60) Cells. *Cancer Letter*. 140: 1 - 10
- Supapvanich, S dan Megia, R. 2011. Salak (*Salacca zalacca* (Gaertner) Voss). Dalam: Yahya, E.M. *Postharvest Biology and Technology of Tropical and Subtropical Fruit Volume 4*. Woodhead Publishing Limited, Cambridge UK.
- Togrul, H. dan Arslan, N. 2004. Carboxymethyl Cellulose From Sugar Beet Pulp Cellulose As A Hydrophilic Polymer In Caiting Of Mandarin. *Food Engineering*. 62: 271-279.
- Varshney, V.K. dan Naithani, S. 2011. Chemical Functionalization of Cellulose Derived from Nonconventional Sources. Dalam: Kalia, S.; Kaith, B.S. dan Kaur, I. *Cellulose Fibers: Bio- and Nano-Polymer Composites*. Springer-Verlag Berlin Heidelberg.

- Wahyuningtyas, A. 2016. Sintesis dan Karakterisasi Methyl Cellulose (MC) dari Biji Salak (*Salacca edulis* Reinw) Pondoh Super. Tesis. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.
- Wijaya, C.H.; Ulrich, D.; Lestari, R.; Schippel, K. dan Ebert, G. 2005. Identification of Potent Odorants in Different Cultivars of Snake Fruit (*Salacca zalacca* (Gaert.)Voss) Using Gas Chromatography-Olfactometry. *Journal Agriculture Food Chemistry*. 53: 1637 – 1641.
- Wustenberg, T. 2012. *Cellulose and Cellulose Derivatives in the Food Industry: Fundamentals dan Applications*. Wiley-VCH Verlag GmbH dan Co KGaA. Weinheim. Germany.
- Yasar, F.; Togrul, H. dan Arslan, N. 2007. Flow Properties of Cellulose and Carboxymethyl Cellulose from Orange Peel. *Food Engineering*. 81: 187-199.
- Zhou, C. dan Wu, Q. 2012. *Recent Development in Applications of Cellulose Nanocrystals for Advanced Polymer-Based Nanocomposites by Novel Fabrication Strategies*. Intech. Croatia.