

## DAFTAR PUSTAKA

- Adamson, J., Barrett, G., Biddulph, J.P., Bowling, A., Brown, J., Carter, S., Coleman, M.P., et al. (2005) Handbook of Health research methods: Investigation, measurement and analysis, Open University Press, New York.
- Alberti, K.G.M.M., Zimmet, P. and Shaw, J. (2005) The metabolic syndrome - A new worldwide definition, *Lancet*, Vol. 366 No. 9491, pp. 1059–1062.
- Aliawati, A.H. (2011) Hubungan Antara Pola Asupan Lemak dan Serat dengan Sindroma Metabolik Pada Karyawan RSUP Dr. Sardjito, Universitas Gadjah Mada.
- Anonim. (2015) Penjaringan kesehatan (skrining) di Kabupaten Trenggalek.
- Bagchi, D. and Sreejayan, N. (2012) Nutritional and Therapeutic Interventions for Diabetes and Metabolic Syndrome, Elsevier Inc.
- Bahl, D., Singh, K., Sabharwal, M. and Arora, M. (2014) Anthropometric Indices for the Prediction of Metabolic Syndrome and its Features, among Children and Adolescents, *Indian Journal of Science and Technology*, Vol. 7 No. 8, pp. 1066–1077.
- Bantas, K. (2012) Perbedaan Gender pada Kejadian Sindrom Metabolik pada Penduduk Perkotaan di Indonesia, *Jurnal Kesehatan Masyarakat Nasional*, Vol. 7 No. 5, pp. 219–226.
- Bantas, K., Koesnanto, H. and Moelyono, B. (2013) Ukuran Lingkar Pinggang Optimal untuk Identifikasi Sindrom Metabolik pada Populasi Perkotaan di Indonesia Optimal Waist Circumference for Identification of Subjects with Metabolic Syndrome in Indonesian Urban Population, *Jurnal Kesehatan Masyarakat Nasional*, Vol. 7 No. 6, pp. 284–288.
- Bantle, J.P. (2009) Dietary fructose and metabolic syndrome and diabetes., *The Journal of nutrition*, Vol. 139 No. 6, p. 1263S–1268S.
- Benmohammed, K., Valensi, P., Benlatreche, M., Nguyen, M.T., Benmohammed, F., Pariès, J., Khensal, S., et al. (2015) Anthropometric markers for detection of the metabolic syndrome in adolescents, *Diabetes & Metabolism*, Elsevier Masson SAS, Vol. 41 No. 2, pp. 138–144.
- Brambilla, P., Bedogni, G., Heo, M. and Pietrobelli, A. (2013) Waist circumference-to-height ratio predicts adiposity better than body mass index in children and adolescents, *International Journal of Obesity*, Vol. 37 No. 7, pp. 943–946.
- Bray, G.A. and Ryan, D. (2006) Overweight and the Metabolic Syndrome: From Bench to Bedside, Springer, USA.
- Burnier, M. (2008) Sodium in Health and Disease, Informa Healthcare USA, Inc., London.
- Byrne, C. and Wild, S.H. (2005) The Metabolic Syndrome, John Wiley & Sons, Ltd, England.
- Carr, S.N.U.T.P.-M. (2007) An Introduction to Public Health and Epidemiology, Open University Press, New York, Second Edi.
- Choi, J.-H., Woo, H.D., Lee, J.-H. and Kim, J. (2015) Dietary Patterns and Risk for Metabolic Syndrome in Korean Women A Cross-Sectional Study, *Medicine*, Vol. 94 No. 34, pp. 1–8.
- Chung, S., Ha, K., Lee, H.-S., Kim, C., Joung, H., Paik, H.-Y. and Song, Y. (2015) Soft Drink Consumption Is Positively Associated with Metabolic Syndrome Risk Factors Only in Korean Women: Data from the 2007–2011 Korea National Health and Nutrition Examination Survey, *Metabolism Clinical and Experimental*, Elsevier B.V., Vol. 64 No. 11, pp. 1477–1484.

- Cox, D.N., Hendrie, G.A. and Carty, D. (2016) Sensitivity, hedonics and preferences for basic tastes and fat amongst adults and children of differing weight status: A comprehensive review, *Food Quality and Preference*, Elsevier Ltd, Vol. 48, pp. 359–367.
- Dahlan, M.S. (2009) Penelitian Diagnostik: Dasar-dasar Teoretis dan Aplikasi dengan Program SPSS dan Stata, Salemba Medika, Jakarta.
- Dwipayana, M.P., K., S. and Goetara, W. (2011) Prevalensi Sindroma Metabolik Pada Populasi Penduduk Bali, Indonesia, *J Peny Dalam*, Vol. 12 No. 1, pp. 1–5.
- Eckel, R.H., Grundy, S.M. and Zimmet, P.Z. (2005) The metabolic syndrome, *Lancet*, Vol. 365, pp. 1415–1428.
- Eisenmann, J.C. (2008) On the use of a continuous metabolic syndrome score in pediatric research., *Cardiovascular diabetology*, Vol. 7, p. 17.
- Eisenmann, J.C., Laurson, K.R., DuBose, K.D., Smith, B.K. and Donnelly, J.E. (2010) Construct validity of a continuous metabolic syndrome score in children., *Diabetology & metabolic syndrome*, Vol. 2, p. 8.
- De Ferranti, S.D., Gauvreau, K., Ludwig, D.S., Newburger, J.W. and Rifai, N. (2006) Inflammation and changes in metabolic syndrome abnormalities in US adolescents: Findings from the 1988-1994 and 1999-2000 National Health and Nutrition Examination Surveys, *Clinical Chemistry*, Vol. 52 No. 7, pp. 1325–1330.
- De Ferranti, S.D. and Osganian, S.K. (2007) Epidemiology of paediatric metabolic syndrome and type 2 diabetes mellitus., *Diabetes & vascular disease research*, Vol. 4 No. 4, pp. 285–296.
- Fletcher, R.H. and Fletcher, S.W. (2005) *Clinical Epidemiology: The Essentials* 4th Edition, Lippincott Williams & Wilkins, USA.
- Fonseca, V. (2008) *Therapeutic Strategies: Metabolic Syndrome*, Atlas Medical Publishing Ltd, UK.
- Geer, E.B. and Shen, W. (2009) Gender differences in insulin resistance, body composition, and energy balance, *Gender medicine*, Vol. 6, pp. 60–75.
- Gharipour, M., Sadeghi, M., Dianatkah, M., Bidmeshgi, S., Ahmadi, A., Tahri, M. and Sarrafzadegan, N. (2014) The cut-off values of anthropometric indices for identifying subjects at risk for metabolic syndrome in iranian elderly men, *Journal of Obesity*, Hindawi Publishing Corporation, Vol. 2014.
- Haris, S. and Tambunan, T. (2009) Hipertensi pada Sindrom Metabolik, *Sari Pediatri*, Vol. 11 No. 4, pp. 257–263.
- Hillier, T. a., Rousseau, a., Lange, C., Lépinay, P., Cailleau, M., Novak, M., Calliez, E., et al. (2006) Practical way to assess metabolic syndrome using a continuous score obtained from principal components analysis, *Diabetologia*, Vol. 49 No. 7, pp. 1528–1535.
- Hoffmann, I.S. and Cubeddu, L.X. (2007) Increased blood pressure reactivity to dietary salt in patients with the metabolic syndrome, *Journal of human hypertension*, Vol. 21, pp. 438–444.
- Hosseini, M., Sarrafzadegan, N., Kelishadi, R., Monajemi, M., Asgary, S. and Vardanjani, H.M. (2014) Population-based metabolic syndrome risk score and its determinants : The Isfahan Healthy Heart Program, *Journal of Research in Medical Sciences*, No. December, pp. 9–12.
- Hsiung, D.-Y., Liu, C.-W., Cheng, P.-C. and Ma, W.-F. (2014) Using Non-Invasive Assessment Methods to Predict the Risk of Metabolic Syndrome, *Applied Nursing Research*, Elsevier Inc., Vol. 28 No. 2, pp. 72–77.
- Hujová, Z., Alberty, R., Paulíková, E., Ahlers, I., Ahlersová, E., Gábor, D. and Dove, M. (2011) The prevalence of cigarette smoking and its relation to certain risk predictors of cardiovascular diseases

- IDF. (2006) The IDF consensus worldwide definition of The metabolic syndrome, Belgium.
- Johnson, R.J., Segal, M.S., Sautin, Y., Nakagawa, T., Feig, D.I., Kang, D.-H., Gersch, M.S., et al. (2007) Potential role of sugar (fructose) in the epidemic of hypertension, obesity and the metabolic syndrome, diabetes, kidney disease, and cardiovascular disease, *The American journal of clinical nutrition*, Vol. 86 No. 4, pp. 899–906.
- Kahn, R., Buse, J., Ferrannini, E. and Stern, M. (2005) The Metabolic Syndrome: Time for a Critical Appraisal, *Diabetes cares*, Vol. 28 No. 9, pp. 2289–2304.
- Kamso, S. (2007) Body mass index, total cholesterol, and ratio total to HDL cholesterol were determinants of metabolic syndrome in Indonesian elderly, *Med J Indones*, Vol. 16 No. 3, pp. 195–200.
- Kamso, S., Dharmayati, P., Lubis, U., Juwita, R., Kurnia, Y. and Besral, R. (2011) Prevalensi dan Determinan Sindrom Metabolik pada Kelompok Eksekutif di Jakarta dan Sekitarnya, *Jurnal Kesehatan Masyarakat Nasional*, Vol. 6 No. 2, pp. 85–90.
- Kassi, E., Pervanidou, P., Kaltsas, G. and Chrousos, G. (2011) Metabolic syndrome: definitions and controversies, *BMC medicine*, BioMed Central Ltd, Vol. 9 No. 1, p. 48.
- Kaur, J. (2014) A Comprehensive Review on Metabolic Syndrome, *Cardiology Research and Practice*.
- Kelishadi, R., Mansourian, M. and Heidari-Beni, M. (2014) Association of fructose consumption and components of metabolic syndrome in human studies: A systematic review and meta-analysis., *Nutrition*, Elsevier Inc., Vol. 30 No. 5, pp. 503–10.
- Kelsey, M.M., Zeitler, P.S. and Kelsey, M.M. (2016) Insulin Resistance of Puberty, *Current Diabetes Reports*, *Current Diabetes Reports*, Vol. 16 No. 64, doi:10.1007/s11892-016-0751-5.
- Kemenkes. (2014) Pedoman Gizi Seimbang, Jakarta.
- Kesh, S.B., Sarkar, D. and Manna, K. (2016) High-fat diet-induced oxidative stress and its impact on metabolic syndrome: A Review, *Asian Journal of Pharmaceutical and Clinical Research*, Vol. 9 No. 1, pp. 38–43.
- Khitan, Z. and Kim, D.H. (2013) Fructose : A Key Factor in the Development of Metabolic Syndrome and Hypertension, *Journal of Nutrition and Metabolism*, pp. 1–9.
- Lucan, S.C. and DiNicolantonio, J.J. (2014) How calorie-focused thinking about obesity and related diseases may mislead and harm public health. An alternative., *Public health nutrition*, Vol. 18 No. 4, pp. 1–11.
- Mogre, V., Salifu, Z.S. and Abedandi, R. (2014) Prevalence, components and associated demographic and lifestyle factors of the metabolic syndrome in type 2 diabetes mellitus, *Journal of Diabetes & Metabolic Disorders*, Vol. 13 No. 80, pp. 1–7.
- Moy, F.M. and Bulgiba, A. (2010) The modified NCEP ATP III criteria maybe better than the IDF criteria in diagnosing Metabolic Syndrome among Malays in Kuala Lumpur, *BMC Public Health*, Vol. 10 No. 678, pp. 2–7.
- Nambiar, S., Hughes, I. and Davies, P.S. (2010) Developing waist-to-height ratio cut-offs to define overweight and obesity in children and adolescents, *Public health nutrition*, Vol. 13 No. 10, pp. 1566–1574.
- Neinstein, L.S. (2009) *Handbook of Adolescent Health Care*, Lippincott Williams & Wilkins, United States.

- Okosun, I.S., Boltri, J.M., Lyn, R. and Davis-Smith, M. (2010) Continuous metabolic syndrome risk score, body mass index percentile, and leisure time physical activity in American children., *Journal of clinical hypertension* (Greenwich, Conn.), Vol. 12 No. 8, pp. 636–644.
- Okosun, I.S., Lyn, R., Davis-Smith, M., Eriksen, M. and Seale, P. (2010) Validity of a Continuous Metabolic Risk Score as an Index for Modeling Metabolic Syndrome in Adolescents, *Annals of Epidemiology*, Vol. 20 No. 11, pp. 843–851.
- Pandit, D., Chiplonkar, S., Khadilkar, a, Kinare, a and Khadilkar, V. (2011) Efficacy of a continuous metabolic syndrome score in Indian children for detecting subclinical atherosclerotic risk, *International Journal of Obesity*, Nature Publishing Group, Vol. 35 No. 10, pp. 1318–1324.
- Ping, J.W. (2013) The impact of cigarette smoking on metabolic syndrome, *Biomedical and Environmental Sciences*, The Editorial Board of Biomedical and Environmental Sciences, Vol. 26 No. 12, pp. 947–952.
- Reinehr, T. (2016) Metabolic Syndrome in Children and Adolescents: a Critical Approach Considering the Interaction between Pubertal Stage and Insulin Resistance, *Current Diabetes Reports*, Vol. 16 No. 1, p. 8.
- Rhee, M.-Y., Kim, J.-H., Kim, Y.-S., Chung, J.-W., Bae, J.-H., Nah, D.-Y., Kim, Y.-K., et al. (2014) High sodium intake in women with metabolic syndrome, *Korean circulation journal*, Vol. 44 No. 1, pp. 30–36.
- Riccardi, G., Giacco, R. and Rivellese, A.A. (2004) Dietary fat , insulin sensitivity and the metabolic syndrome, *Clinical Nutrition*, Vol. 23, pp. 447–456.
- Rini, S. (2015) Sindrom Metabolik, *J Majority*, Vol. 4 No. 4, pp. 88–93.
- Riskesdas. (2013) Riskesdas dalam Angka, doi:10.3406/arch.1977.1322.
- Rizkalla, S.W. (2010) Health implications of fructose consumption: A review of recent data, *Nutrition & metabolism*, Vol. 7 No. 1, p. 82.
- Romero-Saldana, M., Fuentes-Jimenez, F.J., Vaquero-Abellan, M., Alvarez-Fernandez, C., Molina-Recio, G. and Lopez-Miranda, J. (2016) New non-invasive method for early detection of metabolic syndrome in the working population, *European Journal of Cardiovascular Nursing*, doi:10.1177/1474515115626622.
- Sagun, G., Oguz, A., Karagoz, E., Filizer, A., Tamer, G. and Mesci, B. (2014) Application of alternative anthropometric measurements to predict metabolic syndrome, *Clinics*, Vol. 69 No. 5, pp. 347–353.
- Sastroasmoro, S. and Ismael, S. (2011) *Dasar-dasar Metodologi Penelitian Klinis*, Sagung seto, Jakarta, Edisi ke-4.
- Sayon-Orea, C., Martinez-Gonzalez, M.A., Gea, A., Flores-Gomez, E., Basterra-Gortari, F.J. and Bes-Rastrollo, M. (2014) Consumption of fried foods and risk of metabolic syndrome: The SUN cohort study, *Clinical Nutrition*, Elsevier Ltd, Vol. 33 No. 3, pp. 545–549.
- Septian. (2014) Laporan penjarangan SD dan SMA, available at: <https://www.scribd.com/doc/245688352/LAPORAN-KEGIATAN-PENJARANGAN-KESEHATAN-SEKOLAH-TINGKAT-SMP-FIXS-docx>.
- Sharlin, J. and Edelstein, S. (2011) *Life Cycle Nutrition*, Jones and Bartlett Publishers, USA.
- Sihombing, M. and Tjandrarini, D.H. (2015) Faktor Risiko Sindrom Metabolik Pada Orang Dewasa di Kota Bogor, *Penelitian Gizi dan Makanan*, Vol. 38 No. 1, pp. 21–30.

- Siri-tarino, P.W., Sun, Q., Hu, F.B. and Krauss, R.M. (2010) Meta-analysis of prospective cohort studies evaluating the association of saturated fat with cardiovascular disease 1 – 5, *American Journal of Clinical Nutrition*, Vol. 91 No. 3, pp. 535–546.
- Soewondo, P., Purnamasari, D., Oemardi, M., Waspadji, S. and Soegondo, S. (2010) Prevalence of metabolic syndrome using NCEP/ATP III criteria in Jakarta, Indonesia: the Jakarta primary non-communicable disease risk factors surveillance 2006., *Acta medica Indonesiana*, Vol. 42 No. 4, pp. 199–203.
- Soleimani, M. and Alborzi, P. (2011) The role of salt in the pathogenesis of fructose-induced hypertension., *International journal of nephrology*, doi:10.4061/2011/392708.
- Stabelini Neto, A., de Campos, W., Dos Santos, G.C. and Mazzardo Junior, O. (2014) Metabolic syndrome risk score and time expended in moderate to vigorous physical activity in adolescents., *BMC pediatrics*, Vol. 14, p. 42.
- Sun, S.Z., Anderson, G.H., Flickinger, B.D., Williamson-hughes, P.S. and Empie, M.W. (2011) Fructose and non-fructose sugar intakes in the US population and their associations with indicators of metabolic syndrome, *Food and Chemical Toxicology*, Elsevier Ltd, Vol. 49 No. 11, pp. 2875–2882.
- Susilawati, M.D., Bantas, K. and Jahari, A.B. (2014) Nilai Batas dan Indikator Obesitas Terhadap Terjadinya Diabetes Mellitus Tipe 2, *Penel Gizi Makanan*, Vol. 2 No. 1, pp. 11–20.
- Tomastola, Y.A. (2011) Hubungan Asupan Makanan Berisiko dan Aktifitas Fisik Dengan Komponen Sindroma Metabolik pada Tokoh Agama di Kota Manado, Universitas Gadjah Mada.
- UN. (2001) Youth definition, available at: <http://www.un.org/esa/socdev/documents/youth/fact-sheets/youth-definition.pdf>.
- Velásquez-villa, M., Gómez-ocampo, L. and Bermúdez-cardona, J. (2014) Abdominal obesity and low physical activity are associated with insulin resistance in overweight adolescents : a cross-sectional study, *BMC pediatrics*, Vol. 14 No. 52, pp. 1–9.
- Viitasalo, A., Lakka, T. a., Laaksonen, D.E., Savonen, K., Lakka, H.M., Hassinen, M., Komulainen, P., et al. (2014) Validation of metabolic syndrome score by confirmatory factor analysis in children and adults and prediction of cardiometabolic outcomes in adults, *Diabetologia*, pp. 1–10.
- Villa, J.K.D., e Silva, A.R., Santos, T.S.S., Ribeiro, A.Q. and Sant’Ana, L.F.D.R. (2015) Metabolic syndrome risk assessment in children: use of a single score, *Rev Paul Pediatr*, Vol. 33 No. 2, pp. 187–193.
- Wang, J., Zhu, Y., Cai, L., Jing, J., Chen, Y., Mai, J., Ma, L., et al. (2015) Metabolic syndrome and its associated early-life factors in children and adolescents: a cross-sectional study in Guangzhou, China, *Public Health Nutrition*, Vol. 19 No. 13, pp. 1–8.
- WHO. (2010) Global Recommendations on Physical Activity for Health.
- WHO. (2012) Guideline: Sodium intake for adults and children.
- WHO. (2014) Noncommunicable Diseases (NCD) Country Profiles: Indonesia, available at: [http://www.who.int/nmh/countries/idn\\_en.pdf](http://www.who.int/nmh/countries/idn_en.pdf).
- You, M.-A. and Son, Y.-J. (2012) Prevalence of metabolic syndrome and associated risk factors among Korean adolescents: analysis from the Korean national survey., *Asia-Pacific journal of public health*, Vol. 24 No. 3, pp. 464–71.
- Zimmet, P., Alberti, K.G.M., Kaufman, F., Tajima, N., Silink, M., Arslanian, S., Wong, G., et al. (2007) The metabolic syndrome in children and adolescents - an IDF consensus report., *Pediatric diabetes*, Vol. 8 No. 5, pp. 299–306.