KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdel-Rahman, S.A., F.A. El-Fishawy, M. A El-Geddawy, T. Kurz (2008). Isolation and Physico-chemical Characterization of Mung Bean Starches. *International Journal of Food Engineering* Vol. 4 Iss. 1.

Ae Wha Ha, Gwi Jung Han, dan Woo Kyoung Kim. (2012). Effect of retrograded rice on weight control, gut function, and lipid concentrations in rats. *Nutrition Research and Practice (Nutr Res Pract)* 2012 ; 6(1):16-20.

Anonim (2006). *Obesity: The Science Inside*. American Association for the Advancement of Science. New York.

_____(2010). Daftar Komposisi Bahan Makanan. Direktorat Gizi Departemen Kesehatan RI. Penerbit Bhatara Karya Aksara. Jakarta.

_____(2012). PedomanTeknis Pengelolaan Produksi Kacang Tanah, Kacang Hijau dan Aneka Kacang 2012. Direktorat Budidaya Aneka Kacang dan Umbi, Ditjen Tanaman Pangan Kementrian Pertanian, Jakarta.

_____(2013). Low-Carb, High-Protein Diets: Risks (Ketosis) and Benefits. http://www.webmd.com/diet/high-protein-low-carbohydrate-diets. [12 Desember 2013].

Antipatis, V.J., dan T.P. Gill (2001). Obesity as a Global Problem. *Dalam* : Bjorntorp, P. (ed.). *International Textbook of Obesity*. JohnWiley & Sons Ltd.

AOAC (1990). Official Methods of Analysis. 15th ed, Arlington, Virginia: Association of Official Analytical Chemists.

Asaoka, M., K. Okuno dan H. Fuwa (1985). Effect of environmental temperature at the milky state on amylose content and fine structure of waxy and nonwaxy endosperm starches of rice (Oryza sativa L.). *Agricultural and Biological Chemistry* 49: 373-376

Asp, N.G. (1992). Resistant starch. *Proceedings from the second plenary meeting of EURESTA: European FLAIR Concerted Action No.11 on physiological implications of the consumption of resistant starch in man*. *Eur J Clin Nutr* 1992; 46 (suppl2): S1.

Barlow, S.E. dan W.H. Dietz (1998). Obesity Evaluation And Treatment: Expert Committee Recommendations. *Pediatrics.* Vol. 102 No. 3 September 1998.

KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Barsby, T.L., A. M. Donald, dan P. J. Frazier (2001). *Starch : Advances in Structure and Function*. RSC - Royal Society Of Chemistry. Cambridge.

Basciano, Heather , Federico, Lisa, Adeli, Khosrow (2005). Fructose, insulin resistance, and metabolic dyslipidemia. *Nutrition & Metabolism* **2** (1):5.DOI:10.1186/1743-7075-2-5.PMC 552336. PMID 15723702.

Belobrajdic, D.P., R.A King, C.T. Christophersen, dan A.R. Bird (2012). Dietary resistant starch dose-dependently reduces adiposity in obesity-prone and obesity-resistant male rats. *Nutrition & Metabolism* 2012, 9: 93 . http://www.nutritionandmetabolism. com/ content/9/1/93

Berry, C.S. (1986). Resistant starch: formation and measurement of starch that survives exhaustive digestion with amylolytic enzymes during the determination of dietary fibre. *J Cereal Sci*.1986; 4:301-14.

Bertolini, A.C. (2010). *Starches: Characterization, Properties, and Applications*. CRC Press. Boca Raton London New York.

Birch, G. G. dan R. J. Priestley. (1973). Degree of Gelatinisation of Cooked Rice. Starch-starke - STARCH , vol. 25, no. 3, pp. 98-100, 1973. DOI: 10.1002/star. 19730250308

Birkett, A.M. dan I.L. Brown. (2007). Resistant Starch. *Dalam* : Henry, C.J.K. (ed.). *Novel food ingredients for weight control*. CRC Press. Washington, D.C.

Birt, D.F., T. Boylston, S. Hendrich, J.L. Jane, J. Hollis, L. Li, J. McClelland, S. Moore, G. J. Phillips, M. Rowling, K. Schalinske, M. .P. Scott, dan E. M. Whitley (2013). Resistant Starch: Promise for Improving. Human Health. *Advance Nutrition.* 4: 587–601, 2013; doi:10.3945/an.113.004325.

Bischoff, A. Damms-Machado, C Be G Bischoff, A. Austel dan T. Ellrott (2011) Multicenter evaluation of an interdisciplinary 52-week weight loss program for obesity with regard to body weight, comorbidities and quality of lifeFa prospective study. *International Journal of Obesity* (2011) 1–11.

BPS (2013). Produksi Kacang Hijau Menurut Provinsi (Ton). https://www.bps.go.id/ linkTableDinamis/view/id/877.

Bray, G.A dan J. Macdiarmid (2000). The Epidemic of Obesity. *West J Med*. 2000 Feb; 172(2): 78–79.

KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Brown I. (1996). Complex carbohydrates and resistant starch. *Nutr. Rev*., 1996, 54, S115–S119

Buettner, R., J. Schölmerich dan L. C. Bollheimer (2007). High-fat Diets: Modeling the Metabolic Disorders of Human Obesity in Rodents. Obesity Volume 15, Issue 4, pages 798–808, April 2007. DOI: 10.1038/oby.2007.608

Caballero, B. (2007). The Global Epidemic of Obesity: An Overview. *Epidemiologic Reviews.* Vol. 29, 2007.

Chang, Y.H., C. L. Lin, dan J. C. Chen (2006). Characteristics of mung bean starch isolated by using lactic acid fermentation solution as the steeping liquor. Original Research Article. *Food Chemistry*, Volume 99, Issue 4, 2006, Pages 794-802

Chrastil, J. 1987. Improved colorimetric determination of amylose in starches or flours. Carbohydrate Research 159: 154-158.

Craig, S. A. S.; Maningat, C. C.; Seib, P. A.; Hoseney, R.C. (1989), Starch Paste Clarity. *Cereal Chemistry*, **66**, 173-182

Crosbie, G. B. (1991). The relationship between starch swelling properties, paste viscosity and boiled noodle quality in wheat flours. *J. Cereal Sci.* 13:145-150.

Cummings, J.H. dan H.N. Englyst (1991). Measurement of starch fermentation in the human large intestine. *Can J Physiol Pharmacol* 1991; 69:121-9.

Curtis, M. (2004). The Obesity Epidemic in the Pacific Islands . *Journal of Development and Social Transformation*; 2004

Damayanti, S. (2002). Obesitas pada Anak. Prosiding Simposium Temu Ilmiah Akbar. Jakarta : Pusat Informasi dan Penerbitan bagian Ilmu Penyakit Dalam FKUI.

Daniels, S.R. (2006). The Consequences of Childhood Overweight and Obesity. *Childhood Obesity.* Volume 16 Number 1 Spring 2006. Pages 47-67.

De Mann, J. (1999). *Principles of Food Chemistry*. 3rd edition. Aspen Publishers, Inc. Gaithersburg, Maryland.

Dourmashkin, J.T., G-Q Chang, E.C. Gayles, J.O. Hill, S.K Fried, C Julien dan S.F. Leibowitz (2005). Different forms of obesity as a function of diet composition. *International Journal of Obesity*. 29 : 1368 – 1378.

UNIVERSITAS GADJAH MADA
KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Dundar, A.N. dan D. Gocmen (2013). Effects of autoclaving temperature and storing time on resistant starch formation and its functional and physicochemical properties. *Carbohydrate Polymers* 97 : 764–771.

Eerlingen, R.C. dan A. Delcour (1995). Formation, analysis, structure and properties of type III enzyme resistant starch. *J. Cereal Sci.*, 1995, 22, 129–138

Eliasson, A.C. (1985). Starch gelatinization in the presence of emulsifiers: A morphological study. *Starch/Staerke* 37:411.

Eliasson, A.C. (2004). *Starch in food : Structure, Function and Applications*. CRC Press. USA.

Englyst, H.N, S.M. Kingman , J.H. Cummings . (1992). Classification and measurement of nutritionally important starch fractions. Eur J Clin Nutr. 1992 Oct;46 Suppl 2:S33-50.

Englyst, H.N. dan J.H. Cummings (1987). Digestion of polysaccharides of potato in the small intestine of man. *Am. J. Clin. Nutr,*. 1987, 45, 423–431.

Erliana-Ginting, Ratnaningsih, dan Rudi Iswanto (2007). Karakterisitik Fisik Dan Kimia 17 Genotipe Kacang Hijau Untuk Bahan Pangan. Prosiding Seminar : Inovasi Teknologi Kacang-Kacangan Dan Umbi-Umbian Mendukung Kemandirian Pangan Dan Kecukupan Energi. http://balitkabi.litbang. deptan.go.id/publikasi/prosiding.pdf

Fabricatore, A.N. dan T.A.Wadden. (2006). Obesity. Annual Review Clinical. *Psychol*. 2:357–77

Fogel, R.W. (1997). The global struggle to escape from chronic malnutrition since 1700. *Dalam* : Benjamin Caballero (2007). *The Global Epidemic of Obesity: An Overview.*

Fritz, M dan E. Hazarian (1999). Mass and Weight Measurement. *Dalam :* Webster, J.G (ed). *Measurement, Instrumentation, and Sensors Handbook*. CRC. Press.

Gajda, A.M. (2008). High Fat Diets for Diet-Induced Obesity Models. *A Brief Review of The Scientific Literature.* October 2008.

Ghibaudi L., J.Cook, C. Farley, M.Van Heek, J.J.Hwa. (2002). Fat intake affects adiposity, comorbidity factors, and energy metabolism of sprague-dawley rats. *Obesity Research* Vol. 10 No. 9 September 2002.

KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Gidley, M.J., Cooke, O., Darks, A.H., Hoffmann, R.A., Russel, A.L., and Greenwell, P. 1995. Molecular order and structure in enzyme resistant retrograded starch. Carbohydrate Polym. 28:23–31

Gluckmana, P.D., M.A. Hansond, A.S. Beedlea, dan D. Raubenheimer (2008). Fetal and Neonatal Pathways to Obesity. *Dalam* : Korbonits, M. (ed.). *Obesity Metabolism*. Karger, London.

Grace, C.M. (2001). Dietary management of obesity. *Dalam* : Kopelman, P.G. *The Management of Obesity and Related Disorders.* Martin Dunitz Ltd London.

Haag, M. (2005). Dietary fats, fatty acids and insulin resistance: short review of a multifaceted connection. *Medical science monitor*.

Haman-Hadi (2005). Beban Ganda Masalah Gizi Dan Implikasi Nya Terhadap Kebijakan Pembangunan Kesehatan Nasional. *Pidato Pengukuhan Guru Besar Fakultas Kedokteran UGM*. Universitas Gadjah Mada, Yogyakarta.

Hammond, J. dan E. T. Halnan (1950). A Course of Practical Physiology for Agricultural Students. Cambridge, University Press.

Haralampu, S.G. (2000). Resistant starch – a review of the physical properties and biological impact of RS3. *Carboh. Polym*., 2000, 41, 285–292

Hasjim, J., Yongfeng Ai and Jay-lin Jane (2013). Novel Applications of Amylose-Lipid Complex as Resistant Starch Type 5. Dalam : *Resistant Starch Sources, Applications and Health Benefits*. Published Online: 6 SEP 2013. DOI: 10.1002/9781118528723.ch04. John Wiley & Sons, Ltd

Himes, J.H. dan W.H. Dietz (1994). Guidelines for overweight in adolescent preventive services: recommendations from an expert committee. The Expert Committee on Clinical Guidelines for Overweight in Adolescent Preventive Services. *Am J Clin Nutr* 59 (2): 307-316

Hoover, R. (2001). Composition, molecular structure and physicochemical properties of tuber and root starches: a review. Carbohydrate Polymers 45: 253-267

Hoover, R., Y.X. Li, G. Hynes, dan N. Senanayake. (1997). Physicochemical Characterization of Mung Bean Starch. *Food Hydrocolloids*, Vol. 11 No. 4. pp 401 – 408.

UNIVERSITAS GADJAH MADA
KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Ikemoto, S., M. Takahashi, N. Tsunoda, K. Maruyama, H. Itakura, O. Ezaki (1996). High-fat diet-induced hyperglycemia and obesity in mice: Differential effects of dietary oils . *Metabolism* Volume 45, Issue 12, December 1996, Pages 1539–1546

Inoue, S., P. Zimmet dan I. Caterson (2000). The Asia-Pacific Perspective: Redefining Obesity and its treatment. *Health Communication*, Australia.

Ismail D, Herini ES,, Hagung P, & Sadjimin T. (1999). Fast Food Consumption and Obesity: Relationship among elementary school students in Yogyakarta. *Paediatrica Indonesiana*.

Ito, K dan Murata M. (1999). Diagnostic Criteria of childhood obesity. *Japanese journal of Pediatrics*; 52 (Suppi): 1182-96.

Iyan-Darmawan (2009). Resistensi Insulin. http://www.otsuka.co.id/?content=article_detail&id=158&lang=id

Jane, J.L. and J.F. Robyt (1984). Structure studies of amylose-V complexes and retrograded amylose by action of alpha amylases and a new method for preparing amylodextrins. *Carbohydrate Res*., 132: 105-118. DOI: 10.1016/0008-6215(84)85068-5

Juliano, B.O (1971). A simplified assay for milled rice amylose, *Cereal Sci. Today*, 16, pp 334-340

Kale, C.K, Kotecha, P.M., Chavan, J.K., and Kadam, S.S. (2002). Effect of processing conditions of bakery products on formation of resistant starch. J. Food Sci. Technol. 5:520–524.

Keenan, K.P., G.C. Ballam, D.G. Haught, dan P. Laroque (2000). Nutrition *Dalam* : The Handbook of Experimental Animals : The Laboratory Rat. Edited by. George J. Krinke. Academic Press Publisher. San Diego, California, USA.

Keenan, M.J., J. Zhou, M. Hegsted, C. Pelkman, H. A Durham, D. B Coulon, dan R. J Martin (2015). Role of Resistant Starch in Improving Gut Health, Adiposity, and Insulin Resistance. *Advance Nutrition*. 6: 198–205, 2015; doi:10.3945/an.114.007419

Kelly, E. B. (2006). *Obesity.* Greenwood Press. Westport, Connecticut-London.

Kemenkes (2013). Riset Kesehatan Dasar Tahun 2013. Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan RI. Tahun 2013

UNIVERSITAS GADJAH MADA
KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

King, J.M. dan S.Y. Tan (2005). Resistant Starch With Cooking Properties Similar To Untreated Starch. *US Patent Aplication 20050089624*. 28 April 2005.

Kopelman, P. G. (2001) . An integrated approach to the management of overweight and obesity . *Dalam* : Kopelman, P.G. (ed.). *The Management of Obesity and Related Disorders*. Martin Dunitz Ltd, London.

Koyama, K., G. Chen, Y. Lee, dan R.H. Unger (1997). Tissue triglycerides, insulin resistance, and insulin production: implications for hyperinsulinemia of obesity. *American Journal of Physiology* **273** (4 Pt 1): E708–13. PMID 9357799.

Kraegen, E.W., P.W. Clark, A.B. Jenkins, E.A. Daley, D.J. Chisholm, dan L.H. Storlien (1991). Development of muscle insulin resistance after liver insulin resistance in high-fat-fed rats. *Diabetes* **40** (11): 1397–1403. DOI :10.2337/diabetes. 40.11.1397. PMID 1936601.

Kumanyika, S dan Brownson, R.C. (2007). *Handbook of Obesity Prevention*. Springer.

Lei, Z., L. H. Ting, S. Li, F. Q. Chen, Q. L. Ling, dan J.W. Ping (2015). Effect of Dietary Resistant Starch on Prevention and Treatment of Obesity-related Diseases and Its Possible Mechanisms. *Biomed Environ Sci*, 2015; 28(4): 291-297

Li, Z. G., Liu, W. J., Shen, Q., Zheng, W., & Tan, B. (2008). Properties and qualities of vermicelli made from sour liquid processing and centrifugation starch. *Journal of Food Engineering*, 86,162–166.

Lifshitz, F. (2008). Obesity in children. *J. Clin Res Ped Endo* 1(2): 53-60. DOI: 10.4008/jcrpev.v1i2.35.

Lii, C.Y. & Chang, S.M. (1981). Characterization of red bean (Phaseolus radiatus var. Aurea) starch and its noodle quality. *Journal of Food Science*, 46(1), 79–81.

Liu, W. dan Q. Shen (2007[a]). Structure analysis of mung bean starch from sour liquid processing and centrifugation. *Journal of Food Engineering*, Volume 79, Issue 4, April 2007, Pages 1310-1314

_____ (2007[b]). Studies on the physicochemical properties of mung bean starch from sour liquid processing and centrifugation. *Journal of Food Engineering*, Volume 79, Issue 1, March 2007, Pages 358-363

KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wi
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Lovejoy, J. C. (1999). Dietary fatty acids and insulin resistance. *Current Atherosclerosis Reports* **1** (3):215–20. DOI:10.1007/s11883-999-0035-5.PMID 11122713

Lusi-Susanti (2011). Cara Mengetahui Ukuran Suatu Partikel. http://nanotech.co.id/index.php?option=com_content&view=article&id=120&catid=46&Itemid=67%E2%8C%A9=in

Maki, K.C., C.L.Pelkman, E.T. Finocchiaro, K.M. Kelley, A.L. Lawless, A.L. Schild, dan T.M. Rains. (2012). Resistant Starch from High-Amylose Maize Increases Insulin Sensitivity in Overweight and Obese Men. *J. Nutr*. 142: 717–723, 2012.

Marsono, Y. (2004). Serat Pangan dalam Perspektif Ilmu Gizi. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.

Maskus, H. (2010). Pulse Processing, Functionality and Application. Literature Review. Winnipeg, Manitoba.

McGarry, J.D. (2002). Banting lecture 2001: dysregulation of fatty acid metabolism in the etiology of type 2 diabetes. *Diabetes* **51** (1): 7–18. DOI:10.2337/diabetes. 51.1.7. PMID 11756317.

Miao, M., Bo Jiang, dan Tao Zhang (2009). Effect of pullulanase debranching and recrystallization on structure and digestibility of waxy maize starch. Carbohydrate Polymers Volume 76, Issue 2, 17 March 2009, Pages 214–221

Miles, M.J., Morris, V.J., and Ring, S.G., 1985. Gelation of amylose. Carbohydr. Res. 135:257.

Morrison, W. R. and Azudin, M. N. 1987. Variation in the amylose and lipid contents and some physical properties of rice starches. Journal of Cereal Science 5: 35-37.

Morrison, W.R. dan B. Laignelet. (1983). An Improved Colorimetric Procedure for Determining Apparent and Total Amylose in Cereal and Other Starches. *Journal of Cereal Science,* 1, 9-20. http://dx.doi.org/10.1016/S0733-5210(83)80004-6.

Murray, R. K. Granner, D. K. Mayes, P.A. Rodwell, dan Victor. (2003). Harper's Illustrated Biochemistry, 26th Edition. New York: Mc. Graw Hill.

UNIVERSITAS GADJAH MADA
KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Mutiso, S.K., D.K. Rono, and F. Bukachi (2014). Relationship between anthropometric measures and early electrocardiographic changes in obese rats. *BMC Research Notes* 2014 , **7**:931.

Naivikul O. dan B.L. D'appolonia (1979). Carbohydrates of legume flours compared to wheat flour: II. Starches. *Cereal Chem.* 56(1):24-28.

Novelli, E L B. , Y S Diniz, C M Galhardi , G M X Ebaid , H G Rodrigues , F Mani , A A H Fernandes , A C Cicogna and J L V B Novelli Filho (2007). Anthropometrical parameters and markers of obesity in rats . Laboratory Animals (2007) 41

Nugent, A.P. (2005). Health properties of resistant starch. *Nutrition Bulletin.* 2005;Vol. 30 : 27-54

Ohwada, N , Ishibashi, K, Hironaka, K., (2002). Effect Of Holding Temperature On The Structures Of Mung Bean Starch Gels And Noodles. *Cereal Chemistry;* Sep/Oct 2002; 79, 5

Park, S.J., E.O. Choe, J.I. Kim, M. Shin (2012). Physicochemical properties of mung bean starches in different Korean varieties and their gel textures. *Food Sci. Biotechnol*. 21(5): 1359-1365 (2012).

Perera, C. dan R. Hoover (1999). Influence of hydroxypropylation on retrogradation properties of native, defatted and heat-moisture treated potato starches. *Food Chem.* 1999, 64, 361–375.

Phillips, G.O. dan S.W. Cui (2011). An introduction: Evolution and finalisation of the regulatory definition of dietary fibre. *Food Hydrocolloids*, Volume 25, Issue 2, March 2011, Pages 139-143

Puhl, R.M., K.E. Henderson dan K.D. Brownell (2005). Social consequences of obesity. *Dalam* : Kopelman, P.G.; Ian D. Caterson; William H. Dietz (ed.). *Clinical Obesity in Adults and Children.* 2nd edition. Blackwell Publishing Ltd, USA, Australia.

Puslittan Bogor (2013). Varietas Kacang Hijau. http://puslittan.bogor.net/index.php?bawaan=varietas/gerbang&proses=daftarstok&komoditas=05027&varietas=1

Quier, E.J. dan L. Tappy (1999). Regulation of Body Weight in Humans.. Physiological Reviews. Vol. 79, No. 2, April 1999 Printed In U.S.A.

UNIVERSITAS GADJAH MADA
KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Ratnayake, W.S dan D.S. Jackson (2006). Gelatinization and Solubility of Corn Starch during Heating in Excess Water: New Insights. *J. Agric. Food Chem*. 54, 3712−3716

Reeves, P.G. (1997). Components of the AIN-93 diets as improvements in the AIN-76A diet. *J Nutr*. 1997 May;127:838S-841S.

Reeves, P.G., F.H. Nielsen, dan G.C. Fahey Jr. (1993). AIN-93 Purified Diets For Laboratory Rodents: Final Report Of The American Institute Of Nutrition Ad Hoc Writing Committee On The Reformulation Of The AIN-76A Rodent Diet. *The Journal of Nutrition.* Nov ;123(11):1939-51.

Saguilan A.A., Flores-Huicochea E, Tovar J, GarciaSuarez F, Gutierres-Meraz F, Bello-Perez LA. (2005). Resistant starch-rich powders prepared by autoclaving of alami and lintnerized banana starch: partial characterization. *J Starch* 57: 405- 412

Sahin, S dan S.G. Sumnu, (2006). Physical Properties of Foods. Springer. USA

Sajilata, M.G., R.S. Singhal, dan P.R. Kulkarni. (2006). Resistant Starch - A Review. *Comprehensive Reviews In Food Science And Food Safety*. Vol. 5, 2006.

Sandhu, S.K. dan N. Singh (2007). Some properties of corn starches II. Physicochemical, gelatinization, retrogradation, pasting and gel textural properties. *Food Chemistry*, 101: 1499–1507.

Sanz, T., A. Salvador, R. Baixauli, dan S. M. Fiszman (2009). Evaluation of four types of resistant starch in muffins. II. Effects in texture, colour and consumer response. *Eur Food Res Technol* , Vol. 229:197–204

Sardesai, V.M. (2003). *Introduction to clinical nutrition.* Marcel Dekker, Inc. New York.

Sathe, S.K., S.S. Deshpande dan D.K. Salunke (1981). Functional properties of lupin seeds (*Lupinus mutabidlis*) proteins and protein concentrates. *Journal of Food Science* 47: 491–502

Schinner, S., W.A. Scherbaum, S.R. Bornstein, dan A. Barthel (2005). Molecular mechanisms of insulin resistance. *Diabetic Medicine* 22 (6): 674–82. DOI:10.1111/ j.1464-5491.2005.01566.x. PMID 15910615.

Schoch, T. J. dan E. C. Maywald (1968). Preparation and Properties of Various Legume Starches. *Cereal Chem.* 45:564 - 573

UNIVERSITAS GADJAH MADA
KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Seidell, J.S. (1998). Epidemiology : Definition and Classification of Obesity. *Dalam* : Kopelman, P.G. dan M.J. Stock (ed.). *Clinical Obesity*. Blackwell Science Ltd.

Seidell, J.S. (2005). Epidemiology: Definition and Classification of obesity. *Dalam* : Kopelman, P.G., I.D. Caterson, dan W.H. Dietz (ed.). *Clinical Obesity in Adults and Children*. 2nd edition. Blackwell Publishing Ltd, USA, Australia.

Shannon, J. C., dan D.L. Garwood (1984). Genetics and physiology of starch development. *Dalam* : Whistler, R.L., J.N. BeMiller, dan E. F. Paschal. (Ed.). *Starch chemistry and technology* (2nd ed., pp. 26–79). New York: Academic Press.

Sharma, A., B.S. Yadav, dan Ritika 2008. Resistant starch: Physiological roles and food applications. *Food Reviews International*, 24, 193–234

Sievert, D. dan Y. Pomeranz (1989). Enzyme-Resistant Starch I. Characterization and Evaluation by Enzymatic, Thermoanalytical, and Microscopic Methods. *Cereal Chemistry* Vol 66 No.4 , p. 342-347.

Sievert, D., Z. Czuchajowska, dan Y. Pomeranz (1991). Enzyme-Resistant Starch III. X-Ray Diffraction of Autoclaved Amylomaize VII Starch and Enzyme-Resistant Starch Residues. *Cereal Chemistry* Vol 68 No.1 , p. 86-91.

Singh N., L. Kaur, N.S. Sodhi, dan K.S. Sekhon. (2005). Physicochemical, cooking and textural properties of milled rice from different Indian rice cultivars. *Food Chemistry* 89: 253–259.

Singh, J., O.J. McCarthy, dan H. Singh (2006). Physico-chemical and morphological characteristics of New Zealand Taewa (Maori potato) starches. *Carbohydrate Polymers*, 64, 569–581.

Sivak, M.N. dan J. Preiss (1998). Starch : *Basic Science to Biotechnology - Advances In Food And Nutrition Research* Volume 41. Academic Press. San Diego, California – USA.

Slavin, J.L. (2005). Dietary fiber and body weight. *Nutrition*, Volume 21, Issue 3, March 2005, Pages 411-418

Stipanuk, M.H., (2000). *Biochemical and Physiological Aspect of Human Nutrition.* W.B. Saunders Companny. Toronto.

KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wi
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Storlien, L.H., E. Kraegen, D. Chisholm, G. Ford, D. Bruce, dan W. Pascoe (1987). Fish oil prevents insulin resistance induced by high-fat feeding in rats. *Science* 237 (4817):885–88. DOI:10.1126/science. 3303333. PMID 3303333

Storlien, LH; Jenkins, AB; Chisholm, DJ; Pascoe, WS; Khouri, S; Kraegen, EW (1991). Influence of dietary fat composition on development of insulin resistance in rats. *Diabetes* **40** (2): 280–9. DOI:10.2337/diabetes. 40.2.280. PMID 1991575.

Suling-Li, Q. Gao dan R. Ward (2011). Physicochemical properties and in vitro digestibility of resistant starch from mung bean (Phaseolus radiatus) starch. *Starch/Starke* Vol. 63, p. 171–178

Suling-Li, R. Ward, dan Q. Gao (2011). Effect of heat-moisture treatment on the formation and physicochemical properties of resistant starch from mung bean (*Phaseolus radiatus*) starch . *Food Hydrocolloids*, Volume 25, Issue 7, October 2011, Pages 1702-1709

Takashi, S. dan P.A. Seib (1988). Paste and gel properties of prime corn and wheat starches with and without native lipids. *Journal of Cereal Chemistry* 65: 474–480.

Tappy. L. dan K.A. Le (2010). Metabolic effects of fructose and the worldwide increase in obesity. Physiol Rev. 2010 Jan;90(1):23-46. doi: 10.1152/physrev.00019.2009

Tester, R.F. and Morrison, W. R., (1990). Swelling and gelatinization of cereal starches. I. Effects of amylopectin, amylose and lipids. Cereal Chem. 67:551.

Tiwari, B.K., U. Tiwari, R. Jagan Mohan dan K. Alagusundaram (2008). Effect of Various Pre-treatments on Functional, Physiochemical, and Cooking Properties of Pigeon pea (*Cajanus cajan L*), *Food Science and Technology International,* 14: 487.

Tolmasqulm, E., A. M. N. Correa and S. T. Talmasqulm (1971). New Starches. Properties of Five Varieties of Cow Pea Starch. *Cereal Chemistry*. 48:132.

Wenhao-Li, C. Shu, P. Zhang, dan Q. Shen (2011). Properties of Starch Separated From Ten Mung Bean Varieties and Seeds Processing Characteristics. *Food Bioprocess Technol* (2011) 4:814–821

KARAKTERISASI SIFAT FISIK, KIMIA DAN FISIOLOGIS RS3 PATI KACANG HIJAU (Vigna radiata L.) DAN
PENGARUHNYA TERHADAP INDEKS OBESITAS TIKUS SPRAGUE DAWLEY DENGAN DIET FRUCTOSE MEDIUM FAT
IR. PRIYANTO TRIWITONO, M.P., Prof.Dr.Ir. Y. Marsono, MS ; Prof.Dr.Ir. Agnes Murdiati, MS ; Prof.Dr.Ir. Djagal Wis
Universitas Gadjah Mada, 2016 | Diunduh dari http://etd.repository.ugm.ac.id/

Wenhao-Li, F. Zhang, P. Liu, Y. Bai, L. Gao, dan Q. Shen (2011). Effect of high hydrostatic pressure on physicochemical, thermal and morphological properties of mung bean (*Vigna radiata* L.) starch . *Journal of Food Engineering*, Volume 103, Issue 4, April 2011, Pages 388-393

WHO (2010). Global status report on noncommunicable diseases 2010.

_____ (2014[a]). Facts and figures on childhood obesity. http://www.who.int/end-childhood-obesity/facts/en/. Last Updated 24 Oktober 2014.

_____ (2014[b]). Obesity and overweight. http://www.who.int/ mediacentre/factsheets/ fs311/en/ . [31 Agustus 2014].

Yeh, H.Y., Su, N.W., dan Lee, M.H. (2005). Chemical Compositions and Physicochemical Properties of the Fiber-Rich Materials Prepared from Shoyu Mash Residue. *Journal of Agriculture and Food Chemistry,* Vol. 53, p. 4361-4366, 2005. PMid:15913296. http://dx.doi.org/10.1021/jf050243g

Yixiang-Xu, E. N. Sismour, S. S. Narina, D. Dean, H.L. Bhardwaj dan Zhenxing Li (2012). Composition and properties of starches from Virginia-grown kabuli chickpea (Cicer arietinum L.) cultivars. *International Journal of Food Science and Technology*.

Zeng, J., G. Li, H. Gao dan Z. Ru (2011). Comparison of A and B Starch Granules from Three Wheat Varieties. *Molecules*, 16, 10570-10591.

Zhao, X.H. dan Y. Lin (2009[a]) . The impact of coupled acid or pullulanase debranching on the formation of resistant starch from maize starch with autoclaving–cooling cycles. *Eur Food Res Technol* (2009) 230:179–184

_____ (2009[b]). Resistant Starch Prepared From High-Amylose Maize Starch With Citric Acid Hydrolysis And Its Simulated Fermentation In Vitro. *Eur Food Res Technol* (2009) 228:1015–1021