

DAFTAR PUSTAKA

- Abdel-Rahman, S.A., F.A. El-Fishawy, M. A El-Geddawy, T. Kurz (2008). Isolation and Physico-chemical Characterization of Mung Bean Starches. *International Journal of Food Engineering* Vol. 4 Iss. 1.
- Ae Wha Ha, Gwi Jung Han, dan Woo Kyoung Kim. (2012). Effect of retrograded rice on weight control, gut function, and lipid concentrations in rats. *Nutrition Research and Practice (Nutr Res Pract)* 2012 ; 6(1):16-20.
- Anonim (2006). *Obesity: The Science Inside*. American Association for the Advancement of Science. New York.
- _____ (2010). Daftar Komposisi Bahan Makanan. Direktorat Gizi Departemen Kesehatan RI. Penerbit Bhatara Karya Aksara. Jakarta.
- _____ (2012). Pedoman Teknis Pengelolaan Produksi Kacang Tanah, Kacang Hijau dan Aneka Kacang 2012. Direktorat Budidaya Aneka Kacang dan Umbi, Ditjen Tanaman Pangan Kementerian Pertanian, Jakarta.
- _____ (2013). Low-Carb, High-Protein Diets: Risks (Ketosis) and Benefits. <http://www.webmd.com/diet/high-protein-low-carbohydrate-diets>. [12 Desember 2013].
- Antipatis, V.J., dan T.P. Gill (2001). Obesity as a Global Problem. *Dalam* : Bjorntorp, P. (ed.). *International Textbook of Obesity*. John Wiley & Sons Ltd.
- AOAC (1990). Official Methods of Analysis. 15th ed, Arlington, Virginia: Association of Official Analytical Chemists.
- Asaoka, M., K. Okuno dan H. Fuwa (1985). Effect of environmental temperature at the milky state on amylose content and fine structure of waxy and nonwaxy endosperm starches of rice (*Oryza sativa* L.). *Agricultural and Biological Chemistry* 49: 373-376
- Asp, N.G. (1992). Resistant starch. *Proceedings from the second plenary meeting of EURESTA: European FLAIR Concerted Action No.11 on physiological implications of the consumption of resistant starch in man*. *Eur J Clin Nutr* 1992; 46 (suppl2): S1.
- Barlow, S.E. dan W.H. Dietz (1998). Obesity Evaluation And Treatment: Expert Committee Recommendations. *Pediatrics*. Vol. 102 No. 3 September 1998.

- Barsby, T.L., A. M. Donald, dan P. J. Frazier (2001). *Starch : Advances in Structure and Function*. RSC - Royal Society Of Chemistry. Cambridge.
- Basciano, Heather , Federico, Lisa, Adeli, Khosrow (2005). Fructose, insulin resistance, and metabolic dyslipidemia. *Nutrition & Metabolism* 2 (1):5.DOI:10.1186/1743-7075-2-5.PMC 552336. PMID 15723702.
- Belobrajdic, D.P., R.A King, C.T. Christophersen, dan A.R. Bird (2012). Dietary resistant starch dose-dependently reduces adiposity in obesity-prone and obesity-resistant male rats. *Nutrition & Metabolism* 2012, 9: 93 . <http://www.nutritionandmetabolism.com/content/9/1/93>
- Berry, C.S. (1986). Resistant starch: formation and measurement of starch that survives exhaustive digestion with amylolytic enzymes during the determination of dietary fibre. *J Cereal Sci.*1986; 4:301-14.
- Bertolini, A.C. (2010). *Starches: Characterization, Properties, and Applications*. CRC Press. Boca Raton London New York.
- Birch, G. G. dan R. J. Priestley. (1973). Degree of Gelatinisation of Cooked Rice. *Starch-starke - STARCH*, vol. 25, no. 3, pp. 98-100, 1973. DOI: 10.1002/star.19730250308
- Birkett, A.M. dan I.L. Brown. (2007). Resistant Starch. *Dalam : Henry, C.J.K. (ed.). Novel food ingredients for weight control*. CRC Press. Washington, D.C.
- Birt, D.F., T. Boylston, S. Hendrich, J.L. Jane, J. Hollis, L. Li, J. McClelland, S. Moore, G. J. Phillips, M. Rowling, K. Schalinske, M. .P. Scott, dan E. M. Whitley (2013). Resistant Starch: Promise for Improving Human Health. *Advance Nutrition*. 4: 587–601, 2013; doi:10.3945/an.113.004325.
- Bischoff, A. Damms-Machado, C Be G Bischoff, A. Austel dan T. Ellrott (2011) Multicenter evaluation of an interdisciplinary 52-week weight loss program for obesity with regard to body weight, comorbidities and quality of lifeFa prospective study. *International Journal of Obesity* (2011) 1–11.
- BPS (2013). Produksi Kacang Hijau Menurut Provinsi (Ton). <https://www.bps.go.id/linkTableDinamis/view/id/877>.
- Bray, G.A dan J. Macdiarmid (2000). The Epidemic of Obesity. *West J Med*. 2000 Feb; 172(2): 78–79.

- Brown I. (1996). Complex carbohydrates and resistant starch. *Nutr. Rev.*, 1996, 54, S115–S119
- Buettner, R., J. Schölmerich dan L. C. Bollheimer (2007). High-fat Diets: Modeling the Metabolic Disorders of Human Obesity in Rodents. *Obesity* Volume 15, Issue 4, pages 798–808, April 2007. DOI: 10.1038/oby.2007.608
- Caballero, B. (2007). The Global Epidemic of Obesity: An Overview. *Epidemiologic Reviews*. Vol. 29, 2007.
- Chang, Y.H., C. L. Lin, dan J. C. Chen (2006). Characteristics of mung bean starch isolated by using lactic acid fermentation solution as the steeping liquor. Original Research Article. *Food Chemistry*, Volume 99, Issue 4, 2006, Pages 794-802
- Chrastil, J. 1987. Improved colorimetric determination of amylose in starches or flours. *Carbohydrate Research* 159: 154-158.
- Craig, S. A. S.; Maningat, C. C.; Seib, P. A.; Hosney, R.C. (1989), Starch Paste Clarity. *Cereal Chemistry*, **66**, 173-182
- Crosbie, G. B. (1991). The relationship between starch swelling properties, paste viscosity and boiled noodle quality in wheat flours. *J. Cereal Sci.* 13:145-150.
- Cummings, J.H. dan H.N. Englyst (1991). Measurement of starch fermentation in the human large intestine. *Can J Physiol Pharmacol* 1991; 69:121-9.
- Curtis, M. (2004). The Obesity Epidemic in the Pacific Islands . *Journal of Development and Social Transformation*; 2004
- Damayanti, S. (2002). Obesitas pada Anak. Prosiding Simposium Temu Ilmiah Akbar. Jakarta : Pusat Informasi dan Penerbitan bagian Ilmu Penyakit Dalam FKUI.
- Daniels, S.R. (2006). The Consequences of Childhood Overweight and Obesity. *Childhood Obesity*. Volume 16 Number 1 Spring 2006. Pages 47-67.
- De Mann, J. (1999). *Principles of Food Chemistry*. 3rd edition. Aspen Publishers, Inc. Gaithersburg, Maryland.
- Dourmashkin, J.T., G-Q Chang, E.C. Gayles, J.O. Hill, S.K Fried, C Julien dan S.F. Leibowitz (2005). Different forms of obesity as a function of diet composition. *International Journal of Obesity*. 29 : 1368 – 1378.

- Dundar, A.N. dan D. Gocmen (2013). Effects of autoclaving temperature and storing time on resistant starch formation and its functional and physicochemical properties. *Carbohydrate Polymers* 97 : 764–771.
- Eerlingen, R.C. dan A. Delcour (1995). Formation, analysis, structure and properties of type III enzyme resistant starch. *J. Cereal Sci.*, 1995, 22, 129–138
- Eliasson, A.C. (1985). Starch gelatinization in the presence of emulsifiers: A morphological study. *Starch/Staerke* 37:411.
- Eliasson, A.C. (2004). *Starch in food : Structure, Function and Applications*. CRC Press. USA.
- Englyst, H.N, S.M. Kingman , J.H. Cummings . (1992). Classification and measurement of nutritionally important starch fractions. *Eur J Clin Nutr.* 1992 Oct;46 Suppl 2:S33-50.
- Englyst, H.N. dan J.H. Cummings (1987). Digestion of polysaccharides of potato in the small intestine of man. *Am. J. Clin. Nutr.*, 1987, 45, 423–431.
- Erliana-Ginting, Ratnaningsih, dan Rudi Iswanto (2007). Karakteristik Fisik Dan Kimia 17 Genotipe Kacang Hijau Untuk Bahan Pangan. Prosiding Seminar : Inovasi Teknologi Kacang-Kacangan Dan Umbi-Umbian Mendukung Kemandirian Pangan Dan Kecukupan Energi. <http://balitkabi.litbang.deptan.go.id/publikasi/prosiding.pdf>
- Fabricatore, A.N. dan T.A.Wadden. (2006). Obesity. *Annual Review Clinical Psychol.* 2:357–77
- Fogel, R.W. (1997). The global struggle to escape from chronic malnutrition since 1700. *Dalam* : Benjamin Caballero (2007). *The Global Epidemic of Obesity: An Overview*.
- Fritz, M dan E. Hazarian (1999). Mass and Weight Measurement. *Dalam* : Webster, J.G (ed). *Measurement, Instrumentation, and Sensors Handbook*. CRC. Press.
- Gajda, A.M. (2008). High Fat Diets for Diet-Induced Obesity Models. *A Brief Review of The Scientific Literature*. October 2008.
- Ghibaudi L., J.Cook, C. Farley, M.Van Heek, J.J.Hwa. (2002). Fat intake affects adiposity, comorbidity factors, and energy metabolism of sprague-dawley rats. *Obesity Research* Vol. 10 No. 9 September 2002.

- Gidley, M.J., Cooke, O., Darks, A.H., Hoffmann, R.A., Russel, A.L., and Greenwell, P. 1995. Molecular order and structure in enzyme resistant retrograded starch. *Carbohydrate Polym.* 28:23–31
- Gluckmana, P.D., M.A. Hansond, A.S. Beedlea, dan D. Raubenheimer (2008). Fetal and Neonatal Pathways to Obesity. *Dalam* : Korbonits, M. (ed.). *Obesity Metabolism*. Karger, London.
- Grace, C.M. (2001). Dietary management of obesity. *Dalam* : Kopelman, P.G. *The Management of Obesity and Related Disorders*. Martin Dunitz Ltd London.
- Haag, M. (2005). Dietary fats, fatty acids and insulin resistance: short review of a multifaceted connection. *Medical science monitor*.
- Haman-Hadi (2005). Beban Ganda Masalah Gizi Dan Implikasi Nya Terhadap Kebijakan Pembangunan Kesehatan Nasional. *Pidato Pengukuhan Guru Besar Fakultas Kedokteran UGM*. Universitas Gadjah Mada, Yogyakarta.
- Hammond, J. dan E. T. Halnan (1950). *A Course of Practical Physiology for Agricultural Students*. Cambridge, University Press.
- Haralampu, S.G. (2000). Resistant starch – a review of the physical properties and biological impact of RS3. *Carboh. Polym.*, 2000, 41, 285–292
- Hasjim, J., Yongfeng Ai and Jay-lin Jane (2013). Novel Applications of Amylose-Lipid Complex as Resistant Starch Type 5. *Dalam* : *Resistant Starch Sources, Applications and Health Benefits*. Published Online: 6 SEP 2013. DOI: 10.1002/9781118528723.ch04. John Wiley & Sons, Ltd
- Himes, J.H. dan W.H. Dietz (1994). Guidelines for overweight in adolescent preventive services: recommendations from an expert committee. The Expert Committee on Clinical Guidelines for Overweight in Adolescent Preventive Services. *Am J Clin Nutr* 59 (2): 307-316
- Hoover, R. (2001). Composition, molecular structure and physicochemical properties of tuber and root starches: a review. *Carbohydrate Polymers* 45: 253-267
- Hoover, R., Y.X. Li, G. Hynes, dan N. Senanayake. (1997). Physicochemical Characterization of Mung Bean Starch. *Food Hydrocolloids*, Vol. 11 No. 4. pp 401 – 408.

- Ikemoto, S., M. Takahashi, N. Tsunoda, K. Maruyama, H. Itakura, O. Ezaki (1996). High-fat diet-induced hyperglycemia and obesity in mice: Differential effects of dietary oils. *Metabolism* Volume 45, Issue 12, December 1996, Pages 1539–1546
- Inoue, S., P. Zimmet dan I. Caterson (2000). The Asia-Pacific Perspective: Redefining Obesity and its treatment. *Health Communication*, Australia.
- Ismail D, Herini ES,, Hagung P, & Sadjimin T. (1999). Fast Food Consumption and Obesity: Relationship among elementary school students in Yogyakarta. *Paediatrica Indonesiana*.
- Ito, K dan Murata M. (1999). Diagnostic Criteria of childhood obesity. *Japanese journal of Pediatrics*; 52 (Suppi): 1182-96.
- Iyan-Darmawan (2009). Resistensi Insulin. http://www.otsuka.co.id/?content=article_detail&id=158&lang=id
- Jane, J.L. and J.F. Robyt (1984). Structure studies of amylose-V complexes and retrograded amylose by action of alpha amylases and a new method for preparing amyloextrins. *Carbohydrate Res.*, 132: 105-118. DOI: 10.1016/0008-6215(84)85068-5
- Juliano, B.O (1971). A simplified assay for milled rice amylose, *Cereal Sci. Today*, 16, pp 334-340
- Kale, C.K, Kotecha, P.M., Chavan, J.K., and Kadam, S.S. (2002). Effect of processing conditions of bakery products on formation of resistant starch. *J. Food Sci. Technol.* 5:520–524.
- Keenan, K.P., G.C. Ballam, D.G. Haught, dan P. Laroque (2000). *Nutrition Dalam : The Handbook of Experimental Animals : The Laboratory Rat*. Edited by. George J. Krinke. Academic Press Publisher. San Diego, California, USA.
- Keenan, M.J., J. Zhou, M. Hegsted, C. Pelkman, H. A Durham, D. B Coulon, dan R. J Martin (2015). Role of Resistant Starch in Improving Gut Health, Adiposity, and Insulin Resistance. *Advance Nutrition*. 6: 198–205, 2015; doi:10.3945/an.114.007419
- Kelly, E. B. (2006). *Obesity*. Greenwood Press. Westport, Connecticut-London.
- Kemenkes (2013). Riset Kesehatan Dasar Tahun 2013. Badan Penelitian Dan Pengembangan Kesehatan Kementerian Kesehatan RI. Tahun 2013

- King, J.M. dan S.Y. Tan (2005). Resistant Starch With Cooking Properties Similar To Untreated Starch. *US Patent Application 20050089624*. 28 April 2005.
- Kopelman, P. G. (2001) . An integrated approach to the management of overweight and obesity . *Dalam : Kopelman, P.G. (ed.). The Management of Obesity and Related Disorders*. Martin Dunitz Ltd, London.
- Koyama, K., G. Chen, Y. Lee, dan R.H. Unger (1997). Tissue triglycerides, insulin resistance, and insulin production: implications for hyperinsulinemia of obesity. *American Journal of Physiology* **273** (4 Pt 1): E708–13. PMID 9357799.
- Kraegen, E.W., P.W. Clark, A.B. Jenkins, E.A. Daley, D.J. Chisholm, dan L.H. Storlien (1991). Development of muscle insulin resistance after liver insulin resistance in high-fat-fed rats. *Diabetes* **40** (11): 1397–1403. DOI :10.2337/diabetes.40.11.1397. PMID 1936601.
- Kumanyika, S dan Brownson, R.C. (2007). *Handbook of Obesity Prevention*. Springer.
- Lei, Z., L. H. Ting, S. Li, F. Q. Chen, Q. L. Ling, dan J.W. Ping (2015). Effect of Dietary Resistant Starch on Prevention and Treatment of Obesity-related Diseases and Its Possible Mechanisms. *Biomed Environ Sci*, 2015; 28(4): 291-297
- Li, Z. G., Liu, W. J., Shen, Q., Zheng, W., & Tan, B. (2008). Properties and qualities of vermicelli made from sour liquid processing and centrifugation starch. *Journal of Food Engineering*, 86,162–166.
- Lifshitz, F. (2008). Obesity in children. *J. Clin Res Ped Endo* 1(2): 53-60. DOI: 10.4008/jcrpev.v1i2.35.
- Lii, C.Y. & Chang, S.M. (1981). Characterization of red bean (*Phaseolus radiatus* var. Aurea) starch and its noodle quality. *Journal of Food Science*, 46(1), 79–81.
- Liu, W. dan Q. Shen (2007^a). Structure analysis of mung bean starch from sour liquid processing and centrifugation. *Journal of Food Engineering*, Volume 79, Issue 4, April 2007, Pages 1310-1314
- _____ (2007^b). Studies on the physicochemical properties of mung bean starch from sour liquid processing and centrifugation. *Journal of Food Engineering*, Volume 79, Issue 1, March 2007, Pages 358-363

- Lovejoy, J. C. (1999). Dietary fatty acids and insulin resistance. *Current Atherosclerosis Reports* **1** (3):215–20. DOI:10.1007/s11883-999-0035-5.PMID 11122713
- Lusi-Susanti (2011). Cara Mengetahui Ukuran Suatu Partikel. http://nanotech.co.id/index.php?option=com_content&view=article&id=120&catid=46&Itemid=67%E2%8C%A9=in
- Maki, K.C., C.L.Pelkman, E.T. Finocchiaro, K.M. Kelley, A.L. Lawless, A.L. Schild, dan T.M. Rains. (2012). Resistant Starch from High-Amylose Maize Increases Insulin Sensitivity in Overweight and Obese Men. *J. Nutr.* **142**: 717–723, 2012.
- Marsono, Y. (2004). Serat Pangan dalam Perspektif Ilmu Gizi. Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Maskus, H. (2010). Pulse Processing, Functionality and Application. Literature Review. Winnipeg, Manitoba.
- McGarry, J.D. (2002). Banting lecture 2001: dysregulation of fatty acid metabolism in the etiology of type 2 diabetes. *Diabetes* **51** (1): 7–18. DOI:10.2337/diabetes.51.1.7. PMID 11756317.
- Miao, M., Bo Jiang, dan Tao Zhang (2009). Effect of pullulanase debranching and recrystallization on structure and digestibility of waxy maize starch. *Carbohydrate Polymers* Volume 76, Issue 2, 17 March 2009, Pages 214–221
- Miles, M.J., Morris, V.J., and Ring, S.G., 1985. Gelation of amylose. *Carbohydr. Res.* **135**:257.
- Morrison, W. R. and Azudin, M. N. 1987. Variation in the amylose and lipid contents and some physical properties of rice starches. *Journal of Cereal Science* **5**: 35-37.
- Morrison, W.R. dan B. Laignelet. (1983). An Improved Colorimetric Procedure for Determining Apparent and Total Amylose in Cereal and Other Starches. *Journal of Cereal Science*, **1**, 9-20. [http://dx.doi.org/10.1016/S0733-5210\(83\)80004-6](http://dx.doi.org/10.1016/S0733-5210(83)80004-6).
- Murray, R. K. Granner, D. K. Mayes, P.A. Rodwell, dan Victor. (2003). Harper's Illustrated Biochemistry, 26th Edition. New York: Mc. Graw Hill.

- Mutiso, S.K., D.K. Rono, and F. Bukachi (2014). Relationship between anthropometric measures and early electrocardiographic changes in obese rats. *BMC Research Notes* 2014 , 7:931.
- Naivikul O. dan B.L. D'appolonia (1979). Carbohydrates of legume flours compared to wheat flour: II. Starches. *Cereal Chem.* 56(1):24-28.
- Novelli, E L B. , Y S Diniz, C M Galhardi , G M X Ebaid , H G Rodrigues , F Mani , A A H Fernandes , A C Cicogna and J L V B Novelli Filho (2007). Anthropometrical parameters and markers of obesity in rats . *Laboratory Animals* (2007) 41
- Nugent, A.P. (2005). Health properties of resistant starch. *Nutrition Bulletin.* 2005;Vol. 30 : 27-54
- Ohwada, N , Ishibashi, K, Hironaka, K., (2002). Effect Of Holding Temperature On The Structures Of Mung Bean Starch Gels And Noodles. *Cereal Chemistry*; Sep/Oct 2002; 79, 5
- Park, S.J., E.O. Choe, J.I. Kim, M. Shin (2012). Physicochemical properties of mung bean starches in different Korean varieties and their gel textures. *Food Sci. Biotechnol.* 21(5): 1359-1365 (2012).
- Perera, C. dan R. Hoover (1999). Influence of hydroxypropylation on retrogradation properties of native, defatted and heat-moisture treated potato starches. *Food Chem.* 1999, 64, 361–375.
- Phillips, G.O. dan S.W. Cui (2011). An introduction: Evolution and finalisation of the regulatory definition of dietary fibre. *Food Hydrocolloids*, Volume 25, Issue 2, March 2011, Pages 139-143
- Puhl, R.M., K.E. Henderson dan K.D. Brownell (2005). Social consequences of obesity. *Dalam* : Kopelman, P.G.; Ian D. Caterson; William H. Dietz (ed.). *Clinical Obesity in Adults and Children.* 2nd edition. Blackwell Publishing Ltd, USA, Australia.
- Puslittan Bogor (2013). Varietas Kacang Hijau. <http://puslittan.bogor.net/index.php?bawaan=varietas/gerbang&proses=daftarstok&komoditas=05027&varietas=1>
- Quier, E.J. dan L. Tappy (1999). Regulation of Body Weight in Humans.. *Physiological Reviews.* Vol. 79, No. 2, April 1999 Printed In U.S.A.

- Ratnayake, W.S dan D.S. Jackson (2006). Gelatinization and Solubility of Corn Starch during Heating in Excess Water: New Insights. *J. Agric. Food Chem.* 54, 3712–3716
- Reeves, P.G. (1997). Components of the AIN-93 diets as improvements in the AIN-76A diet. *J Nutr.* 1997 May;127:838S-841S.
- Reeves, P.G., F.H. Nielsen, dan G.C. Fahey Jr. (1993). AIN-93 Purified Diets For Laboratory Rodents: Final Report Of The American Institute Of Nutrition Ad Hoc Writing Committee On The Reformulation Of The AIN-76A Rodent Diet. *The Journal of Nutrition.* Nov ;123(11):1939-51.
- Saguilan A.A., Flores-Huicochea E, Tovar J, GarciaSuarez F, Gutierrez-Meraz F, Bello-Perez LA. (2005). Resistant starch-rich powders prepared by autoclaving of alami and lintnerized banana starch: partial characterization. *J Starch* 57: 405- 412
- Sahin, S dan S.G. Sumnu, (2006). *Physical Properties of Foods.* Springer. USA
- Sajilata, M.G., R.S. Singhal, dan P.R. Kulkarni. (2006). Resistant Starch - A Review. *Comprehensive Reviews In Food Science And Food Safety.* Vol. 5, 2006.
- Sandhu, S.K. dan N. Singh (2007). Some properties of corn starches II. Physicochemical, gelatinization, retrogradation, pasting and gel textural properties. *Food Chemistry*, 101: 1499–1507.
- Sanz, T., A. Salvador, R. Baixauli, dan S. M. Fiszman (2009). Evaluation of four types of resistant starch in muffins. II. Effects in texture, colour and consumer response. *Eur Food Res Technol* , Vol. 229:197–204
- Sardesai, V.M. (2003). *Introduction to clinical nutrition.* Marcel Dekker, Inc. New York.
- Sathe, S.K., S.S. Deshpande dan D.K. Salunke (1981). Functional properties of lupin seeds (*Lupinus mutabilis*) proteins and protein concentrates. *Journal of Food Science* 47: 491–502
- Schinner, S., W.A. Scherbaum, S.R. Bornstein, dan A. Barthel (2005). Molecular mechanisms of insulin resistance. *Diabetic Medicine* 22 (6): 674–82. DOI:10.1111/j.1464-5491.2005.01566.x. PMID 15910615.
- Schoch, T. J. dan E. C. Maywald (1968). Preparation and Properties of Various Legume Starches. *Cereal Chem.* 45:564 - 573

- Seidell, J.S. (1998). Epidemiology : Definition and Classification of Obesity. *Dalam* : Kopelman, P.G. dan M.J. Stock (ed.). *Clinical Obesity*. Blackwell Science Ltd.
- Seidell, J.S. (2005). Epidemiology: Definition and Classification of obesity. *Dalam* : Kopelman, P.G., I.D. Caterson, dan W.H. Dietz (ed.). *Clinical Obesity in Adults and Children*. 2nd edition. Blackwell Publishing Ltd, USA, Australia.
- Shannon, J. C., dan D.L. Garwood (1984). Genetics and physiology of starch development. *Dalam* : Whistler, R.L., J.N. BeMiller, dan E. F. Paschal. (Ed.). *Starch chemistry and technology* (2nd ed., pp. 26–79). New York: Academic Press.
- Sharma, A., B.S. Yadav, dan Ritika 2008. Resistant starch: Physiological roles and food applications. *Food Reviews International*, 24, 193–234
- Sievert, D. dan Y. Pomeranz (1989). Enzyme-Resistant Starch I. Characterization and Evaluation by Enzymatic, Thermoanalytical, and Microscopic Methods. *Cereal Chemistry* Vol 66 No.4 , p. 342-347.
- Sievert, D., Z. Czuchajowska, dan Y. Pomeranz (1991). Enzyme-Resistant Starch III. X-Ray Diffraction of Autoclaved Amylomaize VII Starch and Enzyme-Resistant Starch Residues. *Cereal Chemistry* Vol 68 No.1 , p. 86-91.
- Singh N., L. Kaur, N.S. Sodhi, dan K.S. Sekhon. (2005). Physicochemical, cooking and textural properties of milled rice from different Indian rice cultivars. *Food Chemistry* 89: 253–259.
- Singh, J., O.J. McCarthy, dan H. Singh (2006). Physico-chemical and morphological characteristics of New Zealand Taewa (Maori potato) starches. *Carbohydrate Polymers*, 64, 569–581.
- Sivak, M.N. dan J. Preiss (1998). Starch : *Basic Science to Biotechnology - Advances In Food And Nutrition Research* Volume 41. Academic Press. San Diego, California – USA.
- Slavin, J.L. (2005). Dietary fiber and body weight. *Nutrition*, Volume 21, Issue 3, March 2005, Pages 411-418
- Stipanuk, M.H., (2000). *Biochemical and Physiological Aspect of Human Nutrition*. W.B. Saunders Company. Toronto.

- Storlien, L.H., E. Kraegen, D. Chisholm, G. Ford, D. Bruce, dan W. Pascoe (1987). Fish oil prevents insulin resistance induced by high-fat feeding in rats. *Science* 237 (4817):885–88. DOI:10.1126/science.3303333. PMID 3303333
- Storlien, LH; Jenkins, AB; Chisholm, DJ; Pascoe, WS; Khouri, S; Kraegen, EW (1991). Influence of dietary fat composition on development of insulin resistance in rats. *Diabetes* 40 (2): 280–9. DOI:10.2337/diabetes.40.2.280. PMID 1991575.
- Suling-Li, Q. Gao dan R. Ward (2011). Physicochemical properties and in vitro digestibility of resistant starch from mung bean (*Phaseolus radiatus*) starch. *Starch/Starke* Vol. 63, p. 171–178
- Suling-Li, R. Ward, dan Q. Gao (2011). Effect of heat-moisture treatment on the formation and physicochemical properties of resistant starch from mung bean (*Phaseolus radiatus*) starch. *Food Hydrocolloids*, Volume 25, Issue 7, October 2011, Pages 1702-1709
- Takashi, S. dan P.A. Seib (1988). Paste and gel properties of prime corn and wheat starches with and without native lipids. *Journal of Cereal Chemistry* 65: 474–480.
- Tappy. L. dan K.A. Le (2010). Metabolic effects of fructose and the worldwide increase in obesity. *Physiol Rev.* 2010 Jan;90(1):23-46. doi: 10.1152/physrev.00019.2009
- Tester, R.F. and Morrison, W. R., (1990). Swelling and gelatinization of cereal starches. I. Effects of amylopectin, amylose and lipids. *Cereal Chem.* 67:551.
- Tiwari, B.K., U. Tiwari, R. Jagan Mohan dan K. Alagusundaram (2008). Effect of Various Pre-treatments on Functional, Physiochemical, and Cooking Properties of Pigeon pea (*Cajanus cajan* L), *Food Science and Technology International*, 14: 487.
- Tolmasqulm, E., A. M. N. Correa and S. T. Talmasqulm (1971). New Starches. Properties of Five Varieties of Cow Pea Starch. *Cereal Chemistry*. 48:132.
- Wenhao-Li, C. Shu, P. Zhang, dan Q. Shen (2011). Properties of Starch Separated From Ten Mung Bean Varieties and Seeds Processing Characteristics. *Food Bioprocess Technol* (2011) 4:814–821

Wenhao-Li, F. Zhang, P. Liu, Y. Bai, L. Gao, dan Q. Shen (2011). Effect of high hydrostatic pressure on physicochemical, thermal and morphological properties of mung bean (*Vigna radiata* L.) starch . *Journal of Food Engineering*, Volume 103, Issue 4, April 2011, Pages 388-393

WHO (2010). Global status report on noncommunicable diseases 2010.

_____ (2014^a). Facts and figures on childhood obesity. <http://www.who.int/end-childhood-obesity/facts/en/>. Last Updated 24 Oktober 2014.

_____ (2014^b). Obesity and overweight. <http://www.who.int/mediacentre/factsheets/fs311/en/> . [31 Agustus 2014].

Yeh, H.Y., Su, N.W., dan Lee, M.H. (2005). Chemical Compositions and Physicochemical Properties of the Fiber-Rich Materials Prepared from Shoyu Mash Residue. *Journal of Agriculture and Food Chemistry*, Vol. 53, p. 4361-4366, 2005. PMID:15913296. <http://dx.doi.org/10.1021/jf050243g>

Yixiang-Xu, E. N. Sismour, S. S. Narina, D. Dean, H.L. Bhardwaj dan Zhenxing Li (2012). Composition and properties of starches from Virginia-grown kabuli chickpea (*Cicer arietinum* L.) cultivars. *International Journal of Food Science and Technology*.

Zeng, J., G. Li, H. Gao dan Z. Ru (2011). Comparison of A and B Starch Granules from Three Wheat Varieties. *Molecules*, 16, 10570-10591.

Zhao, X.H. dan Y. Lin (2009^a) . The impact of coupled acid or pullulanase debranching on the formation of resistant starch from maize starch with autoclaving–cooling cycles. *Eur Food Res Technol* (2009) 230:179–184

_____ (2009^b). Resistant Starch Prepared From High-Amylose Maize Starch With Citric Acid Hydrolysis And Its Simulated Fermentation In Vitro. *Eur Food Res Technol* (2009) 228:1015–1021