

Daftar Pustaka

- Aboonabi, A., Rahmat, A., & Othman, F. (2014). Antioxidant effect of pomegranate against streptozotocin-nicotinamide generated oxidative stress induced diabetic rats. *Toxicology Reports*, *1*, 915–922.
- Adam, S. H., Giribabu, N., Visweswara, P., Sayem, A. S. M., Arya, A., Panichayupakaranant, P., ... Salleh, N. (2016). Rhinacanthin C ameliorates hyperglycaemia, hyperlipidemia and pancreatic destruction in streptozotocin-nicotinamide induced adult male diabetic rats. *European Journal of Pharmacology*, *771*, 173–190.
- Aer, B. N., Wullur, A. C., & Citraningtyas, G. (2013). Uji Efek Ekstrak Etanol Kulit Terung Ungu (*Solanum Melongena* L.) terhadap Kadar Gula Darah pada Tikus Putih Jantan Galur Wistar (*Rattus Norvegicus*). *Jurnal Ilmiah Farmasi – UNSRAT*, *2*(4), 135–141.
- Ahmad, M., Prawez, S., Sultana, M., Raina, R., Kumar, P., Ahanger, A. A., & Pankaj, N. K. (2015). Antidiabetic Effect of *Sida Cordifolia* (Aqueous Extract) on Diabetes Induced in Wistar Rats Using Streptozotocin and Its Phytochemistry. *International Journal of Pharmaceutical Research and Innovation*, *8*, 11–22.
- Alagammal, M., Nishanthini, A., & Mohan, V. R. (2012). Antihyperglycemic and Antihyperlipidaemic effect of *Polygala rosmarinifolia* Wright & Arn on alloxan induced diabetic rats. *Journal of Applied Pharmaceutical Science*, *2*(9), 143–148.
- Astawan, M. (2008). *Khasiat Warna-warni Makanan*. Jakarta: Gramedia Pustaka Utama.
- Bahadoran, Z., Mirmiran, P., & Azizi, F. (2013). Dietary polyphenols as potential nutraceuticals in management of diabetes: a review. *Journal of Diabetes and Metabolic Disorders*, *12*(1), 43.
- Balitbangkes RI. (2013). *Riset Kesehatan Dasar (RISKESDAS) 2013*. Jakarta.
- Barham, D., & Trinder, P. (1972). An improved colour reagent for the determination of blood glucose by the oxidase system. *Analyst*, *97*(151), 142–145.
- Chandalia, M., Garg, A., Lutjohann, D., Bergmann, K. Von, Grundy, S. M., & Brinkley, L. J. (2000). Beneficial Effects of High Dietary Fiber Intake in Patients With Type 2 Diabetes Mellitus. *The New England Journal of Medicine*, *342*(19), 1392–1398.

- Conn, P. M. (2008). *Sourcebook of Models for Biomedical Research*. (P. M. Conn, Ed.). Totowa, New Jersey: Humana Press.
- Dafriani, P. (2010). *Efek Suspensi Bubuk Kedelai pada Tikus Diabetes akibat Diinduksi Streptozotocin*. Universitas Gadjah Mada, Yogyakarta.
- Dahlan, M. S. (2010). Evidence Based Medicine: Mendiagnosis dan Menata Laksana 13 Penyakit Statistik: Disertai Aplikasi Program Stata. Jakarta: Sagung Seto.
- Dell, R. B., Holleran, S., & Ramakrishnan, R. (2002). Sample Size Determination. *ILAR Journal*, 43(4), 207–213.
- Egan, N., & Healy, P. (2012). *Buku Saku: Nutrisi*. Jakarta: EGC.
- Evans, J. L., Goldfine, I. D., Maddux, B. A., & Grodsky, G. M. (2003). Perspective in Diabetes: Are Oxidative Stress–Activated Signaling Pathways Mediators of Insulin Resistance and β -Cell Dysfunction? *Diabetes*, 52(January), 1–8.
- Firdaus, A. (2013). *Efek Infusa Daging Buah Terung Ungu terhadap Kadar Glukosa Darah Tikus Wistar Jantan yang Dibebani Glukosa*. Universitas Tanjungpura, Pontianak.
- Firmanto, B. H. (2011). *Sukses Bertanam Terung secara Organik*. Bandung: Angkasa.
- Giannini, C., Santoro, N., Kim, G., Lartaud, D., Shaw, M., Pierpont, B., & Weiss, R. (2011). The Triglyceride-to-HDL Cholesterol Ratio. *Diabetes Care*, 34(August), 1869–1874.
- Glass, G. V., Willson, V. L., & Gottman, J. M. (2008). *Design and Analysis of Time-Series Experiments*. United States American: Information Age Publishing.
- Gröber, U. (2013). *Mikronutrien: Penyelesaian Metabolik, Pencegahan, dan Terapi*. Jakarta: EGC.
- Guyton, A. C., & Hall, J. E. (1997). *Fisiologi Kedokteran*. (I. Setiawan, Ed.) (9th ed.). Jakarta: EGC.
- Herningtyas, E. H. (2015). *Penampilan Klinis HOMA-IR, QUICKI dan Rasio Trigliserid/Kolesterol HDL pada Populasi Obese dan Overweight*. Universitas Gadjah Mada.

- IDF, (International Diabetes Federation). (2015). About diabetes. Retrieved 21 September 2015, from <http://www.idf.org/about-diabetes>
- Islam, A., Hossain, M. S., & Ahmed, M. (2010). Hypolipidemic and Hepatoprotective Effects of Different Fractions of Ethanolic Extract of Immature Leaves of *Mangifera indica* (Linn.) in Alloxan Induced Diabetic Rats. *International Journal of Pharmaceutical Science and Research*, 1(11), 132–138.
- Jayasri, M. A., Gunasekaran, S., Radha, A., & Mathew, T. L. (2008). Anti-Diabetic Effect of *Costus pictus* Leaves in Normal and Streptozotocin-Induced Diabetic Rats. *International Journal of Diabetes and Metabolism*, 16, 117–122.
- Kavishankar, G. B., & Lakshmidēvi, N. (2014). Anti-diabetic effect of a novel N-Trisaccharide isolated from *Cucumis prophetarum* on streptozotocin-nicotinamide induced type 2 diabetic rats. *Phytomedicine*, 21(5), 624–630.
- Kumar, R., Pate, D. K., Prasad, S. K., Sairam, K., & Hemalatha, S. (2011). Antidiabetic activity of alcoholic leaves extract of *Alangium lamarckii* Thwaites on streptozotocin-nicotinamide induced type 2 diabetic rats. *Asian Pacific Journal of Tropical Medicine*, 4(11), 904–909.
- Kumar, S., & O’Rahilly, S. (2013). *Insulin Resistance: Insulin Action and Its Disturbances in Disease*. John Wiley & Sons (Vol. 53). England: John Wiley & Sons.
- Lekshmi, R. K., Rajesh, R., & Mini, S. (2015). Ethyl acetate fraction of *Cissus quadrangularis* stem ameliorates hyperglycaemia-mediated oxidative stress and suppresses inflammatory response in nicotinamide/streptozotocin induced type 2 diabetic rats. *Phytomedicine*, 22(10), 952–960.
- Lenzen, S. (2008). The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, 51, 216–226.
- Leo, B. (2014). *Pengaruh Flavonoid Biji Swietenia macrophylla King terhadap Kolesterol Total dan Glukosa Darah pada Tikus (Rattus norvegicus) yang Diinduksi dengan Streptozotocin dan Nicotinamide*. Universitas Gadjah Mada, Yogyakarta.
- Liu, Y., Zhan, J., Liu, X., Wang, Y., Ji, J., & He, Q. (2014). Dietary flavonoids intake and risk of type 2 diabetes: A meta-analysis of prospective cohort studies. *Clinical Nutrition*, 33, 59–63.
- Luthfiyah, F., & Widjajanto, E. (2011). Serbuk daun kelor memulihkan kondisi fisik gizi buruk pada tikus model kurang energi protein. *Jurnal Kedokteran*

Brawijaya, 26(3), 131–135. Retrieved from <http://www.jkb.ub.ac.id/index.php/jkb/article/view/321>

- Mann, J. (2014). Diabetes Mellitus dan Sindrom Metabolik. In J. Mann & A. S. Truswell (Eds.), *Buku Ajar Ilmu Gizi* (Fourth Edi., pp. 351–365). Jakarta: EGC.
- Manzella, D., Barbieri, M., Ragno, E., & Paolisso, G. (2001). Chronic administration of pharmacologic dose of vitamin E improve the cardiac nervous system in patient with type 2 diabetes. *American Journal of Clinical Nutrition*, 85, 1052–1057.
- Martiningsih, N. W., Sukarta, I. N., & Yuniana, P. E. (2014). Skrining Fitokimia dan Uji Aktivitas Atioksidan dari Ekstrak Etanol Buah Terung Ungu (*Solanum melongena* L.). *Jurnal Kimia*, 8(2), 145–152.
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-buys, D., ... Ribes, G. (1998). Experimental NIDDM: Development of a New Model in Adult Rats Administered Streptozotocin and Nicotinamide. *Diabetes*, 47, 224–229.
- Moharib, S. A., & El-Batran, S. A. (2008). Hypoglycemic Effect of Dietary Fibre in Diabetic Rats. *Research Journal of Agriculture and Biological Science*, 4(5), 455–461.
- Moore, L. (2014). EGGPLANT: *Solanum melongena* L. Retrieved 12 January 2015, from http://plants.usda.gov/plantguide/pdf/pg_some.pdf
- Muchtadi, D. (2012). *Pangan Fungsional dan Senyawa Bioaktif*. Bandung: Alfabeta.
- Murray, R. K., Granner, D. K., & Rodwell, V. W. (2013). *Biokimia Harper* (27th ed.). Jakarta: EGC.
- Nadira. (2014). *Korelasi Rasio Trigliserida/High Density Lipoprotein-Cholesterol dengan HOMA-IR pada Pegawai RSUP Dr. Sardjito Yogyakarta*. Universitas Gadjah Mada.
- Nugroho, A. E. (2006). Animal Models of Diabetes Mellitus: Pathology and Mechanism of Some Diabetogenics. *Biodiversitas, Journal of Biological Diversity*, 7(4), 378–382.
- O'Neil, C. E., & Nickles, T. A. (2011). *Nutrition in Public Health: A Handbook for Developing Program and Service* (3rd ed.). United States of America: Higher Education.

- Oboh, G., Ademiluyi, A. O., Akinyemi, A. J., Henle, T., Saliu, J. a., & Schwarzenbolz, U. (2012). Inhibitory effect of polyphenol-rich extracts of jute leaf (*Corchorus olitorius*) on key enzyme linked to type 2 diabetes (α-amylase and α-glucosidase) and hypertension (angiotensin I converting) in vitro. *Journal of Functional Foods*.
- Ortiz-Andr re, R. R., S nchez-Salgado, J. C., Navarrete-V zquez, G., Webster, S. P., Binnie, M., Garc a-Jim nez, S., ... Estrada-Soto, S. (2008). Antidiabetic and toxicological evaluations of naringenin in normoglycaemic and NIDDM rat models and its implications on extra-pancreatic glucose regulation. *Diabetes Obes Metab*, *10*, 1097–1104.
- Paolisso, G., Tagliamonte, M. R., Barbieri, M., Zito, G. A., Garrbardella, A., Varrichio, G., ... Verrichio, M. (2000). Chronic vitamin E administration improve brachial reactivity and increase intracellular magnesium concentration in type 2 diabetic patients. *Journal of Clinical Endocrinology and Metabolism*, *85*, 109–115.
- Perkeni. (2011). Konsensus Pengelolaan dan Pencegahan Diabetes Mellitus Tipe 2 di Indonesia. *Perkeni*, 33–34.
- Ramachandran, A., & Snehalatha, C. (2009). Diabetes Mellitus. In M. J. Gibney, B. M. Margetts, J. M. Kearney, & L. Arab (Eds.), *Gizi Kesehatan Masyarakat* (pp. 407–418). Jakarta: EGC.
- Rashid, S., Watanabe, T., Sakaue, T., & Lewis, G. F. (2003). Mechanisms of HDL lowering in insulin resistant , hypertriglyceridemic states : the combined effect of HDL triglyceride enrichment and elevated hepatic lipase activity. *Clinical Biochemistry*, *36*, 421–429.
- Reeves, P. G. (1997). Symposium: Animal Diets for Nutritional and Toxicological Research: Components of the AIN-93 Diets as Improvements in the AIN-76A Diet. *The Journal of Nutrition*, *127*, 838S–841S.
- Szkudelski, T. (2012). Experimental Biology and Medicine: Streptozotocin-Nicotinamide-Induced Diabetes in Rat. Characteristics of The Experimental Model. *Experimental Biology and Medicine*, *237*(May), 481–490.
- Tangvarasittichai, S. (2015). Oxidative stress, insulin resistance, dyslipidemia and type 2 diabetes mellitus. *World Journal of Diabetes*, *6*(3), 456–80. doi:10.4239/wjd.v6.i3.456
- Tangvarasittichai, S., Poosub, P., & Tangvarasittichai, O. (2010). Association of serum lipoprotein ratios with insulin resistance in type 2 diabetes mellitus. *The Indian Journal of Medical Research*, *131*(May), 641–8.

WHO, (World Health Organization). (2015). Media centre: Diabetes. Retrieved 21 September 2015, from <http://www.who.int/mediacentre/factsheet/fs312/en/>

Widiyowati, I. I. (2007). Pengaruh Lama Perendaman dan Kadar Natrium Metabisulfit dalam Larutan Perendaman pada Potongan Ubi Jalar Kuning (*Ipomoea Batatas* (L.) Lamb) terhadap Kualitas Tepung yang Dihasilkan. *Jurnal Teknologi Pertanian - Universitas Mulawarman*, 2(2), 55–58.

Widowati, W. (2008). Potensi Antioksidan sebagai Antidiabetes. *Jurnal Kedokteran Maranatha*, 7(2), 1–11.

Youth, R. A., Simmerman, S. J., Newell, R., & King, R. A. (1973). Ketamine anesthesia for rats. *Physiology and Behavior*, 10(3), 633–636.