

DAFTAR PUSTAKA

- Aki, K., and Richard, P.G., 1980, *A Quantitative Seismology : Theory and Methods*, vol. 1, W.H. Freeman, New York.
- Anna, L.O. 2009. Total Petroleum Systems and Geologic Assessment of Oil and Gas Resources in the Powder River Basin Province, Wyoming and Montana. Wyoming, *U. S. Geological Survey Bulletin*, Chapter 1.
- Asquith, G. dan Gibson, C., 1982, *Basic Well Log Analysis*, The American Association of Petroleum Geologist, Tulsa, Oklahoma
- Ba, Jing, Carcione, J. M., Du, Qizhen, Zhao, Haibo, Muller, 2015, *Seismic Exploration of Hydrocarbons in Heterogeneous Reservoirs : New Theories, Methods and Applications*, Elsevier, USA
- Bateman, R. M., 1985, *Open Hole Log Analysis and Formation Evaluation*, International Human Resources and Development Corporation, Boston
- Batzle, M.L., and Wang, Z., 1992, Seismic properties of pore fluids, *Geophysics*, 57(11), p. 1396–1408.
- Batzle, M. L., Han, D. and Hofmann, R., 2006, Fluid mobility and frequency-dependent seismic velocity -Direct measurements, *Geophysics*, 71(1), p. N1-N9
- Biot, M.A., 1956a, Theory of propagation of elastic waves in a fluid-saturated porous solid. I. Low-frequency range, *Journal of the Acoustical Society of America*, 28, p. 168-178.
- Biot, M.A., 1956b, Theory of propagation of elastic waves in a fluid-saturated porous solid. II. Higher frequency range, *Journal of the Acoustical Society of America*, 28, p. 179-191.
- Cabrera, R., Huffman, A.R., Rogers, J.D., Villarreal, A., Meyer, J., Kessinger, W., Hibbits, T., Obregon, F., and Sparlin, M., 2012, Integrated reflection seismic monitoring and reservoir modeling for geologic CO2 sequestration, *SEG Technical Program Expanded Abstracts 2012* : p. 1-5.
- Carcione, J. M., 2001, *Wave fields in real media : wave propagation in anisotropic, anelastic and porous media* : Pergamon, 55–59.
- Carcione, J.M, and Picotti, S., 2006, P-wave seismic attenuation by slow-wave diffusion : Effects of inhomogeneous rock properties, *Geophysics* 71(3), p. O1–O8.
- Castagna, J.P., Swan, H.W., dan Foster, D.J., 1998, Framework for AVO gradient and intercept interpretation, *Geophysics* 63(3) ; p. 948–956.

- Castagna, J.P., Sun, S., and Siegfried, R.W., 2003, Instantaneous spectral analysis : Detection of low-frequency shadows associated with hydrocarbons, *The Leading Edge*, p. 120-127.
- Chabyshova, E., dan Goloshubin, G., 2011, Asymptotic Biot's model for estimation of seismic attenuation in porous layered medium, *SEG San Antonio 2011 Annual Meeting*: San Antonio, USA.
- Chui, C.K., 1992, *'An Introduction to Wavelet'*, Academic Press, San Diego.
- Clack, W.J.F and Crane, J.D.T, 1992, *Penobscot Prospect: Geological evaluation and oil reserve estimates*, Report for Nova Scotia Resources (Ventures) Ltd.
- Collino, F., dan Tsogka, C., 2001, Application of the Perfectly Matched Absorbing Layer Model to The Linear Elastodynamic Problem in Anisotropic Heterogeneous Medium, *Geophysics*, 66 (1), 294-307.
- Cooper, S. 2000, Deformation within a basement-cored anticline teapot dome, *Wyoming [MS thesis]: New Mexico Institute of Mining and Technology*, vol. 274.
- Cooper, S.P., Goodwin, L.B., and Lorenz, J.C., 2006, Fracture and fault patterns associated with basement-cored anticlines: The example of Teapot Dome, Wyoming, *American Association of Petroleum Geologists Bulletin*, 90 (12), p. 1903-1920.
- Crain, E.R., 2001, *Crain's Petrophysical Handbook*, Rocky Mountain House, Alberta, Canada
- Dai, N., Vafidis, A. and Kanasevich, E.R., 1995, Wavepropagation In Heterogeneous, Porous medium : A Velocity-Stress, Finite-Difference Method, *Geophysics*, 60(2), p.327-340.
- Di, H., and Gao, D., 2016, Improved estimates of seismic curvature and flexure based on 3D surface rotation in the presence of structure dip, *Geophysics*, 81(2), IM13-IM23.
- Dennen, Kristin, Burns, W., Burruss, R., and Hatcher, K. 2005. Geochemical analyses of oils and gases, Naval Petroleum Reserve No. 3, Teapot Dome Field, Natrona County, Wyoming, *U.S. Geological Survey Open-File Report 2005*, 1275, p. 63.
- Dolton, G.L., Fox, J.E., Clayton, J.L, 1990, Petroleum geology of the Powder River Basin, Wyoming and Montana, *Report 88-450 United States Department of the Interior*, U.S. Geological Survey.
- Dong, L.G., Ma, Z.T., dan Cao, J.Z, 2000, Stability of The Staggered-Grid High-Order Difference Method for First-Order Elastic Wave Equation, *Chinese Journal of Geophysics*, 43(6), p. 904-913.

- Dutta, N. C., and Seriff, A. J., 1979, On White's model of attenuation in rocks with partial gas saturation, *Geophysics*, 44, p. 1806–1812.
- Dvorkin, J., Mavko, G., and Nur, A. M., 1995, Squirt flow in fully saturated Rocks, *Geophysics*, 60(1), p.97–107.
- Etgen, J.T., 1987, *Finite-Difference Elastic Anisotropic Wave Propagation*, Stanford Exploration Project, California.
- Friedmann, S.J., Stamp, V.W., 2006, Teapot Dome : characterization of a CO₂-enhanced oil recovery and storage site in eastern Wyoming, *Environmental Geosciences*, 13 (3),p. 181–199.
- Gao, D., Wilson, T., Zhu,L., and Marfurt, K.J., 2011, 3D seismic curvature and flexure for unconventional fractured reservoir characterization at Teapot Dome (Wyoming), *SEG Technical Program Expanded Abstracts 2011*, p. 1145-1149.
- Gao, D., 2013, Integrating 3D seismic curvature and curvature gradient attributes for fracture characterization : Methodologies and interpretational implications, *Geophysics*, 78(2),O21-O31.
- Goloshubin, G.,M., Valeri,T.,M., Korneev, V.,A., 2001, "Seismic low-frequency effects in gas reservoir monitoring VSP data", *SEG Int'l Exposition and Annual Meeting *San Antonio, Texas* September 9-14*.
- Goloshubin, G.M., V.A.Korneev, V.A., and Vingalov, V.M., 2002, Seismic low-frequency effects from oil-saturated reservoir zones, *SEG Meeting : Salt Lake City*.
- Goloshubin, G.,M.,Vanschuyver, C., Korneev, V., Silin, D. and Vingalov, V.,2006 , Reservoir imaging using low frequencies of seismic reflections, *The Leading Edge*, may 2006, p.527-531.
- Goloshubin, G.,M., Silin, D., Vingalov, V., Takkand,G., and Latfullin,M., 2008, Reservoir permeability from seismic attribute analysis, *The Leading Edge*, 27, P. 376-381.
- Gurevich, B., Brajanovski, M., Galvin, R.J., Muller, T.M., and Toms-Stewart, J., 2009, P-wave dispersion and attenuation in fractured and porous reservoirs – poroelasticity approach, *Geophysical Prospecting*, 57,p. 225–237.
- Harsono, A. 1997. *Evaluasi Formasi dan Aplikasi Log*, Edisi revisi 8 mei 1997. Schlumberger Oil Services. Jakarta.
- http://wiki.seg.org/wiki/TEAPOT_DOME_3D_SURVEY , data seismic, log, core dan lain-lain dari Lapangan Teapot Dome, Wyoming, USA, diunduh 20 Januari 2015
- <https://opendtect.org/osr/Main/PENOBSCOT3DSABLEISLAND> , data seismic, log dan lain-lain dari Lapangan Pnobscot, Nova Scotia Basin, Kanada diunduh 15Agustus 2015

- Kadlec, B.J., and Dorn, G.A., 2010, Leveraging graphics processing units (GPUs) for real-time seismic interpretation, *The Leading Edge*, 29(1) p. 60-66.
- Koesoemadinata, R.P., 1980, *Geologi Minyak dan Gas Bumi*, Jilid 1, Edisi 2, Penerbit ITB, Bandung.
- Komatitsch, D., and Martin, R. , 2007, An unsplit convolutional perfectly matched layer improved at grazing incidence for the seismic wave equation, *Geophysics*, 72(5),p. Sm155–Sm167.
- Komatitsch, D.,Erlebacher, G., Göddeke, D., Michéa, D., 2010, High-order finite-element seismic wave propagation modeling with MPI on a large GPU cluster, *Journal of Computational Physics*, 229, p. 7692-7714.
- Korneev, V., A., Goloshubin, G., M., Daley,T.,M., and Silin,D.,B., 2004, "Seismic low-frequency effects in monitoring fluid-saturated reservoirs", *Geophysics*, 69, p. 522–532.
- Kulesh, M., Holschneider, M., Diallo, M. S., Xie, Q., Scherbaum, F., 2005, Modeling of Wave Dispersion Using Continuous Wavelet Transforms, *Pure and Applied Geophysics*,162,p.843–855.
- Kulesh, M., Holschneider, M., Diallo, M. S., 2008a,Geophysics Wavelet Library: Applications of the Continuous Wavelet Transform to the Polarization and Dispersion Analysis of Signals, *Computers and Geosciences*, 34(12), p. 1732-1752
- Kulesh, M., Holschneider, M., Ohrnberger,M. and Lueck, E., 2008b.Modeling of wave dispersion using continuous wavelet transforms II: wavelet based frequency-velocity analysis, *Pure and Applied Geophysics*, 165(2), p. 255-270.,.
- Kuteynikova, M., Tisato, N., Janicke, R., and Quintal, B., 2014, Numerical modeling and laboratory measurements of seismic attenuation in partially saturated rock, *Geophysics*, 79(2), p. L13-L20
- Levander, A.R., 1988, Fourth-Order Finite-Difference P-SV Seismograms, *Geophysics*, 53(11), 1425-1436.
- Liner, C. L., 2012, *Elements of Seismic Dispersion : A Somewhat Practical Guide to Frequency-Dependent Phenomena*, Society of Exploration of Geophysicist, Tulsa, U.S.A.
- Liu, L., Cao, S., and Wang, L., 2011, Poroelastic analysis of frequency-dependent amplitudo-versus-offset variations, *Geophysics*, Vol. 76(3), P. C31–C40.
- Martin, R , Komatitsch, D., and., Ezziiani, A. , 2008, An unsplit convolutional perfectly matched layer improved at grazing incidence for seismic wave propagation in poroelastic medium, *Geophysics*, 73(4), p. t51–t61.
- Martin, S.G., Wiley, R., and Marfurt, K.J., 2006, Marmousi2: An elastic upgrade for Marmousi, *The Leading Edge*, 25(2):158-166.

- Masson, Y.J., and Pride, S.R., 2007, Poroelastic finite difference modeling of seismic attenuation and dispersion due to mesoscopic-scale heterogeneity, *Journal of Geophysical Research*, 112, B03204.
- Masson, Y.J., and Pride, S.R., 2010, Finite-difference modeling of Biot's poroelastic equations across all frequencies, *Geophysics*, 75(2),p. N33–N41.
- Masson, Y.J., 2010, *Computing the Seismic Attenuation in Complex Porous Materials*, Ph.D. dissertation, University of California, Berkeley.
- Mavko, G., Mukerji, T., and Dvorkin, J. (1998), *The Rock Physics Handbook : Tools for Seismic Analysis of Porous Medium*, Cambridge University Press.
- Michea, D., and Komatitsch,D. ,2010, Accelerating a three-dimensional finite-difference wave propagation code using GPU graphics cards, *Geophys. J. Int.*, 182,p. 389–402.
- Muller, T. M., B. Gurevich, and M. Lebedev, 2010, Seismic wave attenuation and dispersion resulting from wave-induced flow in porous rocks— A review, *Geophysics*, 75(5), p. 75A147–75A164.
- Murphy, W. F.,1982, Effects of partial water saturation on attenuation in massilon sandstone and vycor porous glass, *Journal of the Acoustical Society of America*, 71, p.1458–1468.
- Nakata, N., Tsuji, T., and Matsuoka, T., 2011, Acceleration of computation speed for elastic wave simulation using a Graphic Processing Unit, *Exploration Geophysics*, 42,p. 98-104.
- Nurcahya,B.E., Sudarmaji, Hartantyo, E., Nukman, M., Srigati, D., Rosi SBY, 2006, Time-Frequency Analysis of 3D Seismic Reflection Data Using Continuous Wavelet Transform (CWT) and their Application for G&G Study, *Poster session, Internatonal geoscience Conference and Exhibition, SEG-HAGI-IPA-IATMI-IAGI*, Jakarta, 2006.
- Nurcahya, B. E., 2014, *Penggunaan Transformasi Wavelet Kontinyu Untuk Menganalis Gempa Vulkanik Gunung Merapi Dan Pembuatan Atribut Seismik Indikasi Hidrokarbon Pada Eksplorasi Minyak Dan Gas Bumi*, Disertasi S3, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- O'Brien, G. S., 2010, 3D rotated and standard staggered finite-difference solutions to Biot's poroelastic wave equations : Stability condition and dispersion analysis, *Geophysics*, 75 (4), p. T111–T119.
- Ozdenvar, T. and McMechan, G.A., 1997, Algorithms for staggered grid computations for poroelastic, elastic, acoustic and scalar wave equations, *Geophysical Prospecting*, 45, 403-420.

- Partyka, G., J. Gridley, and J. Lopez, 1999, Interpretational applications of spectral decomposition in reservoir characterization, *The Leading Edge*, 18, 353–360.
- Picotti, S., Carcione, J.M., Rubino, J.G., and Santos, J.E., 2007, P-wave seismic attenuation by slow-wave diffusion: Numerical experiments in partially saturated rocks, *Geophysics*, 72 (4), p. N11–N21.
- Puente, J., Dumbser, M., Käser, M., and Igel, H., 2008, Discontinuous Galerkin methods for wave propagation in poroelastic media, *Geophysics*, 73(5), p. T77–T97
- Purwagandhi, S.I., dan Sismanto, 2015, Estimation of Reservoir Permeability from Sismanto's Equation in 2D Seismic Data of Teapot Dome Field, 77th EAGE Conference and Exhibition 2015, IFEMA Madrid, Spain.
- Pride, S. R., Harris, J. M., Johnson, D. L., Mateeva, A., Nihel, K. T., Nowack, R. L., Rector, J. W., Spetzler, H., Wu, R., Yamamoto, T., Berryman, J. G., and Fehler, M., 2003, Acquisition/Processing—Permeability dependence of seismic amplitudes, *The Leading Edge*, 22, p.518–525.
- Quintal, B., Schmalholz, S.M., Podladchikov, Y.Y., and Carcione, J.M., 2007, Low-frequency anomalies of seismic-wave reflections from poroelastics layer, 10th International Congress of the Brazilian Geophysical Society, Rio de Janeiro, Brazil.
- Quintal, B., Schmalholz, S.M., and Podladchikov, Y.Y., 2011a, Impact of fluid saturation on the reflection coefficient of a poroelastic layer, *Geophysics*, 76(2), p. n1–n12.
- Quintal, B., Steeb, H., Frehner, M., dan Schmalholz, S.M, 2011b, Quasi-static finite element modeling of seismic attenuation and dispersion due to wave-induced fluid flow in poroelastic media, *Journal of Geophysical Research : Solid Earth*, 116, B1201
- Quintal, B., 2012, Frequency-dependent attenuation as a potential indicator of oil saturation, *Journal of Applied Geophysics*, 82, p.119–128.
- Raymer, L.L., Hunt, E.R., and Gardner, J.S. 1980. An Improved Sonic Transit Time-to-Porosity Transform, 1980 Annual Logging Symposium, SPWLA, 1–12.
- Ren, H., Goloshubin, G., and Hiltebrand, F.J., 2009a, Poroelastic analysis of permeability effects in thinly layered porous medium, *Geophysics*, 74(6), p. N49–N54.
- Ren, H., Goloshubin, G., and Hiltebrand, F.J., 2009b, Poroelastic analysis of amplitude-versus-frequency variations, *Geophysics*, 74(6), p. N41–N48.
- Rider, M., 2002, *The Geological Interpretation of Well Logs Second Edition*, Rider – French Consulting Ltd, Sutherland

- Riley, K.F, Hobson, M.P., dan Bence, S. J., 2006, *Mathematical Methods for Physics and Engineering*, Edisi ke tiga, Cambridge University Press, New York.
- Ross,C.P., and Kinman, D. L., 1995, Nonbright spot AVO, *Geophysics*, 60(5), p. 1398-1408
- Roth, M., Emanuel., J., dan Anderson, T., 2005, Better Understanding Wyoming Reservoirs through Co-visualization and Analysis of 3D Seismic, VSP and Engineering Data – Teapot Dome, Powder River Basin, *RMAG/DGS 3D Seismic Symposium*, Denver, Colorado
- Rubio,F., Hanzich, M., Farres, A., Puente, J., and Cela, J.M., 2014, Finite-Difference Staggered grids in GPUs for anisotropic elastic wave propagation simulation, *Computer & Geosciences*, 70, p.181-189.
- Rubino, J.G., and Holliger, K., 2012, Seismic attenuation and velocity dispersion in heterogeneous partially saturated porous rocks, *Geophys. J. Int.* 188, p.1088–1102.
- Rutherford, S.R., and R.H. Williams,1989, Amplitude versus offset variationing gas sands, *Geophysics*, 54, 680-688
- Saenger, E. H., R. Ciz, O. S. Krüger, S. M. Schmalholz, B. Gurevich, and S.A. Shapiro, 2007, Finite-difference modeling of wave propagation on microscale : A snapshot of the work in progress, *Geophysics*,72(5), p. SM293–SM300.
- Sams, M. S., Neep, J. P., Worthington, M. H., and King, M. S. (1997). The measurement of velocity dispersion and frequency-dependent intrinsic attenuation in sedimentary rocks, *Geophysics*, 62(5), p. 1456–1464.
- Shapiro, S.A., and Muller, T.M., 1999, Seismic signatures of permeability in heterogeneous porous media, *Geophysics*, 64, 99–103.
- Schneider, J.B., 2012, *Understanding the Finite-Difference Time Domain Method*, Lecture Notes, The School of Electrical Engineering and Computer Science, Washington State University.
- Serra,O., 1984, *Fundamental of Well Log Interpretation*, Elsevier Science Publishing Company Inc, New York, USA.
- Serra, O. dan Serra, L., 2004, *Well Logging Data Acquisition and Applications*, Editions Serralog, Mary Corbon, France
- Silin,D.,B., Korneev,V.,A., Goloshubin,G.,M., and Patzek,T.,W., 2006, Low-Frequency Asymptotic Analysis Of Seismic Reflection From A Fluid-Saturated Medium, *Transport in Porous Medium*, 62, p. 283–305.
- Silin,D.,B., and Goloshubin,G.,M., 2010, An Asymptotic Model of Seismic Reflection from a Permeable Layer, *Transp Porous Med*, 83, p. 233–256.
- Simm, R., and Bacon, M., 2014, *Seismic Amplitude : An Interpreter's Handbook* , Cambridge University Press, 2014.

- Singh, Y., 2007, Lithofacies detection through simultaneous inversion and principal component attributes, *The Leading Edge*, 26(12), p. 1568-1575.
- Singleton, S., 2008, The use of seismic attenuation to aid simultaneous impedance inversion in geophysical reservoir characterization, *The Leading Edge*, 27(3), p. 398-407
- Sismanto, 2003, *Estimasi Permeabilitas Reservoir Batupasir Tebal dan Homogen Dengan Menggunakan Analisis Atenuasi Inelastik Data Seismik*, Disertasi S3, ITB.
- Sismanto, 2013, *Fisika Batuan : Pendekatan Estimasi Permeabilitas dan Saturasi Air Berbasis Data Seismik*, Graha Ilmu, Yogyakarta.
- Sivalingam, K., 2010, *GPU Acceleration of a Theoretical Particle Physics Application*, Theses Master, The University of Edinburgh
- Shuey, R. T., 1985, A simplification of the Zoeppritz equation, *Geophysics*, 50, p. 609-614
- Slatt, R.M., 2006, *Stratigraphic Reservoir Characterization for Petroleum Geologists, Geophysicists, and Engineers*, Elsevier BV, Amsterdam.
- Sudarmaji, dan Nurcahya, B.N., 2014, Identifikasi Reservoir Batupasir Tersaturasi Minyak Menggunakan Analisa Frekuensi Rendah Berbasis CWT and AVO, *Indonesian Journal of Applied Physics*, 04 (1), p.54-61.
- Sudarmaji, Sismanto, Waluyo, and Soedijono, B, 2016, Improving the Reliability of Synthetic S-Wave Extraction Using Biot-Gassman Fluid Substitution, *Int. Journal of Engineering Research and Applications*, 6(4), p. 52-56
- Trapeznikova, N. A., 1985, Prognosis and interpretation of seismic wave dynamics, *Nauka*, 16.
- Timur, A., 1968, an Investigation of Permeability, Porosity and Residual Water Saturation Relationships for Sandstone Reservoirs, *The Log Analyst*, 9 (4).
- Versteeg, R. J., 1993, Sensitivity of prestack depth migration to the velocity model, *Geophysics*, 58(6), p. 873-882
- Veeken, P.C.H., 2007, *Seismic Stratigraphy, Basin Analysis and Reservoir Characterisation*, Elsevier, UK.
- Virieux, J., 1986, P-SV Wave Propagation in Heterogeneous Medium : Velocity-Stress Finite-Difference Method, *Geophysics*, 51, p. 610-638.
- Wang, Z., Peng, S., and Liu, T., 2010, Modeling Seismic Wave Propagation Using Graphics Processor Units (GPU), *Proceedings of the Second International Symposium on Networking and Network Security (ISNNS 2010)*, Jinggangshan, China.
- Weiss, R.M., and Shragge, J., 2013, solving 3D anisotropic elastic wave equations on parallel GPU devices, *Geophysics*, 78(2), p. F7-F15.
- Wenzlau, F., 2009, *Poroelastic Modelling of Wavefields in Heterogeneous Medium*, Ph.D. dissertation, Karlsruhe University, Karlsruhe.

- Wenzlau, F., and Muller, T. M., 2009, Finite-difference modeling of wave propagation and diffusion in poroelastic medium, *Geophysics*, 74(4), p. T55–T66.
- White, J. E., 1975, Computed seismic speeds and attenuation in rocks with partial gas saturation, *Geophysics*, 40,p. 224–232.
- White, J.E., Mikhaylova, N.G., Lyakhovitskiy, F.M., 1975. Low frequency seismic waves in fluid-saturated layered rocks, *Izvestija Acad. Sci. USSR, Phys. Solid Earth*, 11, 654-659
- Yablonski, D. 2011. Numerical accuracy differences in CPU and GPGPU codes.*Electrical and Computer Engineering Master's Theses.V.58.*
- Xue-Hua, C., Zhen-Hua, H., Zhu Si-Xin, Z., Wei, L., and Wen-Li, Z., 2012, Seismic low-frequency-based calculation of reservoir fluid mobility and its applications, *Applied Geophysics*, 9(3), p. 326 – 332.
- Zhenhua, H., Xiaojun, X., and Lien, B., 2008, Numerical simulation of seismic low-frequency shadows and its application, *Applied Geophysics*, 5(4), p.301 – 306.
- Zhu, X., and McMechan, G.A., 1991, Numerical simulation of seismic responses of poroelasticreservoirs using Biot theory, *Geophysics*, 56(3), p. 328-339.
- Zoeppritz, K., 1919, Erdbebenwellen VII. VIIb. Über Reflexion und Durchgang seismischer Wellen durch Unstetigkeitsflächen. Nachrichten von der Königlichen Gesellschaft der Wissenschaften zu Göttingen, *Mathematisch-physikalische Klasse*, 66-84.