

## TABLE OF CONTENT

Approval sheet	iii
Certificate of originality	iv
Acknowledgment	v
Table of Content	vi
Abstract	ix
Intisari	x
List of Table	xi
List of Figure	xii
<b>I. INTRODUCTION</b>	
1.1. Background	1
1.2. Objective	4
1.3. Novelty of Research	5
<b>II. LITERATURE REVIEW</b>	<b>6</b>
2.1.Nyamplung ( <i>Calophyllum inophyllum</i> )	6
2.2.Protein	9
2.2.1. Isolation of protein	12
2.2.2. Protein hydrolysates	13
2.2.3. Protein hydrolysates as antioxidant	16
2.3.Peptidase	18
2.3.1. Sources of the enzyme	18
2.3.2. Mechanism of peptidase	20
2.3.3. Papain	22
2.4.Hydrolysis Process	24
2.4.1. The effect of enzyme and substrate concentration	25
2.4.2. The effect of pH	26
2.4.3. The effect of temperature	27
2.5.Degree of Hydrolysis	28
2.5.1. Estimation of DH	29
2.6.Kinetic reaction model	31
2.6.1. Initial phase kinetics	33
2.6.2. Model of kinetics assuming inhibitor of enzyme	37
2.6.3. Model of kinetic assuming enzyme deactivation	36
2.6.4. Model of kinetic affected by temperature	41

<b>III.</b>	<b>MATERIALS AND METHODS</b>	<b>43</b>
	3.1. Materials	43
	3.2. Equipments	43
	3.3. Place of Research	44
	3.4. Research Procedure	44
	3.5. Methods	46
	3.5.1. Protein extraction	46
	3.5.2. Enzimatic hydrolysis	48
	3.5.2.1. Enzyme selection	48
	3.5.2.2. Effect of initial substrate concentration on degree of hydrolysis	48
	3.5.2.3. Effect of pH on degree of hydrolysis	49
	3.5.2.4. Effect of temperature on degree of hydrolysis	49
	3.5.2.5. Determination of antioxidant activity	51
	3.6. Data Analysis	51
<b>IV.</b>	<b>RESULT AND DISCUSSION</b>	<b>52</b>
	4.1. Protein Extraction	52
	4.1.1. Defatted process of seedcake	52
	4.1.2. Characterization of nyamplung protein extract	54
	4.1.2.1. Analysis of colour	54
	4.1.2.2. Analysis of functional group by spectroscopy Fourier Transform Infra Red (FTIR)	55
	4.1.2.3. Molecular weight of isolated nyamplung protein	57
	4.2. Hydrolysis	59
	4.2.1. The determination of enzyme activity	56
	4.2.2. Degree of hydrolysis of nyamplung- protein hydrolysates using papain or bromelain	60
	4.2.3. Degree of hydrolysis of nyamplung- protein hydrolysates from various substrate concentration	62
	4.2.4. Degree of hydrolysis of nyamplung protein hydrolysis by papain in various pH values	64

4.2.5. Degree of hydrolysis by papain on nyamplung protein on several temperatures	66
4.3. Antioxidan Activity of Nyamplung Hydrolysate	67
4.4. Mathematic Model and Program Designed Using MATLAB	70
4.4.1. Model of initial phase kinetics	71
4.4.2. Model of kinetics assuming inhibition of enzyme	74
4.4.3. Model of kinetics assuming deactivation of enzyme	77
4.4.3.1. Reaction rate constant determination	79
4.4.3.2. Enzymic deactivation constant	81
4.4.4. Model of kinetics affecting by temperature	82
<b>V. CONCLUSION AND SUGGESTION</b>	<b>87</b>
<b>Reference</b>	<b>90</b>
<b>Appendices</b>	<b>100</b>
<b>Summary</b>	<b>123</b>
<b>Ringkasan</b>	<b>131</b>