

DAFTAR PUSTAKA

- Abramoff. and Michael, D. (2004) ImageJ processing with imageJ. Biophotonic International.
- Anonim¹. 2007. Peraturan Direktur Jenderal Peternakan Nomor : 59/Kpts/PD610/05/2007 Jenis-Jenis Penyakit Hewan Menular yang Mendapat Prioritas Pengendalian dan atau Pemberantasannya. Departemen Pertanian Direktorat Jenderal Peternakan. Jakarta.
- Anonim². 2015. Bovine viral diarrhoea. Office International des Epizooties (OIE). Paris (FR).
- Anonim³. 2007. Bovine Viral Diarrhea Virus. Animal and Plant Health Inspection Service (APHIS). USA Department of Agriculture.
- Baker, J.C. (1990) Clinical aspects of bovine viral diarrhoea virus infection. *Rev. Sci. Tech. Off. Int. Epiz.* 9: 25-41.
- Bauhofen, O., Summerfield, A., Sakoda, Y., Tratschin, J. D., Hofmann, M.A. and Ruggli, N. (2007) Classical swine fever virus N^{pro} interacts with interferon regulatory factor 3 and induces its proteosomal degradation. *J. Virol.* 81: 3087-3096.
- Bhudevi, B. and Weinstock, D. (2003) Detection of bovine viral diarrhoea virus in formalin fixed paraffin embedded tissue sections by real time RT-PCR (Taqman). *J. Virol. Methods.* 109: 25-30.
- Booth, E.R., Carole, J.T., Laila, M.R., George, G. and Joe, B. (2013) A phylogenetic analysis of bovine viral diarrhoea virus (BVDV) isolates from six different regions of the UK and links to animal movement data. *Veterinary research* 44: 43-47.
- Branza-Nichita, N., Durantel, D., Carroue´ e-Durantel, S., Dwek, R.A. and Zitzmann, N. (2001) Antiviral effect of N-butyldeoxynojirimycin against bovine viral diarrhoea virus correlates with misfolding of E2 envelope proteins and impairment of their association into E1-E2 heterodimers. *J. Virol.* 75: 3527–3536.
- Brock, K.V., Deng, R. and Riblets. (1992) Nucleotide sequencing of 5' and 3' termini of bovine viral diarrhoea virus by RNA ligation and PCR. *J. Virol. Methods.* 38: 39-46.
- Brock, K.V., Grooms, D.L., Ridpath, J. and Bolin, S.E. (1998) Changes in levels of viremia in cattle persistently infected with bovine viral diarrhoea virus. *J. Vet. Diagn. Invest.* 10: 22-26.

- Brodersen B.W. (2014) Bovine viral diarrhoea virus infection: Manifestations of infection and recent advances in understanding pathogenesis and control. *Vet. Pathol.* 2: 1-12.
- Brodersen, B.W. (2004) Immunohistochemistry used as a screening method for persistent bovine viral diarrhoea infection. *Vet. Clin. North Am. Food Anim Pract.* 20: 85-93.
- Brownlie, J., Hooper, L.B., Thompson, I. and Collins, M.E. (1998) Maternal recognition of foetal infection with bovine viral diarrhoea virus (BVDV) the bovine pestivirus. *Clinical and diagnostic virology* 10: 141-150.
- Canal, C.W., Hotzel, I., de Almeida, L.L., Roehe, P.M. and Masuda, A. (1996) Differentiation of classical swine fever virus from ruminant pestiviruses by reverse transcription and polymerase chain reaction. *Vet. Microbiol.* 48: 373-379.
- Chen, Z., Rijnbrand, R., Jangra, R.K., Devaraj, S.G., Qu, L., and Ma, Y.H., Lemon, S.M. and Li, K. (2007) Ubiquitination and proteasomal degradation of interferon regulatory factor-3 induced by N^{pro} from a cytopathic bovine viral diarrhoea virus. *J. Virol.* 2: 277-292.
- Coenye, T. and Vandamme, P. (2003) Extracting phylogenetic information from whole genome sequencing projects: the lactic acid bacteria as a test case. *J. Microbiol.* 149: 3507-3517.
- Collett, M.S., Larson, R., Gold, C., Strick, D., Anderson, D.K. and Purchio, A.F. (1988a) Molecular cloning and nucleotide sequence of the pestivirus bovine viral diarrhoea virus. *J. Virol.* 165: 191-199.
- Darmadi, P. (1989) Kejadian diare ganas pada sapi. Direktorat Jendral Peternakan. Jakarta.
- Davenport, M.P., Loh, L., Petravic, J. and Kent, S.J. (2008) Rates of HIV immune escape and reversion: Implication for vaccination. *Trends. Microbiol.* 16: 561-566.
- Decaro, N., Lucente, MS., Mari, V., Cirone, F., Cordioli, P., Camero, M., Sciarretta, R., Losurdo, M., Lorusso, E., Buon-avoglia, C., (2011) Atypical pestivirus and severe respiratory disease in calves. *Europe. Emerg. Infect. Dis.* 17: 1549-1552.
- Deng, Y., Shan, T.L., Tong, W., Zheng, X.C., Guo, Y.Y., Zheng, H., Cao, S.J., Wen, X.T. and Tong, G.Z. (2014) Genomic characterization of a bovine viral diarrhoea virus 1 isolat from swine. *Arch. Virol.* 159: 2513-2517.

- Deregt, D., Piet, A., Rijn, V., Tani, Y., Wiens. and Jan-van-den-Hurk. (1998) Monoclonal antibodies to the E2 protein of a new genotype (type 2) of bovine viral diarrhea virus define three antigenic domains involved in neutralization. *Virus Research* 57: 171-182.
- Doll, K. and Holsteg. (2013) BVDV Outbreaks In Germany and The Netherlands. AHVLA
- Done, J.T., Terlecki, S., Richardson, C., Harkness, J.W., Sand, J.J., paterson, D.S.P., Sweasey, D., Shaw, L.G., Winkler, C.E. and Duffell, S.J. (1980) Bovine viral diarrhea mucosal disease virus: pathogenicity for the foetal calf following maternal infection. *Vet. Res.* 106: 473-479.
- Domingo, E., Baranowski, E., Ruiz-Jarabo, C.M., Martin-Hernandez, A.M., Saiz, J.C. and Escarmis, C. (1998) Quasispecies structure and persistence of RNA viruses. *Emerg. Infect. Dis.* 4: 521-527.
- Domingo, E. (2000) Viruses at the edge of adaptation. *Virology* 270: 251-253.
- Dubbois, E., Russo, P., Prigent, M. and Thiery, R. (2008) Genetic characterization of bovine Pestivirus isolated in France, between 1985 and 2006. *Vet. Microbiol.* 130: 69-79.
- Elbers, K., Tautz, N., Becher, P., Stoll, D., Rumenapf, T. and Thiel, H.J. (1996) Processing in the pestivirus E2-NS2 region: Identification of proteins p7 and E2p7. *J. Virol.* 70: 4131-4135.
- El-Omari, K., Lourin, O., Harlos, K., Enmes, J.M. and Stuart, D.L. (2013) Structure of a pestivirus envelope glycoprotein E2 clarifies its role in cell entry. *Cell reports. Pub. Med* 3: 30-35.
- Fetzer, C., Tews, B.A. and Meyers, G. (2005) The carboxy-terminal sequence of the pestivirus glycoprotein E(rns) represents an unusual type of membrane anchor. *J. Virol.* 79: 11901-11913.
- Fulton, Robert, W., Saliki, T.J., Confer, A.W., Burge, L.J., d'Offay, J.M., Helman, R.G., Bolin, S.R., Ridpath, J.F., Mark, E. and Payton, M.E. (2000) Bovine viral diarrhea virus cytopathic and non cytopathic biotypes and type 1 and 2 genotypes in diagnostic laboratory accessions: Clinical and necropsy sample from cattle. *J. Vet. Diagn. Invest.* 12: 33-38.
- Gao, S., Luo, J., Du, J., Lang, Y., Chong, G., Shao, J., Lin, T., Zhao, F., Belak, S., Liu, L., Chang, H. and Yin, H. (2013) Serological and molecular evidence for natural infection of bacteria camels with multiple subgenotypes of bovine viral diarrhea virus in western China. *Vet. Microbiol.* 163: 172-176.

- Gamlen, T., Richards, K.H., Mankouri, J., Hadson, L., McCauley, J., Harris, M. and Mac donald, A. (2010) Expression of the NS3 protease of cytopathogenic bovine viral diarrhoea virus results in the induction of apoptosis but does not block activation of the beta interferon promoter. *J. General. Virol.* 91: 133-144.
- Giammarioli, M., Ceglie, L., Rossi, E., Bazzucchi, M., Casciari, C., Petrini, S. and De Mia, G.M. (2014) Increased genetic diversity of BVDV-1: Recent findings and implications thereof. *Virus Genes* 50: 147-151.
- Giammarioli, M., Elisabetta, R., Cristina, C., Moira, B., Torresi, C. and Gian-Mario-De Mia. (2015) Genetic characterization of border disease virus (BDV) isolates from small ruminants in Italy. *Virus Genes* 50: 321-324.
- Giangaspero M. (2013) Pestivirus species potential adventitious contaminants of biological products. *Trop. Med. Surg.* 1: 6-12.
- Gil, L.H.V.G., Ansari, I.H., Vassilev, V. and Liang, D., Vicky, C.H., Laili, Zhong, W., Hong, Z., Edward, J., Dubou, V.J., Ruben, O. and Pon, I.S. (2006) The amino terminal domain of bovine viral diarrhoea virus N^{PRO} protein is necessary for alpha/beta interferon antagonism. *J. Virol.* 80: 900-911.
- Greiser-Wilke, I., Grummer, B. and Moening, V. (2003) Bovine viral diarrhoea eradication and control programmes in Europe. *Biologicals* 31: 113-118.
- Griffin, S.D., Harvey, R., Clarke, D.S., Barclay, W.S., Harris, M. and Rowlands, D.J. (2004) A conserved basic loop in hepatitis C virus p7 protein is required for amantadine-sensitive ion channel activity in mammalian cells but is dispensable for localization to mitochondria. *J. Gen. Virol.* 85: 451-461.
- Guo, K.K., Tang, Q.H., Zhang, Y.M., Kang, K. and He, L. (2011) Identification of two internal signal peptide sequences: Critical for classical swine fever virus nonstructural protein 2 to trans-localize to the endoplasmic reticulum. *J. Virol.* 8: 236-242.
- Haider, N., Rahman, M.S., Khan, S.U., Mikolon, A., Gurley, E.S., Osmani, M.G., Shanta, I.S., Paul, S.K., Macfarlane-Berry, L., Islam, A., Desmond, J., Epstein, J.H., Daszak, P., Azim, T., Luby, S.P., Zeidner, N. and Rahman, M.Z. (2013) Identification and epidemiology of a rare HoBi-Like pestivirus galur in Bangladesh. *Trans. Emerg. Dis.* 61: 193-198.
- Hilbe, M., Stalder, H., Peterhans, E., Haessig, M., Nussbaumer, M., Egli, C., Schelp, C., Zlinsky, K. and Ehrensperger, F. (2007) Comparison of five diagnostic methods for detecting bovine viral diarrhoea virus infection in calves. *Vet. Diagn. Invest.* 19: 28-34.

- Hilton, L., Moganeradj, K., Zhang, G., Chen, Y.H., Randall, R.E., McCauley, J.W. and Goodbourn, S. (2006) The N^{pro} product of bovine viral diarrhea virus inhibits DNA binding by interferon regulatory factor 3 and targets it for proteosomal degradation. *J. Virol.* 80: 11723-11732.
- Homberg, A., Fernandez, S.R., Vogl, C., Vilcek, S., Matt, M., Fink, M., Kofer, J. and Schopf, K. (2009) Genetic diversity of pestivirus isolates in cattle from Western Austria. *Vet. Microbiol.* 135: 205-213.
- Houe, H., Lindberg, A. and Moennig, V. (2006) Test strategies in bovine viral diarrhea virus control and eradication campaigns in Europe. *Journ. of Vet. Diag. Invest.* 18: 427-436.
- Isken, O., Grassmann, C.W., Yu, H. and Behrens, S.E. (2004) Complex signals in the genomic 3' nontranslated region of bovine viral diarrhea virus coordinate translation and replication of the viral RNA. *Cord Spring Harbor Laboratory Press* 10: 1637-1652.
- Jackova, A., Novackova, M., Pelletier, C., Audeval, C., Gue neau, E., Haffar, A., Petit, E., Rehby, L. and Vilcek, S. (2008) The extended genetic diversity of BVDV-1: Typing of BVDV-1 isolates from France. *Vet.Res.Com.* 32: 7-11.
- Jordan, R., Wang, L., Graczyk, T.M., Block, T.M. and Romano, P.R. (2002) Replication of a cytopathic strain of bovine viral diarrhea virus activates PERK and induces endoplasmic reticulum stress, mediated apoptosis of MDBK cells. *J.Virol.* 76: 9588-9599.
- Kahrs, R.F. (1981) Viral diseases of cattle. 1st edition, Iowa: The IOWA State University Press USA. pp. 89-106.
- Kameyama, K., Sakoda, Y., Tamai, K., Nagai, M., Akashi, H. and Kida H. (2006) Genetic recombination at different points in the N^{pro}-coding region of bovine viral diarrhea viruses and the potentials to change their antigenicities and pathogenicities. *Virus. Res.* 116: 78-84.
- Kirkland, P.D., Frost, M.J., Finlaison, D.S., King, K.R., Ridpath, J.F. and Gu, X. (2007) Identification of novel virus in pigs-bungowannah virus: A possible New species of pestivirus. *Virus. Res.* 129: 26-34.
- Kresno, S.B. (2002) *Imunologi: Diagnosis dan prosedur laboratorium edisi III.* Balai penerbit Fakultas Kedokteran. Universitas Indonesia. Jakarta: 26-30.
- Krey, T., Thiel, H.J. and Ru" menapf, T. (2005) Acid-resistant bovine pestivirus requires activation for pH-triggered fusion during entry. *J. Virol.* 79: 4191-4200.

- Krey, T., Bontems, F., Vonnrhein, C., Vaney, M.C., Bricogne, G., Rümenapf, T. and Rey, F.A. (2012) Crystal structure of the pestivirus envelope glycoprotein E(rns) and mechanistic analysis of its ribonuclease activity structure. *20*: 862–873.
- Lackner, T., Muller, A., Pankraz, A., Becher, P., Thiel H.J., Gorbalenya A.E. and Tautz, N. (2004) Temporal modulation of an autoprotease is crucial for replication and pathogenicity of an RNA virus. *J. Virol.* 78: 10765-10775.
- Lackner, T., Thiel, H.J. and Tautz, N. (2003) Dissection of a viral autoprotease elucidates C, kerkhofs P. Real-Time PCR for simultaneous detection and genotyping of bovine viral diarrhoea virus. *J. Virol. Methods.* 114: 121.
- Lanyon, S.R. and Reichel, M.P. (2014) Bovine viral diarrhoea virus ('Pestivirus') in Australia: To control or not to control. *Australian Vet. Journal.* 92: 277-282.
- Letellier, C. and Kerkhofs, P. (2003) Real-time PCR for simultaneous detection and genotyping of bovine viral diarrhoea virus. *J. Virol. Methods.* 144: 21-27.
- Li, Y., Wang, J., Kanai, R. and Modis, Y. (2013) Crystal structure of glycoprotein E2 from bovine viral diarrhoea virus. *Proceedings on the National academy of Sciences of the USA.* 110: 6805-6810.
- Lilis, C. (2015) Peningkatan Performa Reproduksi pada Usaha Pembibitan Sapi Potong. *Artikel Peternakan Khusus Trobos Livestock Ed. Juni 189 Tahun XVI* : 82.
- Linberg, A., J. Brownlie, G.J., Gunn, H., Houe, V., Moeening, H.W., Saatkamp, Sandvik, T. and Valle, P.S. (2006) The control of bovine viral diarrhoea virus in Europe: today and in the future. *Rev. Sci. Tech. Off. Int Epiz.* 25: 961-979.
- Linberg, A.L.E. (2003) Bovine viral diarrhoea virus infection and its control. *Rev. Vet. Quarterly.* 25: 1-16.
- Lindebach, B.D., Thiel, H.J. and Rice, C.M. (2007) *Flaviviridae*: The viruses and their replication, in: Knipe D.M., Howley P.M. *J. Virol.* 5: 1101-1152.
- Liu, H., Yan, L., Mingchun, G., Kai, W., Ying, J., Xiaomei, L., Wenlong, Z., Bo, M. and Junwel, W. (2012) Complete genome sequence of a bovine viral diarrhoea virus 2 from commercial fetal bovine serum. *Am. Soc. For. Microbiol.* 86:10233-10239.
- Liu, L., Kampa, J., Belak, S. and Baule C. (2009) Virus recovery and full-length sequence analysis of atypical bovine pestivirus Th/04_KhonKaen. *Vet. Microbiol.* 138: 62-68.

- Lodge, J., Lund, P. and Minchin, S. (2007) Gene cloning principles and applications. Taylor and Francis group. British
- Mao, L., Li, W., Zhang, W., Yang, L. and Jiang, J. (2012) Genome sequence of a novel Hobi-like pestivirus in China. *J. Virol.* 86: 12444.
- McGowan, M.R. and Kirkland, P.D. (1995) Early reproductive loss due to bovine pestivirus infection. *Br. J. Vet.* 151: 263–270.
- Moes, L. and Wirth, M. (2007) The internal initiation of translation in bovine viral diarrhoea virus RNA depends on the presence of an RNA pseudoknot upstream of the initiation codon. *J. Virol.* 4: 124-138.
- Morton, J.M., Philips, N.J., Taylor, L.F. and McGowan, M.R. (2013) Bovine viral diarrhoea virus in beef heifers in commercial herds in Australia: Mobs-level seroprevalences and incidences of seroconversion, and vaccine efficacy. *Australian Vet. Jour.* 91: 517-524.
- Moulin, H.R., Seuberlich, T., Bauhofer, O., Bannett, L.C., Tratschin, J.D., Hofmann, M.A. and Ruggli. (2007) Nonstructural protein NS2-3 and NS4A of classical swine fever virus: Essential features for infectious particle formation. *J. Virol.* 365: 376-389.
- Muhammad, D., Rauf, F. dan Yudiastyasd. (2004) Situasi khusus bovine virus diarrhoea pada sapi di Sulawesi Selatan tahun 2004. Buletin Informasi Kesehatan Hewan dan kesehatan Masyarakat. *Veteriner* 2:12-16.
- Muller-Doblies, D., Arquint, A., Schaller, P., Hegoard, P.M., Albin, S., Abril, C., Tobler, K., Ehrensperger, F. and Peterhans, E. (2004) Innate immune responses of calves during transient infection with a noncytotoxic strain of bovine viral diarrhoea virus. *Clinical and diagnostic laboratory immunology* 11: 302-312.
- Munoz-Zanzi, C.A., Jhonson, W.O., Thurmon, M.C. and Hietala, S.K. (2000) Pooled sample testing as a herd-screening tool for detection of bovine viral diarrhoea virus persistently infected cattle. *J. Vet. Diagn. Invest.* 12: 195-203.
- Nagai, M., Hayashi, M., Itou, M., Fukutomi, T., Akashi, H., Kida, H. and Sakoda, Y. (2008) Identification of new genetic subtypes of bovine viral diarrhoea virus genotype 1 isolated in Japan. *Virus Genes.* 36: 135-139.
- Neill. and John, D. (2013) Molecular biology of bovine viral diarrhoea virus. *Biologicals* 41: 2-7.
- Nettleton, P.F. and Entrican, G. (1995) Ruminant pestiviruses. *British Vet. Jour.* 151: 615-642.

- Oem, J.K., Hyun, B.H., Cha, S.H., Lee, K.K., Kim, S.H., Kim, H.R., Park, C.K. and Joo, Y.S. (2009) Phylogenetic analysis and characterization of Korean bovine viral diarrhea viruses. *Vet. Microbiol.* 139: 356-360.
- Paterhans, E., Bachofen, C., Stalder, H. and Schweizer, M. (2010) Cytopathic bovine viral diarrhea viruses (BVDV): Emerging pestiviruses doomed to Extinction. *Vet. Res.* 41: 44-58.
- Pellerin, C., van den Hurk, J., Lecomte, J. and Tussen, P. (1994) Identification of a new group of bovine viral diarrhea virus galurs associated with severe Outbreaks and high mortalities. *J. Virol.* 203: 260-268.
- Peterhans, E., Jungi, T.W. and Schweizer, M. (2003) BVDV and innate immunity. *Biological.* 31: 107-112.
- Radostits, O.M. and Littlejohn, I.R. (1998) New concepts in the pathogenesis, diagnosis and control of diseases caused by the bovine viral diarrhea virus. *Can. J. Vet.* 29: 513-528.
- Radostits, O.M., Gay, C.C., Hin-Cheliff, K.W. and Constable, P.D. (2007) *Veterinary medicine* 10th edition, W.B. Saunders, London. pp 1248-1276.
- Ridpath, J.F., Bolin, S.R. and Dubovi, E.J. (1994) Segregation of bovine viral diarrhea virus into genotypes. *J. Virol.* 205: 66-74.
- Rufenacht, J., Schaller, P., Audige, L., Knutti, B., Kupfer, U. And Peterhans, E. (2001) The effect of infection with bovine viral diarrhea virus on the fertility of swiss dairy cattle. *Theriogenology* 56: 199-210.
- Rumenapf, T. and Thiel, H.J. (2008) Molecular biology of pestiviruses in: Mettwnlieter T.C., Sabrino. *Molecular biology*, 5 ed; *Caister Academy press.* 39-96.
- Saepulloh. M., Wibawan, W.T., Sajuthi, D. dan Setyaningsih S. (2009) Karakterisasi molekuler *bovine herpesvirus type-1* isolat Indonesia. *JITV* 14: 66-74.
- Saepulloh, M. and Indrawati, S. (2015). Identification and characterization of bovine viral diarrhea virus from Indonesian cattle. *J. Vet.* 16: 1-7
- Sambrook, J. and Russeli, D. (2001) *Molecular cloning: A laboratory manual* 3rd edn. *Cold Spring Harbor Laboratory.*
- Sandvik, T. (1999) Selection and use of laboratory diagnostic assay in BVD control programmes. *Prev. Vet. Med.* 72: 3-16.

- Santiago, F., Elena. and Rafael, S. (2005) Adaptive value of high mutation rates of RNA viruses: Separating cause from consequences. *J. Virol.* 79: 11555-11558.
- Sato, A., Kentaro, T., Minami, S., Yuki, N., Mai, S., Hiroshi, A., Keitaro, O., Tetsuya, M., Junsuke, S. and Makoto, N. (2016) Complete genome sequencing of bovine viral diarrhoea virus 1, subgenotypes 1n and 1o. *Am. Soc. Microbiol.* 4: 1744-15.
- Schirrmeier, H., Strebelow, G., Depner, K., Hoffmann, B. and Beer, M. (2004) Genetic and antigenic characterization of an atypical pestivirus isolate, a putative member of a novel pestivirus species. *J. Gen. Virol.* 85: 3647-3652.
- Schweizer, M. and Peterhans, E. (1999) Oxidative stress in cells infected with bovine viral diarrhoea virus: A crucial step in the induction of apoptosis. *J. Gen. Virol.* 80: 1147-1155.
- Smirnova, N.P., Webb, B.T., Bielefeldt-Ohmann, H., Van-Campen, H., Antoniazzi, A.Q., Morarie, S.T. and Hansen, T.R. (2012) Development of fetal and placental innate immune responses during establishment of persistent infection with bovine viral diarrhoea virus. *Virus. Res.* 167: 329-336.
- Smith, R.I., sanderson, M.W., Walz, P.H. and Givens, M.D. (2008) Sensitivity of polymerase chain reaction for detection of bovine viral diarrhoea virus in pooled serum samples and use of pooled polymerase chain reaction to determine prevalence of bovine viral diarrhoea virus in auction market cattle. *J. Vet. Diagn. Invest.* 20: 75-78.
- Smith, B. (1996) Bovine viral diarrhoea virus: Mucosal disease: large animal internal medicine. *Mosby Publication* pp. 806-814.
- Stahl, K. and Alenius, S. (2012) BVDV control and eradication in Europe –an update. *Vet. Res.* 60: 31-39.
- Stanley, J. (2002) Essentials of immunology and serology DELMAR Thomson learning. New York USA p: 155
- Strong, R., Errington, J., Cook, R., Ross-Smith, N., Wakeley, P. and Steinbach, F. (2012) Increased phylogenetic diversity of bovine viral diarrhoea virus type 1 isolates in England and Wales since 2001. *Vet. Microbiol.* 162: 315-320.
- Sudarisman. (2011) Bovine viral diarrhoea pada sapi di Indonesia dan permasalahannya. *Wartazoa.* 21: 18 – 24.
- Sudarisman. (2007) Penularan kongenital penyakit infectious bovine rhinotracheitis (IBR) pada sapi dan kerbau di Indonesia. *Wartazoa.* 17: 29-37.

- Swasthikawati, S. (2015) Identification and differentiation of infection bovine viral diarrhoea virus serologically. *Thesis*. Gadjah Mada University. Yogyakarta
- Tajima, M., Kirisawa, R., Taguchi, M., Iwai, H., Kawakami, Y., Hagiwara, K., Ohtsuka, H., Sentsui, H. and Takahashi, K. (1995) Attempt to discriminate between bovine viral diarrhoea virus strains using polymerase chain reaction. *J. Vet. Med.* 42: 257-265.
- Tamura, K., Dudley, J., Nei, M. and Kumar, S. (2008) MEGA4: Molecular evolutionary genetics analysis (MEGA) version 4.0 (manual). Center of evolutionary functional genomic biodesign. Institute Arizona State University
- Untari, T. and Wuryastuti, H. (1998) Isolation and identification of non-cytopathic bovine viral diarrhoea virus in vitro in dairy cattle herd with problems in reproductive performance. *Bull. Peternakan* 22: 73-79.
- Vilcek, S., Durkovic, B., Kolesarova, M. and Paton, D.J. (2005) Genetic diversity of BVDV: Consequences for classification and molecular epidemiology. *Prev. Vet. Med.* 72: 31-35.
- Vilcek, S., Paton, D.J., Durkovic, B., Strojny, L., Ibata, G., Moussa, A., Loitsch, A., Rossmanith, W., Vega, S., Scicluna, M.T. and Paifi, V. (2001) Bovine viral diarrhoea virus genotype 1 can be separated into at least 11 genetic groups. *Arch. Virol.* 146: 99-115.
- Vilcek, S., Durkovic, B., Kolesarova, M., Greisel-Wilke, I. and Paton, D. (2004) Genetic diversity of international bovine viral diarrhoea virus (BVDV) isolates: identification of a new BVDV-1 genetic group. *Vet. Res.* 35: 609-615.
- Vilcek, S., Durkovic, B., Kolesarova, M. and Paton, D.J. (2005) Genetic diversity of BVDV: Consequences for classification and molecular epidemiology. *Prev. Vet. Med.* 72: 31-35.
- Vilcek, S., Valeria, L., Denise, M., Alexander, P. and Paul, B. (2014) Molecular characterization of border disease virus strain Aveyron. *Vet. Microbiol.* 171: 87-92.
- Virus Taxonomy. 2002. Classification and Nomenclature of Viruses: Ninth Report of The International Committee on Taxonomy of Viruses. *San Diego. C.A. Elsevier/Academic Press.*
- Voges, H., Horner, G.W., Roiue, S. and Wellen-Berg, G.J. (1998) Persistent bovine pestivirus infection localized in the testes of an immuno-competent, non-viremic bull. *Vet. Microbiol.* 61: 165-175.

- Wasito, R., Sardjono, B., Wuryastuti, H., Isrina, S. dan Yuriadi. (1992) Uji serologik bovine viral diarrhe dengan teknik enzym linked immunosorbent assay. PAU. Bioteknologi. Universitas Gadjah Mada. Yogyakarta. Indonesia.
- Wasito, R. (2002) Pembuatan dan produksi kit diagnosis rekombinan DNA Adenovirus BVDV GP53 in vitro untuk deteksi imunologis cepat dan dini penyakit diare ganas pada sapi perah dan potong di Indonesia tahap II: Preparasi dan pembuatan kit IPMA plate rekombinan DNA Adenovi. Diakses dari <http://repository.ugm.ac.id/92228/> pada 10 September 2016.
- Wiyono, A.P., Ronohardjo, R.J., Graydon. and Daniels, P.W. (1989) Diare ganas sapi, 1 kejadian penyakit pada sapi Bali bibit asal Sulawesi Selatan yang baru tiba di Kalimantan Barat. Penyakit hewan XXI. 38: 77-83.
- Woodman, Z. and Williamson, C. (2009) HIV molecular epidemiology: Transmission and adaptation to human populations. 4: 247-252.
- Wright, T. and Meylinah, S. (2014) Indonesia dairy and products annual report. Global agricultural information network (GAIN). Report number: IDI1438.
- Wuryastuti, H. dan Wasito, R. (1996) Detection of bovine viral diarrhe virus (BVDV) in milk samples by immunoperoxidase monolayer assay. *Indo. Jour. Biotech.* 66–69.
- Wuryastuti, H., Putro, P.P., Wasito, R. and Maes, R.K. (2015) Genetic variability of bovine viral diarrhe virus in persistently infected cattle in Central Java, Indonesia. *J. Merit Research* 3: 031-036.
- Zhang, S., Bin, T., Yulin, D., Fengxue, W., Li, G., Yongjun, W., Shipeng, C. and Hua, W. (2014) Complete genome sequence and pathogenesis of bovine viral diarrhe virus JL-1 isolate from cattle in China. *J. Virol.* 11: 67-74.