

## DAFTAR PUSTAKA

- Agrawal, R. and Srikant, R., 1994, Fast algorithms for mining association rules, In *Proc. 20th Int. Conf. Very Large Data Bases, VLDB*, San Fransisco.
- Agrawal, R. and Srikant, R., 1995, Mining sequential patterns, In *Eleventh International Conference on Data Engineering*, P. S. Yu and A. S. P. Chen, Eds. IEEE Computer Society Press, Taipei, Taiwan.
- Akbani, R., Kwek, S., dan Japkowicz, N., 2004, Applying Support Vector Machine to Imbalanced Datasets, *Machine Learning Lecture Notes in Computer Science* pp 39-50.
- Akbar, A. A., 2015, Peringkasan Multi-Dokumen Berita Berbahasa Indonesia Menggunakan Conditional Random Field (CRF), *Skripsi*, Universitas Telkom, Bandung
- Attardi, G., Simi, M., 2006, Blog Mining through Opinionated Words, In *Proceedings of The Fifteenth Text Retrieval Conference*, Gaithersburg.
- Balahur, A., Steinberger, R., Goot, E., 2009; European Commission - Joint Research Centre; Opinion Mining on Newspaper Quotations, In *IEEE/WIC/ACM International Conference on Web Intelligence and Intelligent Agent Technology*, Milan, Italy.
- Baldi dan Brunak, 2001, *Bioinformatics: The Machine Learning Approach*, MIT Press, United States of America
- Barber, I., 2010, Bayesian Opinion Mining, <http://phpir.com/bayesian-opinion-mining>, diakses pada 3 Februari 2013.
- Bekkerman, R. dan Allan, J., 2004, *Using Bigrams in Text Categorization*, CIIR Technical Report IR-408, Massachusetts, USA
- Bethard, S., Yu, H., Thornton, A., Hatzivassiloglou, V., and Jurafsky, D., 2004, Automatic Extraction of Opinion Propositions and their Holders. In *Proceedings of the AAAI Spring Symposium on Exploring Attitude and Affect in Text: Theories and Applications*, Stanford, US.
- Bikel, D.M., Miller, S., Schwartz, R., and Weischedel, R., 1997, "Nymble: a highperformance learning name-finder" in the *proceedings of the fifth conference on Applied natural language processing*, pages 194-201, San Francisco, CA, USA Morgan Kaufmann Publishers Inc.
- Black, William J., Rinaldi, F. and Mowatt, D., 1998, Facile: Description of The NE System Used For Muc-7. *Proc. Message Understanding Conference*, San Diego, California.

- Borthwick, A., 1999. "Maximum Entropy Approach to Named Entity Recognition"  
*Ph.D. thesis*, New York University.
- Bolshakov, I., Gelbukh, A., 2004, *Computational linguistic Model, Resources, Applications*, 1st edition, Instituto Politecnico Nacional, Mexico DF.
- Borislav, P., Kirilov, A., Maynard, D. and Manov, D., 2004, Creation of reusable components and language resources for Named Entity Recognition in Russian. *Proc. Conference on Language Resources and Evaluation*.
- Breck, E., Choi, Y., and Cardie, C., 2007, Identifying expressions of opinion in context. In *Proceedings of the Twentieth International Joint Conference on Artificial Intelligence (IJCAI-2007)*, Hyderabad, India, January.
- Brill, E., 1994, Some Advances In Rule-Based Part of Speech Tagging, In *National Conference on Artificial Intelligence*, Vol.1, P.722-727, American Association for Artificial Intelligence: Menlo Park,CA, USA.
- Byun, H., dan Lee, S.W., 2003, A Survey on Pattern Recognition Application of Support Vector Machines, *International Journal of Pattern Recognition and Artificial Intelligence*. Volume 17 Issue 03 May 2003.
- Cesarano, C., Dorr, B., Picariello, A., Reforgiato, D., Sagoff, A., Subrahmanian, 2006, OASYS: An Opinion Analysis System.. In *Proceedings of AAAI-2006 Spring Symposium on Computational Approach to Analyzing Weblogs*, Palo Alto, California.
- Chaumartin, F.R., 2007, UPAR7: A knowledge-based system for headline sentiment tagging, *Proceedings of the Fourth International Workshop on Semantic Evaluation*, Lattice/Talana.
- Chen, H. H. and Lee, J. C. ,1996, Identification and Classification of Proper Nouns in Chinese Texts. *Proc. International Conference on Computational Linguistics.*, Copenhagen, Denmark.
- Chincor, N., Brown, E., Ferro, L., dan Robinson, P., 1998, *MUC-7 Information Extraction Task Definition*, The MITRE Corporation and SAIC.
- Chiticariu, L., Krishnamurthy, R., Li, Y., Reiss, F. and Vaithyanathan, S., 2010, *Domain adaptation of rule-based annotators for named-entity recognition tasks*. In EMNLP
- Chiticariu, L., Li, Y. & Reiss, F. R., 2013. Rule-based Information Extraction is Dead! Long Live Rule-based Information Extraction System!. *Proceedings of the 2013 Conference on Empirical Methods in Natural Language Processing*, pp. 827-832.



- Chincor, N., Brown, E., Ferro, L., dan Robinson, P., 1999, *Named Entity Task Definition*, Version 1.4 The MITRE Corporation and SAIC.
- Choi, Y., Kim, Y., Myaeng, S., 2009, Korea Advanced Institute of Science and Technology 355 Gwahak-ro Yuseong-gu Daejeon, South Korea; Domain-specific Sentiment Analysis using Contextual Feature Generation, *TSA '09*, November 6, 2009, Hong Kong, China
- Manning, C. and Schütze, H., 1999, *Foundations of Statistical Natural Language Processing*, MIT Press. Cambridge.
- Collins, Michael and Y. Singer, 1999, Unsupervised models for named entity classification, In *proceedings of the Joint SIGDAT Conference on Empirical Methods in Natural Language Processing and Very Large Corpora*.
- Cucchiarelli, A. dan Velardi, P., 2001, Unsupervised Named Entity Recognition Using Syntactic and Semantic Contextual Evidence. *Computational Linguistics*. 27(1). pp. 123-131.
- Cucerzan, S. and Yarowsky, D., 1999, Language Independent Named Entity Recognition Combining Morphological and Contextual Evidence. *Proc. Joint Sigdat Conference on Empirical Methods in Natural Language Processing and Very Large Corpora*.
- Cutting, D., Kupiec, J., Pedersen, J. and Sibun, P., 1992. *A Practical Part-of-Speech Tagger*. Xerox palo Alto Research Center. USA.
- Dave, K., Lawrence, S., and Pennock, D. M., Mining the peanut gallery: Opinion extraction and semantic classification of product reviews. In *Proceedings of WWW-03, 12th International Conference on the World Wide Web*, pages 519–528, Budapest, HU, 2003. ACM Press. ISBN 1-58113-680-3.
- Denecke, K., 2008, Using SentiWordNet for Multilingual Sentiment analysis, *Proceedings of the 2008 IEEE 24th international conference on data engineering workshop*, Cancun.
- Dinakaramani, A., Rashel, F., Luthfi, A. dan Manurung, R., 2014, Designing an Indonesia Part of Speech Tagset and Manually tagged Indonesian Corpus, *International Conference on Asian Language Processing (IALP 2014)*. Kuching, 20-22 October 2014
- Ding, X. and Liu, B., *Proceeding of the 23rd International Conference on Computational Linguistic*, Beijing, 2010
- Ding, X., and Liu, B., 2007, The utility of linguistic rules in opinion mining. In *SIGIR '07: Proceedings of the 30th annual international ACM SIGIR*

*conference on Research and development in information retrieval*, pages 811–812, New York, NY, USA, 2007. ACM. ISBN 978-1-59593-597-7

- Duh, K., dan Kirchhoff, K., 2005. *POS tagging of dialectal Arabic: a minimally supervised approach*. Department of Electrical Engineering. University of Washington. Washington.
- Esuli, A., and Sebastiani, F., 2007, PageRanking WordNet Synsets: An Application to Opinion Mining. In *Proceedings of ACL-07, the 45th Annual Meeting of the Association of Computational Linguistics*, pages 424–431, Prague, CZ, June 2007. Association for Computational Linguistics.
- Esuli, A., , 2008, Automatic Generation of Lexical Resources for Opinion Mining: Models, Algorithms and Applications, *dissertation*, University Di PISA, Italy.
- Evans, D.K., Ku, L.W., Seki, Y., Chen, H.H., and Kando, N., 2007, Opinion Analysis Across Languages: An Overview of and Observations from the NTCIR6 Opinion Analysis Pilot Task. In *7th International Workshop on Fuzzy Logic and Applications*, volume 4578 of Lecture Notes in Computer Science, pages 456–463. Springer.
- F. Bechet, A. Nasr and F. Genet, 2000, Tagging Unknown Proper Names Using Decision Trees, In *proceedings of the 38th Annual Meeting of the Association for Computational Linguistics*.
- Fachri, M., 2014, Pengenalan Entitas Bernama Pada Teks Bahasa Indonesia Menggunakan Hidden Markov Model, *Skripsi*, FMIPA UGM, tidak diterbitkan.
- Fagin, R., Kumar, R., Mahdian, M., Sivakumar, and Vee, E., 2004, Comparing and aggregating rankings with ties, In *PODS '04: Proceedings of the twenty-third ACM SIGMODSIGACT-SIGART symposium on Principles of database systems*, pages 47–58, New York, NY, USA. ACM. ISBN 158113858X.
- Farizki, A. dan Purwarianti, A., 2010, HMM Based Part-of-Speech Tagger for Bahasa Indonesia, *Proceeding of the Fourth International MALINDO Workshop (MALINDO)*, Jakarta, Indonesia
- Fei, Z., Liu, J., and Wu, G., 2004, Sentiment Classification Using Phrase Patterns, In *Proceedings of CIT-04, the 4th International Conference on Computer and Information Technology*, pages 1147–1152, Wuhan, CN.
- Firdaniza, Gusriani, N., dan Akmal, 2006, Hidden Markov Model, *SEMNAS Matematika dan Pend. Matematik: Trend Penelitian dan Pembelajaran Matematika di Era ICT*, 201-2014.



- Fledman, R., Sanger, J., 2007, *The Text mining Handbook: Advanced Approaches in Analyzing Instructured Data*, Cambridge University Press, Cambridge.
- Forney, G.D.J., 1973, The Viterbi Algorithm. *Proceedings of the IEEE*, 61(3), 268-278.
- Garofalakis, M. N., Rastogi, R., and Shim, K., 1999, Spirit: Sequential pattern mining with regular expression constraints, In *VLDB'99, Proceedings of 25th International Conference on Very Large Data Bases*, September 7-10, 1999, Edinburgh, Scotland, UK.
- Godbole, M., Srinivasaiah, M., Skiena, S., 2007, Large-Scale *Sentiment analysis* for News and Blogs, *International Conference on Weblogs and Social Media*, Denver.
- Grefenstette, G., Qu, Y., Shanahan, JG., and Evans, DA., 2004, *Coupling Niche Browsers and Affect Analysis for an Opinion Mining Application*. In *Proceeding of RIAO-04*, Avignon, FR.
- Güngör, T., 2010, *Part-of-Speech Tagging*, Indurkhya N. dan Damerou F.J. (ed.): *Handbook of Natural Language Processing*, edisi 2, CRC Press, Florida.
- Haaff, M., 2010, *Sentiment Analysis : Hard But Worth It!*, CustomerThink.
- Hogenboom, A., Iterson, P.V., Heerschoop, B., Frasinca, F., dan Kaymak, U., 2011, *Determining Negation Scope and Strength in Sentimen Analysis*, *Conf. Proc. – IEEE Int. Conf. Syst. Man Cybern.*
- Han, J. and Kamber, M. 2000. *Data Mining Concepts and Techniques*. Morgan Kanufmann.
- Hargis, J. F., 2008, Rule-based system and Identification Trees, *Advanced Engineering Innformatics*, Vol 22, No 3, 281.
- Hasan, F.M., UzZaman, N. and Khan, M., 2007, Comparison of Unigram, Bigram, HMM and Brill's POS Tagging Approaches for some South Asian Languages, *Proc. Conference on Language and Technology (CLT07)*, Pakistan, August 7 - 11, 2007.
- Hu, M., and Liu, B., *Opinion Extraction and Summarization on the Web.*, 2006, *Proceedings of 21st National Conference on Artificial Intelligence (AAAI-2006, Nectar paper)*, July 16.20, 2006, Boston, Massachusetts, USA.
- Hu, W., Gong, Z. and Guo, J., 2010, Mining Product Features from Online Reviews, 2010, *IEEE 7th International Conference on E-Business Engineering*, pp. 24-29, Nov. 2010.



- Internet System Consortium, 2013, Internet Domain Survey, <http://ftp.isc.org/www/survey/reports/2013/07/>, diakses tanggal 10 Desember 2013.
- Internet World Stats, 2012, Internet Usage Statistics, <http://www.internetworldstats.com/stats.htm>, diakses tanggal 10 Desember 2013.
- Isozaki, H., 2001. Japanese named entity recognition based on a simple rule generator and decision tree learning, In the proceedings of the *Association for Computational Linguistics*, pages 306-313. India.
- Ivanovic, M., Radovanovic, M., 2008, *Text mining: Approaches and Applications*, Vol 38 No.3.
- Ji, H., and Grishman, R., 2006, Data Selection in Semi-supervised Learning for Name Tagging, In *Proceedings of COLING/ACL 06 Workshop on Information Extraction Beyond Document*, Sydney, Australia.
- Jin, W., Ho H., , Srihari, R., 2009, Department of Computer Science North Dakota State University, Department of Computer Science & Engineering State University of New York; *OpinionMiner: A Novel Machine Learning System for Web Opinion Mining and Extraction*; KDD'09, June 28–July 1, 2009, Paris, France.
- Jiang, P., Zhang, C., Fu, H., Niu, Z., Yang, Q., 2010, An Approach Based on Tree Kernels for Opinion Mining of Online Product Reviews, *Proceedings of 2010 IEEE International Conference on Data Mining*.
- Kaiser, C., Kröckel, J., Bodendorf, F., 2010, Ant-Based Simulation of Opinion Spreading in Online Social Networks, *Proceedings of the 2010 IEEE/WIC/ACM International Conference on Web Intelligence and Intelligent Agent Technology*, pp. 537–540.
- Kaur, D., V Gupta, 2010, A Survey of Named Entity Recognition in English and on the Indian Language, *IJCSI International Journal of Computer Science Issues*, Vol. 7, Issue 6, November 2010 ISSN (Online): 1694-0814
- Kennedy, A., Inkpen, D., 2006, Sentiment Classification of Movie Reviews Using Contextual Valence Shifters, *Computational Intelligence*, Vol 22, hal 110-125.
- Kim, Y., Jung, Y., Myaeng, S., 2007, Identifying Opinion Holders in Opinion Text from Online Newspapers, In *IEEE International Conference on Granular Computing*, Korea.
- Krulle, G., 1991, *Computer Processing of Natural Language*, Prentice Hall, New Jersey.



- Ku, L., Lee, C., Chen, H., 2009, Identification of Opinion Holders, *Computational Linguistic and Chinese Language Processing*, Vol. 14, No. 4, December 2009, pp 383-402.
- Lafferty, J.D., McCallum, A., and Fernando C. N. Pereira., 2001, “Conditional Random Fields: Probabilistic Models for Segmenting and Labeling Sequence Data” in the proceedings of *International Conference on Machine Learning*, pages 282-289, Williams College, Williamstown, MA, USA.
- Lin, M.-Y. and Lee, S.-Y., 2002, Fast discovery of sequential patterns by memory indexing, In *Proc. of 2002 DaWaK*.
- Liu, B., 2010, *Sentiment Analysis: A Multi-Faceted Problem*, IEEE Intelligent Systems.
- Liu, B., 2007, *Web Data Mining: Exploring Hyperlinks, Content, and Usage Data*, Edisi 1, Springer.
- Liu, B., Hu, M., Cheng, J., 2005, Opinion Observer: Analyzing and Comparing Opinion on The Web, *Proceeding of the 14<sup>th</sup> International Conference on World Wide Web*, Chiba. 10-14 Mei
- Liu, B. 2007, The utility of linguistic rules in opinion mining. In *SIGIR '07: Proceedings of the 30th annual international ACM SIGIR conference on Research and development in information retrieval*, pages 811–812, New York, NY, USA, ACM. ISBN 978-1-59593-597-7.
- MacKay, DJC., 2003, *Information theory, inference and learning algorithms*, Cambridge University Press.
- Malvinasrani, R., 2006, *Penghilangan Ambiguitas Makna Kata dalam Kalimat berbahasa Indonesia dengan menggunakan Parser, Wordnet, dan algoritma Lesk*, STT Telkom, Bandung.
- Mansouri, A., L. S. Affendey, A Mamat, 2008, Named Entity Recognition Approaches, *IJCSNS International Journal of Computer Science and Network Security*, VOL.8 No.2, February 2008
- Min, S., dan Hovy, E., 2004, *Extracting Opinions, Opinion Holders, and Topics Expressed in Online News Media Text*, Canada
- Mikheev, C. Grover, M. Moens, 1998, Description OF THE LTG SYSTEM FOR MUC-7, In *Proceedings of the seventh Message Understanding Conference (MUC-7)*.



- Morinaga, S., Yamanishi, K., Tateishi, K., and Fukushima, T., 2002, Mining product reputations on the Web. In *Proceedings of KDD-02, 8th ACM International Conference on Knowledge Discovery and Data Mining*, pages 341–349, Edmonton, CA, 2002. ACM Press. ISBN 1-58113-567-X.
- Mukund, S dan Srihari, R.K., 2010, A Vector Space Model for Subjectivity Classification in Urdu aided by Co-Training, *Poster Volume in Coling 2010*, pages 860-868, Beijing
- Nagesh, A., Ramakrishnan, G., Chiticariu, L., Krishnamurthy, R., Dharkar, A., and Bhattacharyya, P., 2012, Towards Efficient Named-Entity Rule Induction for Customizability, *EMNLP-CoNLL '12 Proceedings of the 2012 Joint Conference on Empirical Methods in Natural Language Processing and Computational Natural Language Learning*, Pages 128-138
- Nasukawa, T., and Yi, J, 2003, Sentiment Analysis: Capturing Favorability using Natural Language Processing. In *Proceedings of the K-CAP-03, 2nd International Conference on Knowledge Capture*, pages 70–77, New York, US, 2003. ACM Press. ISBN 1-58113-583-1.
- Ningtyas, A. M., 2016, Pengaruh Penanganan Negasi Dalam Bahasa Indonesia untuk Pelabelan Otomatis Pada Analisis Sentimen Twitter, *Thesis*, Program Studi S2 Teknik Elektro, Departemen Teknik Elektro dan Teknologi Informasi, UGM
- Nora, B., Lemnaru, C., dan Potoolea, R., 2010, Semi-supervised learning with lexical knowledge for opinion mining, *International Conference on Intelligent Computer Communication and Processing* ISBN: 978-1-4244-8228-3
- Nurwidiantoro, A., dan Winarko, E., 2012, Parallelization of Maximum Entropy POS Tagging for Bahasa Indonesia with MapReduce, *Thesis*, Magister Ilmu Komputer, UGM
- Nurfalah, A., 2014, Sentimen Analisis Menggunakan Pendekatan Lexicon-Based, [Online]. Available: <http://adiyasan.wordpress.com/2013/02/08/sentimen-analisis-menggunakan-pendekatan-lexicon-based/>. [Accessed: 10-Januari-2014]
- Okamoto, T., Honda, T., Eguchi, K., 2009, Locally contextualized smoothing of language models for sentiment sentence retrieval; *TSA '09: Proceeding of the 1st international CIKM workshop on Topic-sentiment analysis for mass opinion*.
- O'Keefe, T., dan Koprinska, I., 2009, Feature selection and weighting methods in sentiment analysis, *Australian Document Computing Symposium*, 67.



- Jedrzejewski, K.; and Morzy, M., 2011, Opinion Mining and Social Networks: A Promising Match. , In *International Conference on Advances in Social Networks Analysis and Mining*, ASONAM 2011, Kaohsiung, Taiwan, 25-27 July 2011, page 599-604, 2011.
- Pang, B., Lee, L., and Vaithyanathan, S., 2002, Thumbs up? Sentiment Classification using Machine Learning Techniques. In *Proceedings of EMNLP-02, the Conference on Empirical Methods in Natural Language Processing*, pages 79–86, Philadelphia, US, 2002. Association for Computational Linguistics.
- Pang, B., and Lee, L., 2004, A Sentimental Education: Sentiment Analysis using Subjectivity Summarization based on Minimum Cuts. In *Proceedings of ACL-04, 42nd Meeting of the Association for Computational Linguistics*, pages 271–278, Barcelona, ES, 2004. Association for Computational Linguistics.
- Pei, J., Han, J., Pinto, H., Chen, Q., Dayal, U., and Hsu, M. C. 2001, Prefexspan: Mining sequential patterns efficiently by pre $\bar{x}$ -projected pattern growth. *Int. Conf. on Data Engineering*.
- Pisceldo, F., Mirna Adriani, dan Ruli Manurung, 2008, *Probabilistic Part Of Speech Tagging for Bahasa Indonesia*, Faculty of Computer Science, University of Indonesia, Indonesia.
- Popescu, A.M., 2007, Information Extraction from Unstructured Web Text, *Tesis, Doctor of Philosophy*, University of Washington.
- Pusat Bahasa, 2016, Kamus Besar Bahasa Indonesia, Departemen Pendidikan Nasional Republik Indonesia, <http://badanbahasa.kemdikbud.go.id/kbbi/>, diakses 10 Februari 2016.
- Qiu, L., Zhang, W., Hu, C., Zhao, K., 2009, SELC: A Self-Supervised Model for Sentiment Classification; CIKM'09, November 2–6, 2009, Hong Kong, China ACM
- Quirk, R., Greenbaum, S., Leech, G., dan Svartvik, J., 1985, *A Comprehensive Grammar of the English Language*, Longman, New York.
- Rabbi, I., Khan, M.A., and Rahman, A., 2009, Rule-Based Part of Speech Tagging for Pashto Language, In *Proceedings of the Conference on Language & Technology*, Department of Computer Science, University of Peshawar, Pakistan.
- Rabiner, L.R., 1989, A tutorial on hidden Markov models and selected applications in speech recognition. In *Proceedings of the IEEE*, 1989, pages 257-286



- Rau, L. F., 1991, Extracting Company Names from Text. *Proc. Conference on Artificial Intelligence Applications of IEEE*.
- Rozi, I.F., Pramono, S.H., dan Dahlan, E.A., 2012, Implementasi Opinion Mining (Analisis Sentimen) untuk Ekstraksi Data Opini Publik pada Perguruan Tinggi, *Jurnal EECCIS* Vol. 6, No. 1, Juni 2012.
- Siniakov. 2010. GROPUS - An adaptive rule-based algorithm for information extraction., *Ph.D. thesis*, Freie Universitat Berlin.
- Sirhari, C. Niu, W. Li, 2000, A Hybrid Approach for Named Entity and Sub-Type Tagging, In *Proceedings of the sixth conference on Applied natural language processing*, AcM Pp. 247 - 254 , 2000.
- Sivanandam, S.N., Sumanthi, Sai., and Deepa, S.N., 2007, *Fuzzy Rule-Based System, Introduction to Fuzzy Logic using Matlab*, Springer, Berlin, Vol. 1
- Srikant, R. and Agrawal, R., 1996, Mining sequential patterns: Generalizations and performance improvements. In *Proc. 5th Int. Conf. Extending Database Technology*, EDBT, Eds. Vol. 1057. Springer-Verlag.
- Subasic, P., and Huettner, A., 2001, Affect analysis of text using fuzzy semantic typing. *IEEE Transaction on Fuzzy Systems*, 9(4): 483–496, 2001.
- Saifuddin, Y., 2016, Statement Extraction from Indonesian Online News using Rule Based Method, *Sripsa*, FMIPA UGM
- Tan, C., Wang, Yuan-Fang dan Lee, Chan-Do, 2002, The Use of Bigrams to Enhance Text Categorization, *Journal Information Processing and Management: an International Journal archive Volume 38 Issue 4, July 2002, pages 529 – 546*.
- Takeuchi K. and Collier N. 2002. Use of Support Vector Machines in extended named entity recognition in *the proceedings of the sixth Conference on Natural Language Learning (CoNLL-2002)*, Taipei, Taiwan, China.
- Tian, P., Liu, Y., Liu, M., Zhu, S., 2009, Research of product ranking technology based on opinion mining. In: *Second International Conference on Intelligent Computation Technology and Automation (2009)*
- Toutanova, K., dan Christopher D. Manning., 2000, “Enriching the Knowledge Sources Used in a maximum Entropy Part of Speech Tagger”, In *Proceedings of the Joint Konferensi SIGDAT Metode empiris di Pengolahan Alam Bahasa dan Very Large Corpora (EMNLP/VLC-2000)* : hlm. 63-70, 63-70.
- Trim, C., 2013, *The Art of Tokenization*, IBM Developer Works.



- Truyen, T.T., dan Phung, D., 2008, A Practitioner Guide to CRF for Sequential Labelling, *Thesis*, Curtin University of Technology, Australia.
- Turney, P., 2002, Thumbs up or thumbs down? Semantic orientation applied to unsupervised classification of reviews, *In Proceeding of the Association for Computational Linguistics (ACS)*, Philadelphia, Pennsylvania.
- Wang, L., Li, W.-C. and Chang, C.-H., 1992, Recognizing Unregistered Names for Mandarin Word Identification. *Proc. International Conference on Computational Linguistics*.
- Wallach, H. M., *Conditional Random Fields: An Introduction. Technical* , Report MS -CIS -04 -21, University of Pennsylvania, 2004, 2004
- Whitelaw, C., and Patrick, J. , 2003, Evaluating Corpora for Named Entity Recognition Using Character-Level Features. *Proc. Australian Conference on Artificial Intelligence*.
- Wibisono, Y., 2005, Klasifikasi Berita Berbahasa Indonesia menggunakan *Naïve Bayes Classifier*, *Skripsi*, Fakultas MIPA, Universitas Pendidikan Indonesia.
- Wicaksono, A. F., dan Ayu, P., 2010, HMM Based Part-of-Speech Tagger for Bahasa Indonesia. *Fourth Int. MALINDO Workshop*, Jakarta, Indonesia
- Wiegand, M., dan Ruppenhofer, J., 2015, Opinion Holder and Target Extraction Based on the Induction of Verbal Categories., *In Proceedings of the 19th Conference on Computational Language Learning*, Beijing, China.
- Wiebe, J., Wilson, T., Bruce, R., Bell, M., Martin, M., 2004, Learning Subjective Language, *Journal Computational Linguistics*, Volume 30 Issue 3, September 2004, Pages 277-308.
- Wiebe, J., Bruse, R., O'hara, T., 1999. Development and use of a gold standart data set for subjectivity classification. *In Proc. 37th Annual Meeting of the Assoc for Computational Linguistics (ACL-99)*, Univesrsity of Maryland, ACL.
- Wiebe, J., Wilson, T., and Cardie, C., 2005, *Annotating Expressions of Opinions and Emotions in Language*. Language Resources and Evaluation.
- Wilson, T., dan Wiebe, J., 2003, Annotating Opinions in the World Press, *In Proc SIGdial 2003*, Sapporo, Japan.
- Wulandini, F. dan Nugroho, A. N., 2009, *Text Classification Using Support Vector Machine for Webmining Based Spation Temporal Analysis of the Spread of Tropical Diseases. International Conference on Rural Information and*

*Communication Technology* 2009.

- Wu, Y.C., Fan, T.K., Lee, Y.S., Yen, S.J, 2006, *Extracting Named Entities Using Support Vector Machines, Knowledge Discovery in Life Science Literature*, Volume 3886, Spring-Verlag, Berlin Heidelberg.
- Xisheng, H., Wang, Z., Jin, C., Zhen, Y., dan Xue, X., *A Simplified Multi Class SVM with Reduced Dual Optimization, Elsevier on Pattern Recognition Letters*, vol 33, 2012, pp. 71-82.
- Yates, R.B. dan Neto, B.R., 1999, *Modern Information Retrieval*, ACM Press, New York
- Yessenov, K., dan Misailovic, S., 2009, Sentiment analysis of movie review comments, *Final Project, MIT*, 2009
- Yu, Shihong; Bai S. and Wu, P. (1998) Description of the Kent Ridge Digital Labs System Used for MUC-7. *Proc. Message Understanding Conference*.
- Yusuf, M., & Santika, D.D., 2011, Analisis Sentimen pada Dokumen Berbahasa Indonesia Dengan Pendekatan Support Vector Machine, *Konferensi Nasional Sistem dan Informatika*, 9-14.
- Zaki, M. J. 2001. SPADE: An efficient algorithm for mining frequent sequences., *Machine Learning*, Vol 42:31.
- Zhang, H., 2004, The Optimality of Naive Bayes, *In Proceedings of the Seventeenth International Florida Artificial Intelligence Research Society Conference*, Miami Beach, Florida, USA.
- Zhang, Y., Long, F., Bin., L., 2012, Identifying Opinion Sentences and Opinion Holders in Internet Public Opinion, *In Proc International Conference on Industrial Control and Electronic Engineering*, Xi'an, China.
- Zagibalov, T., Carroll, J., 2008, Automatic seed word selection for unsupervised sentiment classification of Chinese text, 1073-1080. *In Proceedings of the 22nd International Conference on Computational Linguistics*, UK.